


Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Saturday 20 12 2025



In all altitude zones thus far only a little snow is lying.

The mostly small wind slabs of Tuesday are lying on the unfavourable surface of an old snowpack on very steep shady slopes above approximately 2600 m. The avalanches in these locations are rather small and can be released in isolated cases by a single winter sport participant.

Restraint should be exercised because avalanches can sweep people along and give rise to falls.

Isolated mostly small dry snow slides and avalanches are possible as a consequence of warming during the day and solar radiation, in particular on extremely steep sunny slopes at intermediate and high altitudes in steep rocky terrain.

Snowpack

15 to 25 cm of snow, and even more in some localities, fell on Tuesday above approximately 1200 m. In all altitude zones from a snow sport perspective, insufficient snow is lying. Large-grained weak layers exist in the bottom section of the snowpack on shady slopes.

The weather conditions will give rise to increasing consolidation of the snowpack. The numerous rocks hidden by the recent snow are the main danger.


At high altitudes and in high Alpine regions snow depths vary greatly, depending on the influence of the wind.

Tendency


On Saturday it will be cloudy.



Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Saturday 20 12 2025



Wind slab
Wind slab



In all aspects a little snow is lying.

As a consequence of new snow and a moderate southerly wind, small wind slabs formed on Tuesday. These are lying on weak layers in particular on shady slopes. Especially on very steep slopes the avalanches can be triggered in the faceted old snow. Mostly they are small and can be released in isolated cases by a single winter sport participant, in particular in gullies and bowls, and behind abrupt changes in the terrain on extremely steep slopes.

Isolated mostly small dry snow slides and avalanches are possible as a consequence of solar radiation. This applies in particular on extremely steep sunny slopes at intermediate and high altitudes in steep rocky terrain.

Snowpack

10 to 20 cm of snow, but less in some localities, fell on Tuesday above approximately 1200 m. Weak layers exist in the old snowpack on shady slopes.

The weather conditions will give rise to increasing consolidation of the snowpack.


At intermediate and high altitudes snow depths vary greatly, depending on the influence of the wind. At low and intermediate altitudes only a little snow is now lying. The numerous rocks hidden by the recent snow are the main danger.

Tendency

On Saturday it will be cloudy.



Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Saturday 20 12 2025



Wind slab



N
S



Persistent
weak layer



N
S



Avalanche prone locations are to be found at intermediate and high altitudes.

The more recent wind slabs are lying on weak layers in particular on shady slopes. They can be released, even by small loads in isolated cases, in particular on very steep slopes.

The avalanche prone locations are to be found in gullies and bowls, and behind abrupt changes in the terrain. Here the avalanches can be triggered in the faceted old snow and reach medium size in isolated cases.

Snowpack

2 to 10 cm of snow fell on Tuesday above approximately 1200 m. Weak layers exist in the old snowpack on shady slopes.

The weather conditions will give rise to increasing consolidation of the snowpack.

At intermediate and high altitudes snow depths vary greatly, depending on the influence of the wind. The numerous rocks hidden by the recent snow are the main danger.

Tendency

On Saturday it will be cloudy.

