Saturday 05.04.2025

Published 04 04 2025, 17:00

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Saturday 05.04.2025

Published 04 04 2025, 17:00

Danger Level 2 - Moderate

AM:





2600m

Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wind slab

2600m

Snowpack stability: poor
Frequency: some
Avalanche size: medium

PM:



Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wet snow



Snowpack stability: poor
Frequency: some
Avalanche size: medium

Wind slab



2600m

Snowpack stability: poor
Frequency: some
Avalanche size: medium

The danger of moist and wet avalanches will increase significantly during the day.

The fresh and older wind slabs can be released in isolated cases, but mostly only by large additional loads, in particular on very steep shady slopes and at elevated altitudes.
In particular on steep sunny slopes small and, in isolated cases, medium-sized gliding avalanches and moist snow slides are possible as a consequence of warming during the day. Backcountry tours and ascents to alpine cabins should be started and concluded early.

Snowpack

Danger patterns dp.10: springtime scenario

5 to 15 cm of snow, and even more in some localities, fell on Tuesday above approximately 2000 m.
As a consequence of a sometimes moderate southeasterly wind, rather small wind slabs formed adjacent to ridgelines and in gullies and bowls as well as in high Alpine regions.

Danger Level 2 - Moderate

AM:





Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wind slab

Snowpack stability: poor
Frequency: some
Avalanche size: medium

PM:



Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wet snow



Snowpack stability: poor
Frequency: some
Avalanche size: medium

Wind slab

Snowpack stability: poor
Frequency: some
Avalanche size: medium

As a consequence of warming, the natural avalanche activity will gradually increase.

The fresh wind slabs can still be released in some cases in particular on near-ridge shady slopes and generally at elevated altitudes. Medium-sized avalanches are possible. Avalanches can in isolated cases be triggered in the old snowpack and reach large size.

In particular on steep sunny slopes and in starting zones where no previous releases have taken place medium-sized and, in isolated cases, large gliding avalanches and moist snow slides are possible as a consequence of warming during the day. Restraint should be exercised because avalanches can sweep people along and give rise to falls.
Backcountry tours and ascents to alpine cabins should be started and concluded early.

Snowpack

Danger patterns dp.10: springtime scenario

Over a wide area 30 to 50 cm of snow, and even more in some localities, fell on Tuesday above approximately 1800 m. The wind slabs are bonding only slowly with the old snowpack on shady slopes at elevated altitudes.
The surface of the snowpack will freeze, but a strong crust will not form and will soften during the day.
Weak layers exist in the old snowpack in particular on shady slopes.

Tendency

> The spring-like weather conditions will give rise to increasing settling of the snowpack.

Danger Level 2 - Moderate

AM:





Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wind slab

Snowpack stability: poor
Frequency: some
Avalanche size: medium

PM:



Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wet snow



Snowpack stability: poor
Frequency: some
Avalanche size: medium

Wind slab

Snowpack stability: poor
Frequency: some
Avalanche size: medium

As a consequence of warming and solar radiation a moderate danger of moist avalanches will prevail.

The wind slabs can be released by a single winter sport participant in some cases in particular on very steep northwest, north and northeast facing slopes above approximately 2500 m. Medium-sized avalanches are still possible.

In particular on very steep sunny slopes and in starting zones where no previous releases have taken place medium-sized gliding avalanches and moist snow slides are possible as a consequence of warming during the day.
Backcountry tours should be started and concluded early.

Snowpack

Danger patterns dp.10: springtime scenario

Over a wide area 15 to 20 cm of snow, and even more in some localities, fell on Tuesday above approximately 1800 m. As a consequence of northeasterly wind, soft wind slabs formed. The more recent wind slabs are bonding only slowly with the old snowpack on steep shady slopes at elevated altitudes. Outgoing longwave radiation during the night will be quite good. The surface of the snowpack will soften earlier than the day before.

Tendency

> The spring-like weather conditions will give rise to increasing settling of the snowpack.