



AM




PM



Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Thursday 01 05 2025



Wet snow




Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **small**

PM:



2100m

Tendency: Constant avalanche danger →
on Thursday 01 05 2025



Wet snow



2100m

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Backcountry tours should be started and concluded early. The danger of moist and wet avalanches will increase during the day, reaching danger level 2 (moderate).

Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack. The danger of moist and wet avalanches will increase during the day, reaching danger level 2 (moderate). Small and medium-sized moist and wet avalanches are possible as a consequence of warming during the day and solar radiation.

Snowpack

As a consequence of falling temperatures a crust formed on the surface during the course of the night. Early morning: The snowpack is hard and its surface has a strong melt-freeze crust. The surface of the snowpack will soften during the day. Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack. Backcountry tours should be started and concluded early. The danger of moist and wet avalanches will increase quickly during the day.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 01 05 2025



Wet snow



Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **small**

The surface of the snowpack has frozen to form a strong crust and will soften during the day.

Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack. The danger of moist and wet avalanches will increase but remain within the current danger level. Mostly small moist and wet avalanches are possible as a consequence of warming during the day and solar radiation.

Snowpack

As a consequence of falling temperatures a crust formed on the surface during the course of the night. Early and late morning: The snowpack is hard and its surface has a strong melt-freeze crust. Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack.

