
Published 01 04 2025, 17:00










Published 01 04 2025, 17:00



Danger Level 3 - Considerable



As a consequence of new snow and strong wind the prevalence and size of the avalanche prone locations will increase. Medium-sized and large avalanches are to be expected from early morning.

Wind slabs can in many places be released, even by a single winter sport participant and reach large size in isolated cases. This applies in particular in gullies and bowls, and behind abrupt changes in the terrain, as well as on wind-loaded slopes at high altitudes and in high Alpine regions.

Slab avalanches and dry loose snow avalanches are to be expected. Additionally in some places avalanches can be triggered in the old snowpack and reach large size.

The current avalanche situation calls for experience in the assessment of avalanche danger and careful route selection.

Snowpack

Danger patterns

(dp.6: cold, loose snow and wind

15 to 30 cm of snow, and even more in some localities, will fall until the evening above approximately 2000 m.

As a consequence of a strong southeasterly wind, sometimes deep wind slabs formed since Tuesday adjacent to ridgelines and in gullies and bowls as well as in high Alpine regions.

The new snow is bonding poorly with the old snowpack especially on southeast to south to west facing aspects.

As a consequence of highly fluctuating temperatures a crust formed on the surface during the last few days, also on shady slopes below approximately 2400 m.

Tendency


Significant increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation.



Published 01 04 2025, 17:00



Danger Level 2 - Moderate



New snow and wind slabs require caution. As the snowfall becomes more intense the avalanche prone locations will become more prevalent from the early morning.

As a consequence of new snow and a strong easterly wind, further wind slabs will form. The wind slabs of the last few days can be released easily or naturally.

Isolated avalanche prone weak layers exist in the old snowpack on little used northwest, north and northeast facing slopes. These can as before be released by large loads and reach medium size.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

10 to 20 cm of snow, and even more in some localities, will fall until the evening above approximately 2000 m.

As a consequence of a strong northeasterly wind, sometimes deep wind slabs formed on Saturday adjacent to ridgelines and in gullies and bowls as well as in high Alpine regions. As a consequence of new snow and strong wind the wind slabs will increase in size additionally as the day progresses.

The fresh snow as well as the wind slabs are bonding poorly with the old snowpack in some places in particular on very steep sunny slopes.

The spring-like weather conditions gave rise to gradual consolidation of the snowpack in particular on sunny slopes below approximately 2700 m, also on shady slopes below approximately 2400 m.

Tendency


Significant increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation.



Published 01 04 2025, 17:00



Danger Level 2 - Moderate



New snow and wind slabs require caution. As the snowfall becomes more intense the avalanche prone locations will become more prevalent from the early morning.

Wind slabs can be released by a single winter sport participant and reach medium size. This applies in particular adjacent to ridgelines and in gullies and bowls at high altitudes and in high Alpine regions, as well as on wind-loaded slopes. In some places avalanches can be triggered in the old snowpack and reach large size in isolated cases.

The current avalanche situation calls for careful route selection.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

10 to 20 cm of snow, and even more in some localities, will fall until the evening above approximately 2000 m.

As a consequence of a strong northeasterly wind, sometimes deep wind slabs formed on Saturday adjacent to ridgelines and in gullies and bowls as well as in high Alpine regions. As a consequence of new snow and strong wind the wind slabs will increase in size additionally as the day progresses.

The fresh snow as well as the wind slabs are bonding poorly with the old snowpack in some places in particular on very steep sunny slopes.

The spring-like weather conditions gave rise to gradual consolidation of the snowpack in particular on sunny slopes below approximately 2600 m, also on shady slopes below approximately 2200 m.

Tendency


Significant increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation.



Published 01 04 2025, 17:00



Danger Level 2 - Moderate



New snow and wind slabs require caution, in the regions exposed to snowfall in particular on very steep slopes.

10 to 20 cm of snow, and even more in some localities, will fall until late morning above approximately 2000 m.

As a consequence of new snow and strong wind the wind slabs will increase in size additionally. These can be released by a single winter sport participant and reach medium size. This applies in particular adjacent to ridgelines and in gullies and bowls at high altitudes and in high Alpine regions, as well as on wind-loaded slopes.

In some places avalanches can be triggered in the old snowpack and reach large size in isolated cases. The current avalanche situation calls for careful route selection.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

The fresh snow as well as the wind slabs are bonding poorly with the old snowpack in some places in particular on very steep sunny slopes.

Towards its surface, the snowpack is dry; its surface consists of loosely bonded snow. This applies in particular at high altitudes and in high Alpine regions.

The spring-like weather conditions gave rise to gradual consolidation of the snowpack in particular on sunny slopes below approximately 2600 m. Weak layers exist in the old snowpack in particular on shady slopes.

Tendency

Significant increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation.

