

Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Tuesday 30 12 2025



Wind slab

Wind slabs require caution.

The fresh and older wind slabs can be released in isolated cases in particular on steep shady slopes at elevated altitudes. Such avalanche prone locations are easy to recognise. Caution is to be exercised in particular adjacent to ridgelines. Mostly avalanches are small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack in particular on wind-protected shady slopes.


The snowpack will be subject to considerable local variations. Less snow than usual is lying in all altitude zones.

Tendency

As a consequence of the occasionally strong northerly wind, fresh snow drift accumulations will form. The avalanche prone locations are to be found in particular on very steep shady slopes at elevated altitudes.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Tuesday 30 12 2025



Low avalanche danger will be encountered over a wide area.

The fresh and older wind slabs are in isolated cases prone to triggering in particular on steep shady slopes above approximately 2400 m. This applies especially adjacent to ridgelines. Such avalanche prone locations are rare and are easy to recognise. In the south these avalanche prone locations are a little more prevalent.

In isolated cases avalanches can be triggered in the weakly bonded old snow. Such avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2600 m.

Mostly avalanches are small.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Danger patterns

(dp.6: cold, loose snow and wind)

As a consequence of the occasionally strong northerly wind, fresh snow drift accumulations formed on Sunday. The fresh and older wind slabs are lying on soft layers in particular on shady slopes at elevated altitudes.

Shady slopes above approximately 2600 m: Faceted weak layers exist in the bottom section of the snowpack.

The snowpack will be generally subject to considerable local variations. Hardly any snow is lying on south facing slopes. Less snow than usual is lying in all altitude zones.

Tendency

As a consequence of the occasionally strong northerly wind, fresh snow drift accumulations will form. The avalanche prone locations are to be found in particular on very steep shady slopes at elevated altitudes.

