



Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Thursday 11.12.2025



Persistent
weak layer



Wet snow



Weakly bonded old snow and wet snow require caution.

In some places avalanches can be triggered in the weakly bonded old snow. Such avalanche prone locations are to be found in particular on very steep west, north and east facing slopes above approximately 2400 m and in gullies and bowls, and behind abrupt changes in the terrain. Mostly avalanches are small. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

As a consequence of warming during the day and solar radiation wet loose snow avalanches are possible below approximately 2600 m. Mostly these are only small but can be released also by a single winter sport participant. Caution is to be exercised on extremely steep sunny slopes.

In addition further small to medium-sized gliding avalanches are possible. Caution is to be exercised in particular on steep grassy slopes.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.10: springtime scenario

Shady places that are protected from the wind above approximately 2400 m: Avalanche prone weak layers exist deeper in the old snowpack.

Very steep sunny slopes below approximately 2600 m: The weather conditions gave rise to significant moistening of the snowpack. Outgoing longwave radiation during the night will be good over a wide area. Sunshine and high temperatures will give rise as the day progresses to increasing softening of the snowpack.

The snowpack will be subject to considerable local variations. From a snow sport perspective, in most cases insufficient snow is lying.



Tendency

Decrease in avalanche danger. The weather will be mild.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 11 12 2025

Moist avalanches can be released by people, but they will be small in most cases.

As a consequence of warming, the likelihood of moist snow slides during the day being released will increase a little, in particular on extremely steep sunny slopes, and at the base of rock walls.

Avalanches can additionally in very isolated cases be released on extremely steep shady slopes. This applies in particular in gullies and bowls at elevated altitudes. Avalanches are small.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Very steep sunny slopes: The weather conditions gave rise to significant moistening of the snowpack. Outgoing longwave radiation during the night will be good over a wide area. Sunshine and high temperatures will give rise as the day progresses to increasing softening of the snowpack.

Steep shady slopes: In isolated cases various wind slab layers are lying on a weakly bonded old snowpack.

The snowpack will be subject to considerable local variations. From a snow sport perspective, in most cases insufficient snow is lying.

Tendency

The weather will be warm. A little snow is lying.

