




Danger Level 3 - Considerable




Tendency: Decreasing avalanche danger
on Tuesday 09 12 2025



Persistent
weak layer



Wind slab



Wind slabs and weakly bonded old snow represent the main danger. Low and intermediate altitudes: The danger of moist and wet avalanches will already increase in the early morning.

As a consequence of new snow and a moderate to strong wind from northwesterly directions, avalanche prone wind slabs formed in the last two days in particular in gullies and bowls and behind abrupt changes in the terrain. The new snow and wind slabs are lying on the unfavourable surface of an old snowpack. Even single backcountry tourers or freeriders can release avalanches, including medium-sized ones. Remotely triggered avalanches are possible.

In addition from the late morning in the regions exposed to the foehn wind, some moist and wet avalanches are to be expected, especially on steep sunny slopes, as well as on grassy slopes. Backcountry touring and other off-piste activities call for caution.

Snowpack

Some small and medium-sized dry slab avalanches have been released by people on Saturday. This applies especially on wind-loaded slopes above approximately 2300 m.

In some localities 20 to 30 cm of snow, but less in some localities, has fallen since Sunday above approximately 2100 m. The sleet gave rise to moistening of the snowpack in all aspects below approximately 2300 m.

The high temperatures from the early morning will give rise to thorough wetting of the snowpack in particular on sunny slopes at intermediate altitudes.

Weak layers exist in the snowpack. At intermediate and high altitudes snow depths vary greatly, depending on the influence of the wind.


Tendency

As a consequence of rising temperatures the snow drift accumulations will stabilise during the next few days.

Moist and wet avalanches are still possible.



Danger Level 2 - Moderate



Wind slabs and weakly bonded old snow represent the main danger.

As a consequence of new snow and a moderate to strong wind from northwesterly directions, rather small wind slabs formed in the last two days in gullies and bowls and behind abrupt changes in the terrain. The fresh and older wind slabs are lying on weak layers.

In isolated cases the avalanches are medium-sized and can be released by a single winter sport participant, caution is to be exercised in particular on very steep shady slopes above approximately 2400 m, and on wind-loaded slopes.

In the regions exposed to the foehn wind and on sunny slopes moist and wet avalanches are possible from the early morning, but they will be mostly small.

The numerous rocks hidden by the recent snow are the main danger.

Snowpack

In some localities 2 to 10 cm of snow, but less in some localities, has fallen since Sunday above approximately 2000 m. The sleet gave rise in the afternoon to moistening of the snowpack in all aspects below approximately 2300 m.

The high temperatures from the early morning will give rise to thorough wetting of the snowpack in particular on sunny slopes at intermediate altitudes.


Weak layers exist in the snowpack. At low and intermediate altitudes from a snow sport perspective, insufficient snow is lying.

Tendency

Slight increase in danger of moist snow slides as a consequence of warming.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Tuesday 09 12 2025

In all altitude zones from a snow sport perspective, in most cases insufficient snow is lying.

The snowpack will be generally stable.

Very isolated avalanche prone locations are to be found at high altitude and on extremely steep slopes. Mostly the avalanches in these locations are small and can be released in isolated cases by a single winter sport participant. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

The numerous rocks hidden by the recent snow are the main danger.

Snowpack

In some localities 2 to 5 cm of snow, but less in some localities, fell on Sunday above approximately 2200 m. In all altitude zones only a little snow is now lying.

Tendency

Slight increase in danger of moist snow slides as a consequence of warming.

