


Avalanche danger
updated on 27.1.2025, 17:00




region A

High (4=)



New snow, Persistent weak layers

Avalanche prone locations



Danger description


The large quantity of fresh snow and the extensive wind slabs will be deposited on a weakly bonded old snowpack. Avalanches can in many cases be triggered in deep layers. Numerous medium-sized and large natural avalanches are to be expected. Individual very large avalanches are possible. In the typical avalanche paths these can reach valley bottoms at relatively high altitudes and endanger transportation routes that are exposed.

Even single winter sport participants can release avalanches very easily, including dangerously large ones. Remotely triggered avalanches are to be expected. The snow sport conditions outside marked and open pistes are very dangerous.




region B

High (4=)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The large quantity of fresh snow and the extensive wind slabs will be deposited on a weakly bonded old snowpack. Avalanches can in many cases be triggered in deep layers. Numerous medium-sized and large natural avalanches are to be expected. Individual very large avalanches are possible. In the typical avalanche paths these can reach valley bottoms at relatively high altitudes and endanger transportation routes that are exposed.

Even single winter sport participants can release avalanches very easily, including dangerously large ones. Remotely triggered avalanches are to be expected. The snow sport conditions outside marked and open pistes are very dangerous.

Moderate (2)

Wet snow

The rain will give rise to thorough wetting of the snowpack at intermediate altitudes. In particular on very steep shady slopes medium-sized wet avalanches are possible below approximately 2000 m.


region C

High (4-)



New snow

Avalanche prone locations



Danger description


The danger exists in particular in alpine snow sports terrain. The large quantity of fresh snow and the extensive wind slabs are lying on the unfavourable surface of an old snowpack. As a consequence of new snow and a strong westerly wind, further wind slabs will form. Medium-sized to large natural avalanches are to be expected. Avalanches can in many places be released by a single winter sport participant. Remotely triggered avalanches are possible.

The conditions are very critical for snow sport activities outside marked and open pistes.




region D

High (4-)



New snow, Persistent weak layers

Avalanche prone locations




Danger description

The danger exists in particular in alpine snow sports terrain. The large quantity of fresh snow and the wind slabs will be deposited on a weakly bonded old snowpack. Avalanches can in many cases be triggered in deep layers. Numerous medium-sized and large natural avalanches are to be expected. Even single winter sport participants can release avalanches very easily, including dangerously large ones. Remotely triggered avalanches are to be expected. The snow sport conditions outside marked and open pistes are dangerous.


region E

High (4-)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The danger exists in particular in alpine snow sports terrain. The large quantity of fresh snow and the wind slabs will be deposited on a weakly bonded old snowpack. Avalanches can in many cases be triggered in deep layers. Numerous medium-sized and large natural avalanches are to be expected. Even single winter sport participants can release avalanches very easily, including dangerously large ones. Remotely triggered avalanches are to be expected. The snow sport conditions outside marked and open pistes are dangerous.


Moderate (2)

Wet snow

The rain will give rise to thorough wetting of the snowpack at intermediate altitudes. In particular on very steep shady slopes medium-sized wet avalanches are possible below approximately 2000 m.


region F

Considerable (3+)



New snow, Persistent weak layers

Avalanche prone locations




Danger description

The fresh snow and the sometimes large wind slabs are lying on the unfavourable surface of an old snowpack in all aspects. As a consequence of new snow and a strong westerly wind, further wind slabs will form. Even single persons can release avalanches easily, including large ones. Remotely triggered and natural avalanches are possible. Backcountry touring and other off-piste activities call for extensive experience in the assessment of avalanche danger and restraint.


region G

Considerable (3+)



New snow, Persistent weak layers

Avalanche prone locations




Danger description

The fresh snow and the wind slabs will be deposited on a weakly bonded old snowpack. Medium-sized and, in isolated cases, large natural avalanches are to be expected in particular on steep shady slopes. Avalanches can be released in the old snowpack, even by a single winter sport participant. Remotely triggered avalanches are possible. Ski touring and other off-piste activities, including snowshoe hiking, call for extensive experience in the assessment of avalanche danger and restraint.


region H

Considerable (3+)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The fresh snow and the wind slabs will be deposited on a weakly bonded old snowpack. Medium-sized and, in isolated cases, large natural avalanches are to be expected in particular on steep shady slopes. Avalanches can be released in the old snowpack, even by a single winter sport participant. Remotely triggered avalanches are possible. Ski touring and other off-piste activities, including snowshoe hiking, call for extensive experience in the assessment of avalanche danger and restraint.

Moderate (2)

Wet snow

The rain will give rise to thorough wetting of the snowpack at intermediate altitudes. In particular on very steep shady slopes medium-sized wet avalanches are possible below approximately 2000 m.


region I

Considerable (3+)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The fresh snow and the sometimes large wind slabs are lying on the unfavourable surface of an old snowpack in all aspects. As a consequence of new snow and a strong westerly wind, further wind slabs will form. Even single persons can release avalanches easily, including large ones. Remotely triggered and natural avalanches are possible. Backcountry touring and other off-piste activities call for extensive experience in the assessment of avalanche danger and restraint.


Moderate (2)

Wet snow

The rain will give rise to thorough wetting of the snowpack at intermediate altitudes. In particular on very steep shady slopes medium-sized wet avalanches are possible below approximately 2000 m.


region J

Considerable (3=)



Wind slab

Avalanche prone locations




Danger description

As a consequence of new snow and a sometimes strong westerly wind, further wind slabs will form. The new snow and wind slabs are prone to triggering. Even single persons can release avalanches in some places. Mostly these are medium-sized. Ski touring and other off-piste activities, including snowshoe hiking, call for experience in the assessment of avalanche danger and careful route selection.


region K

Moderate (2+)



Wind slab

Avalanche prone locations




Danger description

As a consequence of new snow and a sometimes strong westerly wind, wind slabs will form. These are in some cases prone to triggering. They are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain. Even single persons can release avalanches in some places. These can reach medium size in isolated cases. The wind slabs are to be bypassed as far as possible.

region L

Low (1)



Wind slab
Only a little snow is lying. As a consequence of new snow and a sometimes strong southwesterly wind, mostly small wind slabs will form. These are to be evaluated with care and prudence in particular in terrain where there is a danger of falling.



Snowpack and weather

updated on 27.1.2025, 17:00

Snowpack

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Observed weather

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Weather forecast

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Outlook

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.