


## Danger Level 2 - Moderate



### Wind slabs represent the main danger.

The wind slabs can be released by a single winter sport participant in isolated cases especially on very steep west, north and east facing slopes. The avalanche prone locations are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain above approximately 2400 m. Avalanches can reach medium size. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

In isolated cases avalanches can also be released in near-ground layers, in particular on very steep shady slopes at elevated altitudes.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

### Snowpack

#### Danger patterns

dp.1: deep persistent weak layer

dp.6: cold, loose snow and wind

A little snow is lying. The snowpack will be subject to considerable local variations.

The somewhat older wind slabs are lying on top of a weakly bonded old snowpack on west, north and east facing slopes at elevated altitudes.

Faceted weak layers exist in the bottom section of the old snowpack in shady places that are protected from the wind.


The high temperatures gave rise to moistening of the snowpack at intermediate altitudes.

### Tendency

Wednesday: The avalanche danger will persist.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Wednesday 03 12 2025

### Wind slabs require caution.

The wind slabs can be released in isolated cases on very steep west, north and east facing slopes. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

From a snow sport perspective, in most cases insufficient snow is lying. The snowpack will be subject to considerable local variations. Somewhat older wind slabs are lying on top of a weakly bonded old snowpack especially on steep shady slopes. The high temperatures gave rise to moistening of the snowpack at intermediate altitudes.

### Tendency

Wednesday: The avalanche danger will persist.

