


## Danger Level 2 - Moderate





**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



Wind slab



Persistent  
weak layer



Fresh wind slabs require caution. Weakly bonded old snow at elevated altitudes.

The wind slabs of the last few days can be released by a single winter sport participant. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in west to north to southeast facing aspects above approximately 2200 m. The wind slabs are clearly recognisable to the trained eye. Avalanches can reach medium size. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

Avalanches can in isolated cases penetrate near-ground layers of the snowpack and reach quite a large size, in particular on steep shady slopes above approximately 2200 m, as well as in gullies and bowls. Steep, glaciated terrain must also be critically assessed.

Only isolated gliding avalanches are possible.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

## Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

A little snow is lying. The snowpack will be subject to considerable local variations.

In the last few days the wind was moderate to strong. The fresh wind slabs are lying on soft layers especially on steep shady slopes.

Faceted weak layers exist in the bottom section of the old snowpack. Isolated whumping sounds and snow profiles show the unfavourable bonding of the snowpack.


## Tendency



Wind slabs must be evaluated with care and prudence in particular on steep shady slopes at elevated altitudes. Weakly bonded old snow requires caution.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



The fresh wind slabs are to be evaluated with care and prudence and generally at high altitudes and in high Alpine regions.

The wind slabs of last week must be evaluated with care and prudence in particular on north to east to southeast facing aspects above approximately 2200 m, in particular at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

## Snowpack

### Danger patterns


dp.6: cold, loose snow and wind

From a snow sport perspective, in most cases insufficient snow is lying, especially at low and intermediate altitudes.

Snow depths vary greatly at high altitudes and in high Alpine regions, depending on the influence of the wind.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



New snow



**Dry loose snow avalanches are the main danger.**


Above approximately 1400 m the likelihood of avalanches being released is greater. In particular on steep slopes and in gullies and bowls small and, in isolated cases, medium-sized natural avalanches are possible as the day progresses. The wind has transported the new snow. These have formed in particular in places that are protected from the wind. Here the avalanche prone locations are a little more prevalent and the danger is slightly greater.

## Snowpack

More snow than expected has fallen. As a consequence of rising temperatures a sometimes unfavourable avalanche situation will develop.



## Danger Level 2 - Moderate



**Tendency: Increasing avalanche danger**  
on Sunday 30 11 2025



Single persons can release avalanches in some places, including medium-sized ones.

The new snow and wind slabs of last week are lying on the unfavourable surface of an old snowpack in particular on steep shady slopes above approximately 2100 m. Whumping sounds are a clear indication.

Single winter sport participants can release avalanches in some places, including medium-sized ones. The avalanche prone locations are to be found in particular in northwest to north to northeast facing aspects and in places that are protected from the wind. Transitions into gullies and bowls are especially precarious. Snow sport activities outside marked and open pistes call for experience in the assessment of avalanche danger.

As a consequence of warming during the day and solar radiation dry and moist avalanches are possible as the day progresses, but they will be mostly small.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

50 to 70 cm of snow has fallen since Sunday above approximately 2000 m. The large quantity of fresh snow as well as the wind slabs are bonding only slowly with the old snowpack in particular on shady slopes above approximately 2100 m.

Weak layers exist in the snowpack in particular at intermediate altitudes. Over a wide area new snow is lying on a hard crust.


Sunshine and high temperatures will give rise as the day progresses to increasing moistening of the snowpack in particular on very steep sunny slopes below approximately 2400 m.

## Tendency

Little snow will fall on Sunday.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



Wind slab



Persistent  
weak layer



Treeline

Wind slabs represent the main danger.

In particular adjacent to ridgelines and in pass areas as well as above approximately 2000 m wind slabs formed. They remain in some cases prone to triggering in particular on steep shady slopes. Precarious weak layers exist in the snowpack here.

The sometimes deep wind slabs represent the main danger. They can be released by a single winter sport participant in some cases in particular on steep shady slopes above approximately 2000 m. Avalanches can in isolated cases be triggered in the old snowpack and reach medium size. Whumping sounds indicate the danger.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind



The snowpack will be generally soft. Towards its base, the snowpack is faceted and weak.

Above the tree line, shady slopes: Over a wide area new snow and wind slabs are lying on a weakly bonded old snowpack.

Over a wide area from a snow sport perspective, in most cases insufficient snow is lying.



## Danger Level 2 - Moderate



### Fresh wind slabs require caution.

The wind slabs of the last few days can be released by a single winter sport participant. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in west to north to east facing aspects above approximately 2200 m. The wind slabs are clearly recognisable to the trained eye. Avalanches can be released in the weakly bonded old snow in very isolated cases, in particular on steep shady slopes above approximately 2400 m in gullies and bowls. Avalanches can reach medium size. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

The activity of small gliding avalanches will decrease.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer



From a snow sport perspective, in most cases insufficient snow is lying. The snowpack will be subject to considerable local variations. In the last few days the wind was moderate to strong. The fresh wind slabs are lying on soft layers especially on steep shady slopes. Faceted weak layers exist in the bottom section of the old snowpack. Isolated whumping sounds and snow profiles show the unfavourable bonding of the snowpack.

## Tendency

Wind slabs must be evaluated with care and prudence in particular on steep shady slopes at elevated altitudes.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



Wind slab  
 



Persistent  
weak layer  
 

Wind slabs and weakly bonded old snow represent the main danger.

In particular at intermediate and high altitudes sometimes avalanche prone wind slabs formed. The new snow and wind slabs are lying on the unfavourable surface of an old snowpack in particular on steep shady slopes above approximately 2200 m.

Single winter sport participants can release avalanches in some places. The avalanche prone locations are to be found in particular on steep northwest to north to northeast facing slopes and in places that are protected from the wind. Off-piste activities call for experience in the assessment of avalanche danger. As a consequence of warming during the day and solar radiation dry and moist avalanches are possible as the day progresses, but they will be mostly small.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

40 cm of snow, and even more in some localities, has fallen since Sunday above approximately 2000 m. Weak layers exist in the snowpack in particular at intermediate altitudes. Over a wide area new snow is lying on a hard crust.


Sunshine and high temperatures will give rise as the day progresses to increasing moistening of the snowpack in particular on very steep sunny slopes below approximately 2400 m.

## Tendency

Little snow will fall on Sunday.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



Wind slab



Persistent  
weak layer



Treeline

Wind slabs represent the main danger.

In particular adjacent to ridgelines and in pass areas as well as above approximately 2000 m wind slabs formed. They remain in some cases prone to triggering in particular on steep shady slopes. Precarious weak layers exist in the snowpack here.

The sometimes deep wind slabs represent the main danger. They can be released by a single winter sport participant in some cases in particular on steep shady slopes above approximately 2200 m. Avalanches can in isolated cases be triggered in the old snowpack and reach medium size. Whumping sounds indicate the danger.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

The snowpack will be generally soft. Towards its base, the snowpack is faceted and weak.

Above the tree line, shady slopes: Over a wide area new snow and wind slabs are lying on a weakly bonded old snowpack.


Over a wide area from a snow sport perspective, in most cases insufficient snow is lying.

## Tendency

The avalanche conditions remain to some extent precarious.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Sunday 30 11 2025 →



### Fresh wind slabs require caution.

The wind slabs of the last few days can be released by a single winter sport participant. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in west to north to east facing aspects above approximately 2200 m. The wind slabs are clearly recognisable to the trained eye. Avalanches can in isolated cases reach medium size. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer



From a snow sport perspective, in most cases insufficient snow is lying. The snowpack will be subject to considerable local variations. In the last few days the wind was moderate to strong. The fresh wind slabs are lying on top of a weakly bonded old snowpack especially on steep shady slopes.

## Tendency

Wind slabs must be evaluated with care and prudence in particular on steep shady slopes at elevated altitudes.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 30 11 2025

Low avalanche danger will prevail.

Avalanches can in very isolated cases be released, but they will be small in most cases. This applies especially on very steep shady slopes at elevated altitudes. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

### Snowpack


From a snow sport perspective, insufficient snow is lying.

### Tendency

Low avalanche danger will prevail.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 30 11 2025

**Low avalanche danger will prevail.**

Avalanches can in very isolated cases be released, but they will be small in most cases. This applies especially on very steep shady slopes at elevated altitudes. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

### Snowpack


From a snow sport perspective, insufficient snow is lying.

### Tendency

Low avalanche danger will prevail.



## Danger Level 1 - Low



**A mostly favourable avalanche situation will prevail.**

The snowpack will be generally stable.

The numerous rocks hidden by the recent snow are the main danger. Dry avalanches can in very isolated cases be released, in particular by large loads, but they will be small in most cases. Very isolated avalanche prone locations are to be found at intermediate and high altitudes.


### Snowpack

In all aspects thus far only a little snow is lying in all altitude zones. The snowpack consists of faceted crystals; its surface consists of loosely bonded snow, especially on shady slopes. On sunny slopes the snowpack is frozen but the crust is only thin.

The high humidity gave rise to moistening of the snowpack in some places in particular at low altitude. There is a danger of falling on the icy crust.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 30 11 2025



New snow



**Natural loose snow slides are the main danger.**


In particular on steep slopes and in gullies and bowls only isolated small dry loose snow slides are possible as the day progresses. The wind has transported the new snow. These have formed in particular in places that are protected from the wind.

## Snowpack

Down to intermediate altitudes snow has fallen. The new snow and wind slabs represent the main danger.  
Slight warming.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 30 11 2025

In all altitude zones from a snow sport perspective, insufficient snow is lying.


Down to low altitudes snow has fallen since Sunday. 10 cm of snow, but less in some localities, has fallen above approximately 2000 m.

## Snowpack

The Avalanche Warning Service currently has only a small amount of information about the snowpack.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 30 11 2025

The snowpack will be generally stable.

The avalanche prone locations are rather rare. The snowpack will be generally stable.

The numerous rocks hidden by the recent snow are the main danger. Dry avalanches can in isolated cases be released by large loads, but they will be small in most cases. Very isolated avalanche prone locations are to be found on northeast to east to southeast facing aspects at intermediate and high altitudes.

### Snowpack

In all aspects thus far only a little snow is lying in all altitude zones. The snowpack consists of faceted crystals; its surface consists of loosely bonded snow, especially on shady slopes. On sunny slopes the snowpack is frozen but the crust is only thin. The old snowpack is hard.

