


## Danger Level 3 - Considerable



1600m

**Tendency: Constant avalanche danger**

on Monday 03 03 2025



New snow



1600m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Wind slab



1600m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

New snow



1600m

Snowpack stability: **fair**Frequency: **some**Avalanche size: **medium**

Down to low altitudes snow has fallen over a wide area.  
Considerable avalanche danger will prevail.

Over a wide area over a wide area 20 to 50 cm of snow, and even more in some localities, has fallen.

The current avalanche situation calls for experience in the assessment of avalanche danger. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. In particular in the regions exposed to heavier precipitation the avalanches can be released in deep layers of the snowpack. The wind slabs of the last few days are covered with new snow and therefore difficult to recognise.

Avalanches can be released by a single winter sport participant.

As a consequence of solar radiation loose snow avalanches are possible.

### Snowpack

As a consequence of new snow and wind, easily released wind slabs formed.


The wind slabs have bonded poorly with the old snowpack. Precarious weak layers exist in the snowpack.

### Tendency

Slight warming.



Danger Level 2 - Moderate



Over a wide area new snow.  
In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent.

The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. Avalanches can be released by large loads.

Snowpack

Weak layers exist in the snowpack in particular on shady slopes.

Tendency

Slight warming.

