
# Monday 07.04.2025

Published 06 04 2025, 17:00












#### **Danger Level 2 - Moderate**



Very isolated avalanche prone locations are to be found in particular in extreme terrain in high Alpine regions and in little used terrain.

The wind slabs can be released in isolated cases, but mostly only by large additional loads, in particular on very steep, little used north, northeast facing slopes above approximately 2500 m. Medium-sized avalanches are still possible.

In all aspects hardly any more gliding avalanches and moist snow slides are possible as the temperature drops.

#### Snowpack

**Danger patterns** 

dp.10: springtime scenario

The wind slabs have bonded with the old snowpack.

The surface of the snowpack will freeze to form a strong crust.


# Tendency

The weather conditions fostered a substantial strengthening of the snowpack in particular at low and intermediate altitudes.

Piemonte Page 2



# **Danger Level 2 - Moderate**



#### At elevated altitudes the avalanche prone locations are more prevalent.

The fresh wind slabs can still be released in some cases in particular on near-ridge shady slopes and generally at elevated altitudes. This applies in particular in case of a large load. Medium-sized avalanches are possible. Avalanches can in very isolated cases be triggered in the old snowpack and reach large size.

In all aspects hardly any more gliding avalanches and moist snow slides are possible as the temperature drops.

#### Snowpack

**Danger patterns** 

dp.10: springtime scenario

The wind slabs have bonded quite well already with the old snowpack. Weak layers exist in the old snowpack in particular on shady slopes.

# Tendency

The weather conditions fostered a substantial strengthening of the snowpack in particular at low and intermediate altitudes.

Piemonte Page 3



# **Danger Level 1 - Low**





Tendency: Constant avalanche danger on Tuesday 08 04 2025

Very isolated avalanche prone locations are to be found on very steep shady slopes at elevated altitudes.

The fresh and older wind slabs can be released in isolated cases, but mostly only by large additional loads, in particular on very steep shady slopes and at elevated altitudes.

Thus far hardly any moist and wet avalanches are possible as the temperature drops.

#### Snowpack

**Danger patterns** 

dp.10: springtime scenario

As a consequence of highly fluctuating temperatures the snowpack consolidated during the last four days.

# **Tendency**

The weather conditions fostered a substantial strengthening of the snowpack in particular at low and intermediate altitudes.



Piemonte Page 4