Friday 11.04.2025

Updated 11 04 2025, 16:40

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Friday 11.04.2025

Updated 11 04 2025, 16:40

Danger Level 3 - Considerable

AM:



Tendency: Increasing avalanche danger
on Saturday 12 04 2025

Wet snow



Snowpack stability: very poor
Frequency: few
Avalanche size: medium

PM:



2000m

Tendency: Increasing avalanche danger
on Saturday 12 04 2025



Wet snow

Snowpack stability: very poor
Frequency: few
Avalanche size: large

Wet snow

Snowpack stability: very poor
Frequency: few
Avalanche size: medium

Rapid increase in danger as a consequence of warming during the day and solar radiation.

In particular below approximately 2400 m: The surface of the snowpack will freeze very little and will soften earlier than the day before. In the late morning the likelihood of moist and wet avalanches being released will increase quickly in all aspects. This applies on steep sunny slopes below approximately 3600 m, and on steep shady slopes below approximately 2900 m. Avalanches can in some cases penetrate deep layers reach large size in isolated cases.
Backcountry tours and ascents to alpine cabins should be started and concluded very early.

Snowpack

Danger patterns dp.10: springtime scenario

On Friday it will be very warm.
As a consequence of highly fluctuating temperatures a crust formed on the surface during the last few days, this also applies on shady slopes below approximately 2500 m.
The spring-like weather conditions gave rise to increasing moistening of the snowpack on sunny slopes below approximately 2900 m. Towards its base, the snowpack is wet, also on shady slopes below approximately 2400 m. These weather conditions gave rise to settling of the snowpack in particular on sunny slopes.

Tendency

> Saturday: In the late morning the weather will be warm. The surface of the snowpack will freeze very little and will soften earlier than the day before.