
Wednesday 09.04.2025

Published 08 04 2025, 17:00










Wednesday 09.04.2025

Published 08 04 2025, 17:00



Danger Level 2 - Moderate



As a consequence of a strong wind, sometimes avalanche prone wind slabs formed in the last few days in particular adjacent to ridgelines in all aspects.

Weak layers in the old snowpack can still be released by winter sport participants. Such avalanche prone locations are to be found in particular on very steep shady slopes above approximately 2500 m. In particular, however, the wind slabs of the last few days adjacent to ridgelines and in gullies and bowls are capable of being triggered in some locations.

(--), caution is to be exercised on wind-loaded slopes in particular above approximately 2500 m, and adjacent to ridgelines in all aspects.

Avalanches can also penetrate down to the ground and reach quite a large size. This applies on very steep shady slopes in particular at high altitude.

Snowpack

Danger patterns

(dp.6: cold, loose snow and wind)

dp.1: deep persistent weak layer

Avalanche prone weak layers exist in the old snowpack especially on little used west, north and east facing slopes. This applies on shady slopes above approximately 2500 m.

As a consequence of the sometimes strong wind the wind slabs have increased in size. The snowpack will be generally subject to considerable local variations.

Below the tree line a little snow is lying.

Tendency

The avalanche danger will persist.

Trentino Page 2

Wednesday 09.04.2025

Published 08 04 2025, 17:00



Danger Level 1 - Low





Tendency: Constant avalanche danger on Thursday 10 04 2025

 \longrightarrow

Low avalanche danger will prevail.

Thus far only isolated mostly small moist loose snow slides are possible as a consequence of warming during the day. Restraint should be exercised because avalanches can sweep people along and give rise to falls

Weak layers in the old snowpack can be released in some places in particular on steep shady slopes. These avalanche prone locations are rather rare and are difficult to recognise. The avalanche prone locations are to be found in particular on steep, little used shady slopes above approximately 1900 m.

Snowpack

Danger patterns

dp.10: springtime scenario

In these regions only a little snow is lying. The snowpack will be subject to considerable local variations. Below the tree line no snow is lying.

Tendency

The avalanche danger will persist.



Trentino Page 3