


Danger Level 3 - Considerable



The fresh snow and the wind slabs that are forming over a wide area can be released easily or naturally above approximately 1800 m.

Caution is to be exercised on wind-loaded slopes adjacent to ridgelines and in gullies and bowls. Dry slab avalanches are possible. Avalanches can be released in near-ground layers by small loads. Sometimes the avalanches are large.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer


The moderate wind will transport the new snow. New snow and wind slabs are lying mostly on old snow containing large grains. The avalanche-prone wind slabs are lying on weak layers in particular on wind-protected shady slopes above approximately 1500 m. Avalanches can be released by small loads.

Tendency

New snow and wind slabs during the course of the night. Over a wide area 20 to 40 cm of snow, and even more in some localities, will fall above approximately 1000 m.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Thursday 29 01 2026



New snow



Wind slab



The fresh snow and the wind slabs to be found in all aspects represent the main danger.

Caution is to be exercised on wind-loaded slopes adjacent to ridgelines and in gullies and bowls.

Dry slab avalanches are possible. Sometimes the avalanches are medium-sized and can be released in some cases even by a single winter sport participant.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

The moderate wind will transport the new snow. The avalanche-prone wind slabs are lying on weak layers in particular on wind-protected shady slopes above approximately 1500 m. The snowpack will be generally subject to considerable local variations.

Tendency

Over a wide area 20 to 40 cm of snow, and even more in some localities, will fall above approximately 1000 m.



Danger Level 1 - Low



Tendency: Increasing avalanche danger
on Thursday 29 01 2026



New snow



1000m

Fresh wind slabs represent the main danger. Faceted weak layers exist in the snowpack especially on shady slopes.

Faceted weak layers exist in the snowpack especially on shady slopes. Mostly the avalanches are small. The avalanches are only small and can only be released by large loads.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Individual avalanche prone locations are to be found in the vicinity of peaks.

Tendency

Over a wide area 5 to 20 cm of snow, and even more in some localities, will fall above approximately 800 m.

