


Avalanche danger
updated on 23.3.2025, 17:00




region A

Considerable (3=)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The new snow and wind slabs of the last few days are prone to triggering. Even single snow sport participants can release avalanches. Remotely triggered avalanches are possible. Avalanches can penetrate deep layers and reach large size. Backcountry touring and other off-piste activities call for experience in the assessment of avalanche danger.

In particular on steep sunny slopes loose snow avalanches are possible as a consequence of solar radiation. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

Moderate (2)


Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

Caution is to be exercised in areas with glide cracks.


region B

Moderate (2+)



Wind slab, Persistent weak layers

Avalanche prone locations



Danger description

The wind slabs of the last few days are prone to triggering. Avalanches can be released by a single winter sport participant.

Additionally in very isolated cases avalanches can also be triggered in the old snowpack and reach medium size. This applies in particular on very steep north facing slopes above approximately 2400 m in little used backcountry terrain.

Backcountry touring and other off-piste activities call for defensive route selection.

Moderate (2)


Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

Caution is to be exercised in areas with glide cracks.

region C

Moderate (2=)



Wind slab

Avalanche prone locations



Danger description

The more recent wind slabs are in some cases still prone to triggering. Avalanches can in some places be released by a single winter sport participant and reach medium size.

Backcountry touring and other off-piste activities call for careful route selection.

Moderate (2)


Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

Caution is to be exercised in areas with glide cracks.

region D

Moderate (2=)



Wind slab, Persistent weak layers

Avalanche prone locations



Danger description

The more recent wind slabs are prone to triggering. Avalanches can in some places be released by a single winter sport participant. Additionally in very isolated cases avalanches can also be triggered in the old snowpack and reach medium size. These avalanche prone locations are rare. Backcountry touring and other off-piste activities call for defensive route selection.


Moderate (2)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

region E

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description

The mostly small wind slabs of the last few days are in some cases still prone to triggering in particular on steep shady slopes. They are to be evaluated with care and prudence in very steep terrain. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Moderate (2)


Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.




region F

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description

The mostly small wind slabs of the last few days are in some cases prone to triggering. They are to be evaluated with care and prudence in very steep terrain. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Moderate (2)


Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

Caution is to be exercised in areas with glide cracks.

region G

Moderate (2)



Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

Caution is to be exercised in areas with glide cracks.

Low (1)


Wind slab

Somewhat older wind slabs are in many cases only small but can be released in isolated cases. They are to be evaluated with care and prudence in particular in extremely steep terrain.

Even a small avalanche can sweep people along and give rise to falls.

region H

Low (1)



Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation small to medium-sized wet and gliding avalanches are possible. This applies especially on steep north and east facing slopes.

Snowpack and weather

updated on 23.3.2025, 17:00

Snowpack

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Observed weather

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Weather forecast

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Outlook

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.