




AM




PM



## Danger Level 2 - Moderate

**AM:**



**Tendency: Constant avalanche danger** →  
on Sunday 04 05 2025



Wet snow




Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **medium**

**PM:**



**Tendency: Constant avalanche danger** →  
on Sunday 04 05 2025

Backcountry tours should be started and concluded early. The danger of moist and wet avalanches will increase but remain within the current danger level.

Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack. The danger of moist and wet avalanches will increase but remain within the current danger level. Small and medium-sized moist and wet avalanches are possible as a consequence of warming during the day and solar radiation.

### Snowpack

As a consequence of falling temperatures a crust formed on the surface during the course of the night.

Early morning: The snowpack is homogeneous and its surface has a melt-freeze crust that is barely capable of bearing a load. The surface of the snowpack will soften during the day. Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack. Backcountry tours should be started and concluded early. The danger of moist and wet avalanches will increase quickly during the day.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 04 05 2025



Wet snow



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **small**

The surface of the snowpack has frozen to form a strong crust and will soften during the day.

Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack. The danger of moist and wet avalanches will increase but remain within the current danger level. Mostly small moist and wet avalanches are possible as a consequence of warming during the day and solar radiation.

### Snowpack

As a consequence of falling temperatures a crust formed on the surface during the course of the night. Early and late morning: The snowpack is fairly homogeneous and its surface has a crust that is strong in many cases. Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack.

