


Danger Level 2 - Moderate



Fresh wind slabs in the high Alpine regions. Slight increase in danger of moist and wet avalanches in the course of the day.

As a consequence of a sometimes strong wind from southerly directions, avalanche prone wind slabs will form. Caution is to be exercised in particular on very steep shady slopes adjacent to ridgelines in high Alpine regions.

As a consequence of warming during the day and solar radiation individual wet loose snow avalanches are possible. This applies on extremely steep sunny slopes below approximately 2800 m, this applies in case of a single winter sport participant.

Weak layers in the old snowpack can be released in very isolated cases. The avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2400 m. Avalanches can reach medium size in isolated cases.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.10: springtime scenario

Outgoing longwave radiation during the night will be quite good. Sunshine and high temperatures will give rise as the day progresses to a loss of strength within the snowpack in some cases on very steep sunny slopes.

The wind will transport the loosely bonded old snow. This applies on shady slopes.

Faceted weak layers exist in the bottom section of the snowpack on west, north and east facing slopes. Only a small amount of snow is lying for the time of year.

Tendency

Some snow will fall. In the south up to 10 cm of snow, and even more in some localities, will fall.




Danger Level 1 - Low



Tendency: Constant avalanche danger →

on Monday 10 03 2025



Wind slab




Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **small**



Wet snow



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **small**

Fresh wind slabs in the high Alpine regions. Slight increase in danger of moist and wet avalanches in the course of the day.

As a consequence of a sometimes strong wind from southerly directions, mostly small wind slabs will form. Caution is to be exercised in particular on very steep shady slopes adjacent to ridgelines in high Alpine regions.

As a consequence of warming during the day and solar radiation individual wet loose snow avalanches are possible. This applies on extremely steep sunny slopes below approximately 2800 m, this applies in case of a single winter sport participant.

In addition individual small and, in isolated cases, medium-sized gliding avalanches are possible, especially in the west on very steep sunny slopes and below approximately 2800 m.

Weak layers in the old snowpack can be released in very isolated cases. The avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2400 m. Avalanches can reach medium size in isolated cases.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.10: springtime scenario

Outgoing longwave radiation during the night will be quite good. Sunshine and high temperatures will give rise as the day progresses to a loss of strength within the snowpack in some cases on very steep sunny slopes.

The wind will transport only a little snow. The fresh wind slabs are lying on soft layers on shady slopes. Faceted weak layers exist in the bottom section of the snowpack on west, north and east facing slopes. Only a small amount of snow is lying for the time of year.

Tendency

Some snow will fall. In the south up to 10 cm of snow, and even more in some localities, will fall.

