


Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Monday 29 12 2025



Persistent
weak layer



Weakly bonded old snow represents the main danger.

Avalanches can in isolated cases be released in the old snowpack. Such avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2600 m.

The somewhat older wind slabs are in some cases prone to triggering in particular on steep shady slopes at high altitudes and in high Alpine regions. Such avalanche prone locations are rare and are easy to recognise. Caution is to be exercised adjacent to ridgelines and in gullies and bowls.

Mostly avalanches are small.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

Shady slopes above approximately 2600 m: Faceted weak layers exist in the bottom section of the snowpack.

The somewhat older wind slabs are lying on soft layers in particular on shady slopes at elevated altitudes.


The snowpack will be generally subject to considerable local variations. Hardly any snow is lying on south facing slopes. Less snow than usual is lying in all altitude zones.

Tendency

Low avalanche danger will prevail.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Monday 29 12 2025



Wind slab



Treeline

Wind slabs require caution.

As a consequence of new snow and a sometimes strong wind, wind slabs formed in the last few days in gullies and bowls and behind abrupt changes in the terrain. These can in some cases be released, even by a single winter sport participant, but they will be small in most cases. Caution is to be exercised in particular on northeast, north and northwest facing slopes above the tree line in the regions exposed to heavier precipitation.

Snowpack

The wind slabs are lying on the unfavourable surface of an old snowpack on wind-protected shady slopes. The snowpack will be subject to considerable local variations. Less snow than usual is lying in all altitude zones.

Tendency

Avalanche prone locations are to be found in particular in gullies and bowls.

