


**Danger Level 3 - Considerable**



The snowfall will give rise to unfavourable bonding of the snowpack in particular at intermediate and high altitudes. The prevalence of avalanche prone locations and likelihood of triggering will increase from the early morning.

Above approximately 2000 m snow will fall on Sunday.

Below approximately 2300 m medium-sized moist and wet avalanches are possible.

Intermediate and high altitudes and: Avalanches can in isolated cases be triggered in the old snowpack and reach large size.

The wind was moderate to strong adjacent to ridgelines over a wide area. During the course of the night wind slabs formed. This applies especially adjacent to ridgelines and in gullies and bowls at high altitudes and in high Alpine regions.

The fresh snow as well as the wind slabs can be released by a single winter sport participant in isolated cases.

**Snowpack**


**Danger patterns**      dp.6: cold, loose snow and wind

The surface of the snowpack will cool hardly at all during the overcast night. The snowfall will give rise in the late morning to unfavourable bonding of the snowpack in particular at intermediate and high altitudes. The sleet will give rise to increasing moistening of the snowpack in particular at low and intermediate altitudes.

Isolated avalanche prone weak layers exist in the snowpack at high altitudes and in high Alpine regions.



**Danger Level 2 - Moderate**



Snowfall to above 2000 m. As a consequence of the precipitation the avalanche prone locations will become more prevalent.

Above approximately 2000 m snow will fall until late morning over a wide area.  
As a consequence of the precipitation more small and medium-sized dry and wet avalanches are possible.  
From late morning in some localities danger level 3 (considerable) will be reached in the regions exposed to heavier precipitation.  
The fresh snow as well as the isolated winds slabs that are forming can be released by a single winter sport participant above approximately 2200 m.  
Above approximately 2700 m and: Avalanches can in isolated cases be triggered in the old snowpack and reach large size.

**Snowpack**

**Danger patterns**      dp.4: cold following warm / warm following cold

The surface of the snowpack will cool hardly at all during the overcast night.  
Above approximately 2000 m snow will fall until late morning over a wide area.  
The sleet will give rise to increasing moistening of the snowpack in particular at low and intermediate altitudes.  
Isolated avalanche prone weak layers exist in the snowpack at high altitudes and in high Alpine regions.  
Below approximately 2000 m a little snow is lying.

**Tendency**

Persistent snowfall to intermediate altitudes.

