


## Danger Level 3 - Considerable



In the course of the day danger level 3 (considerable) will be reached.

Gradual increase in avalanche danger as a consequence of new snow and wind. The avalanche-prone wind slabs are bonding poorly with the old snowpack in particular on steep shady slopes. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. Wind slabs can be released, even by a single winter sport participant.

### Snowpack

#### Danger patterns

dp.5: snowfall after a long period of cold

As a consequence of snowfall and the moderate wind, a precarious avalanche situation will develop during the next few days. New snow and wind slabs are lying on a weakly bonded old snowpack. Numerous weak layers exist in the old snowpack. They are to be found in particular on shady slopes. The snowpack will be subject to considerable local variations.

### Tendency

Some snow will fall.




## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →

on Sunday 25 01 2026



Wind slab



Persistent  
weak layer



### Error: Incomplete joker sentence

The wind slabs remain in some cases prone to triggering in particular on steep shady slopes and at elevated altitudes. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. Wind slabs can be released by large loads. Be careful of the numerous outcropping boulders and rocks covered by little snow.

### Snowpack

Over a wide area only a little snow is lying. The snowpack will be subject to considerable local variations. Weak layers exist in the old snowpack. They are to be found in particular on shady slopes.

### Tendency

Some snow will fall over a wide area.

