Avalanche danger

updated on 24.3.2025, 17:00



region A

Considerable (3-)

New snow, Persistent weak layers

Avalanche prone locations



Danger description

The new snow and wind slabs of the last few days are in some cases still prone to triggering. Single snow sport participants can release avalanches. Avalanches can in some cases penetrate deep layers and reach large size. These avalanche prone locations are to be found in particular in little used backcountry terrain and in areas where the snow cover is rather shallow. Backcountry touring and other off-piste activities call for experience in the assessment of avalanche danger and careful route selection.

Moderate (2)

Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation medium-sized and, in isolated cases, large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

region B

Considerable (3-)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The new snow and wind slabs of the last few days are in some cases still prone to triggering. Single snow sport participants can release avalanches.
Avalanches can in some cases penetrate deep layers and reach large size. These avalanche prone locations are to be found in particular in little used backcountry terrain and in areas where the snow cover is rather shallow. Backcountry touring and other off-piste activities call for experience in the assessment of avalanche danger and careful route selection.

Considerable (3)

Wet snow

As a consequence of warming during the day and solar radiation occasionally large moist loose snow avalanches are to be expected. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls. Backcountry tours, off-piste skiing and ascents to alpine cabins should be concluded timely.
In addition individual gliding avalanches are possible. Caution is to be exercised in areas with glide cracks.

region C

Moderate (2+)



Wind slab, Persistent weak layers

Avalanche prone locations



Danger description

Sunshine and high temperatures will give rise to a loss of strength within the snowpack. In some places avalanches can also be triggered in the old snowpack and reach medium size.
In addition the wind slabs of the last few days are prone to triggering in some cases still.
Backcountry touring and other off-piste activities call for defensive route selection.

Moderate (2)

Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation medium-sized and, in isolated cases, large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

region D



Moderate (2+)

Wind slab, Persistent weak layers

Avalanche prone locations



Danger description
The wind slabs of the last few days are prone to triggering. Avalanches can in some places be released by a single winter sport participant.
Additionally in very isolated cases avalanches can also be triggered in the old snowpack and reach medium size. This applies in particular on very steep north facing slopes above approximately 2400 m in little used backcountry terrain.
Backcountry touring and other off-piste activities call for defensive route selection.

Moderate (2)

Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation medium-sized and, in isolated cases, large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

region E

Moderate (2=)

Wind slab, Persistent weak layers

Avalanche prone locations



Danger description
The wind slabs of the last few days are prone to triggering. Avalanches can in some places be released by a single winter sport participant.
Additionally in isolated cases avalanches can also be triggered in the old snowpack and reach medium size. These avalanche prone locations are barely recognisable.
Defensive route selection is advisable.

Moderate (2)

Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation medium-sized and, in isolated cases, large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

region F

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description
The wind slabs of the last few days are in some cases still prone to triggering. Avalanches can in some places be released by people and reach medium size. Careful route selection is recommended.

Moderate (2)

Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation medium-sized and, in isolated cases, large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

region G

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description
The wind slabs of the last few days are in some cases still prone to triggering. Avalanches can in some places be released by people and reach medium size. Careful route selection is recommended.

Low (1)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation individual small to medium-sized wet and gliding avalanches are possible. This applies especially on steep north and east facing slopes.

Avalanche bulletin through Tuesday, 25. March 2025

region H

Moderate (2)



Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation medium-sized and, in isolated cases, large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m. Caution is to be exercised in areas with glide cracks.

Low (1)

No distinct avalanche problem

Older wind slabs are in many cases only small but can be released in isolated cases. They are to be evaluated with care and prudence in particular in extremely steep terrain. Even a small avalanche can sweep people along and give rise to falls.

region I

Low (1)



No distinct avalanche problem

Older wind slabs are in many cases only small but can be released in isolated cases. They are to be evaluated with care and prudence in particular in extremely steep terrain. Even a small avalanche can sweep people along and give rise to falls.

Low (1)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation individual small to medium-sized wet and gliding avalanches are possible. This applies especially on steep north and east facing slopes.

region J

Low (1)



Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced in some case. As a consequence of warming during the day and solar radiation individual small to medium-sized wet and gliding avalanches are possible. This applies especially on steep north and east facing slopes.

Snowpack and weather

updated on 24.3.2025, 17:00

Snowpack

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Observed weather

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Weather forecast

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Outlook

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.