



AM



PM




Danger Level 3 - Considerable

AM:



Tendency: Constant avalanche danger
on Saturday 03 05 2025 →



Wet snow



2600m

Snowpack stability: fair

Frequency: some

Avalanche size: large



Wet snow



2600m

Snowpack stability: fair

Frequency: some

Avalanche size: large



Wet snow



2600m
1800m

Snowpack stability: fair


Frequency: few

Avalanche size: medium

PM:



Tendency: Constant avalanche danger
on Saturday 03 05 2025 →



Wet snow



2600m

Snowpack stability: poor

Frequency: some

Avalanche size: large



Wet snow



2600m

Snowpack stability: fair

Frequency: some

Avalanche size: large



Wet snow



2600m
1800m

Snowpack stability: fair

Frequency: few

Avalanche size: medium

Weakly bonded old snow and wet snow represent the main danger. Medium-sized and, in isolated cases, large moist and wet avalanches are possible above approximately 2200 m.

Especially on very steep west, north and east facing slopes and below approximately 2800 m more medium-sized and, in isolated cases, large moist and wet avalanches are to be expected as the penetration by moisture increases. Wet avalanches can as before be released by a single winter sport participant. As the day progresses as a consequence of warming during the day there will be a rapid increase in the danger of wet avalanches. Individual gliding avalanches can also occur, caution is to be exercised in particular on very steep grassy slopes in the regions with a lot of snow.



Snowpack

Danger patterns


dp.10: springtime scenario

dp.6: cold, loose snow and wind

Sunshine and high temperatures will give rise as the day progresses to significant moistening of the old snowpack over a wide area. Below approximately 2000 m a little snow is lying.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Saturday 03 05 2025



Wet snow



Treeline



Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **small**

In the course of the day the natural activity of small moist and wet avalanches will increase.

The weather will be mostly sunny. The surface of the snowpack will freeze to form a strong crust and will already soften in the late morning. As a consequence of warming during the day and the solar radiation, the likelihood of natural wet avalanches being released will increase quickly in particular on steep shady slopes above approximately 2000 m.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The snowpack is wet.

