


Avalanche danger

updated on 9.12.2025, 17:00




region A

Considerable (3-)



Persistent weak layers

Avalanche prone locations




Danger description

Avalanches can be released in the weakly bonded old snow by a single winter sport participant. These can in some cases penetrate deep layers and reach large size. The avalanche prone locations are to be found in areas where the snow cover is rather shallow and at transitions into gullies and bowls. Whumpfung sounds can indicate the danger. Backcountry touring and other off-piste activities call for experience in the assessment of avalanche danger and caution.

Moderate (2)

Wet snow, Gliding snow

Avalanche prone locations




Danger description

The snowpack will be moist below approximately 2400 m. As a consequence of warming during the day and solar radiation individual wet avalanches are possible as the day progresses, even medium-sized ones. In addition individual small to medium-sized gliding avalanches are possible. Areas with glide cracks are to be avoided as far as possible.


region B

Moderate (2+)



Persistent weak layers

Avalanche prone locations




Danger description

Avalanches can be released in the weakly bonded old snow by a single winter sport participant. Mostly avalanches are medium-sized. The avalanche prone locations are to be found in areas where the snow cover is rather shallow and at transitions into gullies and bowls. Whumpfung sounds can indicate the danger. Backcountry touring and other off-piste activities call for careful route selection.

Moderate (2)

Wet snow, Gliding snow

Avalanche prone locations




Danger description

The snowpack will be moist below approximately 2400 m. As a consequence of warming during the day and solar radiation individual wet avalanches are possible as the day progresses, even medium-sized ones. In addition individual small to medium-sized gliding avalanches are possible. Areas with glide cracks are to be avoided as far as possible.


region C

Moderate (2=)



Persistent weak layers

Avalanche prone locations




Danger description

Avalanches can be released in the old snowpack and reach medium size. They can in isolated cases penetrate down to the ground and reach quite a large size. This applies in particular in areas where the snow cover is rather shallow on steep shady slopes above approximately 2400 m. Backcountry touring and other off-piste activities call for careful route selection.

Moderate (2)

Wet snow, Gliding snow

Avalanche prone locations




Danger description

The snowpack will be moist below approximately 2400 m. As a consequence of warming during the day and solar radiation individual wet avalanches are possible as the day progresses, even medium-sized ones. In addition individual small to medium-sized gliding avalanches are possible. Areas with glide cracks are to be avoided as far as possible.


region D

Moderate (2-)



Persistent weak layers

Avalanche prone locations




Danger description

The wind slabs of the last few days are lying on the unfavourable surface of an old snowpack in particular on steep shady slopes. Single winter sport participants can release avalanches in some places. Caution is to be exercised in particular at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example.

Moderate (2)

Wet snow, Gliding snow

Avalanche prone locations




Danger description

The snowpack will be moist below approximately 2400 m. As a consequence of warming during the day and solar radiation individual wet avalanches are possible as the day progresses, even medium-sized ones. In addition individual small to medium-sized gliding avalanches are possible. Areas with glide cracks are to be avoided as far as possible.


region E

Moderate (2-)



Persistent weak layers

Avalanche prone locations




Danger description

Only a little snow is lying. Avalanches can be released in the old snowpack and reach medium size in isolated cases. This applies in particular on steep shady slopes. Careful route selection is recommended.


region F

Low (1)



No distinct avalanche problem

Avalanche prone locations




Danger description

Only a little snow is lying. Individual avalanche prone locations for dry avalanches are to be found in extremely steep terrain. Even a small avalanche can sweep people along and give rise to falls.


region G

Low (1)



Wet snow, Gliding snow

Avalanche prone locations



Danger description

The snowpack will be wet all the way through. As a consequence of warming during the day and solar radiation wet avalanches are possible as the day progresses, but they will be mostly small. Gliding avalanches can also occur at any time. Caution is to be exercised in areas with glide cracks.



Snowpack and weather

updated on 9.12.2025, 17:00

Snowpack

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Observed weather

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Weather forecast

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Outlook

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.