


## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →  
on Monday 21 04 2025



Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **large**

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**

30 to 50 cm of snow will fall until Sunday above approximately 2300 m. As a consequence of new snow and wind more natural avalanches are possible.

The current avalanche situation calls for experience in the assessment of avalanche danger and careful route selection. The new snow of the last few days can be released by a single winter sport participant in particular on shady slopes.

In starting zones where no previous releases have taken place more occasionally large dry and moist avalanches are possible, especially above approximately 2500 m. In particular on shady slopes the avalanches can be triggered in deep layers of the snowpack.

Adjacent to ridgelines and in pass areas the wind slabs will increase in size additionally. In the regions exposed to heavier precipitation this applies in particular. These can in some cases be released easily. These weather conditions as the day progresses will give rise to moistening of the snowpack below approximately 2500 m. Moist avalanches can in some places be released in the weakly bonded old snow. This applies in particular on very steep slopes.

## Snowpack

**Danger patterns**

dp.10: springtime scenario

dp.7: snow-poor zones in snow-rich surrounding

150 to 180 cm of snow has fallen since Tuesday above approximately 2500 m. Since Wednesday numerous very large avalanches occurred naturally, including ones originating in moderately steep terrain.

**Sunday:** Especially high Alpine regions: In particular in the southeast up to 50 cm of snow will fall in the next few hours above approximately 2300 m. As a consequence of the southeasterly wind the wind slabs will increase in size additionally during the night.

Towards its surface, the snowpack is moist and its surface has a crust that is strong in many cases.

Below approximately 2000 m a little snow is lying.




## Tendency

As a consequence of warming during the day and solar radiation more dry and moist avalanches are possible as the day progresses, even large ones in isolated cases.



## Danger Level 3 - Considerable



Increase in danger of dry and moist avalanches in particular at high altitudes and in high Alpine regions.

Over a wide area up to 40 cm of snow, and even more in some localities, has fallen since yesterday above approximately 2500 m.

In these regions medium-sized and large dry and moist avalanches are possible in particular at high altitudes and in high Alpine regions. This applies in particular on steep slopes, and on very steep slopes. The new snow of the last few days can be released by a single winter sport participant in particular on shady slopes.

The current avalanche situation calls for experience in the assessment of avalanche danger and careful route selection.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

dp.3: rain



Since Thursday deep wind slabs formed in particular at high altitudes and in high Alpine regions.

The sleet gave rise to significant moistening of the snowpack below approximately 2400 m. New snow and wind slabs are lying on a moist old snowpack.

Below approximately 2000 m a little snow is lying.



## Danger Level 3 - Considerable



2200m

**Tendency: Constant avalanche danger**  
on Monday 21 04 2025 →



New snow



2200m

Snowpack stability: poor

Frequency: some

Avalanche size: large



Wet snow



2500m

Snowpack stability: poor

Frequency: some

Avalanche size: medium

15 to 30 cm of snow, and even more in some localities, will fall until Sunday above approximately 2300 m. Dry and moist avalanches and wet snow slides are still likely to occur.

The new snow of the last few days can be released by a single winter sport participant in particular on shady slopes. The current avalanche situation calls for experience in the assessment of avalanche danger and careful route selection.

In starting zones where no previous releases have taken place more occasionally large dry and moist avalanches are possible, especially above approximately 2500 m. In particular on shady slopes the avalanches can be triggered in deep layers of the snowpack.

Adjacent to ridgelines and in pass areas the wind slabs will increase in size additionally. This applies in particular along the border between Valais and France. These can in some cases be released easily. These weather conditions as the day progresses will give rise to moistening of the snowpack below approximately 2500 m. Moist avalanches can in some places be released in the weakly bonded old snow. This applies in particular on very steep slopes.

## Snowpack

### Danger patterns

dp.10: springtime scenario

dp.7: snow-poor zones in snow-rich surrounding

80 to 130 cm of snow has fallen since Tuesday above approximately 2500 m. Since Wednesday numerous medium-sized and, in many cases, large avalanches occurred naturally, including ones originating in moderately steep terrain.

Sunday: Especially high Alpine regions: Up to 30 cm of snow will fall in the next few hours above approximately 2300 m. As a consequence of the southeasterly wind the wind slabs will increase in size during the night.

Towards its surface, the snowpack is moist and its surface has a crust that is strong in many cases. Below approximately 2000 m a little snow is lying.


## Tendency



As a consequence of warming during the day and solar radiation more dry and moist avalanches are possible as the day progresses, in particular medium-sized ones.



## Danger Level 3 - Considerable



At high altitudes and in high Alpine regions a considerable danger of dry and moist avalanches will be encountered in some regions.

Over a wide area up to 15 cm of snow, and even more in some localities, has fallen since yesterday above approximately 2500 m.

At high altitudes and in high Alpine regions and in starting zones where no previous releases have taken place more medium-sized and, in isolated cases, large natural avalanches are possible. This applies especially on shady slopes.

Below approximately 2500 m: Several moist and wet avalanches are possible as a consequence of warming during the day.

Backcountry touring calls for experience in the assessment of avalanche danger and careful route selection.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.3: rain



The sleet gave rise to significant moistening of the snowpack below approximately 2500 m.

Towards its surface, the snowpack is moist and its surface has a crust that is strong in many cases. The new snow of yesterday is lying on a crust below approximately 2600 m.

Below approximately 2000 m a little snow is lying.



## Danger Level 3 - Considerable



Treeline

**Tendency: Constant avalanche danger**  
on Monday 21 04 2025



Wet snow

N  
S

Treeline

Snowpack stability: poor  
Frequency: some  
Avalanche size: medium



Wet snow

N  
S

2700m

Snowpack stability: poor  
Frequency: some  
Avalanche size: large



Wind slab

N  
S

2500m

Snowpack stability: poor  
Frequency: some  
Avalanche size: large

Fresh wind slabs require caution. In isolated cases the avalanches can be released in deep layers of the snowpack.

As a consequence of warming and solar radiation, the natural activity of wet avalanches will increase. In the event of prolonged bright spells this applies in particular on extremely steep sunny slopes. As a consequence of a sometimes strong southwesterly wind, wind slabs will form on Easter Sunday above approximately 2700 m. The fresh wind slabs must be evaluated with care and prudence especially on steep shady slopes.


Avalanches can penetrate down to the ground.

### Snowpack

The rain gave rise to increasing moistening of the snowpack below approximately 2700 m. As a consequence of a sometimes strong southwesterly wind, further wind slabs will form.



## Danger Level 3 - Considerable



New snow and wet snow represent the main danger. A large number of medium-sized and, in isolated cases, large dry and wet avalanches are to be expected above approximately 2000 m.

As a consequence of new snow and a moderate to strong wind from southeasterly directions, extensive wind slabs formed above approximately 2600 m. The avalanche prone locations are to be found in gullies and bowls, and behind abrupt changes in the terrain. The fresh wind slabs can be released easily in some places especially on very steep shady slopes. Especially on very steep west, north and east facing slopes and below approximately 2600 m many wet slab avalanches are to be expected as the penetration by moisture increases. Wet avalanches can as before be released by a single winter sport participant. Dry and moist avalanches are possible, even quite large ones.

As the day progresses as a consequence of warming during the day there will be a rapid increase in the danger of wet avalanches. Individual gliding avalanches can also occur, caution is to be exercised in particular on very steep grassy slopes in the regions with a lot of snow. The conditions are unfavourable for backcountry touring.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.3: rain

40 to 60 cm of snow has fallen since Tuesday above approximately 2600 m. In some regions up to 25 cm of snow will fall on Sunday above approximately 2100 m.

Especially high Alpine regions: As a consequence of the southeasterly wind the wind slabs will increase in size additionally.

Towards its surface, the snowpack is moist and its surface has a crust that is strong in many cases.

The sleet gave rise to significant moistening of the snowpack below approximately 2400 m. New snow and



wind slabs are lying on a moist old snowpack.

Below approximately 2000 m a little snow is lying.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Monday 21 04 2025



Wet snow




Snowpack stability: poor  
Frequency: some  
Avalanche size: medium



Wind slab



Snowpack stability: poor  
Frequency: few  
Avalanche size: medium



Gliding snow



Snowpack stability: poor  
Frequency: few  
Avalanche size: medium

In the course of the day the natural activity of small and medium moist and wet avalanches will increase. They can be released at any time of day or night.

The surface of the snowpack cooled hardly at all during the overcast night and will soften quickly.

Numerous gliding avalanches and moist snow slides are possible. The fresh snow and the mostly small wind slabs can be released easily or naturally in particular on steep, little used north facing slopes above approximately 2200 m.

## Snowpack

### Danger patterns


dp.2: gliding snow

dp.3: rain

As a consequence of the precipitation, the likelihood of moist loose snow avalanches being released will increase in particular on steep grassy slopes in all altitude zones. The snowpack will become gradually prone to triggering.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Monday 21 04 2025



Wet snow




2800m

Snowpack stability: poor  
Frequency: some  
Avalanche size: medium



Wind slab



2800m

Snowpack stability: poor  
Frequency: some  
Avalanche size: medium

Wet snow represents the main danger. Fresh wind slabs in the high Alpine regions.

Wet avalanches can as before be released by a single winter sport participant. The avalanche prone locations are to be found especially on very steep west, north and east facing slopes below approximately 2800 m. Avalanches can release the saturated snowpack and reach medium size. As a consequence of warming during the day there will be only a slight increase in the danger of wet avalanches. Individual gliding avalanches can also occur, caution is to be exercised in particular on very steep grassy slopes in the regions with a lot of snow.

In high Alpine regions small to medium-sized moist loose snow avalanches are possible. In the event of prolonged bright spells this applies in particular on extremely steep sunny slopes.

The fresh and somewhat older wind slabs can be released by a single winter sport participant in particular on very steep shady slopes above approximately 2800 m. Such avalanche prone locations are to be found in gullies and bowls, and behind abrupt changes in the terrain. In particular in high Alpine regions the avalanche prone locations are more widespread and the danger is greater.

## Snowpack

### Danger patterns

dp.10: springtime scenario

dp.6: cold, loose snow and wind

The rain gave rise to a loss of strength within the snowpack. Already many wet avalanches have been released in particular on very steep west, north and east facing slopes. The snowpack will be wet all the way through. This applies on shady slopes below approximately 2600 m, as well as on sunny slopes below approximately 3000 m. On steep sunny slopes as well as at low and intermediate altitudes only a little snow is now lying. The surface of the snowpack will cool hardly at all during the overcast night and will already be soft in the early morning.

High Alpine regions: Over a wide area 20 to 60 cm of snow, and even more in some localities, fell in the last few days. As a consequence of new snow and a strong to storm force wind from southeasterly directions,





extensive wind slabs formed. These are lying on soft layers on steep shady slopes. The weather effects will foster a rapid strengthening of the snow drift accumulations.

## Tendency

The surface of the snowpack will cool hardly at all during the overcast night and will already be soft in the early morning. Wet snow requires caution.



## Danger Level 3 - Considerable



1800m

**Tendency: Constant avalanche danger**  
on Monday 21 04 2025 →



Wet snow

N  
S2600m  
1800mSnowpack stability: **very poor**Frequency: **some**Avalanche size: **large**

Wind slab

N  
S

2400m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Wind slabs and wet snow represent the main danger. The new snow and wind slabs of the last few days must be evaluated with care and prudence above approximately 2400 m.

The conditions are unfavourable for backcountry touring. The more recent wind slabs can be released by a single winter sport participant in some cases in particular on very steep west, north and east facing slopes above approximately 2400 m. Such avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls.

In particular on very steep slopes and below approximately 2600 m numerous medium-sized and, in isolated cases, large moist and wet avalanches are possible as the moisture increases. In particular on very steep west, north and east facing slopes medium-sized to large moist and wet avalanches are to be expected.

In isolated cases, the avalanches can reach areas without any snow cover in steep gullies.

## Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.3: rain

The rain gave rise to increasing and thorough wetting of the snowpack below approximately 2200 m. This situation will give rise to a loss of strength within the snowpack in particular on steep slopes.


In some regions 40 to 100 cm of snow, and even more in some localities, fell in the last few days above approximately 2400 m. As a consequence of new snow and a sometimes strong southerly wind, sometimes avalanche prone wind slabs formed in particular adjacent to ridgelines and in gullies and bowls.

## Tendency

Slight decrease in danger of wet avalanches as a consequence of the ceasing of precipitation. The surface of the snowpack will cool hardly at all during the overcast night will already be soft in the early morning. Wet snow represents the main danger. The new snow and wind slabs must be evaluated with care and prudence in high Alpine regions.




## Danger Level 3 - Considerable




**Tendency: Constant avalanche danger**  
on Monday 21 04 2025 →



Wet snow

Snowpack stability: **very poor**Frequency: **some**Avalanche size: **large**

Gliding snow

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

### Wet avalanches are the main danger.

As the moisture increases more natural wet avalanches are possible. Gliding avalanches are also to be expected. The fresh snow as well as the wind slabs must be evaluated with care and prudence. In the regions exposed to snowfall this applies in particular. The avalanche prone locations are to be found in all aspects.

### Snowpack


Error: Incomplete joker sentence

### Tendency

In some localities precipitation.



## Danger Level 2 - Moderate




1600m

**Tendency: Constant avalanche danger**  
on Monday 21 04 2025 →



Wet snow

Snowpack stability: **poor**Frequency: **some**Avalanche size: **medium**

Gliding snow

Snowpack stability: **poor**Frequency: **some**Avalanche size: **medium**

**Wet avalanches are the main danger.**

More natural wet avalanches are possible. Gliding avalanches are also to be expected.  
The avalanche prone locations are to be found in particular on shady slopes.

## Snowpack



The weather conditions gave rise to thorough wetting of the snowpack over a wide area.  
On south facing slopes no snow is lying.

## Tendency

In some localities precipitation.



## Danger Level 2 - Moderate



**Tendency:** Constant avalanche danger  
on Monday 21 04 2025 →



Wet snow



Snowpack stability: poor  
Frequency: some  
Avalanche size: medium

## Wet snow represents the main danger.

As the penetration by moisture increases individual wet avalanches are possible, but they will be mostly small. At the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls medium-sized and, in isolated cases, large wet loose snow avalanches are possible above approximately 1800 m.

## Snowpack

### Danger patterns

dp.3: rain



A lot of rain has fallen. The rain gave rise to increasing moistening of the snowpack. The snowpack will be wet all the way through over a wide area. Below approximately 1800 m a little snow is lying.

## Tendency

Wet snow requires caution.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Monday 21 04 2025 →



Snowpack stability: **poor**  
Frequency: **some**  
Avalanche size: **medium**

As a consequence of warming and solar radiation, the natural avalanche activity will increase.


Wet avalanches can as before be released by a single winter sport participant. Avalanches can release the saturated snowpack and reach medium size.

### Snowpack

The rain gave rise to moistening of the snowpack.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Monday 21 04 2025

**Low avalanche danger will prevail.**

Only isolated wet avalanches are possible.

### Snowpack

Outgoing longwave radiation during the night will be severely restricted. The surface of the snowpack will cool hardly at all during the overcast night and will already be soft in the early morning. The snowpack will be wet all the way through.


Only a little snow is now lying.

### Tendency


Only isolated wet avalanches are possible.



## Danger Level 1 - Low



**Tendency:** Constant avalanche danger →  
on Monday 21 04 2025



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **small**

Moist and wet avalanches are the main danger.

Above approximately 1900 m small and, in isolated cases, medium-sized natural wet avalanches are possible. The avalanche prone locations are to be found especially at the base of rock walls and on steep sunny slopes.

## Snowpack


### Danger patterns

dp.10: springtime scenario

At low and intermediate altitudes no snow is lying. At elevated altitudes the snowpack is subject to significant local variations. The older wind slabs are to be found especially in gullies and bowls, and behind abrupt changes in the terrain. The old snowpack remains moist in all altitude zones. The weather conditions will give rise to increasing and thorough wetting of the snowpack.



## Danger Level 1 - Low




**Tendency: Constant avalanche danger** →  
on Monday 21 04 2025



Wet snow



Snowpack stability: **fair**  
Frequency: **few**  
Avalanche size: **small**



Gliding snow



Snowpack stability: **fair**  
Frequency: **few**  
Avalanche size: **small**

Moist and wet snow slides and small avalanches are possible.

Individual small moist and wet avalanches are possible above approximately 1800 m.

## Snowpack

### Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The high temperatures will give rise to increasing and thorough wetting of the snowpack in all altitude zones. This situation will give rise to a loss of strength within the snowpack especially on west, north and east facing slopes.

