Sunday 06.04.2025

Published 05 04 2025, 17:00



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 2 - Moderate





2400m

Tendency: Constant avalanche danger
on Monday 07 04 2025

Persistent weak layer

2400m

Snowpack stability: poor
Frequency: few
Avalanche size: medium

Weakly bonded old snow requires caution. Slight increase in danger of moist avalanches as a consequence of solar radiation.

Weak layers in the old snowpack can be released in isolated cases by individual winter sport participants. These avalanche prone locations are to be found in particular on very steep shady slopes above approximately 2400 m and on very steep west and east facing slopes above approximately 2600 m. Mostly the avalanches are medium-sized.

As a consequence of solar radiation only isolated moist avalanches are possible. This applies in particular on very steep sunny slopes below approximately 2400 m.

Individual gliding avalanches can also occur. Caution is to be exercised on grassy slopes below approximately 2400 m.

Snowpack

Danger patterns dp.1: deep persistent weak layer

Avalanche prone weak layers exist in the old snowpack especially on little used west, north and east facing slopes. This applies on shady slopes above approximately 2400 m, as well as on west and east facing slopes above approximately 2600 m.

As a consequence of falling temperatures the snowpack will consolidate. As a consequence of falling temperatures a crust will form on the surface. The old snowpack will be in most cases moist. This applies on sunny slopes in all altitude zones, as well as on shady slopes below approximately 2200 m.

Tendency

Individual avalanche prone locations are to be found in particular on very steep shady slopes above approximately 2400 m.

Danger Level 2 - Moderate





2400m

Tendency: Constant avalanche danger
on Monday 07 04 2025

Persistent weak layer

2400m

Snowpack stability: poor
Frequency: few
Avalanche size: medium

Weakly bonded old snow requires caution.

Weak layers in the old snowpack can be released in isolated cases by individual winter sport participants. These avalanche prone locations are to be found in particular on very steep shady slopes above approximately 2400 m and on very steep west and east facing slopes above approximately 2600 m. Mostly the avalanches are medium-sized.

As a consequence of solar radiation moist loose snow slides are to be expected. This applies on extremely steep sunny slopes in the regions exposed to precipitation.

As a consequence of a sometimes strong northeasterly wind, clearly visible wind slabs will form. Individual avalanche prone locations are to be found on very steep shady slopes in high Alpine regions.

Individual gliding avalanches can also occur. Caution is to be exercised on grassy slopes below approximately 2600 m.

Snowpack

Danger patterns dp.1: deep persistent weak layer | dp.6: cold, loose snow and wind

Avalanche prone weak layers exist in the old snowpack especially on little used west, north and east facing slopes. This applies on shady slopes above approximately 2400 m, as well as on west and east facing slopes above approximately 2600 m.
The fresh wind slabs are lying on soft layers on shady slopes in high Alpine regions.
Some snow will fall in particular in the northeast. As a consequence of falling temperatures the snowpack will consolidate. As a consequence of falling temperatures a crust will form on the surface. The old snowpack will be in most cases moist. This applies on sunny slopes in all altitude zones, as well as on shady slopes below approximately 2200 m.

Tendency

Individual avalanche prone locations for dry avalanches are to be found in particular on very steep slopes above approximately 2400 m.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Monday 07 04 2025

Wet snow

2800m

Snowpack stability: very poor
Frequency: few
Avalanche size: small

Low avalanche danger will prevail.

Avalanches can in very isolated cases be released by a single winter sport participant. The avalanche prone locations are to be found in particular on very steep shady slopes at elevated altitudes.
Mostly avalanches are small.

Snowpack

Isolated avalanche prone weak layers exist in the old snowpack especially on steep shady slopes.

The snowpack will be generally subject to considerable local variations. Only a little snow is now lying.

Tendency

Low avalanche danger will prevail.