


Danger Level 4 - High



As a consequence of the precipitation the prevalence and size of the avalanche prone locations will increase. In these regions danger level 4 (high) will be reached. The conditions are very dangerous for backcountry touring.

As a consequence of the precipitation natural avalanches are possible at any time, but they can be very large. The avalanche prone locations are widespread and are barely recognisable because of the poor visibility. The avalanches can be released in deep layers of the snowpack. Gliding avalanches can also occur.
The avalanches can in many places be released by small loads.

Snowpack


The large quantity of fresh snow as well as the wind slabs remain very prone to triggering. The weather conditions as the day progresses will give rise to increasing and thorough wetting of the snowpack in particular at low and intermediate altitudes.

Tendency

Light precipitation.



Danger Level 3 - Considerable



As a consequence of the precipitation the avalanche prone locations will become more prevalent.

In particular in the regions exposed to heavier precipitation and above the tree line large and, in isolated cases, very large avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Gliding avalanches can also occur.

The avalanches can be released by small loads.

Snowpack

The weather conditions as the day progresses will give rise to increasing and thorough wetting of the snowpack in particular at low and intermediate altitudes.

Tendency

Light precipitation.



Danger Level 3 - Considerable



Tendency: Decreasing avalanche danger
on Monday 24 03 2025



Wet snow



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **large**

New snow above approximately 1800 m. As a consequence of the precipitation the avalanche prone locations will become more prevalent.

In particular in the regions exposed to heavier precipitation and above the tree line large and, in isolated cases, very large moist avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls.

The avalanches can be released by small loads.

Snowpack

In particular at high altitude wind slabs will form. Below the tree line a little snow is lying.

Tendency

Light precipitation.

