



Avalanche danger

updated on 28.1.2025, 17:00



region A

High (4=)



New snow, Persistent weak layers


Avalanche prone locations



Danger description


The large quantity of fresh snow and the wind slabs are lying on top of a weakly bonded old snowpack especially on shady slopes. Avalanches can in many cases be triggered in deep layers. With the end of the precipitation, the natural avalanche activity will decrease. Natural avalanches are, however, still possible. Avalanches can in isolated cases reach very large size. In the typical avalanche paths they can reach valley bottoms at relatively high altitudes and endanger transportation routes that are exposed. Even single winter sport participants can release avalanches very easily, including dangerously large ones. Remotely triggered avalanches are to be expected. The snow sport conditions outside marked and open pistes are very dangerous.

Danger levels




region B

High (4-)



New snow, Persistent weak layers

Avalanche prone locations




Danger description

The danger exists in particular in alpine snow sports terrain. The large quantity of fresh snow and the wind slabs are lying on top of a weakly bonded old snowpack especially on shady slopes. Avalanches can in many cases be triggered in deep layers and reach large size. Even single winter sport participants can release avalanches very easily. Remotely triggered avalanches are to be expected. Natural avalanches are possible in isolated cases. The snow sport conditions outside marked and open pistes are dangerous.


region C

Considerable (3+)



New snow, Wind slab

Avalanche prone locations




Danger description

The fresh snow and the extensive wind slabs are lying on the unfavourable surface of an old snowpack in particular on shady slopes. As a consequence of new snow and a sometimes strong southwesterly wind, further wind slabs will form during the night. Avalanches can in many places be released by a single winter sport participant and reach large size. Remotely triggered avalanches are possible. Backcountry touring calls for extensive experience in the assessment of avalanche danger and caution.


region D

Considerable (3+)



New snow, Persistent weak layers

Avalanche prone locations




Danger description

The fresh snow and the wind slabs are lying on top of a weakly bonded old snowpack. Avalanches can in many places be released by a single winter sport participant. Remotely triggered avalanches are possible. Avalanches can penetrate deep layers and reach large size. Ski touring and other off-piste activities, including snowshoe hiking, call for extensive experience in the assessment of avalanche danger and restraint.


region E

Considerable (3=)



New snow, Wind slab

Avalanche prone locations




Danger description

The new snow and wind slabs of the last few days are lying on the unfavourable surface of an old snowpack. As a consequence of new snow and a sometimes strong westerly wind, further wind slabs will form during the night. Even single persons can release avalanches in some places. Mostly these are medium-sized. Ski touring and other off-piste activities, including snowshoe hiking, call for experience in the assessment of avalanche danger and careful route selection.


region F

Moderate (2+)



Wind slab

Avalanche prone locations




Danger description

As a consequence of new snow and a sometimes strong westerly wind, avalanche prone wind slabs formed in the last few days. They are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain. Single persons can release avalanches in some places. These can reach medium size in isolated cases. The wind slabs are to be bypassed as far as possible.


region G

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description

Only a little snow is lying. As a consequence of new snow and a strong southwesterly wind, sometimes avalanche prone wind slabs will form during the night. These are to be evaluated with care and prudence in particular in terrain where there is a danger of falling.

Snowpack and weather

updated on 28.1.2025, 17:00

Snowpack

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Observed weather

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Weather forecast

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Outlook

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.