


Danger Level 3 - Considerable



1700m

Tendency: Increasing avalanche danger
on Friday 14 03 2025



New snow



1700m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Wind slab



1700m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

New snow



1700m

Snowpack stability: **fair**Frequency: **some**Avalanche size: **medium**

Over a wide area wind and new snow.

In some localities up to 50 cm of snow will fall until Thursday. The avalanche danger should be investigated very thoroughly in the relevant locality. In particular in the regions exposed to heavier precipitation large to very large avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. The wind slabs must be evaluated with care and prudence. Avalanches can be released in deep layers of the snowpack.

Avalanches can be released by small loads.

Snowpack

As a consequence of new snow and wind, further wind slabs will form. The wind slabs have bonded poorly with the old snowpack.

Weak layers exist in the snowpack.

Tendency

Over a wide area intensive precipitation. The wind will be strong at times.

We recommend that you consult the most recent avalanche bulletin.




Danger Level 3 - Considerable



Treeline

Tendency: Constant avalanche danger
on Friday 14 03 2025



New snow



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

Wind slab



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **large**

New snow



Treeline

Snowpack stability: **fair**Frequency: **some**Avalanche size: **medium**

Over a wide area wind and new snow. In the regions exposed to heavier precipitation the prevalence of the avalanche prone locations will increase.

In particular in the regions exposed to heavier precipitation large and, in isolated cases, very large avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Avalanches can be released in deep layers of the snowpack.

Avalanches can be released by small loads.

Snowpack

As a consequence of new snow and wind, further wind slabs will form.

Weak layers exist in the snowpack.

Tendency

Over a wide area intensive precipitation. The wind will be moderate at times.

We recommend that you consult the most recent avalanche bulletin.




Danger Level 2 - Moderate



1700m

Tendency: Increasing avalanche danger
on Friday 14 03 2025



New snow



1700m

Snowpack stability: fair

Frequency: some

Avalanche size: medium



Wind slab



1700m

Snowpack stability: fair

Frequency: some

Avalanche size: medium

In the regions exposed to heavier precipitation the prevalence of the avalanche prone locations will increase.

In all aspects medium-sized and, in isolated cases, large moist avalanches are possible. The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. The wind slabs must be evaluated with care and prudence.

Avalanches can be released by large loads.

Snowpack

As a consequence of new snow and wind, wind slabs will form. The wind slabs have bonded poorly with the old snowpack.

The weather conditions gave rise to thorough wetting of the snowpack. In particular on sunny slopes no snow is lying.

Tendency

Over a wide area intensive precipitation. The wind will be strong at times.

We recommend that you consult the most recent avalanche bulletin.

