
Wednesday 05.03.2025












Wednesday 05.03.2025

Published 04 03 2025, 17:00



Danger Level 2 - Moderate



In some localities increase in danger of moist and wet snow slides as a consequence of warming during the day. Weak layers in the old snowpack can be released in very isolated cases.

The backcountry touring conditions in the morning, after a clear night, are mostly favourable. Moist loose snow avalanches are possible as the day progresses, but they will be mostly small. Avalanche prone locations are to be found in particular on very steep sunny slopes at elevated altitudes, in isolated cases also adjacent to ridgelines, as well as at the base of rock walls and behind abrupt changes in the terrain. In isolated cases avalanches can be released in the old snowpack and reach medium size. Such avalanche prone locations are to be found on very steep west, north and east facing slopes above approximately 2200 m, especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example.

Snowpack

Danger patterns

dp.10: springtime scenario

As a consequence of mild temperatures and solar radiation the snowpack consolidated. Outgoing longwave radiation during the night will be good over a wide area. The surface of the snowpack will soften during the day, in particular on steep sunny slopes at intermediate and high altitudes, as well as in all aspects at low altitude.

Faceted weak layers exist in the bottom section of the snowpack on west, north and east facing slopes.

Tendency

In some localities increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation.

Trentino Page 2



Wednesday 05.03.2025

Published 04 03 2025, 17:00



Danger Level 1 - Low





Tendency: Constant avalanche danger on Thursday 06 03 2025

 \rightarrow

A mostly favourable avalanche situation will prevail. On very steep sunny slopes the danger of moist and wet avalanches will increase during the day.

In some localities increase in danger of moist and wet avalanches as a consequence of warming during the day. The avalanche prone locations are to be found in particular on very steep sunny slopes at elevated altitudes and adjacent to ridgelines and in gullies and bowls.

Snowpack

Danger patterns

dp.10: springtime scenario

In all altitude zones less snow than usual is lying. As a consequence of highly fluctuating temperatures and solar radiation the snowpack consolidated.

These weather conditions as the day progresses will give rise to increasing moistening of the snowpack in particular on steep sunny slopes.

Tendency

The avalanche danger will persist.



Trentino Page 3