


Danger Level 3 - Considerable



Tendency: Constant avalanche danger
on Thursday 27 02 2025




Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **large**



Persistent
weak layer



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **large**



Wind slab



Snowpack stability: **fair**

Frequency: **some**

Avalanche size: **medium**

As a consequence of the precipitation the prevalence and size of the avalanche prone locations will increase.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Weak layers in the old snowpack necessitate caution. In particular on steep slopes the avalanches can be released in the faceted old snow. Avalanches can be released by a single winter sport participant.

Snowpack


The wind will transport the new snow. As a consequence of new snow and wind, wind slabs will form. The wind slabs have bonded poorly with the old snowpack. Precarious weak layers exist in the snowpack.

Tendency

The weather will be partly cloudy.



Danger Level 2 - Moderate



As a consequence of the precipitation the prevalence and size of the avalanche prone locations will increase.

The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. Avalanches can be released by large loads.

Snowpack

The snowpack will be subject to considerable local variations.

Weak layers exist in the snowpack in particular on shady slopes.

Tendency

The weather will be partly cloudy.

