


Danger Level 2 - Moderate



Wind slabs and weakly bonded old snow represent the main danger. As a consequence of highly fluctuating temperatures a favourable avalanche situation will develop during the next few days.

The mostly small wind slabs of the last few days can be released by a single winter sport participant in isolated cases at high altitude.

In isolated cases the avalanches are medium-sized and can be released by a single winter sport participant, caution is to be exercised in particular on very steep slopes.

On very steep south facing slopes and in steep rocky terrain individual moist snow slides are possible as the day progresses, but they will be mostly small.

The numerous rocks hidden by the recent snow are the main danger.

Snowpack

In some localities 2 to 10 cm of snow, but less in some localities, has fallen since Sunday above approximately 2000 m. The sleet gave rise in the afternoon to moistening of the snowpack in all aspects below approximately 2300 m.

As a consequence of highly fluctuating temperatures a crust formed on the surface. Sunshine and high temperatures will give rise as the day progresses to moistening of the snowpack on very steep south facing slopes at intermediate altitudes.

Weak layers exist in the top section of the snowpack.


At low and intermediate altitudes from a snow sport perspective, insufficient snow is lying.

Tendency

As a consequence of highly fluctuating temperatures a favourable avalanche situation will develop during the next few days. The danger of dry avalanches will decrease gradually.



Danger Level 2 - Moderate



Wind slabs and weakly bonded old snow represent the main danger. The weather conditions will facilitate a stabilisation of the snowpack.

The fresh snow and the wind slabs can still be released in some cases in particular on very steep shady slopes, in particular adjacent to ridgelines and in gullies and bowls in high Alpine regions.

The new snow and wind slabs are lying on the unfavourable surface of an old snowpack. Single backcountry tourers or freeriders can release avalanches in isolated cases, including medium-sized ones. In addition as the day progresses on south facing slopes, further individual small and, in isolated cases, medium-sized moist avalanches are possible, in particular in steep rocky terrain in high Alpine regions, as well as on very steep grassy slopes.

Snowpack

In some localities 10 to 25 cm of snow, but less in some localities, fell on Sunday above approximately 2300 m. The sleet gave rise to moistening of the snowpack in all aspects below approximately 2300 m.

As a consequence of highly fluctuating temperatures a crust formed on the surface.

Sunshine and high temperatures will give rise as the day progresses to moistening of the snowpack on very steep south facing slopes at intermediate altitudes.

Weak layers exist in the snowpack.

At intermediate and high altitudes snow depths vary greatly, depending on the influence of the wind.

Tendency

As a consequence of highly fluctuating temperatures a favourable avalanche situation will develop during the next few days. The danger of dry avalanches will persist.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 11 12 2025

In all altitude zones from a snow sport perspective, in most cases insufficient snow is lying.

The snowpack will be generally stable.

Very isolated avalanche prone locations are to be found at high altitude and on extremely steep slopes. Mostly the avalanches in these locations are small and can be released in isolated cases by a single winter sport participant. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

The numerous rocks hidden by the recent snow are the main danger.

Snowpack

In some localities 0 to 5 cm of snow fell on Sunday above approximately 2200 m. In all altitude zones only a little snow is now lying.

Tendency

In all altitude zones only a little snow is now lying.

