


Danger Level 2 - Moderate



Wind slabs represent the main danger. Small and medium sized avalanches are possible.

The mostly small wind slabs can be released in some cases in particular on northwest to north to east facing aspects above approximately 2600 m. These avalanche prone locations are rather rare and are clearly recognisable to the trained eye. Caution is to be exercised adjacent to ridgelines and in gullies and bowls.

In some places relatively hard layers of snow are lying on old snow containing large grains. In isolated cases the avalanches are medium-sized and can be released in some cases even by a single winter sport participant.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind


dp.1: deep persistent weak layer

The snowpack will be generally subject to considerable local variations. The visible wind slabs of the last few days are lying on weak layers in particular on steep shady slopes at elevated altitudes. Avalanches can be released by small loads.

At low and intermediate altitudes from a snow sport perspective, insufficient snow is lying.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 08 01 2026



Persistent
weak layer



Weakly bonded old snow represents the main danger. Individual weak layers exist in the snowpack especially on shady slopes.

Isolated avalanche prone weak layers exist in the snowpack especially on shady slopes. Mostly the avalanches are small.

Snowpack



Danger patterns

dp.1: deep persistent weak layer

Individual avalanche prone locations are to be found in shady places that are protected from the wind. From a snow sport perspective, in most cases insufficient snow is lying.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 08 01 2026



Persistent
weak layer



Weakly bonded old snow represents the main danger.

Hardly any more avalanches are to be expected.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

Isolated avalanche prone weak layers exist in the snowpack especially on shady slopes.

