




AM




PM



Danger Level 3 - Considerable

AM:



Tendency: Decreasing avalanche danger
on Monday 28 04 2025



New snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow





Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

PM:



Tendency: Decreasing avalanche danger
on Monday 28 04 2025



New snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Gradual increase in danger of dry and moist avalanches as a consequence of the precipitation.

The snowfall will give rise from the early morning to unfavourable bonding of the snowpack in particular at intermediate and high altitudes. The number and size of avalanche prone locations will increase in the late morning.

In particular on very steep slopes and in the regions exposed to heavier precipitation medium-sized dry and moist avalanches are to be expected at high altitudes and in high Alpine regions.

In particular high altitudes and the high Alpine regions as well as wind-loaded slopes: In localities where more than 25 cm of snow falls danger level 3 (considerable) may be reached in the late morning.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.3: rain

In particular below approximately 2800 m,: The old snowpack remains generally stable.
The snowfall will give rise from the early morning to unfavourable bonding of the snowpack over a wide area in particular at intermediate and high altitudes.



Below approximately 2200 m a little snow is lying.

Tendency

The weather conditions will facilitate a gradual strengthening of the snowpack.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Monday 28 04 2025



New snow



2300m

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow



2300m

Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Old wind slabs above approximately 2500 m. As a consequence of the precipitation the avalanche prone locations will become more prevalent from the early morning.

The snowfall will give rise as the day progresses to unfavourable bonding of the snowpack in particular at intermediate and high altitudes. The prevalence of the avalanche prone locations will increase as the day progresses.

As a consequence of new snow and wind from easterly directions, mostly small wind slabs will form in particular in places that are protected from the wind. These are bonding only slowly with the old snowpack at high altitudes and in high Alpine regions.

In particular on very steep slopes and in the regions exposed to heavier precipitation mostly small dry and moist avalanches are to be expected at high altitudes and in high Alpine regions.

In particular high altitudes and the high Alpine regions as well as wind-loaded slopes: In localities where more than 25 cm of snow falls danger level 3 (considerable) may be reached in the course of the day.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.4: cold following warm / warm following cold

The snowfall will give rise from the early morning to unfavourable bonding of the snowpack over a wide area in particular at intermediate and high altitudes. In some cases new snow and wind slabs are lying on the smooth surface of an old snowpack. This applies especially on sunny slopes, but in isolated cases also on shady slopes below approximately 2600 m. Below approximately 2000 m a little snow is lying.

In particular below approximately 2500 m,; The old snowpack remains generally stable.


Tendency



The weather conditions will facilitate a gradual strengthening of the snowpack.



Danger Level 2 - Moderate



Tendency: Decreasing avalanche danger
on Monday 28 04 2025



Wet snow



2200m

Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **medium**

In some localities increase in danger of moist avalanches as a consequence of the precipitation.

The sleet will give rise as the day progresses to unfavourable bonding of the snowpack in particular at intermediate and high altitudes. In particular on very steep slopes and on wind-loaded slopes individual moist slab avalanches are possible at high altitudes and in high Alpine regions. As a consequence of new snow and wind from easterly directions, mostly small wind slabs will form especially in the vicinity of peaks. These are bonding only slowly with the old snowpack at high altitudes and in high Alpine regions.

In particular on very steep slopes and in the regions exposed to heavier precipitation small moist and wet avalanches are possible at high altitudes and in high Alpine regions.

Snowpack

Danger patterns

dp.10: springtime scenario

The snowfall will give rise from the early morning to unfavourable bonding of the snowpack in some places especially at elevated altitudes.

In particular below approximately 2500 m,: The old snowpack remains generally stable. The sleet will give rise as the day progresses to moistening of the old snowpack over a wide area.

Tendency

The weather conditions will facilitate a gradual strengthening of the snowpack.

