


## Danger Level 3 - Considerable



The snowpack will be unstable above the tree line. Backcountry touring calls for caution. Wet and gliding avalanches are possible.

In particular in the vicinity of peaks and on steep slopes medium-sized and, in isolated cases, large slab avalanches are possible as a consequence of the northeasterly wind. Additionally avalanches can also be released in the old snowpack. In the regions exposed to a lot of new snow this applies in particular on shady slopes and.

Avalanches can be released, even by a single winter sport participant. Caution is to be exercised in particular in gullies and bowls, and behind abrupt changes in the terrain.

In particular on steep slopes small and, in isolated cases, medium-sized gliding avalanches are possible below approximately 2000 m. Areas with glide cracks are to be avoided.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

dp.2: gliding snow

40 to 80 cm of snow, and even more in some localities, has fallen since Friday above approximately 1800 m. As a consequence of new snow and a moderate to strong wind, sometimes large wind slabs formed since Friday in gullies and bowls and behind abrupt changes in the terrain as well as above the tree line. Especially at high altitudes and in high Alpine regions snow depths vary greatly, depending on the influence of the wind.

In these regions the snowfall level rose to approximately 2000 m. The rain gave rise on Sunday to extreme moistening of the snowpack in particular at low altitude.

In very isolated cases weak layers exist in the bottom section of the snowpack in particular on shady slopes. This applies at intermediate and high altitudes.


### Tendency



The weather will be sunny. The avalanche danger will decrease gradually.



## Danger Level 3 - Considerable



**New snow and wind slabs:** In regions with a lot of snow and above the tree line the avalanche prone locations are more prevalent.

In particular in the vicinity of peaks and in gullies and bowls medium-sized and, in isolated cases, large slab avalanches are possible as a consequence of new snow and wind. Additionally avalanches can also be released in the old snowpack. This applies in particular in case of a large load.

Avalanches can be released, even by a single winter sport participant, caution is to be exercised on steep slopes, and on wind-loaded slopes.

Whumping sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack.

The sometimes large wind slabs of the weekend are to be avoided as far as possible.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

30 to 50 cm of snow, and even more in some localities, has fallen since Friday above approximately 2000 m. In these regions the snowfall level rose to approximately 1600 m.

At elevated altitudes snow depths vary greatly, depending on the influence of the wind. Adjacent to ridgelines and in pass areas as well as above the tree line large wind slabs formed.


The new snow is lying on top of a weakly bonded old snowpack in particular on shady slopes.

## Tendency

The weather will be sunny. The weather conditions will foster a gradual strengthening of the snowpack.



## Danger Level 3 - Considerable



The new snow and wind slabs of the weekend represent the main danger.

The southeasterly wind has transported the new snow. In particular in the vicinity of peaks and in gullies and bowls medium-sized slab avalanches are possible. These can be released, even by a single winter sport participant or triggered naturally.

Additionally in some places avalanches can also be released in the old snowpack and reach quite a large size. This applies in particular in case of a large load.

Whumping sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack.

Wind slabs are to be assessed critically.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer



The new snow and wind slabs of the last few days are lying on top of a weakly bonded old snowpack.

At elevated altitudes snow depths vary greatly, depending on the influence of the wind.

The more recent wind slabs have formed in particular adjacent to ridgelines and in pass areas and generally at elevated altitudes, also at transitions into gullies and bowls at intermediate altitudes.



## Danger Level 2 - Moderate



**Tendency:** Constant avalanche danger  
on Thursday 22 01 2026 →




Wind slab



Persistent  
weak layer



Treeline



1900m

New snow and wind slabs represent the main danger.

Wind slabs are to be found in the regions exposed to heavier precipitation. They can be released, even by small loads in isolated cases, caution is to be exercised in particular at transitions into gullies and bowls, as well as at transitions from a shallow to a deep snowpack.

Additionally avalanches can be triggered in near-ground layers and reach quite a large size. This applies in particular on shady slopes in the regions exposed to heavier precipitation.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

In the vicinity of peaks the previously small wind slabs have increased in size in the last few days. These are lying on the unfavourable surface of an old snowpack in particular on shady slopes.

Intermediate and high altitudes: Large-grained weak layers exist in the snowpack on steep shady slopes.

The snowpack remains soft in particular in shady places that are protected from the wind.

In all altitude zones only a small amount of snow is lying for the time of year.

## Tendency

The avalanche danger will persist.



## Danger Level 2 - Moderate



Tendency: Constant avalanche danger  
on Thursday 22 01 2026 →



Fresh and older wind slabs are lying on top of a weakly bonded old snowpack.

Fresh and older wind slabs are prone to triggering. These can be released in the weakly bonded old snow, even by a single winter sport participant. Avalanches can reach medium size. The avalanche prone locations are to be found in particular on west to north to east facing aspects above approximately 2200 m. Individual avalanche prone locations are to be found also on steep south facing slopes above approximately 2400 m. Caution is to be exercised in particular in gullies and bowls, and behind abrupt changes in the terrain, as well as on wind-loaded slopes.

Whumping sounds and the formation of shooting cracks when stepping on the snowpack can indicate the danger.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

#### Danger patterns

dp.5: snowfall after a long period of cold

dp.6: cold, loose snow and wind

The sometimes strong wind has transported some snow. This applies in particular in the regions of the south that are exposed to the foehn wind. The fresh and older wind slabs are lying on top of a weakly bonded old snowpack. They are bonding only slowly with the old snowpack. Distinct weak layers exist in the old snowpack. The old snowpack consists of faceted crystals.


The snowpack will be generally subject to considerable local variations. Only a small amount of snow is lying for the time of year in all altitude zones.

### Tendency

The fresh and older wind slabs can be released by a single winter sport participant.



## Danger Level 2 - Moderate



Fresh and somewhat older wind slabs represent the main danger. Small and medium sized dry avalanches are possible.

Wind slabs are lying on old snow containing large grains. Caution is to be exercised on wind-loaded slopes adjacent to ridgelines and in gullies and bowls.

In some cases the avalanches are medium-sized and can be released even by a single winter sport participant.

### Snowpack

**Danger patterns**

dp.6: cold, loose snow and wind


dp.1: deep persistent weak layer

The strong wind has transported the new snow. The avalanche-prone wind slabs are lying on weak layers in particular on wind-protected shady slopes above approximately 2200 m. Avalanches can be released by small loads.

The snowpack will be generally subject to considerable local variations. At low and intermediate altitudes from a snow sport perspective, insufficient snow is lying.



## Danger Level 2 - Moderate



Tendency: Constant avalanche danger  
on Thursday 22 01 2026 →



Weak layers in the old snowpack represent the main danger.

The new snow of the last few days has bonded quite well with the old snowpack. Especially places where weaknesses exist in the old snowpack are unfavourable. This applies in particular on very steep shady slopes at the base of rock walls and behind abrupt changes in the terrain. Here the avalanches can be triggered in the weakly bonded old snow and reach medium size.

Isolated whumping sounds indicate the danger.

Older wind slabs are covered with new snow and therefore difficult to recognise. They can be released, especially by large additional loads, especially at their margins.

Isolated mostly small natural avalanches are possible as a consequence of solar radiation, in particular on extremely steep sunny slopes, and in steep rocky terrain.

## Snowpack

### Danger patterns

dp.1: deep persistent weak layer

In recent days, 20 to 30 cm of snow has fallen above approximately 2,000 m in the areas bordering Piedmont, and 5 to 20 cm in the rest of the territory. The sometimes moderate wind has transported only a little snow. On Saturday on very steep slopes small and, in isolated cases, medium-sized avalanches were observed.

Faceted weak layers exist in the old snowpack in particular on shady slopes.



In particular at intermediate and high altitudes snow depths vary greatly, depending on the influence of the wind.

## Tendency

The weather will be mostly sunny. These weather conditions will facilitate a change towards better conditions.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger**  
on Thursday 22 01 2026 →



Wind slabs are lying on top of a weakly bonded old snowpack.

The somewhat older wind slabs remain in some cases prone to triggering. These can be released in the weakly bonded old snow by a single winter sport participant.

The avalanche prone locations are to be found in particular on west to north to east facing aspects above approximately 2400 m and adjacent to ridgelines and in gullies and bowls. Such avalanche prone locations are clearly recognisable to the trained eye. In isolated cases avalanches are medium-sized.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

## Snowpack

### Danger patterns

(dp.6: cold, loose snow and wind)

The wind slabs are mostly rather small but prone to triggering. They are bonding only slowly with the old snowpack. The old snowpack consists of faceted crystals.



The snowpack will be generally subject to considerable local variations. Only a small amount of snow is lying for the time of year in all altitude zones.

## Tendency

The avalanche prone locations are to be found in particular in steep terrain at elevated altitudes. Wind slabs are to be avoided.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026



### Wind slabs require caution.

Wind slabs can in isolated cases be released. Caution is to be exercised in particular on very steep shady slopes, as well as adjacent to ridgelines and in gullies and bowls.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

The wind slabs are lying on weak layers.


The snowpack will be generally subject to considerable local variations. Only a small amount of snow is lying for the time of year.

### Tendency

Low avalanche danger will prevail.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026



### Error: Incomplete joker sentence

The mostly small wind slabs remain in some cases prone to triggering in particular on steep shady slopes and at elevated altitudes. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls and at transitions from a shallow to a deep snowpack. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

### Snowpack

Over a wide area only a little snow is lying.



The snowpack will be subject to considerable local variations. Weak layers exist in the old snowpack. They are to be found in particular on shady slopes.

### Tendency

The weather will be clear.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026

The snowpack is largely stable. Wind slabs and weakly bonded old snow require caution.

In all regions in all altitude zones hardly any snow is lying. The snowpack will be generally subject to considerable local variations. Wind slabs can in isolated cases be released. Caution is to be exercised in particular on very steep shady slopes, as well as adjacent to ridgelines and in gullies and bowls above approximately 2200 m.

Mostly avalanches are only small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

The snowpack will be generally subject to considerable local variations. Some fresh snow and the small wind slabs must be evaluated with care and prudence in particular on steep shady slopes.



The old snowpack is faceted. In very isolated cases weak layers exist in the bottom section of the snowpack on wind-protected shady slopes.

### Tendency

The avalanche danger will persist.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026



Wet snow



### Error: Incomplete joker sentence



Moist and wet snow slides are possible in isolated cases. There is a danger of falling on the hard snow surface.

### Snowpack

A little new snow at high altitude. The weather conditions gave rise to significant settling of the old snowpack.



## Danger Level 1 - Low



Tendency: Constant avalanche danger  
on Thursday 22 01 2026 →



Moist slab avalanches are possible in isolated cases as before.

In particular shady places that are protected from the wind as well as transitions into gullies and bowls:  
Here slab avalanches are possible, but they will be mostly small. There is a danger of falling on the hard crust.


### Snowpack

The snowpack is largely stable. It is fairly homogeneous and its surface has a crust that is strong in many cases.

At low and intermediate altitudes hardly any snow is lying. A little new snow at intermediate altitudes.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026



Fresh wind slabs represent the main danger. Faceted weak layers exist in the snowpack especially on shady slopes.

Soft weak layers exist in the snowpack especially on shady slopes. Mostly the avalanches are small.

### Snowpack



#### Danger patterns

dp.1: deep persistent weak layer

Individual avalanche prone locations are to be found in shady places that are protected from the wind. From a snow sport perspective, in most cases insufficient snow is lying.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026



Wind slab



Fresh wind slabs represent the main danger.

As a consequence of new snow and wind individual slab avalanches are possible, but they will be mostly small.

## Snowpack


### Danger patterns

dp.1: deep persistent weak layer

Isolated avalanche prone weak layers exist in the snowpack especially on shady slopes.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Thursday 22 01 2026



### Wind slabs require caution.

Wind slabs can in isolated cases be released. Caution is to be exercised in particular on very steep shady slopes, as well as adjacent to ridgelines and in gullies and bowls above approximately 2200 m. Mostly avalanches are small.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

### Snowpack

The wind slabs are lying on unfavourable layers at elevated altitudes. The old snowpack consists of faceted crystals.

The snowpack will be generally subject to considerable local variations. Only a small amount of snow is lying for the time of year in all altitude zones.

### Tendency

Low avalanche danger will prevail.

