


Danger Level 3 - Considerable



The avalanche prone locations for dry avalanches are to be found above approximately 2700 m. In addition the danger of moist and wet avalanches will increase from the early morning.

In particular on very steep slopes and in the regions exposed to heavier precipitation more medium-sized to large dry and moist avalanches are to be expected at high altitudes and in high Alpine regions. In these regions and above approximately 2700 m the avalanche danger is considerable (level 3). In particular at intermediate and high altitudes and on steep sunny slopes medium-sized moist and wet avalanches are possible as a consequence of warming during the day and solar radiation. Backcountry touring calls for careful route selection.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.3: rain


20 to 30 cm of snow, and even more in some localities, has fallen since Saturday above approximately 2500 m. In particular below approximately 2500 m, the old snowpack remains generally stable. Sunshine and high temperatures will give rise from early morning to gradual moistening of the snowpack. Below approximately 2000 m a little snow is lying.

Tendency

The weather conditions will facilitate a gradual strengthening of the snowpack.



Danger Level 2 - Moderate



Old wind slabs above approximately 2500 m. As a consequence of warming during the day the avalanche prone locations will become more prevalent.

As a consequence of new snow and wind from easterly directions, mostly small wind slabs formed in particular above approximately 2600 m. These are bonding only slowly with the old snowpack at high altitudes and in high Alpine regions. In particular at intermediate and high altitudes and on steep sunny slopes medium-sized moist and wet avalanches are possible as a consequence of warming during the day and solar radiation.

Backcountry tours should be started and concluded early.

Snowpack

Danger patterns dp.6: cold, loose snow and wind dp.10: springtime scenario

The snowfall gave rise to unfavourable bonding of the snowpack in some places in particular at intermediate and high altitudes. In some cases new snow and wind slabs are lying on the smooth surface of an old snowpack. This applies especially on sunny slopes, but in isolated cases also on shady slopes below approximately 2600 m.


In particular below approximately 2500 m,; The old snowpack remains generally stable. Below approximately 2000 m a little snow is lying.

Tendency

The weather conditions will facilitate a gradual strengthening of the snowpack.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Wednesday 30 04 2025



Wet snow



2200m

Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **medium**

In some localities increase in danger of moist avalanches as a consequence of warming during the day.

The sleet gave rise to unfavourable bonding of the snowpack in some places in particular at intermediate and high altitudes. As a consequence of new snow and wind from easterly directions, mostly small wind slabs formed especially in the vicinity of peaks. These are bonding only slowly with the old snowpack at high altitudes and in high Alpine regions.

In particular at intermediate and high altitudes and on steep sunny slopes small and medium-sized moist and wet avalanches are possible as a consequence of warming during the day and solar radiation.

Backcountry tours should be started and concluded early.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.6: cold, loose snow and wind

The old snowpack remains generally stable. Sunshine and high temperatures will give rise as the day progresses to significant moistening of the old snowpack over a wide area. Below approximately 2000 m a little snow is lying.

Tendency

The weather conditions will give rise to gradual consolidation of the snowpack in some places.

