


## Danger Level 4 - High



**Tendency: Decreasing avalanche danger**  
on Sunday 28 12 2025



Wind slab



Treeline



New snow



New snow and wind slabs above the tree line. The current avalanche situation calls for experience and restraint.

As a consequence of new snow and a moderate to strong wind from easterly directions, sometimes deep wind slabs formed.

The avalanche prone locations are to be found adjacent to ridgelines and in gullies and bowls, and behind abrupt changes in the terrain. Even single winter sport participants can release avalanches in many places, including large ones.

Medium-sized and large natural avalanches are possible. In particular on steep shady slopes the avalanches can be triggered in the old snow.

Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack.

It is inadvisable to engage in ski touring in steep terrain.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

Over a wide area 60 to 80 cm of snow, and even more in some localities, has fallen since Tuesday above approximately 2000 m.

In the last few days sometimes deep wind slabs formed at intermediate and high altitudes. The new snow of last week is bonding only slowly with the old snowpack.


Large-grained weak layers exist in the old snowpack on shady slopes.

## Tendency

The weather conditions will facilitate a gradual stabilisation of the snowpack.



## Danger Level 3 - Considerable



New snow and wind slabs above the tree line. A dangerous avalanche situation will persist.

As a consequence of new snow and a moderate to strong southeasterly wind, sometimes deep wind slabs formed. Medium-sized and, in isolated cases, large natural avalanches are possible.

Even single winter sport participants can release avalanches in some places, including medium-sized ones. The avalanche prone locations are to be found adjacent to ridgelines and in gullies and bowls, and behind abrupt changes in the terrain.

In particular on steep shady slopes the avalanches can be triggered in the old snow. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack.

Remotely triggered avalanches are possible. The current avalanche situation calls for experience in the assessment of avalanche danger.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

Over a wide area 50 to 80 cm of snow, and even more in some localities, has fallen since Tuesday above approximately 2000 m.

In the last few days easily released wind slabs formed at intermediate and high altitudes. The new snow of last week is bonding only slowly with the old snowpack.

Large-grained weak layers exist in the old snowpack on shady slopes.

Boxing Day: Artificially triggered avalanches and stability tests have confirmed a dangerous avalanche situation on very steep slopes.



## Tendency

The weather will be sunny. The weather conditions will facilitate a gradual stabilisation of the snowpack.



## Danger Level 3 - Considerable



**Tendency: Decreasing avalanche danger**  
on Sunday 28 12 2025



Wind slab



1600m



New snow



New snow and wind slabs represent the main danger. Backcountry touring and other off-piste activities call for experience and restraint.

As a consequence of new snow and a moderate to strong wind from northeasterly directions, sometimes deep wind slabs formed in particular at elevated altitudes. This also applies adjacent to ridgelines, as well as in gullies and bowls, and behind abrupt changes in the terrain.

Even single winter sport participants can release avalanches in many places, including large ones.

Natural avalanches are possible, even large ones in isolated cases.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

Over a wide area 70 to 120 cm of snow, and even more in some localities, has fallen since Monday above approximately 1500 m.

The covering of new snow is fairly homogeneous; its surface consists of loosely bonded snow. These weather conditions will give rise to increasing settling of the snowpack.


## Tendency

Sunday: As a consequence of warming during the day medium-sized and, in isolated cases, large dry and moist avalanches are possible. In the event of solar radiation this applies in particular on very steep sunny slopes.

The weather conditions will facilitate a gradual stabilisation of the snowpack.



## Danger Level 3 - Considerable



### New snow and wind slabs represent the main danger.

The fresh snow and the sometimes deep wind slabs can be released easily, even by a single winter sport participant, at intermediate and high altitudes.

The avalanche prone locations are to be found adjacent to ridgelines and in gullies and bowls, and behind abrupt changes in the terrain.

On steep shady slopes the avalanches can be triggered in the faceted old snow and reach large size in isolated cases. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack. Remotely triggered avalanches are possible.

Off-piste activities call for experience and restraint.

Medium-sized and, in isolated cases, large natural avalanches are possible.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

Over a wide area 50 to 80 cm of snow, and even more in some localities, has fallen since Wednesday above approximately 2000 m. More snow than expected fell on Thursday.

The new snow and wind slabs of the last few days are lying on the unfavourable surface of an old snowpack on northwest to north to east facing aspects above approximately 2200 m.

Faceted weak layers exist deep in the snowpack in particular on steep shady slopes.


Friday: A lot more new snow than expected: Reports filed by observers and artificially triggered avalanches have confirmed a dangerous avalanche situation.

## Tendency

The weather conditions will foster a slow stabilisation of the snowpack.



## Danger Level 2 - Moderate



Along the border with Switzerland the avalanche prone locations are more prevalent and the danger is greater.

As a consequence of new snow and a moderate southeasterly wind, soft wind slabs formed.

Small and, in isolated cases, medium-sized natural avalanches are possible in particular at intermediate and high altitudes.

The avalanche prone locations are to be found adjacent to ridgelines and in gullies and bowls, and behind abrupt changes in the terrain.

Even single winter sport participants can release avalanches in some places, including medium-sized ones. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack are a clear indication of a weakly bonded snowpack.

The current avalanche situation calls for experience in the assessment of avalanche danger. The numerous rocks hidden by the recent snow are the main danger.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

30 to 50 cm of snow, and even more in some localities, has fallen since Tuesday above approximately 1500 m.

The new snow and wind slabs of the last few days are lying on the unfavourable surface of an old snowpack on northwest to north to east facing aspects above approximately 2000 m.

Large-grained weak layers exist in the old snowpack on shady slopes.

Below approximately 2000 m less snow than usual is lying.

