

Name: Sohansingh Rajput
Roll no.: 46
SY-IT

Code:

```
#include<stdio.h>
#include<stdlib.h>
#include<malloc.h>

struct node{
int data;
struct node *left;
struct node *right;
};

struct node *tree;
void create(struct node *);
struct node *insert(struct node *, int);
void inorder(struct node *);
void preorder(struct node *);
void postorder(struct node *);

void main()
{
int choice, x;
struct node *ptr;
create(tree);
do
{
printf("\n Operations available are : ");
printf("\n 1. Insert a node");
printf("\n 2. Display inorder traversal");
printf("\n 3. Display preorder traversal");
printf("\n 4. Display postorder traversal");
printf("\n 5. Exit \n");
printf("\n Enter your choice\t");
scanf("%d", &choice);

switch (choice){

case 1:
printf("\n Enter data to be inserted\t");
scanf("%d",&x);
```

```
tree = insert(tree, x);  
break;
```

```
case 2:  
printf("\n Elements in the inorder traversal are\t");  
inorder(tree);  
printf("\n");  
break;
```

```
case 3:  
printf("\n Elements in the preorder traversal are\t");  
preorder(tree);  
printf("\n");  
break;
```

```
case 4:  
printf("\n Elements in the postorder traversal are");  
postorder(tree);  
printf("\n");  
break;
```

```
case 5:  
printf("\n Exit: program finished !!!");  
break;  
default:  
printf("\n Please enter a valid option from 1,2,3,4,5. ");  
break;  
}  
}  
while (choice != 5);  
}
```

```
void create(struct node *tree)  
{  
tree = NULL;  
}  
struct node *insert(struct node *tree, int x)  
{  
struct node *p, *temp, *root;  
p = (struct node *)malloc(sizeof(struct node));  
p->data = x;  
p->left = NULL;  
p->right = NULL;
```

```

if (tree == NULL)
{
tree = p;
tree-> left = NULL;
tree-> right = NULL;
}
else
{
root = NULL;
temp = tree;
while (temp != NULL)
{
root = temp;
if (x < temp->data)
temp = temp->left;
else
temp = temp->right;
}
if(x < root->data)
root->left = p;
else
root->right = p;
}
return tree;
}
void inorder(struct node *tree)
{
if (tree != NULL)
{
inorder(tree->left);
printf("%d \t", tree->data);
inorder(tree->right);
}
}

void preorder(struct node *tree){
if (tree != NULL)
{
printf("%d \t", tree->data);
preorder(tree->left);
preorder(tree->right);
}
}

```

```

void postorder(struct node *tree){
if (tree != NULL)
{
postorder(tree->left);
postorder(tree->right);
printf("%d \t", tree->data);
}
}

```

Output:

```

dl408@ltadmin: ~/Desktop
dl408@ltadmin:~/Desktop$ gedit sohan6.c
dl408@ltadmin:~/Desktop$ gcc sohan6.c
dl408@ltadmin:~/Desktop$ ./a.out

Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice      1
Enter data to be inserted      25

Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice      1
Enter data to be inserted      20

Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice      1
Enter data to be inserted      60

Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice      2

```

```
Activities Terminal Aug 28 15:04 dl408@ltadmin: ~/Desktop

Enter your choice 1
Enter data to be inserted 20
Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice 1
Enter data to be inserted 60
Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice 2
Elements in the inorder traversal are 20 25 60
Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice 3
Elements in the preorder traversal are 25 20 60
Operations available are :
1. Insert a node
2. Display inorder traversal
3. Display preorder traversal
4. Display postorder traversal
5. Exit
Enter your choice
```