

# Network Administration and Management Lab. Work

Achmad Solaeman, S.Tr.T., M.Eng.

2026-08-16

## LIST OF CONTENTS

|                                                                     |          |
|---------------------------------------------------------------------|----------|
| <b>Homepage</b>                                                     | <b>1</b> |
| <b>1 Ubuntu Server Installation</b>                                 | <b>2</b> |
| 1.1 Practical Objectives . . . . .                                  | 2        |
| 1.2 Theoretical Background of Ubuntu Server . . . . .               | 2        |
| 1.3 Ubuntu Server Practicum Steps . . . . .                         | 2        |
| 1.3.1 Installing Ubuntu Server in VirtualBox . . . . .              | 3        |
| 1.3.2 Configuring the Network Adapter for External Access . . . . . | 3        |
| 1.4 Exercise !!! . . . . .                                          | 4        |

## LIST OF FIGURES

|     |                                           |   |
|-----|-------------------------------------------|---|
| 1.1 | Setting on VMWare via Adapter 2 . . . . . | 4 |
| 1.2 | Ubuntu Server . . . . .                   | 5 |

## LIST OF TABLES

|     |                                    |   |
|-----|------------------------------------|---|
| 1.2 | Essential Linux Commands . . . . . | 5 |
|-----|------------------------------------|---|

## **HOME PAGE**

# CHAPTER I UBUNTU SERVER INSTALLATION

## 1.1 Practical Objectives

1. Students are able to install Ubuntu Server.
2. Students understand and are able to practice basic commands in the Ubuntu Server environment.

## 1.2 Theoretical Background of Ubuntu Server

Ubuntu Server is a Linux-based server operating system based on the Ubuntu distribution, developed by Canonical Ltd. Ubuntu Server is specifically designed for use in server environments and network infrastructure. Ubuntu Server is the version of the Ubuntu operating system without a graphical user interface (headless), with a primary focus on performance and efficiency for server-related tasks.

The following are some important points about Ubuntu Server:

1. Open Source: Ubuntu Server is open-source, meaning that its source code can be freely accessed, used, modified, and distributed by anyone. As a result, many communities and organizations can contribute to the development and improvement of the operating system.
2. Stability and Security: Ubuntu Server is supported by a large and active community and is reviewed by security experts. Stable versions are released regularly with Long-Term Support (LTS), providing security updates and bug fixes for an extended period, typically up to five years after release.
3. APT Package Management: Like other Linux operating systems, Ubuntu Server uses the Advanced Package Tool (APT) as its package management system. This allows administrators to easily install, remove, and manage software and additional packages required by the server system.
4. Command-Line Interface (CLI): Ubuntu Server operates through a CLI, allowing administrators to manage the system remotely or through Secure Shell (SSH). The absence of a graphical interface helps reduce resource usage and improve security.
5. Cloud Support: Ubuntu Server is well known for its support for cloud computing environments. This server version is widely used by cloud service providers such as Amazon Web Services (AWS), Google Cloud Platform (GCP), and Microsoft Azure.
6. Virtualization Support: Ubuntu Server supports virtualization technologies such as Kernel-based Virtual Machine (KVM) and Docker containers. This allows users to create and manage virtual machines and containers easily and efficiently.
7. Access to Ubuntu Repositories: Ubuntu Server provides access to extensive Ubuntu repositories for downloading and installing various server software, including web applications, databases, email servers, and many others.
8. Documentation and Community Support: Ubuntu has a large and active community that can provide assistance through forums, discussion groups, and other online resources. In addition, paid support options are available from Canonical Ltd. for business and enterprise users.

Ubuntu Server has become a popular choice for building and managing server infrastructure due to its stability, security, and support for modern technologies such as cloud computing and virtualization. It provides powerful tools for operating servers reliably and efficiently. The hands-on steps for installing and configuring it are covered in Section 1.3.

## 1.3 Ubuntu Server Practicum Steps

This guide walks through installing Ubuntu Server in VirtualBox and configuring its network adapter so the machine can be reached from outside VirtualBox.

### 1.3.1 Installing Ubuntu Server in VirtualBox

#### What you'll need

An internet connection is required during installation, since packages are fetched while Ubuntu Server sets itself up.

1. **Download the Ubuntu Server installer image** from [ubuntu.com/download/server](https://ubuntu.com/download/server). Choose the version that matches your computer's specifications. **Ubuntu Server 24** is the recommended version for this practicum.
2. **Install Ubuntu Server through VirtualBox.**

#### Recommended virtual machine specifications

|            | Recommended |
|------------|-------------|
| Setting    | value       |
| Base       | 8 GB        |
| Memory     |             |
| Processors | 2           |
| Storage    | 30 GB       |
| (VDI)      |             |

Use a **different drive** from the one hosting your host operating system to store the VM folder!

### 1.3.2 Configuring the Network Adapter for External Access

The default network adapter in VirtualBox is isolated from the outside world. Adding a second, host-only adapter lets you reach the Ubuntu Server VM from your host machine, configured as shown in Figure 1.1.

#### Before you start

Power off the Ubuntu Server VM you just installed before changing its network settings.

1. **Enable a host-only adapter.**  
In the VM's **Settings**, open the **Network** menu and select the **Adapter 2** tab. Then:
  - Set **Attached to:** → Host-only Adapter
  - Set **Promiscuous Mode:** → Allow All
2. **Power the VM back on** and edit the Netplan configuration.  
Create a configuration file with:

```
sudo nano /etc/netplan/01-netconf.yaml
```

Add the following content to the file:

```
network:
  version: 2
  renderer: networkd
  ethernets:
    enp0s8:
      dhcp4: yes
```

Save and exit the editor by pressing Ctrl+X, then Y, then Enter.




Figure 1.1: Setting on VMWare via Adapter 2

### 3. Apply the new network configuration.

In the Ubuntu Server terminal, run:

```
sudo netplan apply
```

### 4. Verify the IP address.

Check that Ubuntu Server has received an IP address on the `enp0s8` adapter. You can confirm this with:

```
ip a
```

#### **i** Example result

In the example used for this guide, the Ubuntu Server IP address to be used in the next parts of the practicum is:

**192.168.56.104**

Figure 1.2 shows an example of this output in the Ubuntu Server terminal.

#### **!** Keep this address handy

The IP address obtained on the `enp0s8` adapter (e.g. 192.168.56.104) will be used to access this Ubuntu Server instance in later steps of the practicum. Write it down before continuing.

## 1.4 Exercise !!!

Try the commands listed in Table 1.2, explain their functions, and provide screenshots of your results. Complete a total of 15 commands.



```

alam@alam:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:3a:ea:f8 brd ff:ff:ff:ff:ff:ff
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic enp0s3
        valid_lft 86366sec preferred_lft 86366sec
    inet6 fe80::a00:27ff:fe3a:eaf8/64 scope link
        valid_lft forever preferred_lft forever
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:55:f5:18 brd ff:ff:ff:ff:ff:ff
    inet 192.168.56.104/24 brd 192.168.56.255 scope global dynamic enp0s8
        valid_lft 565sec preferred_lft 565sec
    inet6 fe80::a00:27ff:fe55:f518/64 scope link
        valid_lft forever preferred_lft forever

```

Figure 1.2: Ubuntu Server

Table 1.2: Essential Linux Commands

| #  | Command # | Command # | Command # | Command # | Command |
|----|-----------|-----------|-----------|-----------|---------|
| 1  | ls        | 22        | ifconfig  | 64        | parted  |
| 2  | pwd       | 23        | ip        | 65        | wc      |
| 3  | cd        | 24        | wget      | 66        | ls      |
| 4  | clear     | 25        | curl      | 67        | nmap    |
| 5  | mkdir     | 26        | apt       | 68        | dmesg   |
| 6  | mv        | 27        | apt-get   | 69        | chattr  |
| 7  | cp        | 28        | yum       | 70        | usermod |
| 8  | rmdir     | 29        | dnf       | 71        | free    |
| 9  | touch     | 30        | rpm       | 72        | cron    |
| 10 | cat       | 31        | alias     | 73        | mysql   |
| 11 | echo      | 32        | dd        | 74        | sdiff   |
| 12 | less      | 33        | top       | 75        | history |
| 13 | tar       | 34        | useradd   | 76        | netstat |
| 14 | grep      | 35        | sleep     | 77        | sftp    |
| 15 | head      | 36        | screen    | 78        | tcpdump |
| 16 | tail      | 37        | pv        | 79        | scp     |
| 17 | sort      | 38        | fgrep     | 80        | rsync   |
| 18 | ps        | 39        | dir       | 81        | fsck    |
| 19 | kill      | 40        | egrep     | 82        | bc      |
| 20 | df        | 41        | ssh       | 83        | chage   |
| 21 | chown     | 42        | fd        | 84        | ffmpeg  |