

# Math 252 Homework

Sections 4.2 & 4.3

Solomon Greenberg

2016/04/03

## Chapter 4.2

**1:**

An absolute minimum is a point at the lowest value that a graph reaches over an interval that, if the interval is open, does not include the limits of the interval. A relative minimum is any point that has a lesser value than the the points directly to the left or right of it.

**5:**

Local minima:  $(2, 2)$ ,  $(5, 3)$


Local maxima:  $(4, 5)$

Absolute minima:  $(0, 2)$ ,  $(2, 2)$


Absolute maxima:  $(4, 5)$

**11:**


a:



b:



c:



**29:**

Note: Used calculator (Ti-nspire CX CAS) to find x-intercepts of  $f'(y)$

Critical numbers at  $x = \{0, 2\}$

**35:**

Note: used calculator (Ti-*n*spire CX CAS) to find x-intercepts of  $f'(\theta)$

Critical numbers at  $\theta = \{2 \cdot n \cdot \pi, n \cdot \pi\}$

**43:**

Absolute maxima:  $(-1, 8)$

Absolute minima:  $(2, -18)$

**51:**

Absolute maxima:  $(1, \ln(3))$

Absolute minima:  $(1, \ln(1.75))$

**59:**

$$f(x) = x \cdot \sqrt{x - x^2}$$

a: No absolute min/max as function is consistently concave down and on an open interval.

b: Likewise

**61:**

$$V = 999.87 - 0.06426T - 0.0085043T^2 - 0.0000679T^3$$

Max. density at  $x = 208.614$

## Chapter 4.3

**2:**