ID: Add user notes to an existing category

Scope: Personal budgeting application

Level: User goal

Stakeholders and interests:

User

- person that is adding notes to the existing category.

Preconditions:

A budget category already exists.

User wants to add new user notes to the budget category.


Postcondition: New user notes will be added to the existing budget category.

Main Success Scenario:

- 1. User wants to add notes to an existing category.
- 2. User selects the existing category that they want to add notes to.
- 3. User adds a new note to the category.
- 4. User saves the new note to the category.

Exceptions:

- a.* anytime system does not respond
- 1. user will restart the application
- 4. a If the user wants to add multiple notes
- 1. Repeat step 4. As many times as necessary.



Operation Contracts:

Name: selectCategory(category: integer)

Cross References: Use Cases: Remove Category

Output: The category will be currently selected.

Pre-Conditions:

User already has an existing account.

User wants to remove a category.

Post-Conditions:

A category will be currently selected.

Name: selectNewNote()

Cross References: None.

Output: A new note will be created associated with the selected category.

Pre-Conditions:

A category is currently selected by the user.

Post-Conditions:

A new note object will be created.

Name: writeMessage(message : String)

Cross References: None.

Output: None.

Pre-Conditions:

A new note object has been created and is currently selected.

Post-Conditions:

The message on the note object will be changed to the specified message.

The new note will be saved with the associated category to the system.