

# PhD Dissertation Draft

*by* Songkomkrit Chaiyakan

---

**Submission date:** 03-Jun-2025 08:51PM (UTC+0900)

**Submission ID:** 2551795005

**File name:** main\_phd.pdf (1.18M)

**Word count:** 113509

**Character count:** 526887

HIGHLY ACCURATE LINEAR CLASSIFIER WITH APPLICATIONS IN HEALTH  
INSURANCE COVERAGE

Songkomkrit Chaiyakan

<sup>47</sup>  
A Dissertation Submitted in Partial Fulfillment of the Requirements  
for the Degree of Doctor of Philosophy Program  
in Business Analytics and Data Science  
Graduate School of Applied Statistics  
National Institute of Development Administration  
Academic Year 2024  
Copyright of National Institute of Development Administration

28

Thesis Title      HIGHLY ACCURATE LINEAR CLASSIFIER WITH  
APPLICATIONS IN HEALTH INSURANCE COVERAGE  
By                  Songkomkrit Chaiyakan  
Field of Study      Business Analytics and Data Science  
Thesis Advisor      Assistant Professor Preecha Vichitthamaros, Ph.D.

10

Accepted by Graduate School of Applied Statistics, National Institute of Development  
Administration in Partial Fulfillment of the Requirements for the Doctoral Degree

28

..... Dean of Graduate School of Applied Statistics  
(Siwiga Dusadeno, Ph.D.)

DISSERTATION COMMITTEE

..... Chairman  
(Associate Professor Ohm Sornil, Ph.D.)

..... Thesis Advisor  
(Assistant Professor Preecha Vichitthamaros, Ph.D.)

..... Examiner  
(Associate Professor Surapong Auwatanamongkol, Ph.D.)

..... Examiner  
(Associate Professor Pachitjanut Siripanich, Ph.D.)

..... External Examiner  
(Assistant Professor Boonyarit Intiyot, Ph.D.)

## 6310432002: MAJOR BUSINESS ANALYTICS AND DATA SCIENCE

KEYWORDS: BOX CLASSIFICATION / OPTIMIZATION / 0-1 MIXED INTEGER PROGRAMMING / DIMENSIONALITY REDUCTION / CONTINUOUS DATA / CATEGORICAL DATA / HEALTH INSURANCE

SONGKOMKRIT CHAIYAKAN: HIGHLY ACCURATE LINEAR CLASSIFIER

WITH APPLICATIONS IN HEALTH INSURANCE COVERAGE. ADVISOR:

Assistant Professor Preecha Vichitthamaros, Ph.D., 488 pp.

This work proposes a multiclass box classifier both theoretically and empirically proven to produce the highest training accuracy through the rigorous formulation of 0-1 mixed integer programming problem. It can also determine significant factors. Unlike a decision tree classifier well-known for simplicity and fast execution, the proposed classifier has control over a maximal number of features of interest, whether continuous or categorical, and a number of splitting values on all features. The use of this method is illustrated on 2020 Current Population Survey (CPS) Annual Social and Economic Supplement (ASEC) health insurance dataset with, as a result of the exponential time complexity of the model, only three independent variables univariately preselected by the SelectKBest technique. Compared to decision tree classifiers of different depths, the proposed classification model can keep a balance between the number of total splitting values and the number of decision boxes, and it achieves a relatively high training accuracy at the expense of significantly high computational time and storage usage. Nonetheless, both give the same set of contributing factors. The fast algorithm of decision box merging is also suggested when the number of selected features can be further reduced after optimization.

Graduate School:	Applied Statistics	61	Student's Signature .....
Field of Study:	Business Analytics and Data Science		Advisor's Signature .....
Academic Year:	2024		

## Acknowledgements

I would like to express my thankfulness to my dissertation advisor Assistant Professor Preecha Vichiththamaros for his consistent help throughout the entire dissertation. Further thanks extend to Jessica Barnett and Laryssa Mykyta, U.S. Census Bureau, for their advice on public use files and technical documentation of Current Population Survey<sup>1</sup> (CPS) Annual Social and Economic Supplement (ASEC) health insurance datasets. I am especially indebted to my parents, Songsak and Kanjanee, and to my sister, Kanokkan, for their continual support, encouragement, and love. This dissertation is partially supported by National Institute of Development Administration for publication and Google Cloud research program for free access to a remote compute engine.

## <sup>82</sup>Contents

	Page
<b>Abstract</b> . . . . .	<b>iii</b>
<b>Acknowledgements</b> . . . . .	<b>iv</b>
<b>Contents</b> . . . . .	<b>v</b>
<b>List of Tables</b> . . . . .	<b>vii</b>
<b>List of Figures</b> . . . . .	<b>viii</b>
<b>List of Codes</b> . . . . .	<b>ix</b>
<b>Nomenclature</b> . . . . .	<b>x</b>
<b>Chapter</b>	
<b>1 Introduction</b> . . . . .	<b>1</b>
1.1 Objectives . . . . .	2
1.2 Limitations . . . . .	2
<b>2 Literature Review</b> . . . . .	<b>3</b>
2.1 Health Insurance Coverage . . . . .	3
2.2 Feature Selection . . . . .	4
2.2.1 Decision Tree . . . . .	4
2.2.2 SelectKBest . . . . .	4
<b>3 Research Methods</b> . . . . .	<b>6</b>
3.1 Overview . . . . .	6
3.2 SSH Key Generation . . . . .	6
3.3 Remote Virtual Machine Setup . . . . .	9
3.3.1 Specifications . . . . .	9
3.3.2 SSH Key-Based Authentication . . . . .	9
3.3.3 Python Installation . . . . .	9
3.3.3.1 Introduction to Compilation in C . . . . .	10
3.3.3.2 Basic Object Types . . . . .	10
3.3.3.3 String Interning . . . . .	13
3.3.3.4 Configuration and Build . . . . .	14
3.3.4 Backup to OCI Object Storage . . . . .	17
3.3.4.1 Introduction to OCI . . . . .	17
3.3.4.2 OCI Object Storage . . . . .	19
3.4 GitHub Repository . . . . .	20

Chapter	Page
3.5 Health Insurance Dataset . . . . .	23
3.5.1 Background . . . . .	23
3.5.2 Scope of Study . . . . .	24
3.5.3 Metadata . . . . .	24
3.5.4 Python Modules . . . . .	106
3.5.5 Python Classes . . . . .	115
3.5.6 Exploratory Data Analysis (EDA) . . . . .	122
3.5.7 Data Encoding . . . . .	237
3.5.8 Sampling using SelectKBest . . . . .	240
3.5.9 Setting Number of Variable Splits . . . . .	243
4 Proposed Classifier . . . . .	246
4.1 Proposed Model for Selecting Continuous Factors . . . . .	246
4.2 Selection of Mixed-Type Features . . . . .	251
4.3 CPLEX OPL Modeling . . . . .	255
4.4 Recalculation of Decision Boxes . . . . .	279
5 Results on Health Insurance . . . . .	318
5.1 Training Data . . . . .	318
5.2 Decision Tree . . . . .	321
5.3 Proposed Model . . . . .	329
6 Concluding Remarks . . . . .	380
Appendix	
Appendix A CPLEX Engine Log . . . . .	383
Biography . . . . .	488

## List of Tables

Table	Page
3.1 Example of advanced NTFS permissions in Windows . . . . .	8
3.2 Python options for third-party dependencies . . . . .	16
3.3 Basic Git commands . . . . .	20
3.4 Class codes of insurance coverage combination . . . . .	24
3.5 Categories of health insurance factors . . . . .	123
3.6 Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) . . . . .	127
4.1 Relevant CPLEX parameters . . . . .	255
5.1 Cross tabulation of sample data by preselected variables and health insurance coverage types . . . . .	319
5.2 Comparison between multiple decision tree and proposed classifier . . . . .	331
5.3 Splitting values on features of multiple decision tree and proposed classifier . . . . .	332
5.4 Training accuracy, execution time, minimum storage usage, relative MIP gap and number of inconsistent data across all iterations . . . . .	333
5.5 Selected variables and groups of values across all iterations . . . . .	334
5.6 Decision regions and predicted class labels across all iterations . . . . .	344
5.7 Inconsistency between numerical CPLEX and true decision regions . . . . .	356

<sup>28</sup>  
**List of Figures**

Figure	Page
3.1 Directory tree structure of the template GitHub repository . . . . .	22
5.1 Decision tree with depth 3 and 8 leaf nodes . . . . .	321
5.2 Decision tree with depth 4 and 12 leaf nodes . . . . .	322
5.3 Decision tree with depth 5 and 16 leaf nodes . . . . .	323

## List of Codes

Code	Page
3.1 Utility module . . . . .	107
3.2 Encoding module . . . . .	108
3.3 Dataset module . . . . .	110
3.4 EDA module . . . . .	112
3.5 ThesisExtension class . . . . .	116
3.6 Data class . . . . .	119
3.7 Info class . . . . .	121
3.8 Exploratory data analysis (EDA) . . . . .	235
3.9 Data encoding . . . . .	237
3.10 SelectKBest . . . . .	240
3.11 Setting number of variable splits . . . . .	244
4.1 Main OPL model . . . . .	256
4.2 Box classifier OPL model . . . . .	274
4.3 Basic utility for recalculation of region . . . . .	281
4.4 Typecasting . . . . .	287
4.5 Recalculation of regions . . . . .	290
4.6 Feature selection . . . . .	293
4.7 Cuts or split values . . . . .	295
4.8 True decision regions . . . . .	298
4.9 CPLEX decision regions . . . . .	300
4.10 Classification correctness . . . . .	303
4.11 Final mixed box classifier . . . . .	304
5.1 Gini-based decision tree classifier . . . . .	324

## Nomenclature

$\tilde{d}$	full dimension of given training instances
$d$	number of both continuous and categorical features of interest
$d_{\text{cat}}$	number of categorical features of interest
$\tilde{\mathcal{C}}_{\text{cont}}$	index set of given continuous features
$\tilde{\mathcal{C}}_{\text{cat}}$	index set of given categorical features
$\mathcal{C}_{\text{cont}}$	index set of new continuous features before optimization
$\mathcal{C}_{\text{cat}}$	index set of intermediate categorical features before optimization
$\tilde{x}^i$	given training instance $i$
$x^i$	training instance $i$ as a classifier input of lower continuous and full categorical dimensions
$x_j^i$	value of feature $j$ of instance $x^i$
$y_k^i$	whether a given instance $\tilde{x}^i$ is in class $k$
$c_{j,\tilde{j}}$	whether a new continuous feature $j$ comes from an original continuous feature $\tilde{j}$
$f_j$	whether categorical feature $j$ is selected or, equivalently, significant
$p_j$	number of splitting values on feature $j$
$b_{j,q}$	$q^{\text{th}}$ splitting value on continuous feature $j$
$u_j$	new group labels on categorical feature $j$
$v_{j,x_j^i}$	new group label of instance $x_j^i$ on categorical feature $j$
$B$	number of total decision boxes
$S_\beta$	$\beta^{\text{th}}$ decision box
$\alpha_{j,q}^i$	whether $x_j^i$ is in open interval $(b_{j,q}, b_{j,q+1})$
$M$	<sup>135</sup> sufficiently large positive number
$m_j$	sufficiently small positive number on feature $j$ that can distinguish individual feature values of $x_j^i$
$l_{j,q}^i$	<sup>10</sup> $\alpha_{j,q}^i(b_{j,q} + m_j)$
$r_{j,q}^i$	$\alpha_{j,q}^i(b_{j,q+1} - m_j)$
$\gamma_\beta^i$	whether instance $x_j^i$ is in decision box $S_\beta$
$\Theta_\beta$	set of most frequent classes in decision box $S_\beta$
$h_\beta$	negative value of number of correctly classified training instances

# CHAPTER I

## INTRODUCTION

Social science research heavily relies on the traditional use of logistic regression or structural equation modeling (SEM) to explore or confirm the linkage between multiple factors with the ultimate goal of causal explanation. In addition to the significance test of coefficients, the utilization of mediators, moderators, confounders and covariates provides the convincing magnitude and direction of estimated effects. On the rare occasion of classification with numerous independent variables measured on nominal scales, the excessive number of required dummy variables nevertheless imposes a limitation on these two approaches.

To address this problem, classification algorithms in machine learning are used to identify key characteristics of a separate group despite lack of important statistical tests. For example, a decision tree constructs a set of rules individually formed by minimal attributes to fully describe a training data, and a neural network employs a hidden layer to account for nonlinear interaction between attributes and therefore increases model accuracy. The first maximizes an information gain, whereas the latter minimizes a residual sum of square. Both objective functions are usually smooth and enable real-time data processing.

Despite their advantage, a decision tree and a neural network may provide undesirable inaccuracy, evidently because their performance metrics are not accuracy. As a result, a multiclass box classifier developed from conventional support vector machine (SVM) through the application of 0-1 mixed integer linear programming (MILP) by counting the number of misclassified instances through majority voting will be proposed in the dissertation to ensure maximum accuracy without overfitting simply due to its linearity. In this case, external testing seems redundant unless a training data contains an outlier. As early-stage research, the classifier will serve no purpose of real-time analytics. This modified approach will be adopted for illustrative purposes to examine without consideration of interrelationship contributing factors, including their groups of values, on coverage types of health insurance in the United States in 2019. The classification model is trained on the entire survey data because in this dissertation all responses collected from different participants are of equal importance and no prediction about future health insurance coverage is made.

### 1.1 Objectives

1. To propose a multiclass box classifier that yields highest training accuracy.
2. To apply the proposed classification method to investigate significant factors, whether continuous or categorical, influencing health insurance coverage.

### 1.2 Limitations

1. Nonlinear classification in addition to logistic regression are beyond the scope of the study because no interaction between health insurance factors is investigated and splitting values on any two factors should be independent.
2. The health insurance sample data only includes Americans. It was collected in 2020 to reflect health insurance coverage for entire calendar year 2019.
3. Despite its high training accuracy, the proposed classifier takes a significantly long training time and requires enormous space to store a branch-and-cut tree. Its approximation algorithm is not developed in this dissertation although mitigating both problems to some extent. Furthermore, only three factors are preselected and investigated with a sample size of 100. Even in this simple circumstance, the model training lasts longer than a day, but the early-exit classifiers are nonetheless more accurate and parsimonious than a Gini-based decision tree.

## CHAPTER II

### LITERATURE REVIEW

#### 2.1 Health Insurance Coverage

A variety of statistical tools have long been used to study the factors related to health insurance coverage of multiple subpopulations across different countries. These analytical techniques include linear probability modeling (Cebula, 2006), probit regression analysis (Mulenga et al., 2021) and logistic regression analysis (Jin et al., 2016; Dolinsky and Caputo, 1997; Markowitz et al., 1991).

Generally, health insurance coverage across the U.S. states was positively associated with median family income, female labor force rate, the proportion of population aged 65 and over, and it was negatively linked with the percentages of household with husband absence and Hispanic household (Cebula, 2006). Psychological characteristics also greatly affected the influence of demographic factors among American women (Dolinsky and Caputo, 1997). After controlling for psychological variables, health status and employment were significant determinants only for married and unmarried women respectively. Income and education played important roles in both groups. Americans aged 18 to 24 with permanent, full-time employment were more likely to be insured than those with permanent, part-time employment (Markowitz et al., 1991). This trend became reverse specifically for the students. Low income, less education, rural residence, unmarried status, Hispanic ethnicity and Western residency were indicators of being uninsured in general.

Outside the United States, many research works on health insurance coverage have also been of interest. Income, education, health status and employment correlated with the coverage types among Chinese people aged 45 and over (Jin et al., 2016). Males dominated in both public and private health insurance. Migrants appeared to be covered by both rural and urban public insurance, private insurance or no insurance in comparison to local residents. Rural residents were more inclined to have public insurance coverage. Furthermore, private health insurance in Zambia tended to be purchased by males with service, skilled and unskilled occupations and rural residency as well as women in marital union and clerical duties (Mulenga et al., 2021).

## 2.2 Feature Selection

### 2.2.1 Decision Tree

Each parent node partitions a feature space by splitting a specific training variable into two intervals, left and right nodes ([Scikit-learn, 2024a](#)). A splitting value is chosen to minimize the weighted average of the impurities of both child nodes by their number of training instances. This dissertation uses as an impurity measure the Gini index defined by the probability of a sample at a node being wrongly classified.

A categorical feature can be handled by one-hot encoding. A multiway tree can be transformed into a binary tree by performing the following operation recursively. For a node having more than two successors, its new successor is created by negating the predicate of one of its preexisting successors and becomes the predecessor of the rest. This procedure maintains the decision regions.

### 2.2.2 SelectKBest

The SelectKBest technique ([Scikit-learn, 2024b](#)) serving as univariate feature selection finds top  $K$  features relating to a target variable based on a score function, for example the mutual information for a discrete target in this dissertation. The mutual information ([Cover and Thomas, 2005](#)) is a statistic for measuring relationship between two random variables or in practice two datasets.

<sup>56</sup>  
**Definiton 2.1.** The *Kullback-Leibler distance*  $D(f||g)$  between two densities  $f$  and  $g$  is defined by

$$D(f||g) = \int f \log \frac{f}{g}.$$

<sup>37</sup>  
**Definiton 2.2.** The *mutual information*  $I(X;Y)$  between two random variables with joint density  $f(x,y)$  is defined as

$$I(X;Y) = D(f(x,y)||f(\textcolor{red}{x})f(\textcolor{red}{y})).$$

Two random variables share no mutual information, i.e.  $I = 0$ , only when both are independent. Suppose  $X$  is a training variable and  $Y$  a discrete target or class. A continuous feature requires an estimation of mutual information, for example by the  $k$ -nearest neighbor method (Ross, 2014), because its true probability remains practically unknown. Suppose the  $k$ -nearest neighbor of a training instance  $x^i$  of the same class has  $m_i$  instances of all classes and there are  $N_i$  out of  $N$  that share the same class with  $x^i$ . Compute

$$I_i = \psi(N) - \psi(N_i) + \psi(k) - \psi(m_i)$$

where the digamma function  $\psi$  is the logarithmic derivative of the gamma function. The mutual information  $I(X; Y)$  is estimated by averaging  $I_i$  over all training instances.

**Definiton 2.3.** The *gamma function*  $\Gamma$  and *digamma function*  $\psi$  are defined on the set of positive real numbers by

$$\Gamma(z) = \int_0^\infty t^{z-1} e^{-t} dt$$

and

$$\psi(z) = \frac{d}{dz} \log \Gamma(z)$$

respectively.

## CHAPTER III

### RESEARCH METHODS

#### 3.1 Overview

1. Propose a multiclass box classifier which is able to predict continuous contributing factors, produces disconnected decision regions and provides minimum misclassification.
2. Extend the classifier when certain features of training data are allowed to be categorical.
3. Connect to a cloud virtual machine using secure shell (SSH) and install Python from source as well as CPLEX.
4. Illustrate the use of the proposed classification method on the health insurance dataset.
5. Compare multiple facets of results with the use of a decision tree.
6. Back up the scripts and results to Oracle Cloud Infrastructure (OCI) Object Storage.
7. Publish the project to GitHub.

#### 3.2 SSH Key Generation

The Secure Shell (SSH) protocol is employed for secure connection to a remote compute engine through one-way client authentication by a pair of asymmetric keys: private and public. SSH keys can be generated with the OpenSSH command `ssh-keygen` by using a native SSL/TLS library provided by an operating system: Secure Channel (Schannel) in Windows or OpenSSL in Linux. The latter keys are very specific to a currently active OpenSSL version especially when an alternative OpenSSL is manually built and installed. In this dissertation, the SSH keys are created on a local computer with the elliptic-curve Ed25519 algorithm ([Bernstein et al., 2012](#)), proven to be faster and more efficient than the RSA algorithm ([Rivest et al., 1978](#)).

```
cd ~/.ssh  
ssh-keygen -f <output_keyfile> -C <comment> -t ed25519
```

A Google Cloud virtual machine requires the comment at the end of a public key file to be a Google username.

Since the dissertation results are uploaded to a GitHub repository using SSH, an additional key pair specific to this purpose is suggested to tighten security. Unless the default private key `id_rsa` is used for authentication, a `Host` (named host) must be specified in the configuration file `~/.ssh/config` by, for example, `HostName`, `User` (username) and `IdentityFile` (path to a private key file). The `Host` field can have wildcard patterns to match multiple hosts. If it contains an IP address or a domain name, the `HostName` field becomes unnecessary.

```
Host <named_host>
  HostName <hostname>
  User <username>
  IdentityFile <private_keypath>
```

Unlike Windows, Linux has the `.ssh` directory hidden, directly by the use of a dot character at the beginning, and partially inheritable POSIX access control list (ACL). A Linux parent directory does not reapply its new ACL to existing descendants, and it simply acts as during path resolution a gate with its execute permission. An SSH connection may be refused in the case of loose private key permissions to prevent privilege escalation attacks. In order to resolve this issue, the principle of least privilege (PoLP) should always be applied to generated keys. Basically, only a key owner can read his/her private key, and the read-only permission on a public key can be granted up to everyone.

In Linux, there are three POSIX permission levels: owner, group and other. Each level is represented by three permission bits: read (r), write(w) and execute (x). They are usually rewritten in base 10, ranging from 0 to 7. The `chmod` command is used to set all three levels of permission with three numerical digits.

```
chmod 400 <private_key>
chmod 444 <public_key>
```

In Windows, the command `icacls` is used, and additional rights can be denied due to more fine-grained permission control as displayed in Table 3.1. An SSH key should be hidden and have no inherited NTFS permission. Its ownership should also be nontransferable. In this dissertation, a key pair is generated on a personal computer (PC) on which the key owner is the only administrator. Under this circumstance, the private key is not accessible to the SYSTEM account. Furthermore, the Administrators group can only read, but neither change nor delete, its content, regular and extended attributes, and permissions. This set of access privileges on the public key can also be granted up to the Everyone group and the SYSTEM account.

```

icacls <key> /inheritancelevel:d
icacls <key> /grant ${Env:USERNAME}:F Administrators:F SYSTEM:F ^
    Everyone:F
attrib +h <key>
icacls <key> /remove ${Env:USERNAME} Administrators SYSTEM ^
    Everyone
icacls <key> /deny "${Env:USERNAME}:(WD,AD,WA,WEA,DE,WDAC,WO)" ^
    "Administrators:(WD,AD,WA,WEA,DE,WDAC,WO)"
icacls <key> /grant ${Env:USERNAME}:R Administrators:R
icacls <private_key> /deny SYSTEM:F
icacls <public_key> /deny "SYSTEM:(WD,AD,WA,WEA,DE,WDAC,WO)" ^
    "Everyone:(WD,AD,WA,WEA,DE,WDAC,WO)"
icacls <public_key> /grant SYSTEM:R Everyone:R

```

Table 3.1: Example of advanced NTFS permissions in Windows

Permission	Description
WD	<sup>69</sup> Write data or add file
AD	Append data or add subdirectory
WA	Write attributes
WEA	Write extended attributes
DE	Delete
WDAC	Write DAC (change permissions)
WO	Write owner (take ownership)

### 3.3 Remote Virtual Machine Setup

#### 3.3.1 Specifications

All codes are executed on a Google Cloud compute engine <sup>10</sup> with a 64-bit 8-vCPU 4-core CPU, 64 GB RAM and 250 GB SSD persistent disk running on Ubuntu Server 24.04 LTS. The instance locates in region us-central1 (Iowa) and zone us-central1-f. The standard provisioning model, although noticeably more high-priced than the spot counterpart, is chosen to prevent VM preemption primarily because the proposed classifier has exponential time complexity, thereby requiring exceptionally high CPU utilization. The network traffic is routed in a premium tier to provide low latency. A static external IPv4 address is reserved and assigned to the instance for remote connection.

#### 3.3.2 SSH Key-Based Authentication

>Password authentication should be disabled by uncommenting <sup>101</sup> the following line in the SSH configuration file `/etc/ssh/sshd_config`.

```
PasswordAuthentication no
```

SSH authentication requires adding a public key of a local computer to the key file `~/.ssh/authorized_keys`.

```
echo <public_keyfile> >> ~/.ssh/authorized_keys
```

#### 3.3.3 Python Installation

Ubuntu Server 24.04 LTS is equipped with outdated Python 3.12.3. The installation of latest Python 3.13.0 at the current stage inevitably requires building from source. As opposed to Python 3.12, Python 3.13 experimentally supports multithreading without global interpreter lock (GIL). However, disabling GIL prevents the successful installation of `scikit-learn` package which is required to build a decision tree in Chapter 5. In this circumstance, the binary distribution, commonly known as wheel, of `scikit-learn` is unavailable. Its compilation by Rust and Cargo with the build system requirements specified in `pyproject.toml` also fails. Therefore, GIL remains in this dissertation as a default mechanism of mutual exclusion lock.

### 3.3.3.1 Introduction to Compilation in C

All Python source codes are written in C, and they require a C compiler such as <sup>93</sup> GNU Compiler Collection (GCC) and Clang/Low Level Virtual Machine (LLVM). This dissertation chooses the first compiler. GCC 13 can be installed by using the Advanced Package Tool (APT), an interface to a packaging system on Debian and its derivatives such as Ubuntu.

```
sudo apt install build-essential
```

A newer version of GCC, currently GCC 14 release and GCC 15 experimental, can optionally be built from source by its previous version. The C/C++ compiler commands, including versions, and flags can be added to the environment variables CC, CXX, CFLAGS and CXXFLAGS respectively.

GNU Make is used as a build automation tool by reading instructions from `Makefile`. Parallelism is supported by utilizing multiple CPU threads with the `-j` or `--jobs` flag.

```
make -j<N>
make -j<N> install
```

The parameter `<N>` is the maximum allowable number of jobs executed in parallel which should not exceed the number of available CPU threads.

### 3.3.3.2 Basic Object Types

Python object structures are declared in the header file `Include/object.h`. A Python object is stored in memory, it has a C structure named `_object`, and it can be referenced as a `PyObject*` pointer. With GIL enabled by default, it declares a reference counter `ob_refcnt` of type `Py_ssize_t` and a pointer to the object type `*ob_type` of type `PyTypeObject`. When GIL is disabled by configuring Python with the `--disable-gil` option, a local reference counter is declared by `ob_ref_local` of type `uint32_t` is only adjusted by an owner thread, whereas a shared counterpart `ob_ref_shared` of type `Py_ssize_t` is adjusted by remaining threads. Its actual reference counter can be computed by merging both. When its reference counter is decremented to zero, it is deleted by a garbage collector (GC). If it only has a cyclic reference, a generational garbage collection is employed. A variable-size Python object can be cast further to `PyVarObject*` with an additional field `ob_size` of type `Py_ssize_t` which holds the number of its items. <sup>7</sup>

```

#ifndef Py_GIL_DISABLED
struct _object {
    7
    #if (defined(__GNUC__) || defined(__clang__)) \
    && !(defined __STDC_VERSION__ && __STDC_VERSION__ >= 201112L)
    // On C99 and older, anonymous union is a GCC and clang extension
    __extension__
#endif
#endifdef _MSC_VER
// Ignore MSC warning C4201: "nonstandard extension used"
// nameless struct/union"
__pragma(warning(push))
__pragma(warning(disable: 4201))
#endif
union {
    Py_ssize_t ob_refcnt;
    #if SIZEOF_VOID_P > 4
    7
    PY_UINT32_T ob_refcnt_split[2];
    #endif
};
#endifdef _MSC_VER
__pragma(warning(pop))
#endif

    7
    PyTypeObject *ob_type;
};

#else
// Objects that are not owned by any thread use a thread id (tid) of
zero.
// This includes both immortal objects and objects whose reference
count
// fields have been merged.
#define _Py_UNOWNED_TID 0

// The shared reference count uses the two least-significant bits to
store
// flags. The remaining bits are used to store the reference count.

```

```

#define _Py_REF_SHARED_SHIFT 2
#define _Py_REF_SHARED_FLAG_MASK 0x3

// The shared flags are initialized to zero.
#define _Py_REF_SHARED_INIT 0x0
#define _Py_REF_MAYBE_WEAKREF 0x1
#define _Py_REF_QUEUED 0x2
#define _Py_REF_MERGED 0x3

// Create a shared field from a refcnt and desired flags
#define _Py_REF_SHARED(refcnt, flags) (((refcnt) <<
    _Py_REF_SHARED_SHIFT) + (flags))

struct _object {
    // ob_tid stores the thread id (or zero). It is also used by the
    // GC and the
    // trashcan mechanism as a linked list pointer and by the GC to
    // store the
    // computed "gc_refs" refcount.
    uintptr_t ob_tid;
    uint16_t _padding;
    PyMutex ob_mutex; // per-object lock
    uint8_t ob_gc_bits; // gc-related state
    uint32_t ob_ref_local; // local reference count
    Py_ssize_t ob_ref_shared; // shared (atomic) reference count
    PyTypeObject *ob_type;
};

#endif

/* Cast argument to PyObject* type. */
#define _PyObject_CAST(op) _Py_CAST(PyObject*, (op))

typedef struct {
    PyObject ob_base;
    Py_ssize_t ob_size; /* Number of items in variable part */
} PyVarObject;

```

### 3.3.3.3 String Interning

Python interns strings, which are immutable objects, of the same value mainly through the function `_PyUnicode_InternInPlace()` defined in the source file `Objects/unicodeobject.c` by retaining only one copy in memory. This reduces memory usage and speeds up certain operations, for example equality comparison. The reference to all interned strings is stored in the per-interpreter dictionary `interned` initialized during the first invocation. As opposed to a release build, a debug build denies with an assertion the addition of a process-global interned string into the existing dictionary to prevent the possibility of getting a duplicate.

```

7
static /* non-null */ PyObject*
intern_static(PyInterpreterState *interp, PyObject *s /* stolen */)

{
    // Note that this steals a reference to `s`, but in many cases
    // that
    // stolen ref is returned, requiring no decref/incref.

    assert(s != NULL);
    assert(_PyUnicode_CHECK(s));
    assert(_PyUnicode_STATE(s).statically_allocated);
7
    assert(!_PyUnicode_CHECK_INTERNED(s));

#ifdef Py_DEBUG
    /* We must not add process-global interned string if there's
       already a
    * per-interpreter interned_dict, which might contain duplicates.
    */
    PyObject *interned = get_interned_dict(interp);
7
    assert(interned == NULL);
#endif

    /* Look in the global cache first. */
    PyObject *r = (PyObject *)_Py_hashtable_get(INTERNED_STRINGS, s);
    /* We should only init each string once */
    assert(r == NULL);
}

```

```

/* but just in case (for the non-debug build), handle this */
if (r != NULL && r != s) {
    assert(_PyUnicode_STATE(r).interned ==
           SSTATE_INTERNED_IMMORTAL_STATIC);
    assert(_PyUnicode_CHECK(r));
    Py_DECREF(s);
    return Py_NewRef(r);
}

if (_Py_hashtable_set(INTERNED_STRINGS, s, s) < -1) {
    Py_FatalError("failed to intern static string");
}

(PyUnicode_STATE(s).interned = SSTATE_INTERNED_IMMORTAL_STATIC;
return s;
}

```

Soon after Python 3.13.0 had been released, JupyterLab could not be launched in the debug build despite its successful installation. This problem can be fixed by commenting the following assert statement, though discouraged, and rebuilding the Python.

```
//assert(interned == NULL);
```

This can also be done by using the `sed` command.

```
sed -i -e \
's/assert(interned == NULL);//;/assert(interned == NULL);/g' \
Objects/unicodeobject.c
```

However, the source code modification is not required for running the latest JupyterLab.

### 3.3.3.4 Configuration and Build

It is recommended to have three separate directories: source, build and install. In this dissertation, Python is built against OpenSSL whose runtime library directory `rpath` is automatically detected, and it respects the OpenSSL crypto policy `openssl.cnf` by overriding the default Python cipher list.

```
--with-openssl=<openssl_rootdir>
--with-openssl-rpath=auto
--with-ssl-default-suites=openssl
```

As opposed to the built-in Python, a static library (with .a extension) is built from source by default. This dissertation builds a dynamic library (with .so extension) by adding the --enable-shared flag to minimize disk footprint of several programs because Python 3.13.0 will intentionally be built as a new primary version, but inside a home directory. It is entirely <sup>41</sup> separate from the latest system Python library, shared by multiple native applications, `/usr/lib/python3.12/config-3.12-x86_64-linux-gnu/libpython3.12.so` which currently <sup>41</sup> points to another symbolic link `/usr/lib/x86_64-linux-gnu/libpython3.12.so.1` and <sup>41</sup> finally to the actual shared library `/usr/lib/x86_64-linux-gnu/libpython3.12.so.1.0`, of which all interfaces remain unchanged (interface version 1) and the library source code is unmodified (revision 0).

Although a release build, default in Python, is more optimized but harder to debug, this dissertation chooses the Python debug build by passing the --with-pydebug flag. The source codes are compiled to intermediate object codes in an attempt to reduce the code size and execution time. A linker produces shared libraries and executables from objects without duplicate definitions. Both compilation and linking are optimized by turning on the --enable-optimizations and --with-lto flags. C assertions are enabled in debug mode by default. Python can be compiled with profiling turned on by using the --enable-profiling flag. The GNU profiler `grprof` collects data during Python execution and outputs the file `gmon.out` in a current working directory. Based on this information, the code performance can be analyzed in terms of execution time and memory consumption, and its bottleneck is identifiable. Nonetheless, this dissertation omits the profiling flag.

Python optimization, if specified, is profile-guided (PGO) based on collected data from sequential test runs. For the PGO generation task, Python by default uses the following arguments assigned to the environment variable PROFILE\_TASK.

```
-m test --pgo --timeout=
```

The `-m` flag searches for all files matching a given pattern, in this case `test*` in the `Lib/test` subdirectory. The `--pgo` flag enables PGO training and selects 44 out of 478 test runs. Python 3.13 sets no timeout for an individual test, in contrast to Python 3.12 a default timeout of 20 minutes, and no longer ignores a test failure. Its build time is partly impacted by these test runs and can significantly improve by ignoring through the `-i` flag time-consuming tests which can be detected, for instance, by setting a custom timeout. This dissertation excludes the test for embedding APIs located at `Lib/test/test_embedded.py` and sets a timeout of 5 minutes.

```
export PROFILE_TASK="-m test --pgo --timeout=300 -i test_embedded"
```

No timeout error is raised, and all remaining 43 tests pass.

Furthermore, the `pyexpat` module can be built using an installed `expat` library by the `--with-system-expat` flag. DTrace, Valgrind and loadable extensions in the `_sqlite` extension module are supported by the `--with-dtrace`, `--with-valgrind` and `--enable-loadable-sqlite-extensions` flags. Address sanitizer (ASAN) and memory sanitizer (MSAN) are disabled by default. Certain flags require additional dependencies. Their environment variables for C compiler and linker flags, required libraries, Python modules to be optionally built, and corresponding APT packages are given in Table 3.2.

Table 3.2: Python options for third-party dependencies

Environment Variables	Library	Module	APT Package
<code>BZIP2_[LIBS CFLAGS]</code>	<code>libbz2</code>	<code>bz2</code>	<code>89 libbz2-dev</code>
<code>CURSES_[LIBS CFLAGS]</code>	<code>libncurses</code>	<code>curses</code>	<code>libncurses-dev</code>
<code>GDBM_[LIBS CFLAGS]</code>	<code>gdbm</code>		<code>libgdbm-compat-dev</code>
<code>LIBB2_[LIBS CFLAGS]</code>	<code>libb2</code>	<code>hashlib</code>	<code>libb2-dev</code>
<code>LIBEDIT_[LIBS CFLAGS]</code>	<code>libedit</code>	<code>readline</code>	<code>libreadline-dev</code>
<code>LIBFFI_[LIBS CFLAGS]</code>	<code>libffi</code>	<code>ctypes</code>	<code>libffi-dev</code>
<code>LIBMPDEC_[LIBS CFLAGS]</code>	<code>libmpdec</code>	<code>decimal</code>	
<code>LIBLZMA_[LIBS CFLAGS]</code>	<code>liblzma</code>	<code>lzma</code>	<code>liblzma-dev</code>
<code>LIBREADLINE_[LIBS CFLAGS]</code>	<code>libreadline</code>	<code>readline</code>	<code>libreadline-dev</code>
<code>LIBSQLITE3_[LIBS CFLAGS]</code>	<code>libsqLite3</code>	<code>sqlite3</code>	<code>libsqLite3-dev</code>
<code>LIBUUID_[LIBS CFLAGS]</code>	<code>libuuid</code>	<code>uuid</code>	<code>uuid-dev</code>
<code>PANEL_[LIBS CFLAGS]</code>	<code>libpanel</code>	<code>curses.panel</code>	<code>libpanel-dev</code>
<code>TCLTK_[LIBS CFLAGS]</code>	<code>TCLTK</code>		<code>tk-dev</code>

Table 3.2: Python options for third-party dependencies (continued)

Environment Variables	Library	Module	APT Package
ZLIB_[LIBS CFLAGS]	libzlib	gzip	zlib1g-dev

After Python is completely installed in the destination directory, both source and build directories can be removed. The `bin` directory should be added to the `PATH` so that the executables are accessible from any location. The system environment variables `LD_LIBRARY_PATH` and `LD_FLAGS` should include the `lib` directory so that the library code can be loaded into memory at runtime and compile time respectively. The recently built version must precede the system-wide version.

```
71
export PATH=<install_dir>/bin:$PATH"
export LD_LIBRARY_PATH=<install_dir>/lib:${LD_LIBRARY_PATH}##
export LD_FLAGS="-L<install_dir>/lib $LD_FLAGS"
```

This migration should be made to the Bash configuration file `~/.bashrc`. Deprecation warnings may be emitted during runtime, but they can be suppressed by setting the Python environment variable `PYTHONWARNINGS`.

```
export PYTHONWARNINGS="ignore::DeprecationWarning"
```

The changes are not applied until the configuration file is reread.

```
source ~/.bashrc
```

### 3.3.4 Backup to OCI Object Storage

#### 3.3.4.1 Introduction to OCI

Oracle Cloud Infrastructure (OCI) basically has two logical concepts of organization management: tenancy and compartment. A *tenancy* is a root container for administering cloud resources. During the signup process, a parent tenancy is provisioned and tied to a specified, unchangeable home region which is `ap-singapore-1` in this dissertation. Multiple child tenancies can be created and managed by the parent tenancy. A *compartment* belongs to a tenancy, controls access to cloud resources, supports up to six levels, and brings clearer separation. It must be specified when a resource is created. A tenancy can be considered as a root compartment.

The OCI command line interface (CLI) can be installed by the `oci-cli` package in an isolated Python environment to prevent dependency conflicts. The `source` command is used to activate this environment. After the installation finishes, the executables including `oci` and its libraries are in the `bin` and `lib` directories. Only the first is additionally added to the `PATH` so that the `oci` command can be executed in the global environment, not limited to the virtual counterpart.

```
~$ python3 -m venv <env_dir>
~$ source <env_dir>/bin/activate
(env_dir)$ pip3 install oci-cli
(env_dir)$ deactivate
```

Before accessing an OCI resource or service, a basic OCI configuration must be made in an interactive mode from a terminal, for instance.

```
oci setup config
```

This can also be done from a custom configuration file by setting the environment variable `OCI_CLI_RC_FILE` to its full path. The file has two main components: section and key. A section except the default should be specified via the `--profile` option in the CLI.

```
[DEFAULT]
user=<user>
fingerprint=<fingerprint>
key_file=<key_file>
tenancy=<tenancy>
region=ap-singapore-1
```

### 3.3.4.2 OCI Object Storage 74

An Object Storage *namespace* serves as the top-level container for all buckets and *objects*, it is unique to a tenant, and it spans all compartments within a region. Although region-specific, its name remains the same across all regions. An *object* is any type of data along with its metadata stored in a logical container called *bucket* unique in a namespace. Object Storage is highly scalable, cost-effective and structurally flat, compared to block and file storage. There are two default tiers. A *standard tier* has a higher cost and no retention period. In a low-cost *archive tier*, an object must be retained for at least 90 days, and restoration takes very long time to retrieve all data bytes. OCI Object Storage supports auto-tiering, object versioning and multipart uploading which is greatly resilient for a very large object. Uncommitted of failed multipart uploads can be cleaned either manually or through a predefined lifecycle policy rule.

In this dissertation, only a full backup of scripts and results, not only due to its small size but also to avoid the possibility of a corrupted incremental or differential backup, is stored in OCI Object Storage. A total of 20 GB in all tenancies is always free, and no upgrade to a paid account is required. A bucket is created without auto-tiering and versioning. All buckets in a compartment can be listed along with their namespace.

```
oci os bucket list -c <compartment_id>
```

A backup is performed by a one-way synchronization, and each version is uniquely identified by an object prefix such as a timestamp. An object that exists in a destination but not in a source is deleted.

```
oci os object sync -ns <namespace> -bn <bucket> \
--prefix <obj_prefix> --src-dir <src_dir> --delete
```

Furthermore, an object can be renamed and deleted where bulk deletion is also permitted.

```
oci os object rename -ns <namespace> -bn <bucket> \
--name <obj_name> --new-name <obj_new_name>
65 oci os object delete -ns <namespace> -bn <bucket> \
--name <obj_name>
65 oci os object bulk-delete -ns <namespace> -bn <bucket> \
--prefix <obj_prefix>
```

### 3.4 GitHub Repository

The template GitHub repository for this dissertation is available at <https://github.com/songkomkrit/phd-template>. The basic Git commands are included in Table 3.3. The path to the Git global configuration file `.gitconfig` specific to a user is given by the environment variable `GIT_CONFIG_GLOBAL`. The `username` and the `email address` can be set up either by the `git config` command with the `--global` option or by editing the configuration file.

```
[64]
git config --global user.name <username>
git config --global user.email <email_address>
```

The following settings should appear in the file.

```
[user]
name = <username>
email = <email_address>
```

Table 3.3: Basic Git commands

Command	Description
<code>[136] git clone</code>	Clean copy
<code>git pull</code>	Update with local changes kept
<code>git reset --hard</code>	Update with local changes discarded
<code>git clean -fdx</code>	Clean with untracked files and directories removed
<code>git push</code>	Remote update with local commits

The JSON-format metadata of both independent and dependent variables are at `Data/Original/metadata/meta-indep.json` and `Data/Original/metadata/meta-dep.json`. The health insurance in SAS7BDAT format is omitted, but its feather file of smaller size is already included in the directory `Data/Original/feature`. This dissertation further limits the number of participants and features to smaller size before fed to a classification model. Since data sampling is random, the sample is put in the directory `Samples/cplex`.

The box classifier proposed in Chapter 4 is located in the CPLEX Optimization Programming Language (OPL) project `Projects/box` where its `input` subdirectory contains a sample data including additional information and its `output` counterpart all relevant results such as splitting values and predicted class label per decision box. The model can be executed by the `oplrun` command and logged into file and on console by the `tee` command.

```
oplrun -p <project_dir> 2>&1 | tee <log_file>
```


The `<project_dir>` is `Projects/box`. Thanks to its comparative low-resource consumption, using the `oplrun` executable in a terminal is preferred to starting the CPLEX Studio IDE by executing the `oplide` command. The manual backup of the CPLEX engine log is stored in the directory `Logs/box`. The Python scripts for data preprocessing, decision tree building and decision box merging can be found in `Scripts/Preprocessing/Python`, `Scripts/ML/Python` and `Scripts/Box/Python` respectively. The directory and file tree structures can be printed in terminal by using the `tree` command, and they are saved to `Structures/directory.txt` and `Structures/file.txt`.

```
tree -d . > Structures/directory.txt
tree -f . > Structures/file.txt
```

There are currently 29 directories and 60 files. The directory structure is displayed in Figure 3.1. 147

The template repository is very minimal with merely output files generated by a CPLEX optimizer. Its main purpose is to allow users to generate a new repository with the same structure before further Python execution such as exploratory data analysis (EDA). The up-to-date repository based on the template with additional outputs included is available at <https://github.com/songkomkrit/phd>.

Figure 3.1: Directory tree structure of the template GitHub repository



### 3.5 Health Insurance Dataset

#### 3.5.1 Background

The 2020 U.S. Census Bureau's Current Population Survey (CPS) Annual Social and Economic Supplement (ASEC) dataset will be used in the dissertation. Questions were asked for the information on a previous calendar year. Therefore, the person-level dataset provides the estimates of individual health insurance coverage for calendar year 2019.

An individual may simultaneously have different coverages. Private health insurance includes an employment-based plan and a direct-purchase plan. Public health insurance comprises Medicare, means-tested coverage (i.e., Medicaid, Peace Church Health Insurance or PCHIP and others), military healthcare (i.e., TRICARE formerly known as Civilian Health and Medical Program of the Uniformed Services or CHAMPUS, Civilian Health and Medical Program of the Department of Veterans Affairs or CHAMPVA and Veterans Affairs or VA) and the combination of Indian Health Service (IHS) and other coverages. Those who only have IHS are considered uninsured.

Since there are in total 10 subtypes of insurance coverage, quantitative data analysis may involve up to  $2^{10} + 1 = 1,025$  possible classes. In fact, the maximum number of subtypes of an overall class can be determined by the total sum of the indicator variables of the first ten subtypes. Furthermore, the dataset has at least 150,000 records and 750 attributes which are mostly measured on nominal scales. In addition to their allocation and topcode flags, the dataset variables cover a broad spectrum of characteristics: demographics, work experience, income (i.e., earnings, other income, non-cash benefits and tax), poverty, health insurance (i.e., government, private, employment-based, direct-purchase, subsidized marketplace, unsubsidized marketplace, non-marketplace, Medicaid, other means-tested, PHCIP, Medicare, IHS, TRICARE, CHAMPVA, VA and employer-sponsored), health status and migration. They also include basic CPS items (i.e., labor force and earnings) and medical out-of-pocket (OOP) expenditures.

### 3.5.2 Scope of Study

Within existing conceptual frameworks, certain independent variables will be preselected in the dissertation before further investigation. A group of infant born after the calendar year is excluded in the analysis. The combination of three following coverages is merely considered: employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB). There are eight possible binary tuples (GRP, DIR, PUB) which are regrouped into five following classes in Table 3.4.

Table 3.4: Class codes of insurance coverage combination

Class	Code	Combination of insurance coverages		
		GRP	DIR	PUB
0	NNN	No	No	No
1	NNY	No	No	Yes
2	NY_	No	Yes	Yes
		No	Yes	No
3	YNN	Yes	No	No
4	Y1Y	Yes	No	Yes
		Yes	Yes	Yes
		Yes	Yes	No

### 3.5.3 Metadata

Metadata 3.1 and 3.2 contain related information on dependent and independent variables in JSON format with a variable symbol as a main key and all of the following as its informative value in dictionary format: label, universe, type (either continuous or categorical), topic, subtopic and possible values including NIU (not in universe).

Metadata 3.1: Dependent variables (data/original/metadata/meta-dep.json)

```

1  {
2      "NOW_COV": {
3          "label": "Currently covered by health insurance coverage",
4          "universe": "All Persons",
5          "type": "Categorical",
6          "role": "Dependent",
7          "topic": "Health insurance",
8          "subtopic": "Any health insurance coverage",
9          "values": {
10              "1": "Yes",
11              "2": "No"
12          }
13      },
14      "NOW_PUB": {
15          "label": "Current public coverage",
16          "universe": "All Persons",
17          "type": "Categorical",
18          "role": "Dependent",
19          "topic": "Health insurance",
20          "subtopic": "Public coverage",
21          "values": {
22              "1": "Yes",
23              "2": "No"
24          }
25      },
26      "NOW_PRIV": {
27          "label": "Current private coverage",
28          "universe": "All Persons",
29          "type": "Categorical",
30          "role": "Dependent",
31          "topic": "Health insurance",
32          "subtopic": "Private coverage",
33          "values": {
34              "1": "Yes",

```

```
35         "2": "No"
36     }
37 },
38 "NOW_GRP": {
39     "label": "Any current employment-based coverage",
40     "universe": "All Persons",
41     "type": "Categorical",
42     "role": "Dependent",
43     "topic": "Health insurance",
44     "subtopic": "Employment-based coverage",
45     "values": {
46         "1": "Yes",
47         "2": "No"
48     }
49 },
50 "NOW_DIR": {
51     "label": "Any current direct-purchase coverage",
52     "universe": "All Persons",
53     "type": "Categorical",
54     "role": "Dependent",
55     "topic": "Health insurance",
56     "subtopic": "Direct-purchase coverage",
57     "values": {
58         "1": "Yes",
59         "2": "No"
60     }
61 },
62 "NOW_MCARE": {
63     "label": "Current Medicare coverage",
64     "universe": "All Persons",
65     "type": "Categorical",
66     "role": "Dependent",
67     "topic": "Health insurance",
68     "subtopic": "Medicare coverage",
69     "values": {
70         "1": "Yes",
```

```
71         "2": "No"
72     }
73 },
74 "NOW_MCAID": {
75     "label": "Current Medicaid, PCHIP, or other means-tested coverage",
76     "universe": "All Persons",
77     "type": "Categorical",
78     "role": "Dependent",
79     "topic": "Health insurance",
80     "subtopic": "Medicaid or other means-tested coverage",
81     "values": {
82         "1": "Yes",
83         "2": "No"
84     }
85 },
86 "NOW_CAID": {
87     "label": "Current Medicaid coverage",
88     "universe": "All Persons",
89     "type": "Categorical",
90     "role": "Dependent",
91     "topic": "Health insurance",
92     "subtopic": "Medicaid coverage",
93     "values": {
94         "1": "Yes",
95         "2": "No"
96     }
97 },
98 "NOW_PCHIP": {
99     "label": "Current PCHIP coverage",
100    "universe": "All Persons",
101    "type": "Categorical",
102    "role": "Dependent",
103    "topic": "Health insurance",
104    "subtopic": "PCHIP coverage",
105    "values": {
106        "1": "Yes",
```

```
107         "2": "No"
108     }
109 },
110 "NOW_OTHMT": {
111     "label": "Current other means-tested coverage",
112     "universe": "All Persons",
113     "type": "Categorical",
114     "role": "Dependent",
115     "topic": "Health insurance",
116     "subtopic": "Other means-tested coverage",
117     "values": {
118         "1": "Yes",
119         "2": "No"
120     }
121 },
122 "NOW_MIL": {
123     "label": "Any current TRICARE coverage",
124     "universe": "All Persons",
125     "type": "Categorical",
126     "role": "Dependent",
127     "topic": "Health insurance",
128     "subtopic": "TRICARE coverage",
129     "values": {
130         "1": "Yes",
131         "2": "No"
132     }
133 },
134 "NOW_CHAMPVA": {
135     "label": "Current CHAMPVA coverage",
136     "universe": "All Persons",
137     "type": "Categorical",
138     "role": "Dependent",
139     "topic": "Health insurance",
140     "subtopic": "CHAMPVA coverage",
141     "values": {
142         "1": "Yes",
```

```
143         "2": "No"
144     }
145 },
146 "NOW_VACARE": {
147     "label": "Current VACARE coverage",
148     "universe": "All Persons",
149     "type": "Categorical",
150     "role": "Dependent",
151     "topic": "Health insurance",
152     "subtopic": "VACARE coverage",
153     "values": {
154         "1": "Yes",
155         "2": "No"
156     }
157 },
158 "NOW_IHSFLG": {
159     "label": "Current coverage through the Indian Health Service",
160     "universe": "All Persons",
161     "type": "Categorical",
162     "role": "Dependent",
163     "topic": "Health insurance",
164     "subtopic": "Indian Health Service coverage",
165     "values": {
166         "1": "Yes",
167         "2": "No"
168     }
169 }
170 }
```

Metadata 3.2: Independent variables (data/original/metadata/meta-indep.json)

```

1  {
2      "A_AGE": {
3          "label": "Age",
4          "universe": "All Persons",
5          "type": "Continuous",
6          "role": "Independent",
7          "topic": "Demographics",
8          "subtopic": "Individual characteristics",
9          "values": {
10              "00-79": "0-79 years of age",
11              "80": "80-84 years of age",
12              "85": "85+ years of age"
13          }
14      },
15      "A_EXPRRP": {
16          "label": "Expanded relationship code",
17          "universe": "All Persons",
18          "type": "Categorical",
19          "role": "Independent",
20          "topic": "Demographics",
21          "subtopic": "Individual characteristics",
22          "values": {
23              "1": "Reference person with relatives",
24              "2": "Reference person without relatives",
25              "3": "Husband",
26              "4": "Wife",
27              "5": "Own child",
28              "7": "Grandchild",
29              "8": "Parent",
30              "9": "Brother/sister",
31              "10": "Other relative",
32              "11": "Foster child",
33              "12": "Nonrelative with relatives",
34              "13": "Partner/roommate",

```

```
35         "14": "Nonrelative without relatives"
36
37     },
38
39     "A_FAMTYP": {
40         "label": "Family type",
41         "universe": "All Persons",
42         "type": "Categorical",
43         "role": "Independent",
44         "topic": "Demographics",
45         "subtopic": "Individual characteristics",
46         "values": {
47             "1": "Primary family",
48             "2": "Nonfamily householder",
49             "3": "Related subfamily",
50             "4": "Unrelated subfamily",
51             "5": "Secondary individual"
52         },
53
54     },
55
56     "A_HGA": {
57         "label": "Educational attainment",
58         "universe": "All Persons",
59         "type": "Categorical",
60         "role": "Independent",
61         "topic": "Demographics",
62         "subtopic": "Individual characteristics",
63         "values": {
64             "0": "Children",
65             "31": "Less than 1st grade",
66             "32": "1st,2nd,3rd,or 4th grade",
67             "33": "5th or 6th grade",
68             "34": "7th and 8th grade",
69             "35": "9th grade",
70             "36": "10th grade",
71             "37": "11th grade",
72             "38": "12th grade no diploma",
73         }
74     }
75 }
```

```

70         "39": "High school graduate - high school diploma or equivalent
71             ",
72         "40": "Some college but no degree",
73         "41": "Associate degree in college - occupation/vocation
74             program",
75         "42": "Associate degree in college - academic program",
76         "43": "Bachelor's degree (for example: BA,AB,BS)",
77         "44": "Master's degree (for example: MA,MS,MENG,MED,MSW, MBA)",
78         "45": "Professional school degree (for example: MD,DDS,DVM,LLB,
79             JD)",
80         "46": "Doctorate degree (for example: PHD,EDD)"
81     },
82     "A_MARITL": {
83         "label": "Marital status",
84         "universe": "All Persons",
85         "type": "Categorical",
86         "role": "Independent",
87         "topic": "Demographics",
88         "subtopic": "Individual characteristics",
89         "values": {
90             "1": "Married - civilian spouse present",
91             "2": "Married - AF spouse present",
92             "3": "Married - spouse absent (exc.separated)",
93             "4": "Widowed",
94             "5": "Divorced",
95             "6": "Separated",
96             "7": "Never married"
97         },
98         "label": "Primary family relationship",
99         "universe": "All Persons",
100        "type": "Categorical",
101        "role": "Independent",
102        "topic": "Demographics",

```

```

103      "subtopic": "Individual characteristics",
104      "values": {
105          "0": "Not in primary family",
106          "1": "Husband",
107          "2": "Wife",
108          "3": "Own child",
109          "4": "Other relative",
110          "5": "Unmarried reference person"
111      },
112  },
113  "A_SEX": {
114      "label": "Sex",
115      "universe": "All Persons",
116      "type": "Categorical",
117      "role": "Independent",
118      "topic": "Demographics",
119      "subtopic": "Individual characteristics",
120      "values": {
121          "1": "Male",
122          "2": "Female"
123      }
124  },
125  "P_STAT": {
126      "label": "Status of person identifier",
127      "universe": "All Persons",
128      "type": "Categorical",
129      "role": "Independent",
130      "topic": "Demographics",
131      "subtopic": "Individual characteristics",
132      "values": {
133          "1": "Civilian 15+",
134          "2": "Armed forces",
135          "3": "Children 0-14"
136      }
137  },
138  "PEAFEVER": {

```

```

139     "label": "Did you ever serve on active duty in the U.S. Armed
4
140     "universe": "A AGE greater than or equal to 17",
141     "type": "Categorical",
142     "role": "Independent",
143     "topic": "Demographics",
144     "subtopic": "Individual characteristics",
1
145     "values": {
146         "-1": "Not in universe",
147         "1": "Yes",
148         "2": "No"
149     }
150 },
151 "PEDISDRS": {
152     "label": "Does...have difficulty dressing or bathing?",
153     "universe": "PRPERTYP = 2",
154     "type": "Categorical",
155     "role": "Independent",
156     "topic": "Demographics",
157     "subtopic": "Individual characteristics",
158     "values": {
159         "-1": "Not in universe",
160         "78": "Yes",
161         "2": "No"
162     }
163 },
164 "PEDISEAR": {
165     "label": "Is...deaf or does ...have serious difficulty hearing?",
166     "universe": "PRPERTYP = 2",
167     "type": "Categorical",
168     "role": "Independent",
169     "topic": "Demographics",
170     "subtopic": "Individual characteristics",
171     "values": {
172         "-1": "Not in universe",
173         "1": "Yes",

```

```

174         "2": "No"
175     },
176 },
177 "PEDISEYE": {
178     "label": "Is...blind or does...have serious difficulty seeing even
179         when wearing glasses?",
180     "universe": "PRPERTYP = 2",
181     "type": "Categorical",
182     "role": "Independent",
183     "topic": "Demographics",
184     "subtopic": "Individual characteristics",
185     "values": {
186         "-1": "Not in universe",
187         "1": "Yes",
188         "2": "No"
189     },
190 },
191 "PEDISOUT": {
192     "label": "Because of a physical, mental, or emotional condition,
193         does...have difficulty doing errands along such as visiting a
194         doctor's office or shopping?",
195     "universe": "PRPERTYP = 2",
196     "type": "Categorical",
197     "role": "Independent",
198     "topic": "Demographics",
199     "subtopic": "Individual characteristics",
200     "values": {
201         "-1": "Not in universe",
202         "1": "Yes",
203         "2": "No"
204     },
205 },
206 "PEDISPHY": {
207     "label": "Does...have serious difficulty Walking or climbing stairs
208         ?",
209     "universe": "PRPERTYP = 2",

```

```

206     "type": "Categorical",
207     "role": "Independent",
208     "topic": "Demographics",
209     "subtopic": "Individual characteristics",
210     "values": {
211         "-1": "Not in universe",
212         16 "1": "Yes",
213         "2": "No"
214     }
215 },
216 "PEDISREM": {
217     "label": "Because of a physical, mental, or emotional condition,  

218     does...have serious difficulty concentrating, remembering, or  

219     making decisions?",  

220     "universe": "PRPRTYP = 2",
221     "type": "Categorical",
222     "role": "Independent",
223     "topic": "Demographics",
224     "subtopic": "Individual characteristics",
225     "values": {
226         "-1": "Not in universe",
227         16 "1": "Yes",
228         "2": "No"
229     }
230 },
231 "PRDISFLG": {
232     "label": "Does this person have any of these disability conditions?  

233     ",  

234     "universe": "PRPRTYP = 2",
235     "type": "Categorical",
236     "role": "Independent",
237     "topic": "Demographics",
238     "subtopic": "Individual characteristics",
239     "values": {
240         "-1": "Not in universe",
241         "1": "Yes",
242         "2": "No"
243     }
244 }

```

```

239         "2": "No"
240     }
241 },
242 "PRCITSHP": {
243     "label": "Citizenship group",
244     "universe": "All persons",
245     "type": "Categorical",
246     "role": "Independent",
247     "topic": "Demographics",
248     "subtopic": "Individual characteristics",
249     "values": [
250         "1": "Native, born in US",
251         "2": "Native, born in PR or US outlying area",
252         "3": "Native, born abroad of US parent(s)",
253         "4": "Foreign born, US cit by naturalization",
254         "5": "Foreign born, not a US citizen"
255     ]
256 },
257 "PRDTRACE": {
258     "label": "Race",
259     "universe": "All persons",
260     "type": "Categorical",
261     "role": "Independent",
262     "topic": "Demographics",
263     "subtopic": "Individual characteristics",
264     "values": [
265         "1": "White only",
266         "2": "Black only",
267         "3": "American Indian, Alaskan Native only (AI)",
268         "4": "Asian only",
269         "5": "Hawaiian/Pacific Islander only (HP)",
270         "6": "White-Black",
271         "7": "White-AI",
272         "8": "White-Asian",
273         "9": "White-HP",
274         "10": "Black-AI",

```

```

275         "11": "Black-Asian",
276         "12": "Black-HP",
277         "13": "AI-Asian",
278         "14": "AI-HP",
279         "15": "Asian-HP",
280         "16": "White-Black-AI",
281         "17": "White-Black-Asian",
282         "18": "White-Black-HP",
283         "19": "White-AI-Asian",
284         "20": "White-AI-HP",
285         "21": "White-Asian-HP",
286         "22": "Black-AI-Asian",
287         "23": "White-Black-AI-Asian",
288         "24": "White-AI-Asian-HP",
289         "25": "Other 3 race comb.",
290         "26": "Other 4 or 5 race comb."
291     }
292 },
293 "A_MJIND": {
294     "label": "Major industry code6",6
295     "universe": "A_CLSWKR = 1-7",
296     "type": "Categorical",
297     "role": "Independent",
298     "topic": "Basic CPS items",
299     "subtopic": "Edited labor force items",
300     "values": {
301         "0": "Not in universe, or children",
302         "1": "Agriculture, forestry,fishing, and hunting",
303         "2": "Mining",
304         "3": "Construction",
305         "4": "Manufacturing",
306         "5": "Wholesale and retail trade",
307         "6": "Transportation and utilities",
308         "7": "Information",
309         "8": "Financial activities",
310         "9": "Professional and business services",

```

```

311         "10": "Educational and health services",
312         "11": "Leisure and hospitality",
313         "12": "Other services",
314         "13": "Public administration",
315         "14": "Armed forces"
316     },
317 },
318 "A_MJ_OCC": {
319     "label": "Major occupation recode",15
320     "universe": "A_CLSWKR = 1-7",
321     "type": "Categorical",
322     "role": "Independent",
323     "topic": "Basic CPS items",
324     "subtopic": "Edited labor force items",
325     "values": {
326         "0": "Not in universe or children",
327         "1": "Management, business, and financial occupations",
328         "2": "Professional and related occupations",
329         "3": "Service occupations",
330         "4": "Sales and related occupations",
331         "5": "Office and administrative support occupations",
332         "6": "Farming, fishing, and forestry occupations",
333         "7": "Construction and extraction occupations",
334         "8": "Installation, maintenance, and repair occupations",
335         "9": "Production occupations",
336         "10": "Transportation and material moving occupations",
337         "11": "Armed forces"
338     }
339 },
340 "PEI01COW": {
341     "label": "Individual class of worker on first job",
342     "universe": "All persons",
343     "type": "Categorical",
344     "role": "Independent",
345     "topic": "Basic CPS items",
346     "subtopic": "Edited labor force items",

```

```

347     "values": {  

348         "0": "NIU",  

349         "1": "Government-federal",  

350         "2": "Government-state",  

351         "3": "Government - local",  

352         "4": "Private, for profit",  

353         "5": "Private, nonprofit",  

354         "6": "Self-employed, incorporated",  

355         "7": "Self-employed, unincorporated",  

356         "8": "Without pay"  

357     },  

358 },  

359 "PRDISC": {  

360     "label": "Discouraged worker recode",  

361     "universe": "All persons",  

362     "type": "Categorical",  

363     "role": "Independent",  

364     "topic": "Basic CPS items",  

365     "subtopic": "Edited labor force items",  

366     "values": {  

367         "0": "NIU",  

368         "1": "Discouraged worker",  

369         "2": "Conditionally interested",  

370         "3": "Not available"  

371     },  

372 },  

373 "PRUNTYPE": {  

374     "label": "Individual class of worker on first job",  

375     "universe": "All persons",  

376     "type": "Categorical",  

377     "role": "Independent",  

378     "topic": "Basic CPS items",  

379     "subtopic": "Edited labor force items",  

380     "values": {  

381         "0": "NIU",  

382         "1": "Job loser/on layoff",  

383     }

```

```

383         "2": "Other job loser",
384         "3": "Temporary job ended",
385         "4": "Job leaver",
386         "5": "Re-entrant",
387         "6": "New-entrant"
388     }
389 },
390 "A_GRSWK": {
391     "label": "How much does ... usually earn per week at this job  
before deductions , subject to topcoding, the higher of either  
the amount of item 25a times Item 25c or the actual item 25d  
entry will be present",
392     "universe": "PRERELG=1",
393     "type": "Continuous",
394     "role": "Independent",
395     "topic": "Basic CPS items",
396     "subtopic": "Edited earnings items",
397     "values": {
398         "0": "Not in universe or children or armed forces",
399         "0001-2885": "Dollar amount"
400     }
401 },
402 "A_HRLYWK": {
403     "label": "Is ... paid by the hour on this job?",
404     "universe": "PRERELG=1",
405     "type": "Categorical",
406     "role": "Independent",
407     "topic": "Basic CPS items",
408     "subtopic": "Edited earnings items",
409     "values": {
410         "0": "Not in universe or children and armed forces",
411         "1": "Yes",
412         "2": "No"
413     }
414 },
415 "A_HRSPAY": {

```

```

416     "label": "How much does ... earn per hour?",  

417     "universe": "A_HRLYWK=1",  

418     "type": "Continuous",  

419     "role": "Independent",  

420     "topic": "Basic CPS items",  

421     "subtopic": "Edited earnings items",  

422     "values": {  

423         "0": "Not in universe or children or armed forces",  

424         "0001-9999": "Entry (2 implied decimal places)"  

425     }  

426 },  

427 "PRERELG": {  

428     "label": "Earnings eligibility flag",  

429     "universe": "All persons",  

430     "type": "Categorical",  

431     "role": "Independent",  

432     "topic": "Basic CPS items",  

433     "subtopic": "Edited earnings items",  

434     "values": {  

435         "0": "Not earnings eligible",  

436         "1": "Earnings eligible"  

437     }  

438 },  

439 "A_CIVLF": {  

440     "label": "Civilian labor force",  

441     "universe": "All persons",  

442     "type": "Categorical",  

443     "role": "Independent",  

444     "topic": "Basic CPS items",  

445     "subtopic": "Labor force person recodes",  

446     "values": {  

447         "0": "Not in universe or children and Armed Forces",  

448         "1": "In universe"  

449     }  

450 },  

451 "A_CLSWKR": {  


```

```

452     "label": "Class of worker",
453     "universe": "PEMLR=1-3 or (PEMLR=4-7 and person worked in the last
454         12 months)",
455     "type": "Categorical",
456     "role": "Independent",
457     "topic": "Basic CPS items",
458     "subtopic": "Labor force person recodes",
459     "values": {
460         "0": "Not in universe or children and armed forces",
461         "1": "Private",
462         "2": "Federal government",
463         "3": "State government",
464         "4": "Local government",
465         "5": "Self-employed-incorporated",
466         "6": "Self-employed-not incorporated",
467         "7": "Without pay",
468         "8": "Never worked"
469     }
470 },
471 "A_EXPLF": {
472     "label": "Experienced labor force employment status",
473     "universe": "PEMLR=1-4",
474     "type": "Categorical",
475     "role": "Independent",
476     "topic": "Basic CPS items",
477     "subtopic": "Labor force person recodes",
478     "values": {
479         "0": "Not in experienced labor force",
480         "1": "Employed",
481         "2": "Unemployed"
482     }
483 },
484 "A_LFSR": {
485     "label": "Labor force status recode",
486     "universe": "All persons",
487     "type": "Categorical",

```

```

487     "role": "Independent",
488     "topic": "Basic CPS items",
489     "subtopic": "Labor force person recodes",
490     "values": {
491         "0": "Children or Armed Forces",
492         "1": "Working",
493         "2": "With job, not at work",
494         "3": "Unemployed, looking for work",
495         "4": "Unemployed, on layoff",
496         "7": "Nilf"
497     },
498 },
499 "A_UNCOV": {
500     "label": "On this job, is ... covered by a union or employee
501             association contract?",  

502     "universe": "A_UNMEM=2",
503     "type": "Categorical",
504     "role": "Independent",
505     "topic": "Basic CPS items",
506     "subtopic": "Labor force person recodes",
507     "values": {
508         "0": "Not in universe or children and armed forces",
509         "1": "Yes",
510         "2": "No"
511     },
512     "A_UNMEM": {
513         "label": "On this job, is ... a member of a labor union or of an
514             employee association similar to a union?",  

515         "universe": "PRERELG=1",
516         "type": "Categorical",
517         "role": "Independent",
518         "topic": "Basic CPS items",
519         "subtopic": "Labor force person recodes",
520         "values": {
521             "0": "Not in universe or children and armed forces",

```

```

521         "1": "Yes",
522         "2": "No"
523     },
524 },
525 "A_UNTYPE": {
526     6,
527     "label": "Reason for unemployment",
528     "universe": "A_LFSR=3 or 4",
529     "type": "Categorical",
530     "role": "Independent",
531     "topic": "Basic CPS items",
532     "subtopic": "Labor force person recodes",
533     "values": {
534         19,
535         "0": "Not in universe or children and Armed Forces",
536         "1": "Job loser - on layoff",
537         "2": "Other job loser",
538         "3": "Job leaver",
539         "4": "Re-entrant",
540         "5": "New entrant"
541     },
542     35,
543     "A_USLHRS": {
544         "label": "How many hrs per week does ... usually work at this job?",
545         ,
546         "universe": "All persons",
547         "type": "Continuous",
548         "role": "Independent",
549         "topic": "Basic CPS items",
550         "subtopic": "Labor force person recodes",
551         8,
552         "values": {
553             "-4": "Hours vary",
554             "-1": "Not in universe",
555             "00": "None, no hours",
556             "01-99": "Entry"
557         }
558     },
559     "A_WKSCH": {

```

```

556     "label": "6 Labor force by time worked or lost",
557     "universe": "All persons",
558     "type": "Categorical",
559     "role": "Independent",
560     "topic": "Basic CPS items",
561     "subtopic": "Labor force person recodes",
562     "values": {
563         "0": "Not in universe",
564         "1": "At work",
565         "2": "With job, not at work",
566         "3": "Unemployed, seeks FT",
567         "4": "Unemployed, seeks PT"
568     }
569 },
570 "A_WKSLK": {
571     "label": "Duration of unemployment",
572     "universe": "PEMLR=3 or 4",
573     "type": "Continuous",
574     "role": "Independent",
575     "topic": "Basic CPS items",
576     "subtopic": "Labor force person recodes",
577     "values": {
578         "000": "NIU, Children or Armed Forces",
579         "001-999": "Entry"
580     }
581 },
582 "A_WKSTAT": {
583     "label": "Full/part-time status",
584     "universe": "All persons",
585     "type": "Categorical",
586     "role": "Independent",
587     "topic": "Basic CPS items",
588     "subtopic": "Labor force person recodes",
589     "values": {
590         "0": "Children or Armed Forces",
591         "1": "Not in labor force",

```

```

592         "2": "Full-time schedules",
593         "3": "Part-time for economic reasons, usually FT",
594         "4": "Part-time for non-economic reasons, usually PT",
595         "5": "Part-time for economic reasons, usually PT",
596         "6": "Unemployed FT",
597         "7": "Unemployed PT"
598     },
599 },
600 "PEHRUSLT": {
601     "label": "Hours usually worked last week",
602     "universe": "All persons",
603     "type": "Continuous",
604     "role": "Independent",
605     "topic": "Basic CPS items",
606     "subtopic": "Labor force person recodes",
607     "values": {
608         "-4": "Hours vary",
609         "-1": "NIU - adult civilian",
610         "000": "NIU - children or Armed Forces or no hours",
611         "1-198": "# of hours"
612     },
613 },
614 "PEMLR": {
615     "label": "Major labor force recode",
616     "universe": "All persons",
617     "type": "Categorical",
618     "role": "Independent",
619     "topic": "Basic CPS items",
620     "subtopic": "Labor force person recodes",
621     "values": {
622         "0": "NIU",
623         "1": "Employed - at work",
624         "2": "Employed - absent",
625         "3": "Unemployed - on layoff",
626         "4": "Unemployed - looking",
627         "5": "Not in labor force - retired",

```

```

628         "6": "Not in labor force - disabled",
629         "7": "Not in labor force - other"
630     },
631 },
632 "PRCOW1": {
633     "label": "Class of worker recode-job 1",
634     "universe": "All persons",
635     "type": "Categorical",
636     "role": "Independent",
637     "topic": "Basic CPS items",
638     "subtopic": "Labor force person recodes",
639     "values": {
640         "0": "NIU",
641         "1": "Federal govt",
642         "2": "State govt",
643         "3": "Local govt",
644         "4": "Private (incl. self-employed incorp.)",
645         "5": "Self-employed, unincorp.",
646         "6": "Without pay"
647     }
648 },
649 "PRPTREA": {
650     "label": "Detailed reason for part-time",
651     "universe": "Part time workers",
652     "type": "Categorical",
653     "role": "Independent",
654     "topic": "Basic CPS items",
655     "subtopic": "Labor force person recodes",
656     "values": {
657         "0": "NIU",
658         "1": "Usually FT - slack work/business conditions",
659         "2": "Usually FT - seasonal work",
660         "3": "Usually FT - job started/ended during week",
661         "4": "Usually FT - vacation/personal day",
662         "5": "Usually FT - own illness/injury/medical appt",
663         "6": "Usually FT - holiday (religious or legal)",

```

```

664     "7": "Usually FT - child care problems",
665     "8": "Usually FT - other fam/pers obligations",
666     "9": "Usually FT - labor dispute",
667     "10": "Usually FT - weather affected job",
668     "11": "Usually FT - school/training",
669     "12": "Usually FT - civic/military duty",
670     "13": "Usually FT - other reason",
671     "14": "Usually PT - slack work/business conditions",
672     "15": "Usually PT - PT could only find PT work",
673     "16": "Usually PT - seasonal work",
674     "17": "Usually PT - child care problems",
675     "18": "Usually PT - other fam/pers obligations",
676     "19": "Usually PT - health/medical limitations",
677     "20": "Usually PT - school/training",
678     "21": "Usually PT - retired/social security limit on earnings",
679     "22": "Usually PT - workweek<35 hours",
680     "23": "Usually PT - other"
681   }
682 },
683 "PRWKSTAT": {
684   "label": "Full/part-time work status",
685   "universe": "All persons",
686   "type": "Categorical",
687   "role": "Independent",
688   "topic": "Basic CPS items",
689   "subtopic": "Labor force person recodes",
690   "values": {
691     "0": "NIU",
692     "1": "Not in labor force",
693     "2": "FT hours (35+), usually FT",
694     "3": "PT for economic reasons, usually FT",
695     "4": "PT for non-economic reasons, usually FT",
696     "5": "Not at work, usually FT",
697     "6": "PT hrs, usually PT for economic reasons",
698     "7": "PT hrs, usually PT for non-economic",
699     "8": "FT hours, usually PT for economic reasons",

```

```
700         "9": "FT hours, usually PT for non-economic reasons",
701         "10": "Not at work, usually part-time",
702         "11": "Unemployed FT",
703         "12": "Unemployed PT"
704     }
705 },
706 "CLWK": {
707     "label": "6 Longest job class of worker (recode)",
708     "universe": "All persons aged 15+",
709     "type": "Categorical",
710     "role": "Independent",
711     "topic": "Work experience",
712     "subtopic": "General",
713     "values": {
714         "0": "Niu",
715         "1": "Private",
716         "2": "Government",
717         "3": "Self-employed",
718         "4": "Without pay",
719         "5": "Never worked"
720     }
721 },
722 "EARNER": {
723     "label": "Earner status recode",
724     "universe": "All persons aged 15+",
725     "type": "Categorical",
726     "role": "Independent",
727     "topic": "Work experience",
728     "subtopic": "General",
729     "values": {
730         "0": "Niu",
731         "1": "Earner",
732         "2": "Nonearner"
733     }
734 },
735 "HRSWK": {
```

```

736     "label": "In the weeks that ... worked how many hours did ...  

737         usually work per week?",  

738     "universe": "WKSWORK > 0",  

739     "type": "Continuous",  

740     "role": "Independent",  

741     "topic": "Work experience",  

742     "subtopic": "General",  

743     "values": {  

744         "0": "Niu",  

745         "1": "1 hour",  

746         "2-98": "2-98 hours",  

747         "99": "99 hours plus"  

748     },  

749     "LJCW": {  

750         "label": "Longest job class of worker",  

751         "universe": "WKSWORK > 0",  

752         "type": "Categorical",  

753         "role": "Independent",  

754         "topic": "Work experience",  

755         "subtopic": "General",  

756         "values": {  

757             "0": "Niu",  

758             "1": "Private",  

759             "2": "Federal",  

760             "3": "State",  

761             "4": "Local",  

762             "5": "Self employed incorporated, yes",  

763             "6": "Self employed incorporated, no or farm",  

764             "7": "Without pay"  

765     },  

766 },  

767     "NWLKWK": {  

768         "label": "How many different weeks was ... looking for work or on  

769         layoff?",  

769         "universe": "NWLOOK = 1",

```

```

770     "type": "Continuous",
771     "role": "Independent",
772     "topic": "Work experience",
773     "subtopic": "General",
774     "values": {1
775         "0": "Niu",
776         "1": "1 week",
777         "2-51": "2-51 weeks",
778         "52": "52 weeks"
779     }
780 },
781 "NWLOOK": {4
782     "label": "Even though ... did not work in 20.. did spend and time
783         trying to find a job or on layoff?",
784     "universe": "WORKYN = 2",
785     "type": "Categorical",
786     "role": "Independent",
787     "topic": "Work experience",
788     "subtopic": "General",
789     "values": {
790         "0": "Niu",
791         "1": "Yes",
792         "2": "No"
793     }
794 },
795 "PHMEMPRS": {6
796     "label": "For how many employers did ... work in 20..? if more than
797         one at same time, only count it as one employer",
798     "universe": "WKSWORK > 0",
799     "type": "Categorical",
800     "role": "Independent",
801     "topic": "Work experience",
802     "subtopic": "General",
803     "values": {
804         "0": "Niu",
805         "1": "One employer",

```

```

804         "2": "Two employers",
805         "3": "3 or more employers"
806     },
807 },
808 "RSNNOTW": {
809     "label": "What was the main reason ... did not work in 20..?",4
810     "universe": "WORKYN = 2",
811     "type": "Categorical",
812     "role": "Independent",
813     "topic": "Work experience",
814     "subtopic": "General",1
815     "values": {
816         "0": "Niu",
817         "1": "Ill or disabled",
818         "2": "Retired",
819         "3": "Taking care of home",
820         "4": "Going to school",
821         "5": "Could not find work",
822         "6": "Other"
823     },
824 },
825 "WECLW": {
826     "label": "Longest job class of worker (persons 15+)",15
827     "universe": "All persons aged 15+",
828     "type": "Categorical",
829     "role": "Independent",
830     "topic": "Work experience",
831     "subtopic": "General",
832     "values": {
833         "0": "Not in universe",
834         "1": "Agriculture (Wage and salary)",
835         "2": "Agriculture (Self-employed)",
836         "3": "Agriculture (Unpaid)",
837         "4": "Nonagriculture (Private household",
838         "5": "Nonagriculture (Other private)",
839         "6": "Nonagriculture (Government)",

```

```

840         "7": "Nonagriculture (Self-employed)",
841         "8": "Nonagriculture (Unpaid)",
842         "9": "Nonagriculture (Never worked)"
843     }
844 },
845 "WEWKRS": {
846     "label": "Weeks worked recode",
847     "universe": "All persons aged 15+",
848     "type": "Categorical",
849     "role": "Independent",
850     "topic": "Work experience",
851     "subtopic": "General",
852     "values": {
853         "0": "Niu",
854         "51": "Full-year worker (Full time)",
855         "2": "Full-year worker (Part time)",
856         "3": "Part-year worker (Full time)",
857         "4": "Part-year worker (Part time)",
858         "5": "Part-year worker (Nonworker)"
859     }
860 },
861 "WKSWORK": {
862     "label": "During 20.. in how many weeks did ... work even for a few
863     hours? (include paid vacation and sick leave as work)",
864     "universe": "Persons 15+ with WORKYN = 1",
865     "type": "Continuous",
866     "role": "Independent",
867     "topic": "Work experience",
868     "subtopic": "General",
869     "values": {
870         "0": "Niu",
871         "1": "1 week",
872         "2-51": "2-51 weeks",
873         "52": "52 weeks"
874     }
875 },

```

```

875     "WORKYN": {
876         "label": "Did ... work at a job or business at any time during
877             20..?",  

878         "universe": "All persons aged 15+",  

879         "type": "Categorical",  

880         "role": "Independent",  

881         "topic": "Work experience",  

882         "subtopic": "General",
883         "values": {
884             "0": "Niu",
885             "1": "Yes",
886             "2": "No"
887         },
888     },
889     "WRK_CK": {
890         "label": "Worked last year recode, including temporary and part-
891             time",
892         "universe": "All persons aged 15+",  

893         "type": "Categorical",  

894         "role": "Independent",  

895         "topic": "Work experience",  

896         "subtopic": "General",
897         "values": {
898             "0": "Niu",
899             "1": "Yes",
900             "2": "No"
901         },
902     },
903     "WTEMP": {
904         "label": "Did ... do any temporary, part-time, or seasonal work
905             even for a few days during 20..?",  

906         "universe": "WORKYN = 2",
907         "type": "Categorical",

```

```

908     "values": {  

909         "0": "Niu",  

910         "1": "Yes",  

911         "2": "No"  

912     },  

913 },  

914 "ERN_OTR": {  

915     "label": "Wage and salary money earned from other work, Y/N",  

916     "universe": "All persons aged 15+",  

917     "type": "Categorical",  

918     "role": "Independent",  

919     "topic": "Income",  

920     "subtopic": "Earnings",  

921     "values": {  

922         "0": "Niu",  

923         "1": "Yes",  

924         "2": "No"  

925     },  

926 },  

927 "ERN_SRCE": {  

928     "label": "Source of earnings from longest job",  

929     "universe": "ERN_YN = 1",  

930     "type": "Categorical",  

931     "role": "Independent",  

932     "topic": "Income",  

933     "subtopic": "Earnings",  

934     "values": {  

935         "0": "Niu",  

936         "1": "Wage and salary",  

937         "2": "Self employment",  

938         "3": "Farm self employment",  

939         "4": "Without pay"  

940     },  

941 },  

942 "ERN_VAL": {  


```

```

943     "label": "How much did ... earn from this employer before
944         deductions in 20..? what was ... net earnings from this
945         business/ farm after expenses during 20..?",  

946         "universe": "ERN_YN = 1",
947         "type": "Continuous",
948         "role": "Independent",
949         "topic": "Income",
950         "subtopic": "Earnings",
951         "values": {
952             "0": "None or Niu",
953             "-9,999 - 9,999,999": "Wages & self-employment"
954         },
955         "ERN_YN": {
956             "label": "Earnings from employer or net earnings from business/
957                 farm after expenses from longest job during 20.. ?",
958             "universe": "WORKYN=1 or WTEMP=1",
959             "type": "Categorical",
960             "role": "Independent",
961             "topic": "Income",
962             "subtopic": "Earnings",
963             "values": {
964                 "0": "Niu",
965                 "1": "Yes",
966                 "2": "No"
967             },
968             "FRM_VAL": {
969                 "label": "Amount of farm self-employment earnings from secondary
970                     source",
971                 "universe": "FRMOTR = 1",
972                 "type": "Continuous",
973                 "role": "Independent",
974                 "topic": "Income",
975                 "subtopic": "Earnings",
976                 "values": {

```

```

975         "0": "None or Niu",
976         "-999999-999999": "Farm self employment"
977     },
978 },
979 "FRMOTR": {
980     "label": "Receiving farm self-employment from secondary source",
981     "universe": "ERN_OTR = 1",
982     "type": "Categorical",
983     "role": "Independent",
984     "topic": "Income",
985     "subtopic": "Earnings",
986     "values": {
987         "6": "Niu",
988         "1": "Yes",
989         "2": "No"
990     }
991 },
992 "FRSE_VAL": {
993     "label": "Total amount of farm self-employment earnings",
994     "universe": "ERN_YN=1 or FRMOTR=1",
995     "type": "Continuous",
996     "role": "Independent",
997     "topic": "Income",
998     "subtopic": "Earnings",
999     "values": {
1000         "0": "None or Niu",
1001         "-999999-999999": "Farm self employment"
1002     }
1003 },
1004 "FRSE_YN": {
1005     "label": "Receiving any farm self-employment",
1006     "universe": "ERN_YN=1 or FRMOTR=1",
1007     "type": "Categorical",
1008     "role": "Independent",
1009     "topic": "Income",
1010     "subtopic": "Earnings",

```

```

1011     "values": {
1012         "6": "Niu",
1013         "1": "Yes",
1014         "2": "No"
1015     }
1016 },
1017 "PEARNVAL": {
1018     "label": "Total persons earnings",
1019     "universe": "All persons aged 15+",
1020     "type": "Continuous",
1021     "role": "Independent",
1022     "topic": "Income",
1023     "subtopic": "Earnings",
1024     "values": {
1025         "0": "None;",
1026         "negative amt": "Income (loss);",
1027         "positive amt": "Income"
1028     }
1029 },
1030 "SE_VAL": {
1031     "label": "Amount of own business self-employment earnings from
1032         secondary source",
1033     "universe": "SEOTR = 1",
1034     "type": "Continuous",
1035     "role": "Independent",
1036     "topic": "Income",
1037     "subtopic": "Earnings",
1038     "values": {
1039         "0": "None or niu;",
1040         "-999999-999999": "Own business self employment"
1041     }
1042 },
1043 "SEMP_VAL": {
1044     "label": "Total own business self-employment earnings (combined
1045         amounts in ern-val, if ern-srce=2, and se-val)",
1046     "universe": "ERN_YN=1 or SEOTR=1",

```

```

1045     "type": "Continuous",
1046     "role": "Independent",
1047     "topic": "Income",
1048     "subtopic": "Earnings",
1049     "values": {
1050         "0": "None or niu;"35
1051         "-99999-99999": "Own business self employment"
1052     },
1053 },
1054 "SEMP_YN": {
1055     "label": "Receiving own business self-employment, y/n",
1056     "universe": "ERN_YN=1 or SEOTR=1",
1057     "type": "Categorical",
1058     "role": "Independent",
1059     "topic": "Income",1
1060     "subtopic": "Earnings",
1061     "values": {
1062         "0": "Niu",
1063         "1": "Yes",
1064         "2": "No"
1065     },
1066 },
1067 "SEOTR": {
1068     "label": "Receiving own business self-employment, y/n",1
1069     "universe": "ERN_YN=1 or SEOTR=1",
1070     "type": "Categorical",
1071     "role": "Independent",
1072     "topic": "Income",
1073     "subtopic": "Earnings",
1074     "values": {
1075         "0": "Niu",
1076         "1": "Yes",
1077         "2": "No"
1078     },
1079 },
1080 "WAGEOTR": {

```

```

1081     "label": "Receiving wage and salary earnings from other employers,  

1082         y/n",
1083     "universe": "ERN_OTR = 1",
1084     "type": "Categorical",
1085     "role": "Independent",
1086     "topic": "Income",
1087     "subtopic": "Earnings",
1088     "values": {
1089         "0": "Niu",
1090         "1": "Yes",
1091         "2": "No"
1092     },
1093     "WS_VAL": {
1094         "label": "Amount of wage and salary earnings from other employers",
1095         "universe": "ERN_OTR = 1",
1096         "type": "Continuous",
1097         "role": "Independent",
1098         "topic": "Income",
1099         "subtopic": "Earnings",
1100         "values": {
1101             "0": "None or niu;",
1102             "1-9999999": "Wage and salary"
1103         },
1104     },
1105     "WSAL_VAL": {
1106         "label": "Total wage and salary earnings (combined amounts in ern-
1107             val, if ern-srce=1, and ws-val)",
1108         "universe": "ERN_YN=1 or WAGEOTR=1",
1109         "type": "Continuous",
1110         "role": "Independent",
1111         "topic": "Income",
1112         "subtopic": "Earnings",
1113         "values": {
1114             "0": "None or niu;",
1115             "1-9999999": "Wage and salary"

```

```

1115         }
1116     },
1117     "WSAL_YN": {
1118         "label": "Receiving wage and salary earnings",
1119         "universe": "ERN_YN=1 or WAGEOTR=1",
1120         "type": "Categorical",
1121         "role": "Independent",
1122         "topic": "Income",
1123         "subtopic": "Earnings",
1124         "values": {
1125             "0": "Niu",
1126             "1": "Yes",
1127             "2": "No"
1128         }
1129     },
1130     "ANN_VAL": {
1131         "label": "Retirement income, annuities amount",
1132         "universe": "ANN_YN = 1",
1133         "type": "Continuous",
1134         "role": "Independent",
1135         "topic": "Income",
1136         "subtopic": "Other income",
1137         "values": {
1138             "-1": "Niu",
1139             "0-999999": "Dollar amount"
1140         }
1141     },
1142     "ANN_YN": {
1143         "label": "Retirement income, annuities, y/n",
1144         "universe": "All Persons aged 15+",
1145         "type": "Categorical",
1146         "role": "Independent",
1147         "topic": "Income",
1148         "subtopic": "Other income",
1149         "values": {
1150             "0": "Niu",

```

```

1151         "1": "Yes",
1152         "2": "No"
1153     },
1154 },
1155 "CAP_VAL": {
1156     "label": "Capital gains value",
1157     "universe": "CAP_YN = 1",
1158     "type": "Continuous",
1159     "role": "Independent",
1160     "topic": "Income",
1161     "subtopic": "Other income",
1162     "values": {
1163         "0": "None or niu",
1164         "1-999999": "Captial gains amount"
1165     }
1166 },
1167 "CAP_YN": {
1168     "label": "Yes/no answer to 'Did you receive capital gain from your
1169         shares of stock or mutual fund?'",
1170     "universe": "DIV_YN = 1",
1171     "type": "Categorical",
1172     "role": "Independent",
1173     "topic": "Income",
1174     "subtopic": "Other income",
1175     "values": {
1176         "0": "Niu",
1177         "1": "Yes",
1178         "2": "No"
1179     }
1180 },
1181 "DBTN_VAL": {
1182     "label": "Total amount of retirement distributions received (
1183         dst_val1 + dst_val2)",
1184     "universe": "DST_VAL1>0 OR DST_VAL2>0",
1185     "type": "Continuous",
1186     "role": "Independent",

```

```

1185     "topic": "Income",
1186     "subtopic": "Other income",
1187     "values": {
1188         "0": "None or niu",
1189         "1-9999999": "Dollar amount"
1190     }
1191 },
1192 "DIS_SC1": {
1193     "label": "What was the source of disability income?",
1194     "universe": "DIS_YN=1",
1195     "type": "Categorical",
1196     "role": "Independent",
1197     "topic": "Income",
1198     "subtopic": "Other income",
1199     "values": {
1200         "0": "Niu",
1201         "1": "Worker's compensation",
1202         "2": "Company or union disability",
1203         "3": "Federal government disability",
1204         "4": "Us military retirement disability",
1205         "5": "State or local gov't employee disability",
1206         "6": "Us railroad retirement disability",
1207         "7": "Accident or disability insurance",
1208         "8": "Blacklung miners disability",
1209         "9": "State temporary sickness",
1210         "10": "Other or don't know"
1211     }
1212 },
1213 "DIS_SC2": {
1214     "label": "What was the source of disability income?",
1215     "universe": "DIS_YN=1",
1216     "type": "Categorical",
1217     "role": "Independent",
1218     "topic": "Income",
1219     "subtopic": "Other income",
1220     "values": {

```

```

1221     "0": "Niu",
1222     "1": "Worker's compensation",
1223     "2": "Company or union disability",
1224     "3": "Federal government disability",
1225     "4": "Us military retirement disability",
1226     "5": "State or local gov't employee disability",
1227     "6": "Us railroad retirement disability",
1228     "7": "Accident or disability insurance",
1229     "8": "Blacklung miners disability",
1230     "9": "State temporary sickness",
1231     "10": "Other or don't know"
1232   },
1233 },
1234 "DIS_VAL1": {
1235   "label": "How much did ... receive (source type) during 20.. ?",
1236   "universe": "DIS_SC1>0",
1237   "type": "Continuous",
1238   "role": "Independent",
1239   "topic": "Income",
1240   "subtopic": "Other income",
1241   "values": {
1242     "0": "None or niu",
1243     "1-999999": "Disability income"
1244   },
1245 },
1246 "DIS_VAL2": {
1247   "label": "How much did ... receive (source type) during 20.. ?",
1248   "universe": "DIS_SC2>0",
1249   "type": "Continuous",
1250   "role": "Independent",
1251   "topic": "Income",
1252   "subtopic": "Other income",
1253   "values": {
1254     "0": "None or niu",
1255     "1-999999": "Disability income"
1256   }

```

```

1257     },
1258
1259     "DIS_YN": {
1260         "label": "Other than social security did ... receive any income in
1261             20.. as a result of health problems?",
1262         "universe": "All Persons aged 15+",
1263         "type": "Categorical",
1264         "role": "Independent",
1265         "topic": "Income",
1266         "subtopic": "Other income",
1267         "values": {
1268             "0": "Niu",
1269             "1": "Yes",
1270             "2": "No"
1271         }
1272     },
1273     "DIV_VAL": {
1274         "label": "How much did ... receive in dividends from stocks or
1275             mutual funds during 20.. ?",
1276         "universe": "DIV_YN = 1",
1277         "type": "Continuous",
1278         "role": "Independent",
1279         "topic": "Income",
1280         "subtopic": "Other income",
1281         "values": {
1282             "0": "None or niu",
1283             "1-999999": "Dividends"
1284         }
1285     },
1286     "DIV_YN": {
1287         "label": "Did ... receive dividends?",
1288         "universe": "All Persons aged 15+",
1289         "type": "Categorical",
1290         "role": "Independent",
1291         "topic": "Income",
1292         "subtopic": "Other income",
1293         "values": {

```

```

1291         "0": "Niu",
1292         "1": "Yes",
1293         "2": "No"
1294     },
1295 },
1296 "DSAB_VAL": {
1297     "label": "Total amount of disability income received, combined
1298     amounts in edited sources one and two",
1299     "universe": "DIS_VAL1>0 OR DIS_VAL2>0",
1300     "type": "Continuous",
1301     "role": "Independent",
1302     "topic": "Income",
1303     "subtopic": "Other income",
1304     "values": {
1305         "0": "None or niu",
1306         "1-999999": "Disability income"
1307     },
1308 "DST_SCI": {
1309     "label": "Retirement income, distribution source 1",
1310     "universe": "DST_VAL1 > 0 and a_age >= 58",
1311     "type": "Categorical",
1312     "role": "Independent",
1313     "topic": "Income",
1314     "subtopic": "Other income",
1315     "values": {
1316         "0": "Niu",
1317         "1": "401k account",
1318         "2": "403b account",
1319         "3": "Roth ira",
1320         "4": "Regular ira",
1321         "5": "Keogh plan",
1322         "6": "Sep plan (simplified employee pension)",
1323         "7": "Other type of retirement account"
1324     },
1325 }

```

```

1326     "DST_SC1_YNG": {
1327         "label": "Retirement Distribution source 1, person under age 58",
1328         "universe": "DST_YN_YNG = 1 and a_age < 58",
1329         "type": "Categorical",
1330         "role": "Independent",
1331         "topic": "Income",
1332         "subtopic": "Other income",
1333         "values": {
1334             "0": "Niu",
1335             "1": "401k account",
1336             "2": "403b account",
1337             "3": "Roth ira",
1338             "4": "Regular ira",
1339             "5": "Keogh plan",
1340             "6": "Sep plan (simplified employee pension)",
1341             "7": "Other type of retirement account"
1342         },
1343     },
1344     "DST_SC2": {
1345         "label": "Retirement income, distribution source 2",
1346         "universe": "DST_VAL2 > 0 and a_age >= 58",
1347         "type": "Categorical",
1348         "role": "Independent",
1349         "topic": "Income",
1350         "subtopic": "Other income",
1351         "values": {
1352             "0": "Niu",
1353             "1": "401k account",
1354             "2": "403b account",
1355             "3": "Roth ira",
1356             "4": "Regular ira",
1357             "5": "Keogh plan",
1358             "6": "Sep plan (simplified employee pension)",
1359             "7": "Other type of retirement account"
1360         },
1361     },

```

```

1362     "DST_SC2_YNG": {
1363         "label": "Retirement Distribution source 2, person under age 58",
1364         "universe": "DST_VAL_YNG > 0 and a_age < 58",
1365         "type": "Categorical",
1366         "role": "Independent",
1367         "topic": "Income",
1368         "subtopic": "Other income",
1369         "values": {
1370             "0": "Niu",
1371             "1": "401k account",
1372             "2": "403b account",
1373             "3": "Roth ira",
1374             "4": "Regular ira",
1375             "5": "Keogh plan",
1376             "6": "Sep plan (simplified employee pension)",
1377             "7": "Other type of retirement account"
1378         }
1379     },
1380     "DST_VAL1": {
1381         "label": "Retirement income amount, distribution source 1",
1382         "universe": "DST_SC1 = 1",
1383         "type": "Continuous",
1384         "role": "Independent",
1385         "topic": "Income",
1386         "subtopic": "Other income",
1387         "values": {
1388             "0": "None or niu",
1389             "1- 999,999": "Amount withdrawn or distributed"
1390         }
1391     },
1392     "DST_VAL1_YNG": {
1393         "label": "Retirement Distribution amount 1, under age 58",
1394         "universe": "DST_SC1_YNG = 1",
1395         "type": "Continuous",
1396         "role": "Independent",
1397         "topic": "Income",

```

```

1398     "subtopic": "Other income",
1399     1
1400     "values": {
1401         "0": "None or niu",
1402         "1- 999,999": "Amount withdrawn or distributed"
1403     }
1404
1405     "DST_VAL2": {
1406         "label": "Retirement income amount, distribution source 2",
1407         "universe": "DST_SC2 = 1",
1408         "type": "Continuous",
1409         "role": "Independent",
1410         "topic": "Income",
1411         "subtopic": "Other income",
1412         1
1413         "values": {
1414             "0": "None or niu",
1415             "1- 999,999": "Amount withdrawn or distributed"
1416         }
1417     }
1418
1419     "DST_VAL2_YNG": {
1420         "label": "Retirement Distribution amount 2, under age 58",
1421         "universe": "DST_SC2_YNG = 1",
1422         "type": "Continuous",
1423         "role": "Independent",
1424         "topic": "Income",
1425         "subtopic": "Other income",
1426         1
1427         "values": {
1428             "0": "None or niu",
1429             "1- 999,999": "Amount withdrawn or distributed"
1430         }
1431     }
1432
1433     "DST_YN": {
1434         "label": "Retirement income distribution y/n",
1435         "universe": "Persons aged 58 and over (a_age >= 58)",
1436         "type": "Categorical",
1437         "role": "Independent",
1438         "topic": "Income",

```

```

1434     "subtopic": "Other income",
1435     "values": {
1436         "0": "Niu",
1437         "1": "Yes",
1438         "2": "No"
1439     }
1440 },
1441 "DST_YN_YNG": {
1442     "label": "Retirement Distribution Recipiency, person under age 58",
1443     "universe": "Persons under age 58 (a_age < 58)",
1444     "type": "Categorical",
1445     "role": "Independent",
1446     "topic": "Income",
1447     "subtopic": "Other income",
1448     "values": {
1449         "0": "Niu",
1450         "1": "Yes",
1451         "2": "No"
1452     }
1453 },
1454 "ED_VAL": {
1455     "label": "Total amount of educational assistance received (combined
1456         amounts in pell grant and other educational) assistance during
1457         20.. ?",
1458     "universe": "ED_YN = 1",
1459     "type": "Continuous",
1460     "role": "Independent",
1461     "topic": "Income",
1462     "subtopic": "Other income",
1463     "values": {
1464         "0": "None or niu",
1465         "1- 99,999": "Dollar amount"
1466     }
1467 },
1468 "ED_YN": {
1469     "label": "Did ... receive educational assistance?",
```

```

1468     "universe": "All Persons aged 15+",
1469     "type": "Categorical",
1470     "role": "Independent",
1471     "topic": "Income",
1472     "subtopic": "Other income",
1
1473     "values": {
1474         "0": "Niu",
1475         "1": "Yes",
1476         "2": "No"
1477     }
1478 },
1479 "FIN_VAL": {
4
1480     "label": "How much did ... receive in financial assistance income
1481             during 20.. ?",
1482     "universe": "FIN_YN = 1",
1483     "type": "Continuous",
1484     "role": "Independent",
1485     "topic": "Income",
1486     "subtopic": "Other income",
1
1487     "values": {
1488         "0": "None or niu",
1489         "1-999999": "Financial assistance"
1490     }
1491 },
1492 "FIN_YN": {
1493     "label": "Did ... receive financial assistance?",
1494     "universe": "All Persons aged 15+",
1495     "type": "Categorical",
1496     "role": "Independent",
1497     "topic": "Income",
1498     "subtopic": "Other income",
1499     "values": {
1500         "0": "Niu",
1501         "1": "Yes",
1502         "2": "No"
1503     }

```

```

1503     },
1504     "INT_VAL": {
1505         "label": "Edited total combined interest income",
1506         "universe": "INT_YN = 1",
1507         "type": "Continuous",
1508         "role": "Independent",
1509         "topic": "Income",
1510         "subtopic": "Other income",
1511         "values": {
1512             "0": "None or niu;",
1513             "1- 999,999": "Dollar amount"
1514         }
1515     },
1516     "INT_YN": {
1517         "label": "Edited total combined interest income, y/n",
1518         "universe": "All Persons aged 15+",
1519         "type": "Categorical",
1520         "role": "Independent",
1521         "topic": "Income",
1522         "subtopic": "Other income",
1523         "values": {
1524             "0": "Niu",
1525             "1": "Yes",
1526             "2": "No"
1527         }
1528     },
1529     "OED_TYP1": {
1530         "label": "Source 1 other than gi bill received (OED_TYP1- source of
1531             other government assistance)",
1532         "universe": "ED_YN = 1",
1533         "type": "Categorical",
1534         "role": "Independent",
1535         "topic": "Income",
1536         "subtopic": "Other income",
1537         "values": {
1538             "0": "Niu",

```

```

1538         "1": "Yes",
1539         "2": "No"
1540     },
1541 },
1542 "OED_TYP2": {
1543     "label": "Source 2 other than gi bill received (OED_TYP2-
scholarships, grants etc. from the school)",
1544     "universe": "ED_YN = 1",
1545     "type": "Categorical",
1546     "role": "Independent",
1547     "topic": "Income",
1548     "subtopic": "Other income",
1549     "values": {
1550         "0": "Niu",
1551         "1": "Yes",
1552         "2": "No"
1553     },
1554 },
1555 "OED_TYP3": {
1556     "label": "Source other than gi bill received (OED_TYP3- other
assistance (employers friends, etc.))",
1557     "universe": "ED_YN = 1",
1558     "type": "Categorical",
1559     "role": "Independent",
1560     "topic": "Income",
1561     "subtopic": "Other income",
1562     "values": {
1563         "0": "Niu",
1564         "1": "Yes",
1565         "2": "No"
1566     },
1567 },
1568 "OI_OFF": {
1569     "label": "Other income sources",
1570     "universe": "OI_YN = 1",
1571     "type": "Categorical",

```

```

1572     "role": "Independent",
1573     "topic": "Income",
1574     "subtopic": "Other income"20,
1575     "values": {
1576         "0": "Niu",
1577         "1": "Social security",
1578         "2": "Private pensions",
1579         "3": "Afdc",
1580         "4": "Other public assistance",
1581         "5": "Interest",
1582         "6": "Dividends",
1583         "7": "Rents or royalties",
1584         "8": "Estates or trusts",
1585         "9": "State disability payments (worker's comp)",
1586         "10": "Disability payments (own insurance)",
1587         "11": "Unemployment compensation",
1588         "12": "Strike benefits",
1589         "13": "Annuities or paid up insurance policies",
1590         "14": "Not income",
1591         "15": "Longest job",
1592         "16": "Wages or salary",
1593         "17": "Nonfarm self-employment",
1594         "18": "Farm self-employment",
1595         "19": "Anything else",
1596         "20": "Alimony"
1597     },
1598 },
1599 "OI_VAL": {
1600     "label": "How much did ... receive in other incomes",
1601     "universe": "OI_YN = 1",
1602     "type": "Continuous",
1603     "role": "Independent",
1604     "topic": "Income",
1605     "subtopic": "Other income",
1606     "values": {
1607         "0": "None or niu",

```

```

1608     "1-999999": "Other income"
1609
1610 },
1611 "OI_YN": {
1612     "label": "Did ... receive cash income not already covered from any
1613         other source?", 1
1614     "universe": "All Persons aged 15+", 1
1615     "type": "Categorical",
1616     "role": "Independent",
1617     "topic": "Income",
1618     "subtopic": "Other income", 1
1619     "values": {
1620         "0": "None or niu",
1621         "1": "Yes",
1622         "2": "No"
1623     }
1624 },
1625 "PEN_SC1": {
1626     "label": "Retirement income, pension source 1",
1627     "universe": "PEN_YN = 1",
1628     "type": "Categorical",
1629     "role": "Independent",
1630     "topic": "Income",
1631     "subtopic": "Other income", 8
1632     "values": {
1633         "0": "Niu",
1634         "1": "Company pension",
1635         "2": "Union pension",
1636         "3": "Federal government pension",
1637         "4": "State government pension",
1638         "5": "Local government pension",
1639         "6": "Us military pension",
1640         "7": "Us railroad retirement",
1641         "8": "Other"
1642     }
1643 },

```

```

1643     "PEN_SC2": {
1644         "label": "Retirement income, pension source 2",
1645         "universe": "PEN_VAL2 > 0",
1646         "type": "Categorical",
1647         "role": "Independent",
1648         "topic": "Income",
1649         "subtopic": "Other income",
1650         "values": {
1651             "0": "Niu",
1652             "1": "Company pension",
1653             "2": "Union pension",
1654             "3": "Federal government pension",
1655             "4": "State government pension",
1656             "5": "Local government pension",
1657             "6": "Us military pension",
1658             "7": "Us railroad retirement",
1659             "8": "Other"
1660         }
1661     },
1662     "PEN_VAL1": {
1663         "label": "Retirement income amount, pension source 1",
1664         "universe": "PEN_SC1 > 0",
1665         "type": "Continuous",
1666         "role": "Independent",
1667         "topic": "Income",
1668         "subtopic": "Other income",
1669         "values": {
1670             "0": "None or niu",
1671             "1-999,999": "Pension income"
1672         }
1673     },
1674     "PEN_VAL2": {
1675         "label": "Retirement income amount, pension source 2",
1676         "universe": "PEN_SC2 > 0",
1677         "type": "Continuous",
1678         "role": "Independent",

```

```

1679     "topic": "Income",
1680     "subtopic": "Other income",
1681     "values": {
1682         "0": "None or niu",
1683         "1-999,999": "Pension income"
1684     }
1685 },
1686 "PEN_YN": {
1687     "label": "Retirement income, pension y/n",
1688     "universe": "All Persons aged 15+",
1689     "type": "Categorical",
1690     "role": "Independent",
1691     "topic": "Income",
1692     "subtopic": "Other income",
1693     "values": {
1694         "0": "Niu",
1695         "1": "Yes",
1696         "2": "No"
1697     }
1698 },
1699 "PNSN_VAL": {
1700     "label": "Total combined amount of pension income received from all
1701     pension sources",
1702     "universe": "PEN_YN = 1",
1703     "type": "Continuous",
1704     "role": "Independent",
1705     "topic": "Income",
1706     "subtopic": "Other income",
1707     "values": {
1708         "0": "None or niu",
1709         "1-9,999,999": "Retirement income"
1710     }
1711 },
1712 "PTOTVAL": {
1713     "label": "Total persons income",
1714     "universe": "All Persons aged 15+",
```

```

1714     "type": "Continuous",
1715     "role": "Independent",
1716     "topic": "Income",
1717     "subtopic": "Other income", ①
1718     "values": {
1719         "0": "None",
1720         "negative amt": "Income (loss)",
1721         "positive amt": "Income"
1722     }
1723 },
1724 "RESNSS1": { ⑧
1725     "label": "What were the reasons (you/name) (was/were) getting
1726         Social Security Income last year?",
1727     "universe": "SS_YN = 1",
1728     "type": "Categorical",
1729     "role": "Independent",
1730     "topic": "Income",
1731     "subtopic": "Other income", ①
1732     "values": {
1733         "0": "Niu",
1734         "1": "Retired",
1735         "2": "Disabled (adult or child)",
1736         "3": "Widowed",
1737         "4": "Spouse",
1738         "5": "Surviving child",
1739         "6": "Dependent child",
1740         "7": "On behalf of surviving, dependent, or disabled child(ren)
1741             ",
1742         "8": "Other (adult or child)"
1743     }
1744 },
1745 "RESNSS2": {
1746     "label": "What were the reasons (you/name) (was/were) getting
1747         Social Security Income last year?",
1748     "universe": "SS_YN = 1",
1749     "type": "Categorical",

```

```

1747     "role": "Independent",
1748     "topic": "Income",
1749     "subtopic": "Other income",
1750     "values": {
1751         "0": "Niu",
1752         "1": "Retired",
1753         "2": "Disabled (adult or child)",
1754         "3": "Widowed",
1755         "4": "Spouse",
1756         "5": "Surviving child",
1757         "6": "Dependent child",
1758         "7": "On behalf of surviving, dependent, or disabled child(ren)
1759             ",
1760         "8": "Other (adult or child)"
1761     },
1762     "RESNSSI1": {
1763         "label": "What were the reasons (you/name) (was/were) getting
1764             Supplemental Security Income last year?",
1765         "universe": "SSI_YN = 1",
1766         "type": "Categorical",
1767         "role": "Independent",
1768         "topic": "Income",
1769         "subtopic": "Other income",
1770         "values": {
1771             "0": "Niu",
1772             "1": "Disabled (adult or child)",
1773             "2": "Blind (adult or child)",
1774             "3": "On behalf of a disabled child",
1775             "4": "On behalf of a blind child",
1776             "5": "Other (adult or child)"
1777         },
1778     },
1779     "RESNSSI2": {
1780         "label": "What were the reasons (you/name) (was/were) getting
1781             Supplemental Security Income last year?",
```

```

1780     "universe": "SSI_YN = 1",
1781     "type": "Categorical",
1782     "role": "Independent",
1783     "topic": "Income",
1784     "subtopic": "Other income",
1785     "values": {
1786         "0": "Niu",
1787         "1": "Disabled (adult or child)",
1788         "2": "Blind (adult or child)",
1789         "3": "On behalf of a disabled child",
1790         "4": "On behalf of a blind child",
1791         "5": "Other (adult or child)"
1792     }
1793 },
1794 "RETCB_VAL": {
1795     "label": "Retirement contributiion, amount",
1796     "universe": "RETCB_YN = 1",
1797     "type": "Continuous",
1798     "role": "Independent",
1799     "topic": "Income",
1800     "subtopic": "Other income",
1801     "values": {
1802         "0": "None or niu",
1803         "1-99999": "Amount contributed"
1804     }
1805 },
1806 "RETCB_YN": {
1807     "label": "Retirement contribution, y/n",
1808     "universe": "All people 15 years and over",
1809     "type": "Categorical",
1810     "role": "Independent",
1811     "topic": "Income",
1812     "subtopic": "Other income",
1813     "values": {
1814         "0": "Niu",
1815         "1": "Yes",

```

```

1816         "2": "No"
1817     }
1818 },
1819 "RINT_SC1": {
1820     "label": "Interest income, retirement source 1",
1821     "universe": "RINT_YN = 1",
1822     "type": "Categorical",
1823     "role": "Independent",
1824     "topic": "Income",
1825     "subtopic": "Other income",
1826     "values": {
1827         "0": "Niu",
1828         "1": "401k account",
1829         "2": "403b account",
1830         "3": "Roth ira",
1831         "4": "Regular ira",
1832         "5": "Keogh plan",
1833         "6": "Sep plan (simplified employee pension)",
1834         "7": "Other type of retirement account"
1835     }
1836 },
1837 "RINT_SC2": {
1838     "label": "Interest income, retirement source 2",
1839     "universe": "RINT_YN = 1",
1840     "type": "Categorical",
1841     "role": "Independent",
1842     "topic": "Income",
1843     "subtopic": "Other income",
1844     "values": {
1845         "0": "Niu",
1846         "1": "401k account",
1847         "2": "403b account",
1848         "3": "Roth ira",
1849         "4": "Regular ira",
1850         "5": "Keogh plan",
1851         "6": "Sep plan (simplified employee pension)",

```

```

1852         "7": "Other type of retirement account"
1853     },
1854 },
1855 "RINT_VAL1": {
1856     "label": "Interest income amt, retirement source 1",
1857     "universe": "RINT_SC1 > 0",
1858     "type": "Continuous",
1859     "role": "Independent",
1860     "topic": "Income",
1861     "subtopic": "Other income",
1862     "values": {
1863         "0": "None or niu",
1864         "1-999999": "Ret interest income"
1865     },
1866 },
1867 "RINT_VAL2": {
1868     "label": "Interest income amt, retirement source 2",
1869     "universe": "RINT_SC2 > 0",
1870     "type": "Continuous",
1871     "role": "Independent",
1872     "topic": "Income",
1873     "subtopic": "Other income",
1874     "values": {
1875         "0": "None or niu",
1876         "1-999999": "Ret interest income"
1877     },
1878 },
1879 "RINT_YN": {
1880     "label": "Interest income - retirement, y/n",
1881     "universe": "All Persons aged 15+",
1882     "type": "Categorical",
1883     "role": "Independent",
1884     "topic": "Income",
1885     "subtopic": "Other income",
1886     "values": {
1887         "0": "Niu",

```

```

1888         "1": "Yes",
1889         "2": "No"
1890     },
1891 },
1892 "RNT_VAL": {
1893     "label": "How much did ... receive in income from rent after
1894         expenses during 20..?",  

1895     "universe": "RNT_YN = 1",
1896     "type": "Continuous",
1897     "role": "Independent",
1898     "topic": "Income",
1899     "subtopic": "Other income",
1900     "values": {
1901         "0": "None or niu",
1902         "-9999-999999": "Rental income"
1903     },
1904 },
1905 "RNT_YN": {
1906     "label": "Did ... own any land, property, rented to others, or
1907         receive income from royalties, roomers or boarders, or from
1908         estates or trusts?",
1909     "universe": "All Persons aged 15+",
1910     "type": "Categorical",
1911     "role": "Independent",
1912     "topic": "Income",
1913     "subtopic": "Other income",
1914     "values": {
1915         "0": "Niu",
1916         "1": "Yes",
1917         "2": "No"
1918     },
1919 },
1920 "SRVS_VAL": {
1921     "label": "Total amount of survivor's income received (combined
1922         amounts in edited sources sur_val1 and sur_val2 plus the
1923         unedited sources 3 & 4 starting in 1995)",  

1924 }
```

```

1919     "universe": "SUR_YN = 1",
1920     "type": "Continuous",
1921     "role": "Independent",
1922     "topic": "Income",
1923     "subtopic": "Other income",
1924     "values": {
1925         "0": "None or niu",
1926         "1-999999": "Income amount"
1927     }
1928 },
1929 "SS_VAL": {
1930     "label": "How much did ... receive in social security payments
1931         during 20.. ?",
1932     "universe": "SS_YN = 1",
1933     "type": "Continuous",
1934     "role": "Independent",
1935     "topic": "Income",
1936     "subtopic": "Other income",
1937     "values": {
1938         "0": "None or niu",
1939         "1-99999": "Social security"
1940     }
1941 },
1942 "SS_YN": {
1943     "label": "Who received social security payments either for
1944         themselves or as combined payments with other family members?",
1945     "universe": "All Persons aged 15+",
1946     "type": "Categorical",
1947     "role": "Independent",
1948     "topic": "Income",
1949     "subtopic": "Other income",
1950     "values": {
1951         "0": "Niu",
1952         "1": "Yes",
1953         "2": "No"
1954     }

```

```

1953     },
1954     "SSI_VAL": {
1955         "label": "How much did ... receive in supplemental security income
1956             during 20..?",  

1957         "universe": "SSI_YN = 1",
1958         "type": "Continuous",
1959         "role": "Independent",
1960         "topic": "Income",
1961         "subtopic": "Other income",
1962         "values": {
1963             "0": "None or niu",
1964             "1-99999": "Supplemental security income"
1965         },
1966     },
1967     "SSI_YN": {
1968         "label": "Did ... received ssi?",
1969         "universe": "All Persons aged 15+",
1970         "type": "Categorical",
1971         "role": "Independent",
1972         "topic": "Income",
1973         "subtopic": "Other income",
1974         "values": {
1975             "0": "Niu",
1976             "1": "Yes",
1977             "2": "No"
1978         },
1979     },
1980     "STRKUC": {
1981         "label": "At any time during 20.. did ... receive any union
1982             unemployment or strike benefits?",
1983         "universe": "UC_YN = 1",
1984         "type": "Categorical",
1985         "role": "Independent",
1986         "topic": "Income",
1987         "subtopic": "Other income",
1988         "values": {

```

```

1987         "0": "Niu",
1988         "1": "Yes",
1989         "2": "No"
1990     }
1991 },
1992 "SUBUC": {
1993     "label": "At any time during 20.. did ... receive any supplemental
1994     unemployment benefits?", 4
1995     "universe": "UC_YN = 1",
1996     "type": "Categorical",
1997     "role": "Independent",
1998     "topic": "Income", 1
1999     "subtopic": "Other income",
2000     "values": {
2001         "0": "Niu",
2002         "1": "Yes",
2003         "2": "No"
2004     }
2005 },
2006 "SUR_SC1": { 1
2007     "label": "What was the source of this other widow or survivor
2008     income?", 1
2009     "universe": "SUR_YN = 1",
2010     "type": "Categorical",
2011     "role": "Independent",
2012     "topic": "Income",
2013     "subtopic": "Other income",
2014     "values": {
2015         "0": "None or niu",
2016         "1": "Company or union survivor pension",
2017         "2": "Federal government",
2018         "3": "Us military retirement survivor pension",
2019         "4": "State or local gov't survivor pension",
2020         "5": "Us railroad retirement survivor pension",
2021         "6": "Worker compensation survivor",
2022         "7": "Black lung",

```

```

2021      "8": "Regular payments from estates or trusts",
2022      "9": "Regular payments from annuities or paid-up life insurance
2023      ",",
2024      "10": "Other or don't know"
2025      },
2026      "SUR_SC2": {
2027          "label": "What was the source of this other widow or survivor
2028              income?",
2029          "universe": "SUR_YN = 1",
2030          "type": "Categorical",
2031          "role": "Independent",
2032          "topic": "Income",
2033          "subtopic": "Other income",
2034          "values": {
2035              "0": "None or n/a",
2036              "1": "Company or union survivor pension",
2037              "2": "Federal government",
2038              "3": "Us military retirement survivor pension",
2039              "4": "State or local gov't survivor pension",
2040              "5": "Us railroad retirement survivor pension",
2041              "6": "Worker compensation survivor",
2042              "7": "Black lung",
2043              "8": "Regular payments from estates or trusts",
2044              "9": "Regular payments from annuities or paid-up life insurance
2045              ",",
2046              "10": "Other or don't know"
2047          }
2048      "SUR_VAL1": {
2049          "label": "How much did ... receive (survivor source type) during
2050              20.. ?",
2051          "universe": "SUR_YN = 1",
2052          "type": "Continuous",
2053          "role": "Independent",
2054          "topic": "Income",

```

```

2053     "subtopic": "Other income",
2054     [8]
2054     "values": {
2055         "0": "None or niu",
2056         "1-999,999": "Survivor's income"
2057     },
2058 },
2059     "SUR_VAL2": {
2060         [1]
2060         "label": "How much did ... receive (source type) during 20.. ?",
2061         "universe": "SUR_YN = 1",
2062         "type": "Continuous",
2063         "role": "Independent",
2064         "topic": "Income",
2065         "subtopic": "Other income",
2066         [1]
2066         "values": {
2067             "0": "None or niu",
2068             "1-999,999": "Survivor's income"
2069         },
2070     },
2071     "SUR_YN": {
2072         [1]
2072         "label": "During 20.. did ... receive any survivor benefits such as
2072             widow's pensions, estates, trusts, insurance annuities, or
2072             other survivor's income?",
2073         "universe": "All Persons aged 15+",
2074         "type": "Categorical",
2075         "role": "Independent",
2076         "topic": "Income",
2077         "subtopic": "Other income",
2078         "values": {
2079             "0": "Niu",
2080             "1": "Yes",
2081             "2": "No"
2082         }
2083     },
2084     "TRDINT_VAL": {
2085         "label": "Interest amount, exlcuding retirment account interest",
2086         "universe": "INT_YN = 1",

```

```

2087     "type": "Continuous",
2088     "role": "Independent",
2089     "topic": "Income",
2090     "subtopic": "Other income",
2091     "values": {
2092         "all": "Dollar value"
2093     }
2094 },
2095 "UC_VAL": {
2096     "label": "How much did ... receive in unemployment benefits during
2097     20..?",  

2098     "universe": "UC_YN = 1",
2099     "type": "Continuous",
2100     "role": "Independent",
2101     "topic": "Income",
2102     "subtopic": "Other income",
2103     "values": {
2104         "0": "None or niu",
2105         "1-99999": "Unemployment compensation"
2106     }
2107 },
2108 "UC_YN": {
2109     "label": "Any type of unemployment compensation? (Combination of
2110     subuc, strkuc, and uctot_yn)",
2111     "universe": "UC_YN = 1",
2112     "type": "Categorical",
2113     "role": "Independent",
2114     "topic": "Income",
2115     "subtopic": "Other income",
2116     "values": {
2117         "0": "Niu",
2118         "1": "Yes",
2119         "2": "No"
2120     }
2121 },
2122 "VET_TYP1": {

```

```

2121     "label": "What type of veterans payments did .... receive? ( VET_TYP1- disability compensation?)",
2122     "universe": "VET_YN = 1",
2123     "type": "Categorical",
2124     "role": "Independent",
2125     "topic": "Income",
2126     "subtopic": "Other income",
2127     "values": {
2128         "0": "Niu",
2129         "1": "Yes",
2130         "2": "No"
2131     },
2132 },
2133 "VET_TYP2": {
2134     "label": "What type of veterans payments did .... receive? ( VET_TYP2- survivor benefits?)",
2135     "universe": "VET_YN = 1",
2136     "type": "Categorical",
2137     "role": "Independent",
2138     "topic": "Income",
2139     "subtopic": "Other income",
2140     "values": {
2141         "0": "Niu",
2142         "1": "Yes",
2143         "2": "No"
2144     },
2145 },
2146 "VET_TYP3": {
2147     "label": "What type of veterans payments did .... receive? ( VET_TYP3- veteran's pension?)",
2148     "universe": "VET_YN = 1",
2149     "type": "Categorical",
2150     "role": "Independent",
2151     "topic": "Income",
2152     "subtopic": "Other income",
2153     "values": {

```

```

2154         "0": "Niu",
2155         "1": "Yes",
2156         "2": "No"
2157     },
2158 },
2159 "VET_TYP4": {
2160     "label": "What type of veterans payments did .... receive? (
2161         VET_TYP4- education assistance?)",
2162     "universe": "VET_YN = 1",
2163     "type": "Categorical",
2164     "role": "Independent",
2165     "topic": "Income",
2166     "subtopic": "Other income",
2167     "values": {
2168         "0": "Niu",
2169         "1": "Yes",
2170         "2": "No"
2171     },
2172 },
2173 "VET_TYP5": {
2174     "label": "What type of veterans payments did .... receive? (
2175         VET_TYP5- other veteran's payments?)",
2176     "universe": "VET_YN = 1",
2177     "type": "Categorical",
2178     "role": "Independent",
2179     "topic": "Income",
2180     "subtopic": "Other income",
2181     "values": {
2182         "0": "Niu",
2183         "1": "Yes",
2184         "2": "No"
2185     },
2186 },
2187 "VET_VAL": {
2188     "label": "How much did ... receive from veterans' administration
2189         during 20..?",
```

```

2187     "universe": "VET_YN = 1",
2188     "type": "Continuous",
2189     "role": "Independent",
2190     "topic": "Income",
2191     "subtopic": "Other income",
2192     "values": {
2193       "0": "None or niu",
2194       "1-999999": "Veterans' payments"
2195     },
2196   },
2197   "VET_YN": {
2198     "label": "Did ... receive veterans' payments?",
2199     "universe": "All Persons aged 15+",
2200     "type": "Categorical",
2201     "role": "Independent",
2202     "topic": "Income",
2203     "subtopic": "Other income",
2204     "values": {
2205       "0": "Niu",
2206       "1": "Yes",
2207       "2": "No"
2208     }
2209   },
2210   "WC_TYPE": {
2211     "label": "What was source of these payments?",
2212     "universe": "WC_YN = 1",
2213     "type": "Categorical",
2214     "role": "Independent",
2215     "topic": "Income",
2216     "subtopic": "Other income",
2217     "values": {
2218       "0": "Not in universe",
2219       "1": "State worker's compensation",
2220       "2": "Employer or employers insurance",
2221       "3": "Own insurance",
2222       "4": "Other"

```

```

2223     },
2224   },
2225   "WC_VAL": {
2226     "label": "How much compensation did ... receive during 20..?", 4
2227     "universe": "WC_YN = 1",
2228     "type": "Continuous",
2229     "role": "Independent",
2230     "topic": "Income",
2231     "subtopic": "Other income", 1
2232     "values": {
2233       "0": "None or niu",
2234       "1-99999": "Worker's compensation"
2235     }, 2
2236   },
2237   "WC_YN": {
2238     "label": "During 20.. did ... receive any worker's compensation 1  
payments or other payments as a result of a job related injury  
or illness?", 2
2239     "universe": "All Persons aged 15+",
2240     "type": "Categorical",
2241     "role": "Independent",
2242     "topic": "Income", 1
2243     "subtopic": "Other income", 2
2244     "values": {
2245       "0": "Niu",
2246       "1": "Yes",
2247       "2": "No"
2248     }
2249   },
2250   "PAW_TYP": {
2251     "label": "What type of program did... receive CASH assistance?", 1
2252     "universe": "PAW_YN = 1", 2
2253     "type": "Categorical",
2254     "role": "Independent",
2255     "topic": "Income",
2256     "subtopic": "Non-cash benefits",

```

```

2257     "values": {  

2258         "0": "Niu",  

2259         "1": "TANF/AFDC",  

2260         "2": "Other",  

2261         "3": "Both"  

2262     },  

2263 },  

2264 "PAW_VAL": {  

2265     "label": "How much did ... receive in public assistance or welfare  

2266         during 20..?",  

2267     "universe": "PAW_YN = 1",  

2268     "type": "Continuous",  

2269     "role": "Independent",  

2270     "topic": "Income",  

2271     "subtopic": "Non-cash benefits",  

2272     "values": {  

2273         "0": "None or niu",  

2274         "1-99999": "Public assistance"  

2275     },  

2276     "PAW_YN": {  

2277         "label": "At any time during 20.., even for one month, did...  

2278             receive an CASH assistance from a state or county welfare  

2279             program such as (State program name fill)?",  

2280         "universe": "All Persons aged 15+",  

2281         "type": "Categorical",  

2282         "role": "Independent",  

2283         "topic": "Income",  

2284         "subtopic": "Non-cash benefits",  

2285         "values": {  

2286             "0": "Niu",  

2287             "1": "Yes",  

2288             "2": "No"  

2289         },  

2290         "PENINCL": {  


```

```

2290     "label": "Was ... included in that plan?",  

2291     "universe": "PENPLAN = 1",  

2292     "type": "Categorical",  

2293     "role": "Independent",  

2294     "topic": "Income",  

2295     "subtopic": "Non-cash benefits",  

2296     "values": {  

2297         "0": "Niu",  

2298         "1": "Yes",  

2299         "2": "No"  

2300     }  

2301 },  

2302 "PENPLAN": {  

2303     "label": "Other than social security did the employer or union that  

... worked for in 20.. have a pension or other type of  

retirement plan?",  

2304     "universe": "WRK_CK = 1",  

2305     "type": "Categorical",  

2306     "role": "Independent",  

2307     "topic": "Income",  

2308     "subtopic": "Non-cash benefits",  

2309     "values": {  

2310         "0": "Niu",  

2311         "1": "Yes",  

2312         "2": "No"  

2313     }  

2314 },  

2315 "WICYN": {  

2316     "label": "Who received WIC?",  

2317     "universe": "Adult female",  

2318     "type": "Categorical",  

2319     "role": "Independent",  

2320     "topic": "Income",  

2321     "subtopic": "Non-cash benefits",  

2322     "values": {  

2323         "0": "Niu",

```

```

2324         "1": "Received WIC",
2325         "2": "Did not receive WIC"
2326     }
2327 },
2328 "CHCARE_YN": {
2329     "label": "Paid child care was needed for this child?",
2330     "universe": "Persons age 15+ with children",
2331     "type": "Categorical",
2332     "role": "Independent",
2333     "topic": "Income",
2334     "subtopic": "Supplemental poverty measure",
2335     "values": {
2336         "0": "Niu",
2337         "1": "Yes",
2338         "2": "No"
2339     }
2340 },
2341 "CHELSEW_YN": {
2342     "label": "Does this person have a child living outside the
2343         household?",
2344     "universe": "All persons aged 15+",
2345     "type": "Categorical",
2346     "role": "Independent",
2347     "topic": "Income",
2348     "subtopic": "Supplemental poverty measure",
2349     "values": {
2350         "0": "Niu",
2351         "1": "Yes",
2352         "2": "No"
2353     }
2354 },
2355 "CHELSEW_YN": {
2356     "label": "Does this person have a child living outside the
2357         household?",
2358     "universe": "All persons aged 15+",
2359     "type": "Categorical",

```

```

2358     "role": "Independent",
2359     "topic": "Income",
2360     "subtopic": "Supplemental poverty measure",
2361     "values": {
2362         "0": "Niu",
2363         "1": "Yes",
2364         "2": "No"
2365     }
2366 },
2367 "CHSP_VAL": {
2368     "label": "What is the annual amount of child support paid?",
2369     "universe": "CHSP_YN = 1",
2370     "type": "Continuous",
2371     "role": "Independent",
2372     "topic": "Income",
2373     "subtopic": "Supplemental poverty measure",
2374     "values": {
2375         "0": "Niu",
2376         "1-99999": "Amount paid in child support"
2377     }
2378 },
2379 "CHSP_YN": {
2380     "label": "Is this person required to pay child support?",
2381     "universe": "CHELSEW_YN",
2382     "type": "Categorical",
2383     "role": "Independent",
2384     "topic": "Income",
2385     "subtopic": "Supplemental poverty measure",
2386     "values": {
2387         "0": "Niu",
2388         "1": "Yes",
2389         "2": "No"
2390     }
2391 },
2392 "CSP_VAL": {
2393     "label": "How much did ... receive in child support payments?",
```

```

2394     "universe": "CHSP_YN = 1",
2395     "type": "Continuous",
2396     "role": "Independent",
2397     "topic": "Income",
2398     "subtopic": "Supplemental poverty measure",
2399     "values": {
2400       "0": "None or niu",
2401       "1-99999": "Child support"
2402     },
2403   },
2404   "CSP_YN": {
2405     "label": "Did ... receive child support payments?",
2406     "universe": "All Persons aged 15+",
2407     "type": "Categorical",
2408     "role": "Independent",
2409     "topic": "Income",
2410     "subtopic": "Supplemental poverty measure",
2411     "values": {
2412       "0": "Niu",
2413       "1": "Yes",
2414       "2": "No"
2415     }
2416   },
2417   "ACTC_CRD": {
2418     "label": "Additional child tax credit",
2419     "universe": "Tax unit head or dependent filer",
2420     "type": "Continuous",
2421     "role": "Independent",
2422     "topic": "Income",
2423     "subtopic": "Tax model items",
2424     "values": {
2425       "0": "None",
2426       "1-99999": "Dollar amount"
2427     }
2428   },
2429   "AGI": {

```

```
2430     "label": "Adjusted gross income",
2431     "universe": "Tax unit head or dependent filer",
2432     "type": "Continuous",
2433     "role": "Independent",
2434     "topic": "Income",
2435     "subtopic": "Tax model items",
2436     "values": {
2437       "0": "None",
2438       "-9999-999999": "Dollar amount"
2439     },
2440   },
2441   "CTC_CRD": {
2442     "label": "Child tax credit",
2443     "universe": "Tax unit head or dependent filer",
2444     "type": "Continuous",
2445     "role": "Independent",
2446     "topic": "Income",
2447     "subtopic": "Tax model items",
2448     "values": {
2449       "0": "None",
2450       "1-99999": "Dollar amount"
2451     },
2452   },
2453   "EIT_CRED": {
2454     "label": "Earn income tax credit",
2455     "universe": "Tax unit head or dependent filer",
2456     "type": "Continuous",
2457     "role": "Independent",
2458     "topic": "Income",
2459     "subtopic": "Tax model items",
2460     "values": {
2461       "0": "None",
2462       "1-9999": "Dollar amount"
2463     },
2464   },
2465   "FED_RET": {
```

```
2466     "label": "Federal retirement payroll deduction",
2467     "universe": "Tax unit head or dependent filer",
2468     "type": "Continuous",
2469     "role": "Independent",
2470     "topic": "Income",
2471     "subtopic": "Tax model items",
2472     "values": {
2473       "0": "None",
2474       "1-999999": "Dollar amount"
2475     }
2476   },
2477   "FEDTAX_AC": {
2478     "label": "Federal income tax liability, after all credits",
2479     "universe": "Tax unit head or dependent filer",
2480     "type": "Continuous",
2481     "role": "Independent",
2482     "topic": "Income",
2483     "subtopic": "Tax model items",
2484     "values": {
2485       "0": "None",
2486       "-9999-999999": "Dollar amount"
2487     }
2488   },
2489   "FEDTAX_BC": {
2490     "label": "Federal income tax liability, before credits",
2491     "universe": "Tax unit head or dependent filer",
2492     "type": "Continuous",
2493     "role": "Independent",
2494     "topic": "Income",
2495     "subtopic": "Tax model items",
2496     "values": {
2497       "0": "None",
2498       "-9999-999999": "Dollar amount"
2499     }
2500   },
2501   "FICA": {
```

```

2502     "label": "Social security retirement payroll deduction",
2503     "universe": "All persons",
2504     "type": "Continuous",
2505     "role": "Independent",
2506     "topic": "Income",
2507     "subtopic": "Tax model items",
2508     "values": {
2509       "0": "None",
2510       "1-99999": "Dollar amount"
2511   },
2512 },
2513 "FILESTAT": {
2514   "label": "Tax filer status",
2515   "universe": "All persons",
2516   "type": "Categorical",
2517   "role": "Independent",
2518   "topic": "Income",
2519   "subtopic": "Tax model items",
2520   "values": {
2521     "1": "Joint, both<65",
2522     "2": "Joint, one ><65 & one 65+",
2523     "3": "Joint, both 65+",
2524     "4": "Head of household",
2525     "5": "Single",
2526     "6": "Non-filer"
2527   }
2528 },
2529 "MARG_TAX": {
2530   "label": "Marginal tax rate",
2531   "universe": "Tax unit head or dependent filer",
2532   "type": "Continuous",
2533   "role": "Independent",
2534   "topic": "Income",
2535   "subtopic": "Tax model items",
2536   "values": {
2537     "0": "None",

```

```

2538         "1-99": "Marginal rate"
2539     }
2540 },
2541 "PRSWKXPNS": {
2542     "label": "Work expenses",
2543     "universe": "A AGE > 17 or HHDFMX = 1,2,46, or 47",
2544     "type": "Continuous",
2545     "role": "Independent",
2546     "topic": "Income",
2547     "subtopic": "Tax model items",
2548     "values": {
2549         "0": "None",
2550         "1-1999": "Dollar amount"
2551     }
2552 },
2553 "STATETAX_A": {
2554     "label": "State income tax liability, after all credits",
2555     "universe": "Tax unit head or dependent filer",
2556     "type": "Continuous",
2557     "role": "Independent",
2558     "topic": "Income",
2559     "subtopic": "Tax model items",
2560     "values": {
2561         "0": "None",
2562         "-9999-999999": "Dollar amount"
2563     }
2564 },
2565 "STATETAX_B": {
2566     "label": "State income tax liability, before credits",
2567     "universe": "Tax unit head or dependent filer",
2568     "type": "Continuous",
2569     "role": "Independent",
2570     "topic": "Income",
2571     "subtopic": "Tax model items",
2572     "values": {
2573         "0": "None",

```

```

2574         "-9999-9999999": "Dollar amount"
2575     }
2576 },
2577 "TAX_INC": {
2578     1 "label": "Taxable income amount",
2579     "universe": "Tax unit head or dependent filer",
2580     "type": "Continuous",
2581     "role": "Independent",
2582     "topic": "Income",
2583     "subtopic": "Tax model items",
2584     "values": {
2585         "0": "None",
2586         "-9999-9999999": "Dollar amount"
2587     }
2588 },
2589 "PERLIS": {
2590     1 "label": "Poverty level of persons (Subfamily members have primary
2591         family recode)",
2592     "universe": "All persons",
2593     "type": "Categorical",
2594     "role": "Independent",
2595     "topic": "Poverty",
2596     "subtopic": "Poverty",
2597     1 "values": [
2598         "-1": "Not in poverty universe",
2599         "1": "Below poverty level",
2600         "2": "100 - 124 percent of the poverty level",
2601         "3": "125 - 149 percent of the poverty level",
2602         "4": "150 and above the poverty level"
2603     ]
2604 },
2605 "POV_UNIV": {
2606     "label": "Poverty universe flag",
2607     "universe": "All persons",
2608     "type": "Categorical",
2609     "role": "Independent",

```

```
2609     "topic": "Poverty",
2610     "subtopic": "Poverty",
2611     "values": {
2612         "0": "Not in poverty universe",
2613         "1": "In poverty universe"
2614     }
2615 },
2616 "HEA": {
2617     "label": "Health status",
2618     "universe": "All persons",
2619     "type": "Categorical",
2620     "role": "Independent",
2621     "topic": "Health insurance",
2622     "subtopic": "Health status",
2623     "values": {
2624         "1": "Excellent",
2625         "2": "Very good",
2626         "3": "Good",
2627         "4": "Fair",
2628         "5": "Poor"
2629     }
2630 },
2631 "SPM_ACTC": {
2632     "label": "SPM units Additional Child Tax Credit",
2633     "universe": "All persons",
2634     "type": "Continuous",
2635     "role": "Independent",
2636     "topic": "Supplemental poverty measure",
2637     "subtopic": "SPM unit characteristics",
2638     "values": {
2639         "0-99999": "Dollar amount"
2640     }
2641 }
2642 }
```

### 3.5.4 Python Modules

The utility module in Code 3.1 is for basic tasks such as creating a directory, backing up existing files before being overwritten, and importing and exporting a dictionary in JSON format. The encoding module in Code 3.2 is used solely during data encoding as its helper, not its main role. The dataset module in Code 3.3 helps importing and exporting dataset in both feather and CSV formats. The first employs LZ4 compression by default to bring a smaller file than the latter. The EDA module in Code 3.4 is primary for cross tabulation analysis. Its result is exported in CSV format, and its chart is saved in SVG, PGF and PDF formats.

Code 3.1: Utility module (module/utility.py)

```

1 import os
2 import time
3 import json
4
5 # Directory
6 def create_dir(dir):
7     try:
8         os.makedirs(dir)
9     except FileExistsError:
10        pass
11
12 # Backup
13 def backup_duplicate(file_dir, filename, format, backup_dir, info):
14     filepath = f"{file_dir}/{filename}.{format}"
15     date = time.strftime("%Y%m%d", time.localtime(time.time()))
16     if os.path.isfile(filepath):
17         backup_subdir = f"{backup_dir}/{date}/{file_dir.replace('../', '')}"
18         create_dir(backup_subdir)
19         filepath_backup = f"{backup_subdir}/{filename}-backup.{format}"
20         os.replace(filepath, filepath_backup)
21         if info:
22             print(f"{filepath} previously exists")
23             print(f"Back up to {filepath_backup}")
24         elif info:
25             print(f"{filepath} does not previously exists")
26
27 # Import/export dict/JSON
28 def import_dict(metadatapath):
29     with open(metadatapath) as myfile:
30         indep_contents = myfile.read()
31     return json.loads(indep_contents)
32
33 def export_json(dictfile, jsonfile):

```

```

34     67
34     with open(jsonfile, 'w', encoding='utf-8') as f:
35         json.dump(dictfile, f, ensure_ascii=False, indent=4)
36
37 def export_txt(string, txtfile):
38     f = open(txtfile, 'w')
39     f.write(string)
40     f.close()

```

Code 3.2: Encoding module (module/metaencode.py)

```

1 import pandas as pd
2
3 def extract_dict_cat(indep_dict):
4     return {attr: info for (attr, info) in indep_dict.items() if indep_dict
5             [attr]['type'] == 'Categorical'}
6
7 def extract_dict_cont(indep_dict):
8     return {attr: info for (attr, info) in indep_dict.items() if indep_dict
9             [attr]['type'] == 'Continuous'}
10
11 def sort_cols(df_indep, indep_dict):
12     sorted_cols = sorted(
13         df_indep.head(),
14         key=lambda attr: indep_dict[attr]['type'],
15         reverse=True
16     )
17     return df_indep[sorted_cols]
18
19 def indep_info(df_indep, indep_dict):
20     df_info = pd.DataFrame({'variable': df_indep.head().columns})
21     df_info['type'] = df_info['variable'].apply(lambda attr: indep_dict[
22             attr]['type'])
23     minmax = df_indep.agg(['min','max']).values.tolist()
24     df_info['min'] = minmax[0]
25     df_info['max'] = minmax[1]
26     del minmax

```

```
24     return df_info
25
26 def count_info(df_info):
27     df_count = df_info.groupby('type').count().reset_index()[['type', 'variable']]
28     df_count.rename(columns = {'variable': 'count'}, inplace=True)
29     df_count.sort_values('type', ascending=False, inplace=True,
30                           ignore_index=True)
31     return df_count
```

Code 3.3: Dataset module (module/dataset.py)

```

1 98
1 import os
2
3 import urllib.request
4 import pandas as pd
5
6 import pyarrow
7
8 # Import
9 def import_dataset(dataset_name, feather_dir, sas_dir='', sas_url=''):
10     filepath_feather = f"{feather_dir}/{dataset_name}.feather"
11
12     if os.path.isfile(filepath_feather):
13         print(f"{filepath_feather} is found")
14         print(f"{filepath_feather} was previously preprocessed")
15         df0 = pd.read_feather(filepath_feather)
16     else:
17         print(f"{filepath_feather} is not found")
18         if sas_dir == '':
19             raise Exception("SAS data directory is empty")
20         filepath_sas = f"sas_dir/{dataset_name}.sas7bdat"
21         if os.path.isfile(filepath_sas):
22             print(f"{filepath_sas} is found")
23         else:
24             print(f"{filepath_sas} is not found")
25             create_dir('original/data-orig')
26             print(f"{filepath_sas} will be downloaded")
27             print("Download starts")
28             try:
29                 urllib.request.urlretrieve(sas_url, filepath_sas)
30                 print("Download finishes")
31             except:
32                 raise Exception("Download fails")
33             print(f"{filepath_sas} is successfully downloaded")
34     df0 = pd.read_sas(filepath_sas)

```

```
35
36     print(f"\nNumber of original data: {len(df0)}")
37     df0 = df0[df0['COV']!=0]
38     print(f"An infant born after calendar year (COV = 0) is excluded")
39     print(f"Number of training data: {len(df0)}")
40     return df0
41
42 # Export
43 def export_dataset(df, file_dir, dataset_name, format, info=True,
44                     backup_dir=''):
45     create_dir(file_dir)
46     if format == 'feather' or format == 'csv':
47         filepath = f"{file_dir}/{dataset_name}.{format}"
48         if backup_dir != '':
49             backup_duplicate(
50                 file_dir=file_dir, filename=dataset_name,
51                 format=format,
52                 backup_dir=backup_dir, info=info
53             )
54             if format == 'feather':
55                 df.to_feather(filepath)
56             else:
57                 df.to_csv(filepath, index=False)
58             if info:
59                 print(f"The dataframe is successfully exported to {filepath}")
60     else:
61         print(f"Input format {format} is unrecognized")
```

Code 3.4: EDA module (module/eda.py)

```

1 import sys
2 import time
3 97 import pandas as pd
4 import matplotlib.pyplot as plt
5
6 from module.utility import create_dir, backup_duplicate
7 from module.dataset import export_dataset
8
9 # Variables
10 def describe_var(var_dict, role='independent'):
11     num_cat = 0
12     num_cont = 0
13     for key in var_dict:
14         if var_dict[key]['type'] == 'Categorical':
15             num_cat += 1
16         else:
17             num_cont += 1
18     print(f"There are {num_cat + num_cont} {role} variables of interest: {
19         num_cat} categorical and {num_cont} continuous")
20
21 # Cross Tabulation Analysis
22 def crosstab(df, indep_dict, cont_bins, plot, output_dir, log_filepath,
23             backup_dir=''):
24     dir_main = f"{output_dir}/tab-cbins-{cont_bins}"
25
127     for key, val in indep_dict.items():
26         fname_main = f"{key}-cbins-{cont_bins}"
27
28         if val['type'] == "Categorical":
29             crosstab = pd.crosstab(index=df[key].map(lambda x: val['values']
30                                     )[str(x)]), columns=df['code'])
31         else:
32             dat = df[[key, 'code']].copy()
33             dat['bins'] = pd.cut(dat[key], bins=cont_bins)

```

```
32     crosstb = pd.crosstab(index=dat['bins'],columns=dat['code'])
33     del dat
34
35     print(key)
36     print(f"Label: {val['label']}")
37     print(f"Universe: {val['universe']}")
38     print(f"Type: {val['type']}")
39     print(f"Topic: {val['topic']}")
40     print(f"Subtopic: {val['subtopic']}")
41     print("\n")
42
43     print(f"Code: Employment-based plan (GRP) | Direct-purchase plan (
44         DIR) | Public health insurance (PUB)")
45
46     print(crosstb)
47     ...
48
49     dir_crosstb = f"{dir_main}/cross-{cont_bins}"
50     create_dir(dir_crosstb)
51     export_dataset(
52         crosstb,
53         file_dir=f"{dir_crosstb}/feather", dataset_name=f"{fname_main}-
54             cross",
55         format='feather', info=False,
56         backup_dir=backup_dir
57     )
58
59     export_dataset(
60         crosstb,
61         file_dir=f"{dir_crosstb}/csv", dataset_name=f"{fname_main}-
62             cross",
63         format='csv', info=False,
64         backup_dir=backup_dir
65     )
66     ...
67
68     print("\n")
69
70     if plot:
71         barplot = crosstb.plot.bar()
```

```

65     barplot.legend(title='(GRP,DIR,PUB)' ,
66                     48
67                     bbox_to_anchor=(1, 1.02),
68                     loc='upper left')
69     plt.title(val['label'])
70     plt.xlabel(key)
71     plt.ylabel('Frequency')
72     ls_format = ['svg', 'pgf', 'pdf']
73     for format in ls_format:
74         dir_fig = f"{dir_main}/figures/{format}"
75         figname = f'{key}-cbins-{cont_bins}'
76         figpath = f'{dir_fig}/{figname}.{format}'
77         create_dir(dir_fig)
78         backup_duplicate(
79             file_dir=dir_fig, filename=figname,
80             format=format,
81             backup_dir=backup_dir, info=False
82         )
83         f = open(log_filepath, 'a')
84         temp = sys.stdout
85         sys.stdout = f
86         count, tries = 0, 4
87         success = False
88         while count < tries:
89             try:
90                 plt.savefig(figpath, bbox_inches='tight')
91                 success = True
92             except:
93                 pass
94             count += 1
95             if not success:
96                 91
97                 curtime = time.strftime("%Y-%m-%d %H:%M:%S", time.localtime(time.time()))
98                 print(f'{curtime} | {key}: {figpath} cannot be saved')
99                 sys.stdout = temp
100                f.close()

```

```
100         #plt.show()
101
102     dftb = crosstb.reset_index().rename_axis(None, axis=1)
103     dftb[dftb.columns[1:]] = dftb[dftb.columns[1:]].astype('uint32')
104     export_dataset(
105         dftb,
106         file_dir=f'{dir_main}/feather', dataset_name= fname_main,
107         format='feather', info=False,
108         backup_dir=backup_dir
109     )
110     export_dataset(
111         dftb,
112         file_dir=f'{dir_main}/csv', dataset_name= fname_main,
113         format='csv', info=False,
114         backup_dir=backup_dir
115     )
116     print("\n-----")
```

### 3.5.5 Python Classes

Pandas DataFrame is a two-dimensional columnwise data structure. Each column must have the same data type. Although it provides by default rich functionality for data manipulation, additional namespaces can be added to pandas objects by registering custom accessors to serve specific purposes. Health insurance dataset in SAS7BDAT file format is imported as a Pandas DataFrame. All columns are numerical, either `int64` or `float64`.

With the `thesis` namespace (Code 3.5), the data type of a column can be of smaller size through the `retype` method, three dependent variables of interest (GRP, DIR and PUB) can be coded to a string of three character literals, either Y (Yes) or N (No), by the `code` method, and these eight different codes are regrouped to five with numerical values assigned by the `recode` method. Since some categorical values do not start from 0 up to a positive integer as required by the box classifier proposed in Chapter 4, they are encoded to be in this format via the `data` namespace (Code 3.6). Any numerical flags representing a continuous NIU (not in universe) value are converted to zero to become more meaningful. A categorical NIU value is already changed by the previous reordering. The `info` namespace (Code 3.7) sets the number of splitting values or cuts as given on a feature appropriately, not exceeding the number of all possible values for a categorical feature.

Code 3.5: ThesisExtension class (cls/ThesisExtension.py)

```

1 import re
26
2 import pandas as pd
3
4 @pd.api.extensions.register_dataframe_accessor("thesis")
5 class ThesisExtension:
6     def __init__(self, pandas_obj):
7         self._validate(pandas_obj, list(indep_dict.keys()) + ['COV'] +
8             dep_attrs)
8         self.dataset = pandas_obj
9
10    ...
11
12    @staticmethod
13    def _validate(obj, cols):
14        if any(x not in obj.columns for x in cols):
15            raise AttributeError("Some attributes are missing")
15    ...
16
17    def select(self, cols):
18        self.dataset.drop(self.dataset.columns.difference(cols), axis=1,
19                         inplace=True)
19
20    def show_type(self, option='short'):
21        if option.lower() == 'full':

```

```
22     81
22         with pd.option_context('display.max_rows', None, 'display.
22             max_columns', None):
23             print(self.dataset.dtypes)
24         else:
25             print(self.dataset.dtypes)
26
27     @staticmethod
28     def retype(ser):
29         if all(ser.apply(lambda x: isinstance(x, int))):
30             flag_int = True
31         elif all(ser.apply(lambda x: x.is_integer())):
32             flag_int = True
33         else:
34             flag_int = False
35
36         if flag_int:
37             if all(ser.apply(lambda x: x>=0)):
38                 if max(ser) <= 255:
39                     return ser.astype('uint8')
40                 elif max(ser) <= 65535:
41                     return ser.astype('uint16')
42                 else:
43                     return ser.astype('uint32')
44             else:
45                 if min(ser) >= -128 and max(ser) <= 127:
46                     return ser.astype('int8')
47                 elif min(ser) >= -32768 and max(ser) <= 32767:
48                     return ser.astype('int16')
49                 else:
50                     return ser.astype('int32')
51             else:
52                 return ser.astype('float32')
53
54     def code(self, indep_dict, dep_attrs):
55         self.select(list(indep_dict.keys()) + ['COV'] + dep_attrs)
56         for v in indep_dict.keys():
```

```

57     if indep_dict[v]['type'] == 'Categorical':
58         self.dataset[v] = self.dataset[v].astype('int8').astype('
59             category')
60     else:
61         self.dataset[v] = self.retype(self.dataset[v])
62     self.dataset['COV'] = self.dataset['COV'].astype('int8').astype('
63         category')
64     self.dataset[dep_attrs] = self.dataset[dep_attrs].astype('int8')
65     self.dataset['class_orig'] = 0
66     self.dataset['code_orig'] = ""
67     for v in depAttrs:
68         self.dataset[v] = self.dataset[v].replace([2.0, 1.0], [False,
69             True])
70         self.dataset['class_orig'] = 2 * self.dataset['class_orig'] +
71             self.dataset[v]
72         self.dataset['code_orig'] = self.dataset['code_orig'] + self.
73             dataset[v].replace([True, False], ['Y', 'N'])
74     self.dataset[dep_attrs] = self.dataset[dep_attrs].astype('category'
75             )
76     self.dataset['class_orig'] = self.dataset['class_orig'].astype('
77         int8').astype('category')
78     self.dataset['code_orig'] = self.dataset['code_orig'].astype('
79         category')
80
81     def recode(self):
82         self.dataset['code'] = self.dataset['code_orig'].apply(
83             lambda v: 'NY_' if re.match('(NY)', v)
84             else 'Y1Y' if re.match(r'^Y(?:\w*Y)', v) # Raw string to
85                 prevent invalid escape sequence '\w'
86             else v
87         ).astype('category')
88         self.dataset['class'] = self.dataset[['class_orig', 'code']].apply(
89             lambda v: 2 if v['code'] == 'NY_'
90             else 3 if v['code'] == 'YNN'
91             else 4 if v['code'] == 'Y1Y'
92             else v['class_orig'],

```

```

84         axis=1
85     ).astype('int8').astype('category')

```

Code 3.6: Data class (cls/Data.py)

```

1 import re
2 119
3 import pandas as pd
4
5 26
6 @pd.api.extensions.register_dataframe_accessor("data")
7
8 class Data:
9
10    def __init__(self, pandas_obj, indep_dict):
11
12        self.dataset = pandas_obj
13        self.metadata = indep_dict
14
15
16    def encodecat(self):
17
18        cat_change = ""
19
20        for attr in self.metadata.keys():
21
22            if self.metadata[attr]['type'] == 'Categorical':
23
24                le = LabelEncoder()
25
26                le.fit(self.dataset[attr])
27
28                self.dataset[attr] = list(le.transform(self.dataset[attr]).\
29                                     astype('int8'))
30
31                newkeys = list()
32
33                unseen = 0
34
35                for strval in self.metadata[attr]['values'].keys():
36
37                    try:
38
39                        newkeys.append(int(le.transform([int(strval)])))
40
41                    except ValueError: # for previously unseen labels
42
43                        unseen -= 1
44
45                        newkeys.append(unseen)
46
47                if list(self.metadata[attr]['values'].keys()) != newkeys:
48
49                    cat_change += attr+"\n"
50
51                newdict = {key: val for key, val in zip(newkeys, self.
52                                              metadata[attr]['values'].values())}
53
54                self.metadata[attr]['values'] = newdict
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
589
590
591
592
593
594
595
596
597
598
599
599
600
601
602
603
604
605
606
607
608
609
609
610
611
612
613
614
615
616
617
617
618
619
619
620
621
622
623
624
625
626
627
627
628
629
629
630
631
632
633
634
635
635
636
637
637
638
639
639
640
641
642
642
643
643
644
644
645
645
646
646
647
647
648
648
649
649
650
650
651
651
652
652
653
653
654
654
655
655
656
656
657
657
658
658
659
659
660
660
661
661
662
662
663
663
664
664
665
665
666
666
667
667
668
668
669
669
670
670
671
671
672
672
673
673
674
674
675
675
676
676
677
677
678
678
679
679
680
680
681
681
682
682
683
683
684
684
685
685
686
686
687
687
688
688
689
689
690
690
691
691
692
692
693
693
694
694
695
695
696
696
697
697
698
698
699
699
700
700
701
701
702
702
703
703
704
704
705
705
706
706
707
707
708
708
709
709
710
710
711
711
712
712
713
713
714
714
715
715
716
716
717
717
718
718
719
719
720
720
721
721
722
722
723
723
724
724
725
725
726
726
727
727
728
728
729
729
730
730
731
731
732
732
733
733
734
734
735
735
736
736
737
737
738
738
739
739
740
740
741
741
742
742
743
743
744
744
745
745
746
746
747
747
748
748
749
749
750
750
751
751
752
752
753
753
754
754
755
755
756
756
757
757
758
758
759
759
760
760
761
761
762
762
763
763
764
764
765
765
766
766
767
767
768
768
769
769
770
770
771
771
772
772
773
773
774
774
775
775
776
776
777
777
778
778
779
779
780
780
781
781
782
782
783
783
784
784
785
785
786
786
787
787
788
788
789
789
790
790
791
791
792
792
793
793
794
794
795
795
796
796
797
797
798
798
799
799
800
800
801
801
802
802
803
803
804
804
805
805
806
806
807
807
808
808
809
809
810
810
811
811
812
812
813
813
814
814
815
815
816
816
817
817
818
818
819
819
820
820
821
821
822
822
823
823
824
824
825
825
826
826
827
827
828
828
829
829
830
830
831
831
832
832
833
833
834
834
835
835
836
836
837
837
838
838
839
839
840
840
841
841
842
842
843
843
844
844
845
845
846
846
847
847
848
848
849
849
850
850
851
851
852
852
853
853
854
854
855
855
856
856
857
857
858
858
859
859
860
860
861
861
862
862
863
863
864
864
865
865
866
866
867
867
868
868
869
869
870
870
871
871
872
872
873
873
874
874
875
875
876
876
877
877
878
878
879
879
880
880
881
881
882
882
883
883
884
884
885
885
886
886
887
887
888
888
889
889
890
890
891
891
892
892
893
893
894
894
895
895
896
896
897
897
898
898
899
899
900
900
901
901
902
902
903
903
904
904
905
905
906
906
907
907
908
908
909
909
910
910
911
911
912
912
913
913
914
914
915
915
916
916
917
917
918
918
919
919
920
920
921
921
922
922
923
923
924
924
925
925
926
926
927
927
928
928
929
929
930
930
931
931
932
932
933
933
934
934
935
935
936
936
937
937
938
938
939
939
940
940
941
941
942
942
943
943
944
944
945
945
946
946
947
947
948
948
949
949
950
950
951
951
952
952
953
953
954
954
955
955
956
956
957
957
958
958
959
959
960
960
961
961
962
962
963
963
964
964
965
965
966
966
967
967
968
968
969
969
970
970
971
971
972
972
973
973
974
974
975
975
976
976
977
977
978
978
979
979
980
980
981
981
982
982
983
983
984
984
985
985
986
986
987
987
988
988
989
989
990
990
991
991
992
992
993
993
994
994
995
995
996
996
997
997
998
998
999
999
1000
1000
1001
1001
1002
1002
1003
1003
1004
1004
1005
1005
1006
1006
1007
1007
1008
1008
1009
1009
1010
1010
1011
1011
1012
1012
1013
1013
1014
1014
1015
1015
1016
1016
1017
1017
1018
1018
1019
1019
1020
1020
1021
1021
1022
1022
1023
1023
1024
1024
1025
1025
1026
1026
1027
1027
1028
1028
1029
1029
1030
1030
1031
1031
1032
1032
1033
1033
1034
1034
1035
1035
1036
1036
1037
1037
1038
1038
1039
1039
1040
1040
1041
1041
1042
1042
1043
1043
1044
1044
1045
1045
1046
1046
1047
1047
1048
1048
1049
1049
1050
1050
1051
1051
1052
1052
1053
1053
1054
1054
1055
1055
1056
1056
1057
1057
1058
1058
1059
1059
1060
1060
1061
1061
1062
1062
1063
1063
1064
1064
1065
1065
1066
1066
1067
1067
1068
1068
1069
1069
1070
1070
1071
1071
1072
1072
1073
1073
1074
1074
1075
1075
1076
1076
1077
1077
1078
1078
1079
1079
1080
1080
1081
1081
1082
1082
1083
1083
1084
1084
1085
1085
1086
1086
1087
1087
1088
1088
1089
1089
1090
1090
1091
1091
1092
1092
1093
1093
1094
1094
1095
1095
1096
1096
1097
1097
1098
1098
1099
1099
1100
1100
1101
1101
1102
1102
1103
1103
1104
1104
1105
1105
1106
1106
1107
1107
1108
1108
1109
1109
1110
1110
1111
1111
1112
1112
1113
1113
1114
1114
1115
1115
1116
1116
1117
1117
1118
1118
1119
1119
1120
1120
1121
1121
1122
1122
1123
1123
1124
1124
1125
1125
1126
1126
1127
1127
1128
1128
1129
1129
1130
1130
1131
1131
1132
1132
1133
1133
1134
1134
1135
1135
1136
1136
1137
1137
1138
1138
1139
1139
1140
1140
1141
1141
1142
1142
1143
1143
1144
1144
1145
1145
1146
1146
1147
1147
1148
1148
1149
1149
1150
1150
1151
1151
1152
1152
1153
1153
1154
1154
1155
1155
1156
1156
1157
1157
1158
1158
1159
1159
1160
1160
1161
1161
1162
1162
1163
1163
1164
1164
1165
1165
1166
1166
1167
1167
1168
1168
1169
1169
1170
1170
1171
1171
1172
1172
1173
1173
1174
1174
1175
1175
1176
1176
1177
1177
1178
1178
1179
1179
1180
1180
1181
1181
1182
1182
1183
1183
1184
1184
1185
1185
1186
1186
1187
1187
1188
1188
1189
1189
1190
1190
1191
1191
1192
1192
1193
1193
1194
1194
1195
1195
1196
1196
1197
1197
1198
1198
1199
1199
1200
1200
1201
1201
1202
1202
1203
1203
1204
1204
1205
1205
1206
1206
1207
1207
1208
1208
1209
1209
1210
1210
1211
1211
1212
1212
1213
1213
1214
1214
1215
1215
1216
1216
1217
1217
1218
1218
1219
1219
1220
1220
1221
1221
1222
1222
1223
1223
1224
1224
1225
1225
1226
1226
1227
1227
1228
1228
1229
1229
1230
1230
1231
1231
1232
1232
1233
1233
1234
1234
1235
1235
1236
1236
1237
1237
1238
1238
1239
1239
1240
1240
1241
1241
1242
1242
1243
1243
1244
1244
1245
1245
1246
1246
1247
1247
1248
1248
1249
1249
1250
1250
1251
1251
1252
1252
1253
1253
1254
1254
1255
1255
1256
1256
1257
1257
1258
1258
1259
1259
1260
1260
1261
1261
1262
1262
1263
1263
1264
1264
1265
1265
1266
1266
1267
1267
1268
1268
1269
1269
1270
1270
1271
1271
1272
1272
1273
1273
1274
1274
1275
1275
1276
1276
1277
1277
1278
1278
1279
1279
1280
1280
1281
1281
1282
1282
1283
1283
1284
1284
1285
1285
1286
1286
1287
1287
1288
1288
1289
1289
1290
1290
1291
1291
1292
1292
1293
1293
1294
1294
1295
1295
1296
1296
1297
1297
1298
1298
1299
1299
1300
1300
1301
1301
1302
1302
1303
1303
1304
1304
1305
1305
1306
1306
1307
1307
1308
1308
1309
1309
1310
1310
1311
1311
1312
1312
1313
1313
1314
1314
1315
1315
1316
1316
1317
1317
1318
1318
1319
1319
1320
1320
1321
1321
1322
1322
1323
1323
1324
1324
1325
1325
1326
1326
1327
1327
1328
1328
1329
1329
1330
1330
1331
1331
1332
1332
1333
1333
1334
1334
1335
1335
1336
1336
1337
1337
1338
1338
1339
1339
1340
1340
1341
1341
1342
1342
1343
1343
1344
1344
1345
1345
1346
1346
1347
1347
1348
1348
1349
1349
1350
1350
1351
1351
1352
1352
1353
1353
1354
1354
1355
1355
1356
1356
1357
1357
1358
1358
1359
1359
1360
1360
1361
1361
1362
1362
1363
1363
1364
1364
1365
1365
1366
1366
1367
1367
1368
1368
1369
1369
1370
1370
1371
1371
1372
1372
1373
1373
1374
1374
1375
1375
1376
1376
1377
1377
1378
1378
1379
1379
1380
1380
1381
1381
1382
1382
1383
1383
1384
1384
1385
1385
1386
1386
1387
1387
1388
1388
1389
1389
1390
1390
1391
1391
1392
1392
1393
1393
1394
1394
1395
1395
1396
1396
1397
1397
1398
1398
1399
1399
1400
1400
1401
1401
1402
1402
1403
1403
1404
1404
1405
1405
1406
1406
1407
1407
1408
1408
1409
1409
1410
1410
1411
1411
1412
1412
1413
1413
1414
1414
1415
1415
1416
1416
1417
1417
1418
1418
1419
1419
1420
1420
1421
1421
1422
1422
1423
1423
1424
1424
1425
1425
1426
1426
1427
1427
1428
1428
1429
1429
1430
1430
1431
1431
1432
1432
1433
1433
1434
1434
1435
1435
1436
1436
1437
1437
1438
1438
1439
1439
1440
1440
1441
1441
1442
1442
1443
1443
1444
1444
1445
1445
1446
1446
1447
1447
1448
1448
1449
1449
1450
1450
1451
1451
1452
1452
1453
1453
1454
1454
1455
1455
1456
1456
1457
1457
1458
1458
1459
1459
1460
1460
1461
1461
1462
1462
1463
1463
1464
1464
1465
1465
1466
1466
1467
1467
1468
1468
1469
1469
1470
1470
1471
1471
1472
1472
1473
1473
1474
1474
1475
1475
1476
1476
1477
1477
1478
1478
1479
1479
1480
1480
1481
1481
1482
1482
1483
1483
1484
1484
1485
1485
1486
1486
1487
1487
1488
1488
1489
1489
1490
1490
1491
1491
1492
1492
1493
1493
1494
1494
1495
1495
1496
1496
1497
1497
1498
1498
1499
1499
1500
1500
1501
1501
1502
1502
1503
1503
1504
1504
1505
1505
1506
1506
1507
1507
1508
1508
1509
1509
1510
1510
1511
1511
1512
1512
1513
1513
1514
1514
1515
1515
1516
1516
1517
1517
1518
1518
1519
1519
1520
1520
1521
1521
1522
1522
1523
1523
1524
1524
1525
1525
1526
1526
1527
1527
1528
1528
1529
1529
1530
1530
1531
1531
1532
1532
1533
1533
1534
1534
1535
1535
1536
1536
1537
1537
1538
1538
1539
1539
1540
1540
1541
1541
1542
1542
1543
1543
1544
1544
1545
1545
1546
1546
1547
1547
1548
1548
1549
1549
1550
1550
1551
1551
1552
1552
1553
1553
1554
1554
1555
1555
1556
1556
1557
1557
1558
1558
1559
1559
1560
1560
1561
1561
1562
15
```

```
30     return cat_change[0:-1]
31
32     def encodecont(self):
33         pattern = r'(^|[^\\w])(niu|universe)([^\\w]|$)' # Raw string to
34             prevent invalid escape sequence '\\w'
35         pattern = re.compile(pattern, re.IGNORECASE)
36         cont_nonpos = ""
37         for attr in self.metadata.keys():
38             if self.metadata[attr]['type'] == 'Continuous':
39                 flag = False
40                 for strval in self.metadata[attr]['values'].keys():
41                     if not flag:
42                         try:
43                             if int(strval) <= 0:
44                                 text = self.metadata[attr]['values'][strval]
45                                 matches = re.search(pattern, text.replace(',',
46                                         ' ').lower())
47                                 if bool(matches):
48                                     flag = True
49                                     cont_nonpos += attr+"\n"
50                                     self.dataset[attr] = self.dataset[attr].
51                                         apply(lambda v: 0 if v < 0 else v)
52                                     break
53                         except:
54                             pass
55                         if flag:
56                             try:
57                                 if int(strval) <= 0:
58                                     self.metadata[attr]['values'].pop(strval,
59                                         None)
60                         except:
61                             pass
62                         if flag:
63                             self.metadata[attr]['values']['0'] = 'NIU'
64
65         return cont_nonpos[0:-1]
```

Code 3.7: Info class (cls/Info.py)

```
1 import pandas as pd
2
3 # Delete the accessor to avoid warning
4 try:
5     del pd.DataFrame.info
6 except AttributeError:
7     pass
8
9 @pd.api.extensions.register_dataframe_accessor("info")
10 class Info:
11     def __init__(self, pandas_obj):
12         self._validate(pandas_obj, ['id', 'variable', 'type', 'min', 'max'])
13         self.dataset = pandas_obj
14
15     @staticmethod
16     def _validate(obj, cols):
17         if any(x not in obj.columns for x in cols):
18             raise AttributeError("Some attributes are missing")
19
20     def setcut(self, pcont, pcatmax):
21         self.dataset['cut'] = 0
22         self.dataset.loc[self.dataset['type'] == 'Continuous', 'cut'] =
23             pcont
24         self.dataset.loc[self.dataset['type'] == 'Categorical', 'cut'] =
25             self.dataset['max'].map(lambda v: min(v, pcatmax))
```

### 3.5.6 Exploratory Data Analysis (EDA)

This dissertation considers health insurance factors from a range of topics and subtopics as shown in Table 3.5. All infants born after calendar year are excluded in this study because they are not in the scope of health insurance coverage. This results in 157,681 relevant survey participants. Code 3.8 performs exploratory data analysis by using the pandas accessor `thesis` in Code 3.5 to compute the cross tabulation between a health factor (independent variable) and a combination of categorical insurance coverage types (dependent variable) as illustrated in Table 3.6. All continuous values of an independent variables are segmented into 10 bins. In addition, it can significantly compress the original dataset of size 237.4 MB in SAS7BDAT format into the feather and CSV formats of size 14.2 MB and 68.1 MB respectively.

Table 3.5. Categories of health insurance factors

Topic	Subtopic	List of Variables
Demographics	Individual characteristics	A_AGE, A_EXPRRP, A_FAMTYP, A_HGA, A_MARITL, A_PFREL, A_SEX, P_STAT, PEAPEVER, PEDISDRS, PEDISEAR, PEDISEYE, PEDISOUT, PEDISPHY, PEDISREM, PRDISFLG, PRCTSHP, PRDTRACE
Basic CPS items	Edited labor force items	A_MJIND, A_MJOC, PEI01COW, PRDISC, PRUNTYPE  100 A_GRSWK, A_HRLYWK, A_HRSPAY, PRRELG
	Edited earnings items	A_CIVLF, A_CLSWKR, A_EXPLF, A_LFSR, A_UNCOV
	Labor force person recodes	A_UNMEM, A_UNTYPE, A_USLHRS, A_WKSCH, A_WKSLK  A_WKSTAT, PEHRUSLT, PEMLR, PRCOW1, PRPTREA, PRWKSTAT
Work experience	General	CLWK, EARNER, HRSWK, LJCW, NWLWKW, NWLOOK, PHMEMPRS, RSNNOTW, WECLW, WEWKRS, WKSWORK, WORKYN, WRK_CK, WTEMP

Table 3.5: Categories of health insurance factors (continued)

Topic	Subtopic	List of Variables
Income	Earnings	ERN_OTR, ERN_SRCE, ERN_VAL, ERN_YN, FRM_VAL, FRMOTR, FRSE_VAL, FRSE_YN, PEARNVAL, SE_VAL, SEMP_VAL, SEMP_YN, SEOTR, WAGEOTR, WS_VAL, WSAL_VAL, WSAL_YN

Table 3.5: Categories of health insurance factors (continued)

Topic	Subtopic	List of Variables
Other income		ANN_VAL, ANN_YN, CAP_VAL, CAP_YN, DBTN_VAL, DIS_SC1, DIS_SC2, DIS_VAL1, DIS_VAL2, DIS_YN, DIV_VAL, <span style="color:red">17</span> DIV_YN, DSAB_VAL, DST_SC1, DST_VAL1, DST_SC2, <span style="color:green">DST_SC2_YNG</span> , <span style="color:red">DST_VAL1</span> , <span style="color:green">DST_YNG</span> , <span style="color:red">DST_VAL2</span> , <span style="color:green">DST_VAL2_YNG</span> , DST_YN, DST_YNG, ED_VAL, ED_YN, FIN_VAL, FIN_YN, INT_VAL, INT_YN, OED_TYP1, OED_TYP2, <span style="color:red">OED_TYP3</span> , _OI_OFF, _OI_VAL, _OI_YN, PEN_SC1, PEN_SC2, PEN_VAL1, PEN_VAL2, PEN_YN, PNSN_VAL, PIOTVAL, RESNSS1, RESNSS2, <span style="color:red">RESNSS12</span> , RETCB_VAL, RETCB_YN, RINT_SCI, RINT_SC2, <span style="color:green">RINT_VAL1</span> , RINT_VAL2, RINT_YN, RNT_VAL, RNT_YN, <span style="color:green">SRVS_VAL</span> , SS_VAL, SS_YN, SSI_VAL, SSI_YN, STRKUC, <span style="color:red">17</span> SUBTC, SUR_SCI, SUR_SC2, SUR_VAL1, SUR_VAL2, SUR_YN, TRDINT_VAL, UC_VAL, UC_YN, VET_TYP1, VET_TYP2, VET_TYP3, VET_TYP4, VET_TYP5, VET_VAL, VET_YN, WC_TYPE, WC_VAL, WC_YN

Table 3.5: Categories of health insurance factors (continued)

Topic	Subtopic	List of Variables
	Non-cash benefits	PAW_TYP, PAW_VAL, PAW_YN, PENINCL, PENPLAN, WICYN
Supplemental poverty measure		CHCARE_YN, CHELSEW_YN, CHSP_VAL, CHSP_YN, CSP_VAL, CSP_YN
Tax model items		ACTC_CRD, AGI, CTC_CRD, EIT_CRED, FED_RET, <sup>31</sup> FEDTAX_AC, FEDTAX_BC, FICA, FILESTAT_MARG_TAX, PRSWKXPNS, STATETAX_A, STATETAX_B, TAX_INC
Poverty	Poverty	PERLIS, POV_UNIV
Health insurance	Health status	HEA
Supplemental poverty measure	SPM unit characteristics	SPM_ACTC

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
<b>A AGE: Age</b>				
Universe: All Persons				
(-0.085, 8.5]	1,407	5,834	789	628
(8.5, 17.0]	1,557	6,237	1,079	770
(17.0, 25.5]	2,238	2,475	1,043	414
(25.5, 34.0]	2,635	2,749	1,082	594
(34.0, 42.5]	2,271	2,146	976	613
(42.5, 51.0]	2,109	2,171	1,157	518
(51.0, 59.5]	1,606	2,403	1,223	471
(59.5, 68.0]	1,028	4,854	2,313	2,090
(68.0, 76.5]	105	5,404	2,602	2,044
(76.5, 85.0]	79	4,472	1,977	1,353
				115

A\_EXPRRP: Expanded relationship code [12](#)

Universe: All Persons

Reference person with relatives

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Reference person without relatives	1,603	6,102	2,739	1,413	7,066
Husband	1,049	2,196	1,325	1,016	7,069
Wife	1,482	2,898	1,984	1,426	10,471
Own child	4,337	12,355	2,540	1,553	27,291
Grandchild	377	1,621	137	106	940
Parent	335	1,183	305	174	780
Brother/sister	352	636	127	50	680
Other relative	464	1,219	215	106	908
Foster child	2	107	2	44	2
Nonrelative with relatives	305	514	101	73	816
Partner/roommate	803	780	421	149	2,381
Nonrelative without relatives	233	312	91	20	358

A\_FAMTYP: Family type

Universe: All Persons

Primary family

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Nonfamily householder	1,603	6,102	2,739	1,413	7,066
Related subfamily	779	2,263	327	232	2,169
Unrelated subfamily	59	175	32	29	223
Secondary individual	1,284	1,538	583	257	3,334
A_HGA: Educational attainment					
Universe: All Persons					
Children	2,431	10,167	1,488	1,160	17,629
Less than 1st grade	76	177	31	19	64
1st,2nd,3rd,or 4th grade	170	390	61	21	115
5th or 6th grade	412	666	105	52	283
7th and 8th grade	418	1,035	222	116	794
9th grade	480	1,208	231	126	1,381
10th grade	459	1,363	252	169	1,694
11th grade	495	1,443	307	172	1,814
12th grade no diploma	339	716	159	94	794

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
High school graduate - high school diploma or equivalent <sup>1</sup>	4,267	9,614	3,563	2,174	13,304
Some college but no degree	2,177	4,642	2,282	1,357	10,203
Associate degree in college - occupation/vocation program	465	1,044	589	370	2,681
Associate degree in college - academic program	610	1,260	719	513	3,919
Bachelor's degree (for example: BA, AB, BS)	1,580	3,364	2,738	1,731	15,745
Master's degree (for example: MA, MS, MENG, MED, MSW, MBA)	530	1,221	1,041	1,017	7,264
Professional school degree (for example: MD, DDS, DVM, LLB, JD)	52	189	202	162	1,026
Doctorate degree (for example: PHD, EDD)	74	246	251	242	1,455
<b>A – MARITAL Marital status <sup>12</sup></b>					
Universe: All Persons					
Married - civilian spouse present	4,911	11,026	6,899	5,333	35,669
Married - AF spouse present	346	11	9	0	86
Married - spouse absent (exc. separated)	261	418	175	97	721
Widowed	282	3,671	1,344	784	741
Divorced	1,186	3,834	1,402	754	4,817

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Separated	356	723	144	101
Never married	7,693	19,062	4,268	2,426
<b>A_PFREL: Primary family relationship</b> <sup>[12]</sup>				
Universe: All Persons				
Not in primary family	2,946	7,815	3,354	1,699
Husband	2,408	5,385	3,324	2,794
Wife	2,501	4,998	3,382	2,404
Own child	4,337	12,355	2,540	1,553
Other relative	1,328	4,659	784	436
Unmarried reference person	1,315	3,533	857	609
<b>A_SEX: Sex</b>				
Universe: All Persons				
Male	7,804	17,947	6,658	4,710
Female	7,231	20,798	7,583	4,785
<b>P_STAT: Status of person identifier</b>				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Universe: All Persons <sup>12</sup>	12,186	28,562	12,747	8,334
Civilian 15+ <sup>12</sup>	418	16	6	1
Armed forces <sup>12</sup>				105
Children 0-14 <sup>12</sup>	2,431	10,167	1,488	1,160
PEAFEVER: Did you ever serve on active duty in the U.S. Armed Forces? <sup>4</sup>				17,629
Universe: A_ AGE greater than or equal to 17				
Not in universe	3,207	11,462	1,745	1,320
Yes	674	3,025	1,158	1,233
No	11,154	24,258	11,338	6,942
PEDISDAS: Does...have difficulty dressing or bathing?				57,291
Universe: PRPERTYP = 2				
Not in universe	2,849	10,183	1,494	1,161
Yes	98	1,545	299	233
No	12,088	27,017	12,448	8,101
PEDISEAR: Is...deaf or does ...have serious difficulty hearing? <sup>123</sup>				62,207

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
<b>Universe: PRPERTYP = 2</b>					
Not in universe	2,849	10,183	1,494	1,161	17,734
Yes	153	2,024	809	573	683
No	12,033	26,538	11,938	7,761	61,748
<b>PEDISEYE: Is...blind or does...have serious difficulty seeing even when wearing glasses?</b>					
<b>Universe: PRPERTYP = 2</b>					
Not in universe	2,849	10,183	1,494	1,161	17,734
Yes	110	1,116	280	202	358
No	12,076	27,446	12,467	8,132	62,073
<b>PEDISOUT: Because of a physical, mental, or emotional condition, does...have difficulty doing errands along such as visiting a doctor's office or shopping?</b>					
<b>Universe: PRPERTYP = 2</b>					
Not in universe	2,849	10,183	1,494	1,161	17,734
Yes	223	3,156	638	513	506

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY	Y1Y	YNN
No	11,963	25,406	12,109	7,821
PEDISPHY: Does...have serious difficulty Walking or climbing stairs?				
Universe: PRPERTYP = 2				
Not in universe	2,849	10,183	1,494	1,161
Yes	339	4,767	1,210	900
No	11,847	23,795	11,337	7,434
PEDISREM: Because of a physical, mental, or emotional condition, does...have serious difficulty concentrating, remembering, or making decisions?				
Universe: PRPERTYP = 2				
Not in universe	2,849	10,183	1,494	1,161
Yes	292	2,489	519	367
No	11,894	26,073	12,228	7,967
PRDISTLG: Does this person have any of these disability conditions?				
Universe: PRPERTYP = 2				
Not in universe	2,849	10,183	1,494	1,161
				17,734

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Yes	732	7,560	2,124	1,569
No	11,454	21,002	10,623	6,765
<b>PRCITSHIP: Citizenship group</b>				
Universe: All persons	11,006	32,887	12,065	8,403
Native, born in US	82	345	60	49
Native, born in PR or US outlying area	153	249	92	76
Native, born abroad of US parent(s)	1,004	2,975	1,067	650
Foreign born, US cit by naturalization	2,790	2,289	957	317
Foreign born, not a US citizen				3,968
<b>PRDTRACE: Race</b>				
Universe: All persons	11,466	27,682	11,885	7,517
White only	1,765	6,815	1,011	1,051
Black only	516	902	97	85
American Indian, Alaskan Native only (AI)	745	2,010	962	561
Asian only				5,947

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Hawaiian/Pacific Islander only (HP)	89	192	34	41	368
White-Black	150	428	70	58	600
White-AI	131	351	81	96	490
White-Asian	86	111	52	41	613
White-HP	17	50	15	13	112
Black-AI	26	67	5	12	58
Black-Asian	2	8	9	3	45
Black-HP	1	8	1	4	1
AI-Asian	2	6	1	0	6
AI-HP	0	4	0	0	4
Asian-HP	5	17	12	7	72
White-Black-AI	13	44	2	3	32
White-Black-Asian	12	8	0	1	34
White-Black-HP	0	1	0	0	5
White-AI-Asian	2	3	0	0	7
White-AI-HP	0	3	0	0	4

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
White-Asian-HP	4	35	1	2	65
Black-Al-Asian	1	0	0	0	1
White-Black-Al-Asian	0	0	2	0	5
Other 3 race comb.	1	0	0	0	3
Other 4 or 5 race comb.	1	0	1	0	6
A_MJIND: Major industry code <span style="color: green;">A</span>					
Universe: A_CLSWKR = 1-7	6,704	30,326	8,393	5,873	29,260
Not in universe, or children	268	241	309	79	536
Agriculture, forestry,fishing, and hunting					
Mining	44	21	24	18	445
Construction	1,114	670	511	214	2,961
Manufacturing	551	501	331	346	5,328
Wholesale and retail trade	1,124	1,336	770	433	5,857
Transportation and utilities	480	474	276	185	2,865
Information	80	117	93	48	978

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Financial activities	310	336	437	233	3,752
Professional and business services	957	926	813	414	6,036
Educational and health services	1,209	1,607	1,088	957	13,296
Leisure and hospitality	1,346	1,367	629	278	3,561
Other services	589	615	457	185	1,854
Public administration	250	208	110	232	3,236
Armed forces	9	0	0	0	0

A\_MIOCC: Major occupation recode [4](#)  
 Universe: A\_CLSWKR = 1-7  
 Not in universe or children  
 Management, business, and financial occupations  
 Professional and related occupations  
 Service occupations  
 Sales and related occupations  
 Office and administrative support occupations

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Farming, fishing, and forestry occupations	177	123	95	31	246
Construction and extraction occupations	948	536	326	160	2,154
Installation, maintenance, and repair occupations	327	215	129	127	1,622
Production occupations	484	417	228	194	2,728
Transportation and material moving occupations	839	865	383	283	3,198
Armed forces	9	0	0	0	0
<b>PEIOTCCW: Individual class of worker on first job</b> <sup>12</sup>					
Universe: All persons					
NIU	6,704	30,326	8,393	5,873	29,260
Government-federal	222	120	57	138	1,708
Government-state	189	237	151	213	3,210
Government - local	219	337	196	296	4,045
Private, for profit	6,214	5,951	3,369	2,233	34,815
Private, nonprofit	274	466	323	343	3,933
Self-employed, incorporated	325	323	756	152	1,484

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Self-employed, unincorporated	880	974	986	246	1,703
Without pay	8	11	10	1	7
PRDISC: Discouraged worker recode					
Universe: All persons					
NIU	14,880	38,437	14,165	9,452	79,861
Discouraged worker	40	83	18	4	57
Conditionally interested	73	159	34	28	145
Not available	42	66	24	11	102
PRUNTYPE: Individual class of worker on first job <sup>12</sup>					
Universe: All persons					
NIU	14,304	37,763	13,967	9,302	78,459
Job loser/on layoff	252	341	136	72	797
Other job loser	127	130	38	52	329
Temporary job ended	82	97	17	14	93
Job leaver	69	64	14	11	138

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)		
	NNN	NY	Y1Y
Re-entrant	162	266	62
New-entrant	39	84	7
275			
<b>A_GRSWK:</b> How much does ... usually earn per week at this job before deductions , subject to topcoding, the higher of either the amount of item 25a times Item 25c or the actual item 25d entry will be present			
Universe: FRERELG=1			
(-2,885, 288.5]	14,066	37,929	13,596
(288.5, 577.0]	412	407	218
(577.0, 865.5]	285	213	159
(865.5, 1154.0]	111	88	102
(1154.0, 1442.5]	64	47	42
(1442.5, 1731.0]	34	18	33
(1731.0, 2019.5]	21	15	20
(2019.5, 2308.0]	10	9	15
(2308.0, 2596.5]	13	6	20
			314
			9
			201
			141

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)		
	NNN	NY_	Y1Y
(2596.5, 2885.0]	19	13	36
	36	36	638
<b>A_HRLYWK: Is ... paid by the hour on this job? <span style="border: 1px solid #ccc; padding: 2px;">4</span></b>			
Universe: PRERELG=1			
Not in universe or children and armed forces			
Yes	13,245	37,057	13,105
	1,320	1,289	662
No	470	399	414
	312	312	6,154
<b>A_HRSPAY: How much does ... earn per hour? <span style="border: 1px solid #ccc; padding: 2px;">6</span></b>			
Universe: A_HRLYWK=1			
(-10,901, 989.1]	14,314	38,046	13,813
	563	582	312
(989.1, 1979.2]	112	80	69
(1979.2, 2969.3]	28	24	20
(2969.3, 3959.4]	10	6	12
(3959.4, 4949.5]	5	4	10
(4949.5, 5939.6]	3	1	2
(5939.6, 6929.7]			40

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
(6929.7, 7919.8]	0	1	1	1
(7919.8, 8909.9]	0	0	0	0
(8909.9, 9900.0]	0	1	2	0
PRERELG: Earnings eligibility flag <sup>12</sup>				
Universe: All persons	13,245	37,057	13,165	8,715
Not earnings eligible	1,790	1,688	1,076	780
Earnings eligible				
A_CIVLF: Civilian labor force				
Universe: All persons	6,798	30,466	8,496	5,960
Not in universe or children and Armed Forces	110	8,237	5,745	3,535
In universe				
A_CLSWKR: Class of worker				
Universe: PEMLR=1-3 or (PEMLR=4-7 and person worked in the last 12 months)	6,665	30,242	8,386	5,867
Not in universe or children and armed forces	1			

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)					
	NNN	NNY	NY_	Y1Y	YNN	
Private	6,488	6,417	3,692	2,576	38,748	
Federal government	222	120	57	138	1,708	
State government	189	237	151	213	3,210	
Local government	219	337	196	296	4,045	
Self-employed-incorporated	325	323	756	152	1,484	
Self-employed-not incorporated	880	974	986	246	1,703	
Without pay	8	11	10	1	7	
Never worked	39	84	7	6	74	

A\_EXPLF: Experienced labor force employment status [16]

Universe: PEMLR=1-4

Not in experienced labor force	6,837	30,550	8,503	5,966	29,662
Employed	7,506	7,297	5,471	3,342	48,871
Unemployed	692	898	267	187	1,632

A\_LFSR: Labor force status recode

Universe: All persons

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Children or Armed Forces	2,849	10,183	1,494	1,161	17,734
Working	7,178	6,826	5,136	3,181	46,957
With job, not at work	328	471	335	161	1,914
Unemployed, looking for work	479	641	138	121	909
Unemployed, on layoff	252	341	136	72	797
Nilf	3,949	20,283	7,002	4,739	11,854

A \_ UNCOV: On this job, is ... covered by a union or employee association 15 contract?

Universe: A \_ UNMEM-2

Not in universe or children and armed forces

Yes

Insurance Coverage Type (GRP, DIR, PUB)	NNN	NY	NY_	Y1Y	YNN
13,962	37,715	13,483	9,016	72,936	
8	11	8	10	108	
1,065	1,019	750	469	7,121	

No

A \_ UNMEM: On this job, is ... a member of a labor union or of an employee 6 association similar to a union?

Universe: PRERELG-1

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Not in universe or children and armed forces <span style="color:red;">-</span>	13,909	37,669	13,451	8,957	71,925
Yes	53	46	32	59	1,011
No	1,073	1,030	758	479	7,229

A_UNTYPE: Reason for unemployment <span style="color:green;">4</span>					
Universe: A_LFSR = 3 or 4					
Not in universe or children and Armed Forces					
Job loser - on layoff	14,304	37,763	13,967	9,302	78,459
Other job loser	252	341	136	72	797
Job leaver	209	227	55	66	422
Re-entrant	69	64	14	11	138
New entrant	162	266	62	38	275
	39	84	7	6	74

A_USLHRS: How many hrs per week does ... usually work at this job? <span style="color:green;">4</span>					
Universe: All persons					
(-4.103, 6.3]	8,214	32,313	9,452	6,448	33,848
(6.3, 16.6]	279	647	359	198	1,392

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(16.6, 26.9]	641	1,071	691	288	2,360
(26.9, 37.2]	935	1,099	622	362	3,750
(37.2, 47.5]	4,268	3,105	2,411	1,848	32,501
(47.5, 57.8]	436	291	412	234	4,378
(57.8, 68.1]	186	149	189	74	1,437
(68.1, 78.4]	45	46	57	22	289
(78.4, 88.7]	24	13	28	16	166
(88.7, 99.0]	7	11	20	5	44

A\_WKSCH: Labor force by time worked or lost 4

Universe: All persons

Not in universe	6,798	30,466	8,496	5,960	29,588
At work	7,178	6,826	5,136	3,181	46,957
With job, not at work	328	471	335	161	1,914
Unemployed, seeks FT	618	722	197	136	1,316
Unemployed, seeks PT	113	260	77	57	390

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY	Y1Y	YNN
<b>A_WKSLK: Duration of unemployment [6]</b>				
Universe: PEMLR=3 or 4				
(-0.099, 9.9]	14,748	38,340	14,142	9,435
(9.9, 19.8]	118	150	44	27
(19.8, 29.7]	49	76	17	12
(29.7, 39.6]	26	50	9	7
(39.6, 49.5]	10	11	4	4
(49.5, 59.4]	45	50	11	5
(59.4, 69.3]	9	10	3	0
(69.3, 79.2]	4	2	0	0
(79.2, 89.1]	0	0	0	1
(89.1, 99.0]	26	56	11	5
			31	
<b>A_WKSTAT: Full/part-time status [2]</b>				
Universe: All persons				
Children or Armed Forces	2,849	10,183	1,494	1,161
			17,734	

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Not in labor force <span style="background-color: red; color: white;">-</span>	3,949	20,283	7,002	4,799	11,854
Full-time schedules	5,715	4,390	3,714	2,508	42,413
Part-time for economic reasons, usually FT	267	217	153	48	670
Part-time for non-economic reasons, usually PT	1,200	2,313	1,464	718	5,237
Part-time for economic reasons, usually PT	324	377	140	68	531
Unemployed FT	618	722	197	136	1,316
Unemployed PT	113	260	77	57	390
 PEHRUSLT: Hours usually worked last week <span style="color: purple;">15</span>					
Universe: All persons (-4,144,10,4]	8,336	32,561	9,610	6,541	34,614
(10,4, 24,8]	595	1,159	671	330	2,447
(24,8, 39,2]	1,147	1,420	805	444	4,613
(39,2, 53,6]	4,519	3,253	2,721	1,976	35,068
(53,6, 68,0]	333	257	306	147	2,691
(68,0, 82,4]	87	76	102	42	583

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(82.4, 96.8]	14	7	12	8	106
(96.8, 111.2]	4	11	13	7	36
(111.2, 125.6]	0	0	1	0	7
(125.6, 140.0]	0	1	0	0	0
PEMLR: Major labor force recode					
Universe: All persons					
NU	2,849	10,183	1,494	1,161	17,734
Employed - at work	7,178	6,826	5,136	3,181	46,957
Employed - absent	328	471	335	161	1,914
Unemployed - on layoff	252	341	136	72	797
Unemployed - looking	479	641	138	121	909
Not in labor force - retired	543	11,004	5,087	3,754	1,768
Not in labor force - disabled	437	4,110	405	359	732
Not in labor force - other	2,969	5,169	1,510	686	9,354

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>Universe: All persons</b> <span style="color: blue;">12</span>					
NIU	6,704	30,326	8,393	5,873	29,260
Federal govt	222	120	57	138	1,708
State govt	189	237	151	213	3,210
Local govt	219	337	196	296	4,045
Private (incl. self-employed incorp.)	6,813	6,740	4,448	2,728	40,232
Self-employed, unincorp.	880	974	986	246	1,703
Without pay	8	11	10	1	7
<b>PRPTRE A: Detailed reason for part-time</b> <span style="color: blue;">15</span>					
<b>Universe: Part time workers</b> <span style="color: brown;">19</span>					
NIU	12,873	35,620	12,343	8,513	71,585
Usually FT - slack work/business conditions	248	202	136	45	634
Usually FT - seasonal work	13	6	14	1	17
Usually FT - job started/ended during week	6	9	3	2	19
Usually FT - vacation/personal day	90	87	60	57	970

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY-	Y1Y	YNN
Usually FT - own illness/injury/medical aptt.	109	124	79	57	669
Usually FT - holiday (religious or legal)	5	7	3	4	40
Usually FT - child care problems	4	5	7	7	52
Usually FT - other fam/pers obligations	32	25	20	17	206
Usually FT - labor dispute	2	1	0	0	4
Usually FT - weather affected job	70	30	10	5	70
Usually FT - school/training	5	5	1	0	18
Usually FT - civic/military duty	0	1	0	0	4
Usually FT - other reason	119	116	74	44	446
Usually PT - slack work/business conditions	206	223	95	40	345
Usually PT - PT could only find PT work	133	177	61	30	233
Usually PT - seasonal work	12	7	5	2	12
Usually PT - child care problems	64	116	40	16	236
Usually PT - other fam/pers obligations	271	343	248	111	1,221
Usually PT - health/medical limitations	51	199	54	44	123
Usually PT - school/training	303	450	245	98	1,713

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Usually PT - retired/social security limit on earnings <sup>1</sup>	52	440	350	238	228
Usually PT - workweek<35 hours	260	407	251	106	952
Usually PT - other	107	145	142	58	368
PRWKSTAT: Full/part-time work status					
Universe: All persons					
NIU	2,849	10,183	1,494	1,161	17,734
Not in labor force	3,949	20,283	7,002	4,799	11,854
FT hours (35+), usually FT	4,995	3,679	3,226	2,189	38,324
PT for economic reasons, usually FT <sup>15</sup>	267	217	153	48	670
PT for non-economic reasons, usually FT <sup>15</sup>	436	401	254	191	2,479
Not at work, usually FT	227	238	179	105	1,389
PT hrs, usually PT for economic reasons <sup>15</sup>	324	377	140	68	531
PT hrs, usually PT for non-economic <sup>15</sup>	1,099	2,080	1,308	662	4,732
FT hours, usually PT for economic reasons <sup>15</sup>	17	16	12	1	29
FT hours, usually PT for non-economic reasons <sup>15</sup>	40	56	43	22	192

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)		
	NNN	NY_	Y1Y
Not at work, usually part-time	101	233	56
Unemployed FT	618	722	136
Unemployed PT	113	260	57
CLWK: Longest job class of worker (recode) <sup>(6)</sup>			
Universe: All persons aged 15+			
Niu	2,431	10,167	1,488
Private	6,959	7,099	4,733
Government	1,009	747	446
Self-employed	849	992	1,008
Without pay	17	12	15
Never worked	3,770	19,728	6,551
EARNER: Earner status recode			
Universe: All persons aged 15+			
Niu	2,431	10,167	1,488
Earner	8,821	8,842	6,188

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Nonearner	3,783	19,736	6,565	4,349
<b>HRSWK:</b> In the weeks that ... worked how many hours did ... usually work per week? <span style="color: #8B4513;">6</span>				
Universe: WKSWORK > 0				
(-0.099, 9.9]	6,347	30,317	8,296	5,648
(9.9, 19.8]	354	837	443	259
(19.8, 29.7]	875	1,550	858	390
(29.7, 39.6]	1,277	1,534	847	486
(39.6, 49.5]	5,110	3,719	2,826	2,191
(49.5, 59.4]	673	461	578	336
(59.4, 69.3]	276	228	263	122
(69.3, 79.2]	77	48	74	33
(79.2, 89.1]	41	33	33	20
(89.1, 99.0]	5	18	23	10
<b>LJCW:</b> Longest job class of worker				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
<b>Universe: WKSWORK &gt; 0</b>				
Niu	6,201	29,895	8,039	5,508
Private	6,640	6,757	3,950	2,866
Federal	569	142	63	152
State	208	249	160	236
Local	232	356	223	322
Self employed incorporated, yes	319	342	783	157
Self employed incorporated, no or farm	849	992	1,008	253
Without pay	17	12	15	1
<b>NVLKWK: How many different weeks was ... looking for work or on layoff?</b>				
Universe: NWLOOK = 1	14,892	38,462	14,188	9,469
(-0.052, 5.2]	15	32	7	6
(5.2, 10.4]	13	29	4	0
(10.4, 15.6]	7	17	4	2
(15.6, 20.8]				9

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(20.8, 26.0]	14	22	5	4	23
(26.0, 31.2]	3	7	1	0	2
(31.2, 36.4]	3	7	0	0	1
(36.4, 41.6]	6	17	1	1	5
(41.6, 46.8]	4	3	1	0	1
(46.8, 52.0]	78	149	30	13	74

NWLOOK: Even though ... did not work in 20.. did spend and time trying to [4](#) find a job or on layoff?

Universe: WORKYN = 2

Niu

Yes

No

	NNN	NNY	NY_	Y1Y	YNN
	11,265	19,017	7,690	5,147	69,988
	176	340	70	41	236
	3,394	19,388	6,481	4,307	9,941

PHMEMPRS: For how many employers did ... work in 20..? if more than one [6](#) at same time, only count it as one employer

Universe: WKSWORK > 0

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Niu	6,201	29,895	8,039	5,508
One employer	7,684	7,738	5,537	3,439
Two employers	857	848	535	439
3 or more employers	293	264	130	109
RSNNOTW: What was the main reason ... did not work in 20..? <sup>4</sup>				
Universe: WORKYN = 2				
Niu	11,265	19,017	7,690	5,147
Ill or disabled	508	4,721	503	449
Retired	477	10,319	4,709	3,378
Taking care of home	1,331	1,630	562	231
Going to school	1,043	2,510	658	254
Could not find work	209	286	39	21
Other	202	202	80	15
WECLW: Longest job class of worker (persons 15+)				
Universe: All persons aged 15+				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY_	Y1Y	YNN	
Not in universe	2,431	10,167	1,488	1,160	17,629
Agriculture (Wage and salary)	220	198	181	60	482
Agriculture (Self-employed)	51	58	120	32	106
Agriculture (Unpaid)	7	3	2	0	4
Nonagriculture (Private household)	100	138	60	18	133
Nonagriculture (Other private)	6,338	6,452	3,776	2,801	39,483
Nonagriculture (Government)	1,006	742	444	708	9,407
Nonagriculture (Self-employed)	1,102	1,250	1,606	367	2,733
Nonagriculture (Unpaid)	10	9	13	1	11
Nonagriculture (Never worked)	3,770	19,728	6,551	4,348	10,177

WEWKRS: Weeks worked recode

Universe: All persons aged 15+

Niu

Full-year worker (Full time)

Full-year worker (Part time)

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Part-year worker (Full time) [103]	1,259	1,134	695	716	4,156
Part-year worker (Part time)	907	1,757	893	491	3,308
Part-year worker (Nonworker)	3,770	19,728	6,551	4,348	10,177

WKSWORK: During 20.. in how many weeks did ... work even for a few hours?  $\infty$

(include paid vacation and sick leave as work)

Universe: Persons 15+ with WORKYN = 1

(-0.052, 5.2]	6,329	30,179	8,164	5,588	28,130
(5.2, 10.4]	147	315	110	98	626
(10.4, 15.6]	180	343	147	104	716
(15.6, 20.8]	229	363	147	131	748
(20.8, 26.0]	318	518	218	197	926
(26.0, 31.2]	184	242	117	79	493
(31.2, 36.4]	235	266	155	111	733
(36.4, 41.6]	300	342	212	163	1,138
(41.6, 46.8]	267	292	165	126	986

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(46,8, 52,9]	6,846	5,885	4,776	2,898
<b>WORKYN: Did ... work at a job or business at any time during 20..?</b> <span style="color:red">12</span>				
Universe: All persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	8,727	8,684	6,108	3,938
No	3,877	19,894	6,645	4,397
<b>WRK_CK: Worked last year recode, including temporary and part-time</b> <span style="color:red">1</span>				
Universe: All persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	8,834	8,850	6,202	3,987
No	3,770	19,728	6,551	4,348
<b>WTEMP: Did ... do any temporary, part-time, or seasonal work even for a few</b> <span style="color:green">4</span> days during 20..?				
Universe: WORKYN = 2				
Niu	11,158	18,851	7,596	5,098
				69,691

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Yes	107	166	94	49
No	3,770	19,728	6,551	4,348
<b>ERN_OTR: Wage and salary money earned from other work, Y/N <sup>1</sup></b>				
Universe: All persons aged 15+				
Niu	6,201	29,895	8,039	5,508
Yes	819	847	635	496
No	8,015	8,003	5,567	3,491
<b>ERN_SRCE: Source of earnings from longest job <sup>6</sup></b>				
Universe: ERN_YN = 1				
Niu	6,201	29,895	8,039	5,508
Wage and salary	7,968	7,846	5,179	3,733
Self employment	809	940	904	224
Farm self employment	40	52	104	29
Without pay	17	12	15	1
			15	

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
<b>ERN_VAL: How much did ... earn from this employer before deductions in <sup>4</sup> 20..? what was ... net earnings from this business/ farm after expenses during 20..?</b>				
Universe: ERN_YN = 1				
(-11108.998, 101000.8]	14,748	38,542	13,748	9,127
(101000.8, 212000.6]	239	156	378	286
(212000.6, 323000.4]	22	24	56	54
(323000.4, 434000.2]	9	11	18	16
(434000.2, 545000.0]	6	6	13	6
(545000.0, 655999.8]	3	3	7	0
(655999.8, 766999.6]	1	0	4	1
(766999.6, 877999.4]	2	0	4	1
(877999.4, 988999.2]	1	0	1	1
(988999.2, 1099999.0]	4	3	12	3
			119	

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>ERN_YN: Earnings from employer or net earnings from business / farm after expenses from longest job during 20..?</b>					
Universe: WORKYN_1 or WTEMP_1					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	8,817	8,838	6,187	3,986	52,344
No	3,787	19,740	6,566	4,349	10,192
<b>FRM_VAL: Amount of farm self-employment earnings from secondary source</b>					
Universe: FRMOTR = 1					
(-10288.999, 19000.9]	15,028	38,744	14,230	9,484	80,131
(19000.9, 48000.8]	3	1	7	3	25
(48000.8, 77000.7]	3	0	0	5	7
(77000.7, 106000.6]	1	0	4	3	1
(251000.1, 280000.0]	0	0	0	0	1
<b>FRMOTR: Receiving farm self-employment from secondary source</b>					
Universe: ERN_OTR = 1					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
Niu	14,212	37,902	13,606	9,002
Yes	86	56	73	43
No	737	787	562	450
FRSE_VAL: Total amount of farm self-employment earnings				
Universe: ERN_YN=1 or FRMOTR=1				
(-20767.998, 57001.8]	15,029	38,739	14,206	9,483
(57001.8, 134001.6]	6	5	29	10
(134001.6, 211001.4]	0	1	2	0
(211001.4, 288001.2]	0	0	3	1
(442000.8, 519000.6]	0	0	1	1
(673000.2, 750000.0]	0	0	1	0
FRSE_YN: Receiving any farm self-employment				
Universe: ERN_YN=1 or FRMOTR=1				
Niu	2,431	10,167	1,488	1,160
Yes	122	105	170	70
				560
				165

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY_	Y1Y	YNN	
No	12,482	28,473	12,583	8,265	61,976

PEARNVAL: Total persons earnings					
Universe: All persons aged 15+					
(-12083.998, 198500.8]	14,962	38,669	14,069	9,370	78,229
(198500.8, 407000.6]	53	62	126	111	1,506
(407000.6, 615500.4]	11	11	22	8	220
(615500.4, 824000.2]	3	0	10	2	53
(824000.2, 1032500.0]	3	2	5	3	62
(1032500.0, 1240999.8]	3	1	8	1	93
(1240999.8, 1449499.6]	0	0	1	0	0
(1449499.6, 1657999.4]	0	0	0	0	1
(1866499.2, 2074999.0]	0	0	0	0	1

SE\_VAL: Amount of own business self-employment earnings from secondary = 1

source

Universe: SEOTR = 1

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(-10558.999, 46000.9]	15,027	38,736	14,220	9,484
(46000.9, 102000.8]	8	7	14	6
(102000.8, 158000.7]	0	2	5	2
(158000.7, 214000.6]	0	0	0	2
(214000.6, 270000.5]	0	0	0	1
(270000.5, 326000.4]	0	0	2	0
(326000.4, 382000.3]	0	0	0	3
(382000.3, 438000.2]	0	0	0	1
(494000.1, 550000.0]	0	0	0	1

SEMP \_VAL: Total own business self-employment earnings (combined amounts 12)

in ern-val, if ern-srcce=2, and se-val)

Universe: ERN\_YN=1 or SEOTr=1

(-21117.997, 92001.7]	14,089	38,698	14,106	9,464	79,943
(92001.7, 204001.4]	39	41	111	24	179
(204001.4, 316001.1]	2	3	15	4	20

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(316001.1, 428000.8]	0	2	2	2	11
(428000.8, 540000.5]	3	1	2	1	4
(540000.5, 652000.2]	0	0	1	0	2
(652000.2, 763999.9]	0	0	1	0	2
(763999.9, 875999.6]	0	0	1	0	1
(987999.3, 1099999.0]	2	0	2	0	3
SEMP_YN: Receiving own business self-employment, y/n					
Universe: ERN_YN=1 or SEOTR=1					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	942	1,075	1,061	320	2,577
No	11,662	27,503	11,692	8,015	59,959
SEOTR: Receiving own business self-employment, y/n					
Universe: ERN_YN=1 or SEOTR=1					
Niu	14,214	37,904	13,607	9,000	74,996
Yes	148	149	171	101	1,077

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
No	673	692	463	394
<b>WAGEOTR: Receiving wage and salary earnings from other employers, y/n</b>				
Universe: ERN_OTR = 1				
Niu	14,218	37,901	13,607	9,002
Yes	786	807	590	471
No	31	37	44	22
				244
<b>WS_VAL: Amount of wage and salary earnings from other employers</b>				
Universe: ERN_OTR = 1				
(-1099.99, 10999.9]	15,033	38,738	14,235	9,491
(10999.9, 21999.8]	1	7	5	3
(21999.8, 32999.7]	1	0	1	1
(32999.7, 43999.6]	0	0	0	5
(43999.6, 54999.5]	0	0	0	1
(87999.2, 98999.1]	0	0	0	3

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(989999.1, 1099999.0]	0	0	0	0
<b>WSAL_VAL: Total wage and salary earnings (combined amounts in ern-val, if <span style="background-color: #e67e22; color: white;">6</span>, ern-src=1, and ws-val)</b>				
Universe: ERN_YN=1 or WAGEOTR=1				
(-1999.999, 199999.9]	14,976	38,684	14,113	9,393
(19999.9, 399999.8]	38	44	85	87
(39999.8, 599999.7]	13	13	25	9
(59999.7, 799999.6]	3	1	4	1
(79999.6, 999999.5]	3	0	4	2
(99999.5, 1199999.4]	2	3	10	3
(119999.4, 1399999.3]	0	0	0	1
(179999.1, 1999999.0]	0	0	0	1
<b>WSAL_YN: Receiving wage and salary earnings <span style="background-color: #e67e22; color: white;">-</span></b>				
Universe: ERN_YN=1 or WAGEOTR=1				
Niu	2,431	10,167	1,488	1,160
				17,629

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
Yes	8,025	7,920	5,259	3,764
No	4,579	20,658	7,494	4,571
<b>ANN_VAL:</b> Retirement income, annuities amount				
Universe: ANN_YN = 1				
(-396, 0, 39600, 0]	15,030	38,705	14,208	9,456
(39600, 0, 79200, 0]	4	28	23	34
(79200, 0, 118800, 0]	1	7	6	3
(118800, 0, 158400, 0]	0	3	2	0
(158400, 0, 198000, 0]	0	2	0	1
(356400, 0, 396000, 0]	0	0	2	1
<b>ANN_YN:</b> Retirement income, annuities, y/n				
Universe: All Persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	26	634	573	422
				219

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
No	12,578	27,944	12,180	7,913	62,317
CAP_VAL Capital gains value					
Universe: CAP_YN = 1					
(-999,999, 99999.9]	15,031	38,725	14,211	9,473	80,085
(99999.9, 199999.8]	2	13	16	16	35
(199999.8, 299999.7]	2	6	6	5	24
(299999.7, 399999.6]	0	1	3	0	9
(399999.6, 499999.5]	0	0	1	0	3
(499999.5, 599999.4]	0	0	1	1	0
(699999.3, 799999.2]	0	0	1	0	7
(899999.1, 999999.0]	0	0	2	0	2
CAP_YN: Yes/no answer to àDid you receive capital gain from your shares of stock or mutual fund?'					
Universe: DIV_YN = 1					
Niu	14,044	36,074	11,363	7,534	66,843

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Yes	176	734	958	693	3,176
No	815	1,937	1,920	1,268	10,146
<b>DBTN_VAL:</b> Total amount of retirement distributions received (dst_val1 + dst_val2)					
Universe: DST_VAL1>0 OR DST_VAL2>0					
(-999,999, 99999,9]	15,033	38,711	14,203	9,460	80,139
(99999,9, 199999,8]	2	32	35	32	23
(199999,8, 299999,7]	0	2	2	1	2
(299999,7, 399999,6]	0	0	0	1	0
(399999,6, 499999,5]	0	0	1	0	1
(899999,1, 999999,0]	0	0	0	1	0
<b>DIS_SC1:</b> What was the source of disability income? -1					
Universe: DIS_YN=1					
Niu	14,947	38,270	14,130	9,359	79,707
Worker's compensation	16	32	11	15	96

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Company or union disability	10	48	19	34	123
Federal government disability	6	58	9	10	15
Us military retirement disability	18	45	10	8	12
State or local gov't employee disability	14	92	21	25	56
Us railroad retirement disability	0	6	2	0	1
Accident or disability insurance	8	32	16	17	60
Blacklung miners disability	0	0	0	1	0
State temporary sickness	3	1	2	1	9
Other or don't know	13	161	21	25	86

DIS\_SC2: What was the source of disability income? 

Universe: DIS\_YN=1

Niu	15,035	38,740	14,240	9,493	80,158
Federal government disability	0	0	1	0	0
Us military retirement disability	0	1	0	0	0
State or local gov't employee disability	0	2	0	1	3

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Other or don't know <sup>15</sup>	0	2	0	1	4
<b>DIS_VAL1: How much did ... receive (source type) during 20..? <span style="color:red;">-</span></b>					
Universe: DIS_SC1>0					
(-100,0,10000.0]	14,993	38,533	14,185	9,428	80,005
(10000.0, 20000.0]	26	144	25	31	78
(20000.0, 30000.0]	7	33	16	23	40
(30000.0, 40000.0]	4	13	4	4	15
(40000.0, 50000.0]	3	10	1	2	11
(50000.0, 60000.0]	1	0	0	1	1
(60000.0, 70000.0]	1	1	1	0	1
(70000.0, 80000.0]	0	1	1	1	4
(80000.0, 90000.0]	0	1	0	1	0
(90000.0, 100000.0]	0	9	8	4	10
<b>DIS_VAL2: How much did ... receive (source type) during 20..? <span style="color:red;">-</span></b>					
Universe: DIS_SC2>0					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(-23,672, 23672]	15,035	38,740	14,240	9,493	80,158
[4734.4, 7101.6]	0	1	0	0	4
(7101.6, 9468.8]	0	0	0	0	1
(11836.0, 14203.2]	0	0	0	0	1
(14203.2, 16570.4]	0	3	1	2	0
(21304.8, 23672.0]	0	1	0	0	1
DIS_YN: Other than social security did ... receive any income in 20... as a <span style="background-color: red; color: white;">-</span>					
result of health problems?					
Universe: All Persons aged 15+					
Nu	2,431	10,167	1,488	1,160	17,629
Yes	88	475	111	136	458
No	12,516	28,103	12,642	8,199	62,078
DIV_VAL: How much did ... receive in dividends from stocks or mutual funds <span style="background-color: cyan; color: black;">x</span>					
during 20...?					
Universe: DIV_YN = 1					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(-999,999, 99999.9]	15,031	38,730	14,217	9,476	80,108
(99999.9, 199999.8]	4	10	14	14	36
(199999.8, 299999.7]	0	3	6	3	16
(299999.7, 399999.6]	0	2	2	0	2
(699999.3, 799999.2]	0	0	0	2	0
(899999.1, 999999.0]	0	0	2	0	3
DIV_YN: Did ... receive dividends?					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	583	1,873	2,246	1,575	8,875
No	12,021	26,705	10,507	6,760	53,661
DSAB_VAL: Total amount of disability income received, combined amounts in <span style="background-color: red;">-</span>					
edited sources one and two.					
Universe: DIS_VAL1>0 OR DIS_VAL2>0					
(-100.0, 10000.0]	14,993	38,529	14,184	9,427	80,002

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
(10000.0, 20000.0]	26	147	25	32
(20000.0, 30000.0]	7	33	17	23
(30000.0, 40000.0]	4	14	4	3
(40000.0, 50000.0]	3	10	1	2
(50000.0, 60000.0]	1	0	0	2
(60000.0, 70000.0]	1	1	1	0
(70000.0, 80000.0]	0	1	1	1
(80000.0, 90000.0]	0	1	0	1
(90000.0, 100000.0]	0	9	8	4
			10	

DST\_SC1: Retirement income, distribution source 1

Universe: DST\_VAL1 > 0 and a\_age >= 58

Niu	14,982	37,052	12,699	8,267	79,685
401k account	28	684	568	499	249
403b account	0	49	39	48	20
Roth ira	2	114	99	60	24

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Regular ira	17	739	715	499	115
Keogh plan	0	1	3	3	1
Sep plan (simplified employee pension)	1	12	27	18	5
Other type of retirement account	5	94	91	101	66
DST_SC1_YNG: Retirement Distribution source 1, person under age 58 <span style="color:red;">=1</span>					
Universe: DST_YN_YNG = 1 and a_age < 58 <span style="color:red;">=1</span>					
Niu	14,950	38,651	14,163	9,424	79,246
401k account	52	60	45	47	653
403b account	4	3	3	4	41
Roth ira	13	11	5	7	66
Regular ira	11	15	20	4	107
Sep plan (simplified employee pension)	0	1	1	0	3
Other type of retirement account	5	4	4	9	49
DST_SC2: Retirement income, distribution source 2					
Universe: DST_VAL2 > 0 and a_age >= 58					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Niu	15,034	38,662	14,160	9,433	80,151
403b account	0	4	5	5	1
Roth ira	1	12	12	6	3
Regular ira	0	51	45	38	9
Keogh plan	0	0	1	0	0
Sep plan (simplified employee pension)	0	3	2	3	0
Other type of retirement account	0	13	16	10	1
DST_SC2_YNG: Retirement Distribution source 2, person under age 58					
Universe: DST_VAL_YNG > 0 and a_age < 58					
Niu	15,031	38,739	14,241	9,494	80,146
403b account	0	0	0	0	1
Roth ira	2	2	0	1	9
Regular ira	2	2	0	0	5
Sep plan (simplified employee pension)	0	2	0	0	3
Other type of retirement account	0	0	0	0	1

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>DST_VAL1: Retirement income amount, distribution source 1</b>					
Universe: DST_SC1 = 1					
(-999,999, 99999.9]	15,033	38,711	14,207	9,463	80,139
(99999.9, 199999.8]	2	32	31	29	23
(199999.8, 299999.7]	0	2	2	1	2
(299999.7, 399999.6]	0	0	0	1	0
(399999.6, 499999.5]	0	0	1	0	1
(899999.1, 999999.0]	0	0	0	1	0
<b>DST_VAL1_YNG: Retirement Distribution amount 1, under age 58</b>					
Universe: DST_SC1_YNG = 1					
(-999,999, 99999.9]	15,033	38,743	14,240	9,494	80,137
(99999.9, 199999.8]	1	1	0	1	17
(199999.8, 299999.7]	0	1	1	0	6
(299999.7, 399999.6]	1	0	0	0	1
(399999.6, 499999.5]	0	0	0	0	3

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(89999.1, 99999.0]	0	0	0	0	1
<b>DST_VAL2: Retirement income amount, distribution source 2</b>					
Universe: DST_SC2 = 1					
(-75.0, 7500.0]	15,034	38,719	14,208	9,469	80,158
(7500.0, 15000.0]	1	20	21	15	4
(15000.0, 22500.0]	0	0	3	2	0
(22500.0, 30000.0]	0	0	1	5	3
(30000.0, 37500.0]	0	1	1	0	0
(37500.0, 45000.0]	0	0	1	1	0
(45000.0, 52500.0]	0	1	0	0	0
(52500.0, 60000.0]	0	1	4	1	0
(60000.0, 67500.0]	0	2	0	0	0
(67500.0, 75000.0]	0	1	2	2	0
<b>DST_VAL2_YNG: Retirement Distribution amount 2, under age 58</b>					
Universe: DST_SC2_YNG = 1					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(-43,0, 4300,0]	15,032	38,742	14,241	9,494	80,157
(4300,0, 8600,0]	2	1	0	1	4
(8600,0, 12900,0]	0	1	0	0	1
(21500,0, 25800,0]	0	0	0	0	1
(30100,0, 34400,0]	0	1	0	0	2
(38700,0, 43000,0]	1	0	0	0	0
DST _ YN: Retirement income distribution y/n					
Universe: Persons aged 58 and over (a_age >= 58) <span style="color:red;">1</span>					
Niu	13,643	23,641	7,180	3,933	72,508
Yes	53	1,693	1,543	1,228	480
No	1,339	13,411	5,518	4,334	7,177
DST _ YN_ YNG: Retirement Distribution Recipency, person under age 58 <span style="color:red;">1</span>					
Universe: Persons under age 58 (a_age < 58) <span style="color:red;">1</span>					
Niu	3,823	25,271	8,549	6,722	25,286
Yes	85	94	78	71	919

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
No	11,127	13,380	5,614	2,702	53,960
<b>ED_VAL: Total amount of educational assistance received (combined amounts in pell grant and other educational) assistance during 20..?</b>					
Universe: ED_YN = 1					
(-99,999, 999,9]	14,940	38,640	14,141	9,451	79,622
(9999,9, 19999,8]	62	73	50	21	289
(19999,8, 29999,7]	20	17	26	10	141
(29999,7, 39999,6]	7	8	9	9	59
(39999,6, 49999,5]	2	2	2	1	28
(49999,5, 59999,4]	4	2	5	2	16
(59999,4, 69999,3]	0	1	4	0	3
(69999,3, 79999,2]	0	0	0	0	2
(79999,2, 89999,1]	0	2	2	0	3
(89999,1, 99999,0]	0	0	2	1	2

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
Universe: All Persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	430	611	303	159
No	12,174	27,967	12,450	8,176
FIN_VAL: How much did ... receive in financial assistance income during 20.. <span style="color: red;">A</span>				
?				
Universe: FIN_YN = 1				
(-500, 50000.0]	15,033	38,742	14,238	9,491
(50000.0, 100000.0]	2	3	3	4
(100000.0, 150000.0]	0	0	0	0
(450000.0, 500000.0]	0	0	0	1
FIN_YN: Did ... receive financial assistance?				
Universe: All Persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	166	321	141	75
				406
				185

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
No	12,438	28,257	12,612	8,260	62,130
INT_VAL: Edited total combined interest income					
Universe: INT_YN = 1					
(-280.0, 28000.0]	14,979	38,527	13,944	9,220	78,544
(28000.0, 56000.0]	31	126	164	145	937
(56000.0, 84000.0]	16	41	60	46	281
(84000.0, 112000.0]	7	45	66	73	354
(112000.0, 140000.0]	1	4	7	10	35
(140000.0, 168000.0]	1	1	0	0	11
(168000.0, 196000.0]	0	0	0	1	1
(196000.0, 224000.0]	0	1	0	0	1
(252000.0, 280000.0]	0	0	0	0	1
INT_YN: Edited total combined interest income, y/n					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
Yes	3,950	9,847	7,759	5,700
No	8,654	18,731	4,994	2,635
OED_TYP1: Source 1 other than gi bill received (OED_TYP1- source of other <span style="background-color: red;">-</span> government assistance)				
Universe: ED_YN = 1				
Niu	14,584	38,089	13,928	9,331
Yes	102	144	62	44
No	349	512	251	120
OED_TYP2: Source 2 other than gi bill received (OED_TYP2- scholarships, <span style="background-color: red;">-</span> grants etc. from the school)				
Universe: ED_YN = 1				
Niu	14,584	38,089	13,928	9,331
Yes	146	211	153	61
No	305	445	160	103
				1,006

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
<b>OED_TYP3: Source other than gi bill received (OED_TYP3-other assistance <span style="color:red;">-</span>)</b>				
Universe: ED_YN = 1 (employers friends, etc.)				
Niu	14,584	38,089	13,928	9,331
Yes	51	51	41	26
No	400	605	272	138
				1,617
<b>OI_OFF: Other income sources</b>				
Universe: OI_YN = 1				
Niu	14,824	38,368	14,077	9,332
Social security	1	2	1	0
Private pensions	0	5	3	3
Aid/c	6	6	3	0
Other public assistance	0	2	0	1
Dividends	0	1	0	0
Rents or royalties	2	1	3	0
				7

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
State disability payments (worker's comp) <sup>148</sup>	1	1	0	1	1
Disability payments (own insurance)	0	1	0	0	4
Annuities or paid up insurance policies	1	1	1	0	2
Anything else	192	330	137	150	969
Alimony	8	27	16	8	41
OI_VAL: How much did ... receive in other incomes <sup>6</sup>					
Universe: OI_YN = 1					
(-950.0, 95000.0]	15,033	38,744	14,240	9,488	80,149
(95000.0, 190000.0]	2	0	1	5	12
(190000.0, 285000.0]	0	0	0	1	0
(285000.0, 380000.0]	0	1	0	0	1
(380000.0, 475000.0]	0	0	0	1	1
(475000.0, 570000.0]	0	0	0	0	1
(855000.0, 950000.0]	0	0	0	0	1

OI\_YN: Did ... receive cash income not already covered from any other source?<sup>149</sup>

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Universe: All Persons aged 15+					
None or n/a	2,431	10,167	1,488	1,160	17,629
Yes	211	377	164	163	1,050
No	12,393	28,201	12,589	8,172	61,486
PEN_SC1: Retirement income, pension source 1					
Universe: PEN_YN = 1					
Niu	14,862	36,035	12,394	7,307	79,002
Company pension	48	1,416	1,039	872	419
Union pension	15	264	176	183	94
Federal government pension	22	173	76	262	130
State government pension	21	524	397	643	336
Local government pension	10	162	84	168	129
Us military pension	56	118	15	15	35
Us railroad retirement	0	10	6	8	2
Other	1	43	54	37	18

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>PEN_SC2: Retirement income, pension source 2</b>					
Universe: PEN_VAL2 > 0					
Niu	15,028	38,634	14,198	9,420	80,137
Union pension	1	21	16	20	4
Federal government pension	0	8	3	6	1
State government pension	1	17	9	29	8
Local government pension	0	9	4	6	6
Us military pension	5	49	5	11	7
Us railroad retirement	0	1	0	0	0
Other	0	6	6	3	2
<b>PEN_VAL1: Retirement income amount, pension source 1</b>					
Universe: PEN_SC1 > 0					
(-999,999, 99999,9]	15,031	38,709	14,220	9,454	80,129
(99999,9,199999,8]	4	21	16	33	27
(199999,8, 299999,7]	0	3	1	3	3

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(299999.7, 399999.6]	0	3	1	1	1
(399999.6, 499999.5]	0	3	1	0	2
(599999.4, 699999.3]	0	2	0	0	0
(699999.3, 799999.2]	0	1	0	0	0
(899999.1, 999999.0]	0	3	2	4	3

PEN_VAL2: Retirement income amount, pension source 2					
Universe: PEN_SC2 > 0					
(-360.0, 36000.0]	15,033	38,737	14,239	9,485	80,158
(36000.0, 72000.0]	1	6	1	7	6
(72000.0, 108000.0]	1	1	1	2	1
(108000.0, 144000.0]	0	0	0	1	0
(324000.0, 360000.0]	0	1	0	0	0

PEN_YN: Retirement income, pension y/n					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Yes	173	2,710	1,847	2,188	1,163
No	12,431	25,868	10,906	6,147	61,373
<b>PNSN_VAL:</b> Total combined amount of pension income received from all pension sources					
Universe: PEN_YN = 1					
(-999,999, 99999.9]	15,030	38,707	14,219	9,451	80,125
(99999.9, 199999.8]	5	22	17	36	31
(199999.8, 299999.7]	0	3	1	3	3
(299999.7, 399999.6]	0	4	1	1	1
(399999.6, 499999.5]	0	3	1	0	2
(599999.4, 699999.3]	0	2	0	0	0
(699999.3, 799999.2]	0	1	0	0	0
(899999.1, 999999.0]	0	3	2	4	3
<b>PTOTVAL:</b> Total persons income					
Universe: All Persons aged 15+					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(-12094.703, 199571.3]	14,933	38,563	13,963	9,239	77,720
(199571.3, 409141.6]	78	150	209	217	1,918
(409141.6, 618711.9]	13	21	35	24	282
(618711.9, 828282.2]	5	5	14	3	74
(828282.2, 1037852.5]	3	4	4	7	60
(1037852.5, 1247422.8]	3	2	13	5	100
(1247422.8, 1456933.1]	0	0	2	0	8
(1456933.1, 1666563.4]	0	0	0	0	1
(1876133.7, 2085704.0]	0	0	1	0	2

RESNSSI: What were the reasons (you /name) (was/were) getting Social <sup>xx</sup>

Security Income last year?

Universe: SS YN = 1

Niu

Retired

Disabled (adult or child)

	NNN	NNY	NY_	Y1Y	YNN
	14,638	25,268	8,599	5,024	78,937
	195	10,639	5,128	3,924	693
	138	2,272	280	266	293

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Widowed	25	208	93	57	51
Spouse	4	89	39	45	9
Surviving child	16	54	11	18	77
Dependent child	9	59	12	7	36
On behalf of surviving, dependent, or disabled child(ren)	8	61	6	10	51
Other (adult or child)	2	95	73	144	18

RESNSS2: What were the reasons (you, name) (was/were) getting Social <sup>co</sup>					
Security Income last year?					
Universe: SS_YN = 1					
Nu					
Disabled (adult or child)	15,018				
Widowed	2	164	28	20	7
Spouse	0	103	50	31	3
Surviving child	3	20	4	4	3
Dependent child	0	5	2	0	3
	0	4	0	0	2

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
On behalf of surviving, dependent, or disabled child(ren) <sup>-1</sup>	11	89	22	21	47
Other (adult or child)	1	15	6	10	1
RESNSS1: What were the reasons (you/name) (was/were) getting <sup>88</sup>					
Supplemental Security Income last year?					
Universe: SSI_YN = 1					
Niu	14,976	36,504	14,140	9,303	80,055
Disabled (adult or child)	39	1,992	77	159	66
Blind (adult or child)	0	25	2	1	2
On behalf of a disabled child <sup>15</sup>	16	58	6	10	25
On behalf of a blind child <sup>15</sup>	0	2	0	0	1
Other (adult or child)	4	164	16	22	16
RESNSS12: What were the reasons (you/name) (was/were) getting <sup>88</sup>					
Supplemental Security Income last year?					
Universe: SSI_YN = 1					
Niu	15,031	38,715	14,240	9,493	80,162

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Blind (adult or child)	0	5	0	0	0
On behalf of a disabled child	2	14	0	1	1
Other (adult or child)	2	11	1	1	2
RETCB_VAL: Retirement contribution, amount					
Universe: RETCB_YN = 1					
(-32,0, 3200,0]	14,564	38,456	13,704	8,916	67,888
(3200,0, 6400,0]	256	114	243	252	5,011
(6400,0, 9600,0]	63	60	116	117	2,102
(9600,0, 12800,0]	62	47	52	56	1,625
(12800,0, 16000,0]	31	18	22	30	945
(16000,0, 19200,0]	37	10	50	46	1,617
(19200,0, 22400,0]	10	17	18	23	279
(22400,0, 25600,0]	12	20	32	48	632
(25600,0, 28800,0]	0	0	0	2	22
(28800,0, 32000,0]	0	3	4	5	44

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>RETCB_YN: Retirement contribution, y/n</b>					
Universe: All people 15 years and over					
Niu	13,470	34,901	10,249	6,228	53,437
Yes	1,034	793	1,070	1,247	21,810
No	531	3,051	2,922	2,020	4,918
<b>RINT_SC1: Interest income, retirement source 1</b>					
Universe: RINT_YN = 1					
Niu	13,470	34,901	10,249	6,228	53,437
401k account	973	1,925	1,791	1,791	19,885
403b account	60	121	118	188	2,112
Roth ira	216	421	583	292	1,465
Regular ira	163	1,063	1,207	711	1,239
Keogh plan	0	5	11	4	23
Sep plan (simplified employee pension)	19	49	98	43	305
Other type of retirement account	134	260	184	238	1,699

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>RINT_SC2: Interest income, retirement source 2</b>					
Universe: RINT_YN = 1					
Niu	14,818	38,284	13,614	8,981	75,781
403b account	10	27	23	34	351
Roth ira	92	113	154	163	2,018
Regular ira	65	255	342	228	1,284
Keogh plan	0	1	6	0	10
Sep plan (simplified employee pension)	7	16	48	18	162
Other type of retirement account	43	49	54	71	559
<b>RINT_VAL1: Interest income amt, retirement source 1</b>					
Universe: RINT_SC1 > 0					
(-100.0, 10000.0]	14,936	38,372	13,795	9,102	77,436
(10000.0, 20000.0]	51	173	178	147	1,160
(20000.0, 30000.0]	17	60	86	68	496
(30000.0, 40000.0]	9	45	56	40	274

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(40000.0, 50000.0]	6	28	43	46	287
(50000.0, 60000.0]	3	5	16	7	85
(60000.0, 70000.0]	3	9	12	10	75
(70000.0, 80000.0]	5	13	9	17	71
(80000.0, 90000.0]	0	2	6	4	26
(90000.0, 100000.0]	5	38	40	54	255

RINT_VAL2: Interest income amt, retirement source 2					
Universe: RINT_SC2 > 0					
(-100.0, 10000.0]	15,015	38,701	14,182	9,431	79,816
(1000.0, 20000.0]	9	14	22	25	140
(20000.0, 30000.0]	0	13	14	16	44
(30000.0, 40000.0]	2	2	2	4	39
(40000.0, 50000.0]	3	6	7	3	15
(50000.0, 60000.0]	2	2	1	3	11
(60000.0, 70000.0]	1	0	1	1	14

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable		Insurance Coverage Type (GRP, DIR, PUB)		
		NNN	NY_	Y1Y
(70000.0, 80000.0]		0	2	3
(80000.0, 90000.0]		0	1	9
(90000.0, 100000.0]		3	5	65
RINT_YN: Interest income - retirement, y/n				
Universe: All Persons aged 15+				
Niu		2,431	10,167	1,488
Yes		1,565	3,844	3,992
No		11,039	24,734	8,761
RNT_VAL: How much did ... receive in income from rent after expenses during <sup>4</sup> 20..?				
Universe: RNT_YN = 1				
(-11008.998, 91000.8]		15,031	38,718	14,217
(91000.8, 192000.6]		2	25	18
(192000.6, 293000.4]		0	1	0
(293000.4, 394000.2]		1	1	0
				201

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(394000.2, 495000.0]	0	0	1	1	2
(495000.0, 595099.8]	0	0	0	0	1
(595099.8, 696099.6]	1	0	0	0	1
(898099.2, 999999.0]	0	0	3	1	2
RNT_YN: Did ... own any land, property, rented to others, or receive income from royalties, roomers or boarders, or from estates or trusts?					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	290	918	1,088	677	2,802
No	12,314	27,660	11,665	7,658	59,734
SRVS_VAL: Total amount of survivor's income received (combined amounts in edited sources sur_val1 and sur_val2 plus the unedited sources 3 & 4 starting in 1995)					
Universe: SUR_YN = 1					
(-200.0, 20000.0]	15,022	38,674	14,181	9,420	80,073

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(20000.0, 40000.0]	7	39	39	48
(40000.0, 60000.0]	4	18	8	14
(60000.0, 80000.0]	0	1	3	0
(80000.0, 100000.0]	2	11	8	13
(100000.0, 120000.0]	0	1	1	0
(120000.0, 140000.0]	0	1	1	0
(140000.0, 160000.0]	0	0	0	1
(180000.0, 200000.0]	0	0	0	1
SS_VAL: How much did ... receive in social security payments during 20.. ?	4			
Universe: SS_YN = 1				
(-80.0, 8000.0]	14,729	27,315	9,197	5,611
(8000.0, 16000.0]	185	5,828	1,913	1,388
(16000.0, 24000.0]	91	3,923	2,002	1,553
(24000.0, 32000.0]	20	1,192	846	695
(32000.0, 40000.0]	2	203	146	140
				21

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(40000.0, 48000.0]	8	279	136	107	30
(48000.0, 56000.0]	0	3	1	0	0
(56000.0, 64000.0]	0	0	0	1	1
(72000.0, 80000.0]	0	2	0	0	2
SS_YN: Who received social security payments either for themselves or as 1 combined payments with other family members? 2					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	397	13,477	5,642	4,471	1,228
No	12,207	15,101	7,111	3,864	61,308
SSI_VAL: How much did ... receive in supplemental security income during 4 20..?					
Universe: SSI_YN = 1					
(-50.0, 5000.0]	14,990	37,145	14,170	9,351	80,087
(5000.0, 10000.0]	35	1,032	35	77	47

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(10000.0, 15000.0]	3	388	21	44	21
(15000.0, 20000.0]	1	107	7	10	4
(20000.0, 25000.0]	2	41	3	9	3
(25000.0, 30000.0]	3	31	5	4	3
(45000.0, 50000.0]	1	1	0	0	0
SSI_YN: Did ... received ssi?					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	59	2,241	101	192	110
No	12,545	26,337	12,652	8,143	62,426
STRKUC: At any time during 20.. did ... receive any union unemployment or <sup>4</sup> strike benefits?					
Universe: UC_YN = 1					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	4	10	3	4	27

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
No	12,600	28,568	12,750	8,331
SUBUC: At any time during 20.. did ... receive any supplemental unemployment benefits? <span style="color: red;">4</span>				
Universe: UC_YN = 1				
Niu	2,431	10,167	1,488	1,160
Yes	11	28	9	8
No	12,593	28,550	12,744	8,327
SUR_SC1: What was the source of this other widow or survivor income? <span style="color: red;">19</span>				
Universe: SUR_YN = 1				
None or n/a	14,986	38,246	13,934	9,233
Company or union survivor pension	10	206	134	106
Federal government	7	49	25	41
Us military retirement survivor pension	2	48	10	10
State or local govt survivor pension	3	44	34	39
Us railroad retirement survivor pension	2	14	6	3
				5

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY	NY_	Y1Y
Worker compensation survivor	0	2	0	3
Black lung	0	1	0	1
Regular payments from estates or trusts	8	40	34	17
Regular payments from annuities or paid-up life insurance	6	29	30	42
Other or don't know	11	66	34	81
SUR_SC2: What was the source of this other widow or survivor income? <span style="color:red;">1</span>				
Universe: SUR_YN = 1	15,034	38,731	14,233	9,490
None or min	0	2	0	0
Federal government	1	2	0	1
Us military retirement survivor pension	0	2	3	1
State or local gov't survivor pension <span style="color:blue;">3</span>	0	1	0	0
Worker compensation survivor	0	0	0	0
Black lung	0	0	1	0
Regular payments from estates or trusts	0	0	1	1
Regular payments from annuities or paid-up life insurance <span style="color:red;">1</span>	0	5	1	0

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY	Y1Y	YNN
Other or don't know 15	0	2	3	0
<b>SUR_VAL1: How much did ... receive (survivor source type) during 20..? -1</b>				
Universe: SUR_YN = 1	15,009	38,539	14,106	9,366
(-100.0, 10000.0]	13	137	78	56
(10000.0, 20000.0]	6	35	25	36
(20000.0, 30000.0]	1	5	14	11
(30000.0, 40000.0]	3	14	5	10
(40000.0, 50000.0]	1	3	3	4
(50000.0, 60000.0]	0	0	1	1
(60000.0, 70000.0]	0	1	2	0
(70000.0, 80000.0]	2	11	7	11
(90000.0, 100000.0]	21			
<b>SUR_VAL2: How much did ... receive (source type) during 20..? -1</b>				
Universe: SUR_YN = 1	15,035	38,741	14,237	9,493
(-100.0, 10000.0]				80,160

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(10000.0, 20000.0]	0	1	1	1	0
(20000.0, 30000.0]	0	0	0	0	1
(30000.0, 40000.0]	0	1	0	0	0
(60000.0, 70000.0]	0	1	1	1	0
(90000.0, 100000.0]	0	1	2	0	4
SUR_YN: During 20... did ... receive any survivor benefits such as widow's pensions, estates, trusts, insurance annuities, or other survivor's income?					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	49	499	307	262	309
No	12,555	28,079	12,446	8,073	62,227
TRDINT_VAL: Interest amount, excluding retirement account interest					
Universe: INT_YN = 1					
(-99,999, 9999.9]	15,018	38,629	14,089	9,398	79,874
(9999.9, 19999.8]	8	69	87	53	147

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(1999.8, 29999.7]	3	21	23	14	64
(2999.7, 39999.6]	2	8	16	8	24
(3999.6, 49999.5]	0	5	4	2	9
(4999.5, 59999.4]	1	6	6	4	14
(5999.4, 69999.3]	1	1	1	2	11
(6999.3, 79999.2]	1	1	3	4	7
(7999.2, 89999.1]	1	0	1	2	3
(8999.1, 99999.0]	0	5	11	8	12
UC_VAL: How much did ... receive in unemployment benefits during 20..? <span style="color: red;">4</span>					
Universe: UC_YN = 1					
(-99,999, 9999.9]	15,013	38,710	14,224	9,465	80,074
(9999.9, 19999.8]	21	26	13	26	79
(1999.8, 29999.7]	1	6	0	1	5
(2999.7, 39999.6]	0	1	0	1	0
(3999.6, 49999.5]	0	1	1	0	4

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
(49999, 5, 59999, 4]	0	1	3	2
(69999, 3, 79999, 2]	0	0	0	1
(89999, 1, 99999, 0]	0	0	0	1

UC_YN: Any type of unemployment compensation? (Combination of subuc, strkuc, and uctot_yn)	Universe: UC_YN = 1	Universe: VET_YN = 1
Niu	2,431	10,167
Yes	180	305
No	12,424	28,273

VET_TYP1: What type of veterans payments did .... receive? (VET_TYP1- <sup>27</sup> disability compensation?)	Universe: VET_YN = 1
Niu	14,764
Yes	203

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
No	68	321	67	55
<b>VET_TYP2: What type of veterans payments did .... receive? (VET_TYP2-<sup>88</sup>)</b>				
survivor benefits?)				
Universe: VET_YN = 1				
Niu	14,764	37,749	14,043	9,176
Yes	4	80	16	14
No	267	916	182	305
<b>VET_TYP3: What type of veterans payments did .... receive? (VET_TYP3-<sup>27</sup>)</b>				
veteran's pension?)				
Universe: VET_YN = 1				
Niu	14,764	37,749	14,043	9,176
Yes	76	245	41	42
No	195	751	157	277
<b>VET_TYP4: What type of veterans payments did .... receive? (VET_TYP4-<sup>4</sup>)</b>				
education assistance?)				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>Universe: VET_YN = 1</b>					
Niu	14,764	37,749	14,043	9,176	79,766
Yes	14	18	3	7	24
No	257	978	195	312	375
<b>VET_TYP5: What type of veterans payments did ... receive? (VET_TYP5_</b>					
other veteran's payment(s)?					
<b>Universe: VET_YN = 1</b>					
Niu	14,764	37,749	14,043	9,176	79,766
Yes	8	33	11	7	12
No	263	963	187	312	387
<b>VET_VAL: How much did ... receive from veterans' administration during</b>					
20..?					
<b>Universe: VET_YN = 1</b>					
(-100.0, 10000.0]	14,845	38,124	14,132	9,317	79,960
(10000.0, 20000.0]	61	292	49	77	98

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(20000.0, 30000.0]	67	121	20	42	59
(30000.0, 40000.0]	23	134	24	34	25
(40000.0, 50000.0]	18	55	9	19	16
(50000.0, 60000.0]	3	8	2	2	1
(60000.0, 70000.0]	7	3	1	2	0
(70000.0, 80000.0]	4	0	1	0	0
(80000.0, 90000.0]	4	2	2	0	3
(90000.0, 100000.0]	3	6	1	2	3

VET\_YN: Did ... receive veterans' payments?

Universe: All Persons aged 15+

Niu	2,431	10,167	1,488	1,160	17,629
Yes	271	996	198	319	399
No	12,333	27,582	12,555	8,016	62,137

WC\_TYPE: What was source of these payments? 6

Universe: WC\_YN = 1

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
Not in universe	14,980	38,653	14,204	9,447	79,891
State worker's compensation	15	40	14	15	74
Employer or employers insurance	39	42	23	30	187
Own insurance	0	1	0	0	5
Other	1	9	0	3	8
WC_VAL: How much compensation did ... receive during 20...? <sup>4</sup>					
Universe: WC_YN = 1					
(-99,999, 9999.9]	15,009	38,712	14,227	9,467	80,086
(9999.9, 19999.8]	17	18	6	19	44
(19999.8, 29999.7]	5	8	2	2	15
(29999.7, 39999.6]	1	6	5	6	12
(39999.6, 49999.5]	0	0	0	0	3
(49999.5, 59999.4]	1	0	0	1	0
(59999.4, 69999.3]	0	1	0	0	3
(89999.1, 99999.0]	2	0	1	0	2

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
<b>WC _ YN: During 20.. did ... receive any worker's compensation payments or other payments as a result of a job related injury or illness?</b>				
Universe: All Persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	55	92	37	48
No	12,549	28,486	12,716	8,287
<b>PAW _ TYP: What type of program did... receive CASH assistance? <span style="color:red;">-1</span></b>				
Universe: PAW _ YN = 1				
Niu	15,011	38,275	14,214	9,382
TANF / AFDC	14	327	13	51
Other	8	130	14	60
Both	2	13	0	2
<b>PAW _ VAL: How much did ... receive in public assistance or welfare during <span style="color:red;">6</span> 20..?</b>				
Universe: PAW _ YN = 1				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
(-25,0, 2500,0]	15,018	38,508	14,228	9,445	80,143
(2500,0, 5000,0]	6	115	7	28	8
(5000,0, 7500,0]	5	53	4	5	6
(7500,0, 10000,0]	2	42	1	8	3
(10000,0, 12500,0]	3	17	0	5	4
(12500,0, 15000,0]	1	6	0	0	0
(15000,0, 17500,0]	0	1	0	1	0
(17500,0, 20000,0]	0	0	0	2	1
(20000,0, 22500,0]	0	2	0	0	0
(22500,0, 25000,0]	0	1	1	1	0

PAW \_ YN: At any time during 20... even for one month, did... receive an CASH 1  
assistance from a state or county welfare program such as (State program name  
fill)?

Universe: All Persons aged 15+  
Niu

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
Yes	24	470	27	113
No	12,580	28,108	12,726	8,222
<b>PENINCL: Was ... included in that plan?</b>				
Universe: PENPLAN = 1				
Niu	12,999	36,775	12,935	7,709
Yes	1,334	996	775	1,381
No	702	974	531	405
<b>PENPLAN: Other than social security did the employer or union that ... worked [redacted] for in 20... have a pension or other type of retirement plan?</b>				
Universe: WRK_CK = 1				
Niu	6,201	29,895	8,039	5,508
Yes	2,036	1,970	1,306	1,786
No	6,798	6,880	4,896	2,201
<b>WICYN: Who received WIC?</b>				
Universe: Adult female				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY	NY_	Y1Y
Niu	10,363	30,214	11,865	8,177
Received WIC	207	717	59	110
Did not receive WIC	4,465	7,814	2,317	1,208
<b>CHCARE_YN:</b> Paid child care was needed for this child? <span style="color:red;">+/-</span>				
Universe: Persons age 15+ with children				
Niu	12,604	28,578	12,753	8,335
Yes	361	1,381	252	233
No	2,070	8,786	1,236	927
<b>CHELSEW_YN:</b> Does this person have a child living outside the household? <span style="color:red;">+/-</span>				
Universe: All persons aged 15+				
Niu	2,431	10,167	1,488	1,160
Yes	386	443	163	129
No	12,218	28,135	12,590	8,206
<b>CHSP_VAL:</b> What is the annual amount of child support paid? <span style="color:red;">+/-</span>				
Universe: CHSP_YN = 1				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY	NY_	Y1Y	YNN
(-99,999, 9999.9]	15,003	38,723	14,222	9,484	79,970
(9999.9, 19999.8]	26	19	14	7	141
(19999.8, 29999.7]	4	1	1	2	41
(29999.7, 39999.6]	1	1	4	0	5
(39999.6, 49999.5]	1	0	0	1	2
(49999.5, 59999.4]	0	0	0	1	1
(59999.4, 69999.3]	0	1	0	0	1
(69999.3, 79999.2]	0	0	0	0	1
(89999.1, 99999.0]	0	0	0	0	3
CHSP _YN: Is this person required to pay child support?					
Universe: CHELSEW _YN					
Niu	14,649	38,302	14,078	9,366	78,727
Yes	194	136	70	41	681
No	192	307	93	88	757
CSP _VAL: How much did ... receive in child support payments?					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Universe: CHSP_YN = 1					
(-99,999, 9999.9]	15,010	38,682	14,215	9,484	79,977
(9999.9, 19999.8]	19	48	18	8	148
(19999.8, 29999.7]	5	10	5	1	23
(29999.7, 39999.6]	0	4	1	1	11
(39999.6, 49999.5]	1	0	1	1	2
(49999.5, 59999.4]	0	0	0	0	1
(69999.3, 79999.2]	0	0	1	0	0
(89999.1, 99999.0]	0	1	0	0	3
CSP_YN: Did ... receive child support payments?					
Universe: All Persons aged 15+					
Niu	2,431	10,167	1,488	1,160	17,629
Yes	201	560	112	136	1,080
No	12,403	28,018	12,641	8,199	61,456
ACTC_CRD: Additional child tax credit					

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
Universe: Tax unit head or dependent filer					
(-11.1, 1110.0]	13,939	37,125	13,926	9,144	78,392
(1110.0, 2220.0]	534	804	153	168	833
(2220.0, 3330.0]	359	525	102	119	560
(3330.0, 4440.0]	153	215	45	42	256
(4440.0, 5550.0]	27	33	5	12	59
(5550.0, 6660.0]	17	29	8	8	41
(6660.0, 7770.0]	3	8	2	1	15
(7770.0, 8880.0]	2	4	0	0	4
(8880.0, 9990.0]	1	2	0	1	4
(9990.0, 11100.0]	0	0	0	0	1

AGI: Adjusted gross income

Universe: Tax unit head or dependent filer

(-12341.073, 224208.3]  
(224208.3, 458415.6]

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY_	Y1Y	YNN	
(458415.6, 692622.9]	14	21	33	21	325
(692622.9, 926830.2]	4	5	16	4	98
(926830.2, 1161037.5]	4	5	11	9	87
(1161037.5, 1385244.8]	0	0	4	2	56
(1395244.8, 1629452.1]	0	1	1	2	7
(1629452.1, 1863659.4]	0	0	1	0	1
(1863659.4, 2097866.7]	0	0	1	0	6
(2097866.7, 2332074.0]	0	0	1	0	6
CTC_CRD: Child tax credit					
Universe: Tax unit head or dependent filer					
(-18.0, 1800.0]	13,956	38,047	13,477	8,913	69,728
(1800.0, 3600.0]	646	462	418	331	5,280
(3600.0, 5400.0]	327	186	250	182	3,845
(5400.0, 7200.0]	73	41	78	52	1,015
(7200.0, 9000.0]	26	8	15	15	236

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NY_	Y1Y	YNN	
(9000.0, 10800.0]	5	1	2	2	40
(10800.0, 12600.0]	2	0	0	0	17
(12600.0, 14400.0]	0	0	0	0	2
(14400.0, 16200.0]	0	0	1	0	0
(16200.0, 18000.0]	0	0	0	0	2
EIT_CRED: Earn income tax credit					
Universe: Tax unit head or dependent filer					
(-6,557, 655.7]	13,787	36,710	13,872	9,134	78,356
(655.7, 1311.4]	106	159	45	40	348
(1311.4, 1967.1]	127	149	72	55	330
(1967.1, 2622.8]	153	229	44	46	281
(2622.8, 3278.5]	135	248	45	54	207
(3278.5, 3934.2]	263	420	62	60	266
(3934.2, 4589.9]	92	184	36	24	120
(4589.9, 5245.6]	88	152	20	26	86

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(5245.6, 5901.3]	168	306	28	39
(5901.3, 6557.0]	116	188	17	17
<b>FED_RET: Federal retirement payroll deduction</b>				
Universe: Tax unit head or dependent filer				
(-16.9, 1690.0]	15,032	38,744	14,241	9,491
(1690.0, 3380.0]	0	0	0	0
(3380.0, 5070.0]	1	1	0	0
(5070.0, 6760.0]	2	0	0	1
(6760.0, 8450.0]	0	0	0	0
(8450.0, 10140.0]	0	0	0	2
(10140.0, 11830.0]	0	0	0	0
(15210.0, 16900.0]	0	0	1	0
<b>FEDTAX_AC: Federal income tax liability, after all credits</b>				
Universe: Tax unit head or dependent filer				
(-10797.046, 69805.6]	15,001	38,684	14,139	9,415
				79,276

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(63805.6, 149610.2]	22	49	66	62	605
(149610.2, 229414.8]	8	5	18	6	94
(229414.8, 309219.4]	2	3	7	4	62
(309219.4, 389024.0]	2	3	7	6	91
(389024.0, 468828.6]	0	1	1	2	23
(468828.6, 548633.2]	0	0	2	0	4
(628437.8, 708242.4]	0	0	1	0	6
(708242.4, 788047.0]	0	0	0	0	4
FEDTAX_BC: Federal income tax liability, before credits Universe: Tax unit head or dependent filer					
(-788,047, 78804.7]	15,006	38,696	14,150	9,434	79,411
(78804.7, 157609.4]	18	37	59	43	473
(157609.4, 236414.1]	7	5	14	6	96
(236414.1, 315218.8]	2	3	7	4	62
(315218.8, 394023.5]	2	3	7	6	90

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(394023.5, 472828.2]	0	1	1	2	19
(472828.2, 551632.9]	0	0	2	0	4
(630437.6, 709242.3]	0	0	1	0	6
(709242.3, 788047.0]	0	0	0	0	4
FICA: Social security retirement payroll deduction					
Universe: All persons					
(-55,449, 5544.9]	14,080	38,087	12,928	8,678	63,814
(5544.9, 11089.8]	821	521	979	661	14,090
(11089.8, 16634.7]	98	99	209	123	1,751
(16634.7, 22179.6]	23	29	85	19	287
(22179.6, 27724.5]	6	5	21	9	78
(27724.5, 33269.4]	5	4	13	5	134
(33269.4, 38814.3]	0	0	4	0	6
(38814.3, 44359.2]	1	0	2	0	1
(44359.2, 49904.1]	1	0	0	0	3

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(49904,1, 55449,0]	0	0	0	0
<b>FILESTAT: Tax filer status</b>				
Universe: All persons				
Joint, both <65	4,721	3,600	2,931	1,621
Joint, one ><65 & one 65+	235	1,045	692	782
Joint, both 65+	67	3,601	2,693	2,660
Head of household	764	1,485	350	299
Single	4,246	5,595	3,652	1,956
Non-filer	5,002	23,359	3,923	2,177
<b>MARG_TAX: Marginal tax rate</b>				
Universe: Tax unit head or dependent filer				
(-0.037, 3.7]	9,196	31,832	8,644	5,356
(7.4, 11.1]	1,801	2,645	1,229	717
(11.1, 14.8]	3,127	2,994	2,557	1,813
(18.5, 22.2]	687	920	1,267	1,088
				11,655

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NY_	Y1Y	YNN
(22.2, 25.9]	174	259	404	403
(29.6, 33.3]	15	39	53	62
(33.3, 37.0]	35	56	87	56
				762
PRSWKXPNS: Work expenses				
Universe: A__AGE > 17 or HHDFMX = 1,2,46, or 47 -				
(-2,065, 206.5]	6,481	30,475	8,279	5,658
(206.5, 413.0]	131	275	104	94
(413.0, 619.5]	175	312	141	101
(619.5, 826.0]	210	347	136	124
(826.0, 1032.5]	131	225	119	86
(1032.5, 1239.0]	352	504	210	178
(1239.0, 1445.5]	228	252	155	108
(1445.5, 1652.0]	292	336	238	161
(1652.0, 1858.5]	265	284	167	124
(1858.5, 2065.0]	6,770	5,735	4,692	2,861
				45,278

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
<b>STATE/TAX_A: State income tax liability, after all credits =</b>					
Universe: Tax unit head or dependent filer					
(-6490.585, 19727.5]	15,009	38,704	14,157	9,429	79,338
(19727.5, 45686.0]	20	37	63	54	637
(45686.0, 71644.5]	6	3	15	6	113
(71644.5, 97603.0]	0	0	2	6	35
(97603.0, 123561.5]	0	1	4	0	25
(123561.5, 149320.0]	0	0	0	0	10
(149320.0, 175478.5]	0	0	0	0	1
(175478.5, 201437.0]	0	0	0	0	3
(201437.0, 227395.5]	0	0	0	0	2
(227395.5, 253354.0]	0	0	0	0	1
<b>STATE/TAX_B: State income tax liability, before credits</b>					
Universe: Tax unit head or dependent filer					
(-253,354, 253354.4]	15,017	38,718	14,185	9,458	79,632

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(25335.4, 50670.8]	12	23	38	28	377
(50670.8, 76006.2]	6	3	12	4	83
(76006.2, 101341.6]	0	0	2	5	39
(101341.6, 126677.0]	0	1	4	0	18
(126677.0, 152012.4]	0	0	0	0	9
(152012.4, 177347.8]	0	0	0	0	1
(177347.8, 202683.2]	0	0	0	0	3
(202683.2, 228018.6]	0	0	0	0	2
(228018.6, 253354.0]	0	0	0	0	1
TAX_INC: Taxable income amount					
Universe: Tax unit head or dependent filer					
(-2298.214, 229821.4]	14,968	38,607	14,027	9,280	78,079
(229821.4, 45,9642.8]	49	112	153	185	1,604
(45,9642.8, 689464.2]	11	17	34	14	250
(689464.2, 919285.6]	5	4	10	4	78

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
(919285.6, 1149107.0]	2	4	11	9
(1149107.0, 1378928.4]	0	1	3	3
(1378928.4, 1608749.8]	0	0	2	0
(1608749.8, 1838571.2]	0	0	0	0
(1838571.2, 2068392.6]	0	0	0	0
(2068392.6, 2298214.0]	0	0	1	0
PERLIS: Poverty level of persons (Subfamily members have primary family [-1 recode])				
Universe: All persons				
Not in poverty universe	29	173	9	37
Below poverty level	2,650	10,405	1,038	549
100 - 124 percent of the poverty level	872	3,558	448	302
125 - 149 percent of the poverty level	968	3,113	506	303
150 and above the poverty level	10,516	21,496	12,240	8,304
POV_UNIV: Poverty universe flag				

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
Universe: All persons				
Not in poverty universe	29	173	9	37
In poverty universe	15,006	38,572	14,232	9,458
HEA: Health status				
Universe: All persons				
Excellent	4,703	8,539	4,173	2,207
Very good	4,895	9,678	4,540	3,038
Good	4,164	11,856	3,859	2,899
Fair	1,039	6,158	1,247	1,007
Poor	234	2,514	422	344
SPM_ACTC: SPM units Additional Child Tax Credit				
Universe: All persons				
(-11.1, 1110.0]	11,509	28,742	13,080	8,266
(1110.0, 2220.0]	1,538	3,848	513	507
(2220.0, 3330.0]	1,172	3,423	362	420
				2,227

Table 3.6: Number of survey participants by health factors and five insurance coverage combinations of enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) (continued)

Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
(3330.0, 4440.0]	583	1,834	215	176	1,141
(4440.0, 5550.0]	111	393	26	55	337
(5550.0, 6660.0]	74	314	36	56	233
(6660.0, 7770.0]	25	111	9	2	116
(7770.0, 8880.0]	11	41	0	1	43
(8880.0, 9990.0]	9	32	0	12	15
(9990.0, 11100.0]	3	7	0	0	13

Code 3.8: Exploratory data analysis (describe.py)

```

1  import os
2  import pandas as pd
3  import warnings
4
5  from module.utility import create_dir, import_dict
6  from module.eda import *
7  from module.dataset import *
8  from cls.ThesisExtension import *
9
10 texlive_binpath = '120/usr/local/texlive/2024/bin/x86_64-linux'
11 os.environ['PATH'] += os.pathsep + texlive_binpath
12
1334 pd.set_option('display.max_columns', None)
14 pd.set_option('display.width', 1000)
15 warnings.filterwarnings('ignore')
16
17 # Given Information
18 dataset_name = "pppub20"
19
20 # Predefined Directories
21 meta_dir = "../../Data/Original/metadata"
22 feather_dir = "../../Data/Original/feather"
23 csv_dir = "../../Data/Original/csv"
24
25 output_dir = f"../../../../Outputs/Main/EDA/{dataset_name}"
26 log_dir = f"../../../../Logs/preprocessing"
27 log_filepath = f"{log_dir}/describe.log"
28
29 backup_dir = "../../../../Backups"
30
31 create_dir(log_dir)
32
33 # Data Preparation
34 indep_dict = import_dict(metadatapath=f"{meta_dir}/meta-indep.json")
35 depAttrs = ['GRP', 'DIR', 'PUB']

```

```
36 print()
37 describe_var(indep_dict)
38 print()
39 df = import_dataset(dataset_name=dataset_name, feather_dir=feather_dir)
40 print()
41 dep_features = ['class_orig', 'code_orig', 'code', 'class']
42 acpt_types = {'category', 'int16', 'int32', 'int8', 'uint16', 'uint32', 'uint8'}
43 preprocess = True
44
45 if all(feat in df.columns for feat in dep_features):
46     col_types = set()
47     for col in df.columns:
48         col_types.add(str(df[col].dtype))
49     if col_types == acpt_types:
50         preprocess = False
51
52 if preprocess:
53     df.thesis.code(indep_dict, dep_attrs)
54     df.thesis.recode()
55
56 filepath_feather = f"{feather_dir}/{dataset_name}.feather"
57 filepath_csv = f"{csv_dir}/{dataset_name}.csv"
58
59 if not os.path.isfile(filepath_feather):
60     export_dataset(df, file_dir='data/feather', dataset_name=dataset_name,
61                     format='feather')
62
63 if not os.path.isfile(filepath_csv):
64     dfther = pd.read_feather(filepath_feather)
65     export_dataset(dfther, file_dir='data/csv', dataset_name=dataset_name,
66                     format='csv')
66 # Univariate Data Analysis
67 df.thesis.show_type(option='full')
68 print()
```

```

69 df[['GRP','DIR','PUB','class_orig','code_orig','code','class']].
    drop_duplicates().sort_values('class').reset_index(drop=True)
70 print(f"Code: Employment-based plan (GRP) | Direct-purchase plan (DIR) |
    Public health insurance (PUB)")
71 print(df.groupby('code').size())
72 print('\n'*2)
73
74 # Cross Tabulation Analysis
75 print("-----")
76 crosstab(df=df, indep_dict=indep_dict, cont_bins=10, plot=True, output_dir
    =output_dir, log_filepath=log_filepath, backup_dir=backup_dir)

```

### 3.5.7 Data Encoding

Code 3.9 encodes the input dataset in the correct format, zero for a continuous NIU (not in universe) value and 0 up to a positive integer for a categorical value, by instantiating the Data class defined in Code 3.6. The state of this instance is maintained by two attached attributes `dataset`, a pandas DataFrame extended by the `data` accessor, and `metadata`, a Python list. The nonstatic methods `encodecat` and `encodecont` for encoding categorical and continuous features change the object into multiple states. This dissertation excessively uses the shallow copies of attributes by calling the method `copy` to protect the originals. Unlike a deep copy, a shallow copy inserts reference to an original object to the extent possible.

Code 3.9: Data encoding (convert.py)

```

43 import os
44
45 import pandas as pd
46
47 import pyarrow
48
49
50 from module.utility import create_dir, import_dict, export_json,
    export_txt
51 from module.metaencode import *
52 from cls.Data import *
53
54
55 # Given Information
56 dataset_inname = "pppub20"

```

```
11 dataset_encname = f"{dataset_inname}enc"
12 dataset_procname = "proc20"
13
14 # Predefined Directories
15 meta_indir = "../../Data/Original/metadata"
16 meta_extra_indir = f"{meta_indir}/extra"
17 feather_indir = "../../Data/Original/feather"
18 csv_indir = "../../Data/Original/csv"
19
20 meta_encdir = "../../../../Data/Encoded/metadata"
21 meta_extra_encdir = f"{meta_encdir}/extra"
22 feather_encdir = "../../../../Data/Encoded/feather"
23 csv_encdir = "../../../../Data/Encoded/csv"
24 info_encdir = "../../../../Data/Encoded/info"
25
26 csv_prokdir = "../../../../Data/Processed/csv"
27
28 create_dir(meta_extra_indir)
29 create_dir(feather_indir)
30 create_dir(csv_indir)
31 create_dir(meta_extra_encdir)
32 create_dir(feather_encdir)
33 create_dir(csv_encdir)
34 create_dir(info_encdir)
35 create_dir(csv_prokdir)
36
37 # Metadata
38 indep_dict = import_dict(metadatapath=f"{meta_indir}/meta-indep.json")
39 export_json(extract_dict_cat(indep_dict), f"{meta_extra_indir}/meta-indep-
    cat.json")
40 export_json(extract_dict_cont(indep_dict), f"{meta_extra_indir}/meta-indep-
    cont.json")
41
42 # Imported Dataset
43 if os.path.isfile(f"{feather_indir}/{dataset_inname}.feather"):
44     df = pd.read_feather(f"{feather_indir}/{dataset_inname}.feather")
```

```
45     if not os.path.isfile(f"{csv_indir}/{dataset_inname}.csv"):
46         df.to_csv(f"{csv_indir}/{dataset_inname}.csv", index=False)
47     else:
48         df = pd.read_csv(f"{csv_indir}/{dataset_inname}.csv")
49
50 # Encoded Dataset and Dictionary
51 data_obj = Data(df.copy(), indep_dict.copy())
52 cat_var_change = data_obj.encodecat()
53 cont_var_nonpos = data_obj.encodecont()
54 df_enc = data_obj.dataset
55 indep_dict_enc = data_obj.metadata
56
57 # Processed Dataset
58 depAttrs = ['GRP', 'DIR', 'PUB']
59 classAttrs = ['class_orig', 'code_orig', 'code', 'class']
60 df_proc_enc = df_enc.drop(columns=['COV']+depAttrs+classAttrs)
61 df_proc_enc = sort_cols(df_proc_enc, indep_dict_enc).join(df_enc['class'])
62 df_proc_info = indep_info(df_proc_enc.loc[:, df_proc_enc.columns != 'class'],
63                           indep_dict_enc)
63 df_count_info = count_info(df_proc_info)
64
65 # Exported Results
66 df_enc.to_feather(f"{feather_encdir}/{dataset_encname}.feather")
67 df_enc.to_csv(f"{csv_encdir}/{dataset_encname}.csv", index=False)
68 export_json(
69     indep_dict_enc,
70     f"{meta_encdir}/meta-indep-{dataset_encname}.json"
71 )
72 export_json(
73     extract_dict_cat(indep_dict_enc),
74     f"{meta_extra_encdir}/meta-indep-cat-{dataset_encname}.json"
75 )
76
77 df_proc_enc.to_csv(f"{csv_procdir}/{dataset_procname}.csv", header=True,
78                     index=False)
78
```

```

79 df_proc_info.index = df_proc_info.index + 1
80 df_proc_info.to_csv(f"{info_encdir}/{dataset_encname}-info.csv",
     index_label="id")
81 df_count_info.to_csv(f"{info_encdir}/{dataset_encname}-countinfo.csv",
     header=True, index=False)
82
83 export_txt(cat_var_change, f"{meta_extra_encdir}/catchange-{{
     dataset_encname}.txt}")
84 export_txt(cont_var_nonpos, f"{meta_extra_encdir}/contnonpos-{{
     dataset_encname}.txt}")

```

### 3.5.8 Sampling using SelectKBest

Because the classifier proposed in Chapter 4 is exponentially expensive, certain features are preselected by evaluating their scores against a target variable. Code 3.10 considers 3, 4 and 8 highest scores based on the mutual information for a discrete target. In addition, 100 out of 157,681 survey participants are sampled of equal class size by calling two methods `groupby` and `sample`. Due to its random nature, the sampling result changes in each call. The use of the model is illustrated in Chapter 5 with only three preselected features.

Code 3.10: SelectKBest (selectkbest.py)

```

155 import pandas as pd
156
157 from functools import partial
158
159 from sklearn.feature_selection import mutual_info_classif, SelectKBest
160
161
162 from module.utility import create_dir
163
164
165 sel_num_ls = [3, 4, 8]
166 train_eachclass_num = 20
167
168
169 data_filepath = "../../Data/Processed/csv/proc20.csv"
170 info_filepath = "../../Data/Encoded/info/pppub20enc-info.csv"
171
172
173 data_selname = "selproc20"
174 train_name = "seltrain20"

```

```

15 test_name = "seltest20"
16
17 # Predefined Directories
18 sample_dir = "../../Samples/random"
19 sel_dir = f"{sample_dir}/{data_selname}"
20
21 data_dir = f"{sel_dir}/data"
22 info_dir = f"{sel_dir}/info"
23 feat_dir = f"{sel_dir}/features"
24 score_dir = f"{sel_dir}/scores"
25 train_dir = f"{sel_dir}/train"
26 test_dir = f"{sel_dir}/test"
27
28 63 create_dir(data_dir)
29 create_dir(info_dir)
30 create_dir(feat_dir)
31 63 create_dir(score_dir)
32 create_dir(train_dir)
33 create_dir(test_dir)
34
35 # Univariate Feature Selection
36 def feat_select(df_indata, df_info, sel_num):
37     discrete_feat_idx = df_info.index[df_info['type']=='Categorical']
38     84 score_func = partial(mutual_info_classif, discrete_features=
            discrete_feat_idx)
39     feat_selector = SelectKBest(score_func,
58 k=sel_num)
40     feat_selector.fit(df_indata.drop('class', axis=1), df_indata['class'])
41
42     df_scores = pd.DataFrame()
43     df_scores["Attribute"] = df_indata.drop('class', axis=1).columns
44     df_scores['Type'] = df_info['type']
45     df_scores["Support"] = feat_selector.get_support()
46     df_scores["F Score"] = feat_selector.scores_
47     df_scores["P Value"] = feat_selector.pvalues_
48

```

```

49     df_selfeat = df_scores[df_scores['Support']].drop('Support', axis=1).
50         reset_index(drop=True)
50     df_seldata = df_indata[df_selfeat['Attribute']].join(df_indata['class'
51         ])
51
52     minmax = df_seldata.loc[:, df_seldata.columns != 'class'].agg(['min','
53         max']).values.tolist()
53     df_selfeat['Min'] = minmax[0]
54     df_selfeat['Max'] = minmax[1]
55     del minmax
56
57     return df_seldata, df_selfeat, df_scores
58
59 # Implementation
60 df_indata = pd.read_csv(data_filepath)
61 df_info = pd.read_csv(info_filepath)
62
63 print(f"\n{df_indata.head()}\n")
64 print(f"{df_info.head()}\n")
65
66 for sel_num in sel_num_ls:
67
68     # Univariate feature selection
69     df_seldata, df_selfeat, df_scores = feat_select(df_indata=df_indata,
70             df_info=df_info, sel_num=sel_num)
71
71     # Display results (selected features)
72     print(f"Select {sel_num} features:\n")
73     print(f"{df_selfeat}\n")
74
75     # Train-test split
76     df_seltrain = df_seldata.groupby('class', group_keys=False).apply(
77         lambda x: x.sample(train_eachclass_num)
78     )
79     df_seltest = df_seldata.drop(df_seltrain.index)
80

```

```

81     # Exported results
82     df_seldata.to_csv(f"{data_dir}/{data_selname}num{sel_num}.csv", header=
83                         True, index=False)
84
85     df_selfeat.to_csv(f"{feat_dir}/fnum{sel_num}.csv", header=True, index=
86                         False)
87     df_scores.to_csv(f"{score_dir}/snum{sel_num}.csv", header=True, index=
88                         False)
89
90     df_selfeat.index = df_selfeat.index + 1
91     df_selinfo = df_selfeat.drop(['F Score', 'P Value'], axis=1)
92     df_selinfo.columns = ['variable', 'type', 'min', 'max']
93     df_selinfo.to_csv(f"{info_dir}/{data_selname}num{sel_num}info.csv",
94                         index_label='id')
95
96     df_seltrain.to_csv(f"{train_dir}/{train_name}num{sel_num}each{
97                         train_eachclass_num}.csv", header=True, index=False)
98     df_seltest.to_csv(f"{test_dir}/{test_name}num{sel_num}exc{
99                         train_eachclass_num}.csv", header=True, index=False)

```

### 3.5.9 Setting Number of Variable Splits

Provided that two and three splits or cuts are of interest, Code 3.11 determines an appropriate number of splits on an individual feature in the health insurance dataset of all noninfant survey participants with full features and previously preselected 3, 4 and 8 features. For example, in the case of three splits, up to two splits are allowed on the feature SS\\_YN representing the answer, including NIU (not in universe), to the yes/no question regarding social security payments. The column of these numbers is inserted into the DataFrame as an additional information directly through the pandas accessor `info` in Code 3.7 without explicit class instantiation.

Code 3.11: Setting number of variable splits (setcut.py)

```

1 46 import pandas as pd
2
3 from module.utility import create_dir
4 from cls.Info import *
5
6 # Given Information
7 pcut_ls = [2, 3]
8 info_ls = []
9 info_ls.append({
10     'indir': "../../Data/Encoded/info",
11     'infile': "pppub20enc-info.csv",
12     'outdir': "../../Samples/proc20/cuts"
13 })
14 extra_infile_ls = [
15     "selproc20num3info.csv",
16     "selproc20num4info.csv",
17     "selproc20num8info.csv"
18 ]
19 for file in extra_infile_ls:
20     info_ls.append({
21         'indir': "../../Samples/selproc20/info",
22         'infile': file,
23         'outdir': "../../Samples/selproc20/cuts"
24     })
25 print(f"\n{info_ls}\n")
26
27 # Implementation
28 for dc in info_ls:
29     for pcut in pcut_ls:
30
31         # Import
32         inpath = f"{dc['indir']}/{dc['infile']}"
33         df = pd.read_csv(inpath)
34

```

```
35      # Set cuts
36      pcont, pcatmax = pcut, pcut
37      df.info.setcut(pcont, pcatmax)
38
39      # Set output path
40      infilename = dc['infile'].replace('.csv', '').replace('info', '')
41          replace('-', '')
42      cutfilename = f"{infilename}co{pcont}ca{pcatmax}cutinfo"
43      outpath = f"{dc['outdir']}/{cutfilename}.csv"
44
45      # Display results
46      print(f"Input: {inpath}")
47      print(f"NUmber of features: {len(df)}")
48      print(f"Number of continuous cuts: {pcont}")
49      print(f"Number of maximum categorical cuts: {pcatmax}")
50      print(f"Output: {outpath}\n")
51      print(f"{df.head()}\n")
52
53      # Export
54      create_dir(dc['outdir'])
55      df.to_csv(outpath, header=True, index=False)
```

# CHAPTER IV

## PROPOSED CLASSIFIER

### 4.1 Proposed Model for Selecting Continuous Factors

Suppose a training dataset of dimension  $\tilde{d}$  excluding its target variable has  $N$  instances, and every feature  $1 \leq \tilde{j} \leq \tilde{d}$  is continuous. Each training instance  $\tilde{x}^i = (\tilde{x}_j^i)_{1 \leq j \leq \tilde{d}} \in \mathbb{R}^{\tilde{d}}$  where  $1 \leq i \leq N$  has an integer class label between 0 and  $n$ . Let  $y_k^i$  specify whether a training instance  $\tilde{x}^i$  is in class  $k$  for  $0 \leq k \leq n$ . Assume that at most  $1 \leq d \leq \tilde{d}$  contributing factors are considered. It follows that a reduced instance  $x^i = (x_j^i)_{1 \leq j \leq d} \in \mathbb{R}^d$  is a partial selection of the components of the original instance  $\tilde{x}^i$ :

$$\begin{aligned} x_j^i &= \sum_{j=1}^{95} c_{j,\tilde{j}} \tilde{x}_j^i \\ \sum_{\tilde{j}=1}^{\tilde{d}} c_{j,\tilde{j}} &\leq 1 \\ \sum_{j=1}^d c_{j,\tilde{j}} &\leq 1 \\ c_{j,\tilde{j}} &\in \{0, 1\}. \end{aligned}$$

An original feature  $\tilde{j}$  is selected and considered significant when

$$\sum_{j=1}^d c_{j,\tilde{j}} = 1$$

and it becomes a new feature  $j$ , uniquely, for  $c_{j,\tilde{j}} = 1$ .

Every selected, rearranged feature  $1 \leq j \leq d$  is assumed to have  $p_j \geq 0$  splitting values:  $b_{j,1} \leq \dots \leq b_{j,p_j}$ . Two endpoints are assumed:  $b_{j,0} = -M$  and  $b_{j,p_j+1} = M$  for sufficiently large positive  $M$  such as  $\max\{|x_j^i|\}$ . All splitting points along each new axis forms  $B = (p_1 + 1) \cdots (p_d + 1)$  decision boxes. A box  $S_\beta$  is defined in the following manner:

$$S_\beta = \prod_{j=1}^d \sum_{q=0}^{p_j} \beta_{j,q}[b_{j,q}, b_{j,q+1}]$$

where  $b_{j,0}$  and  $b_{j,p_j+1}$  are sufficiently small negative and large positive,

$$\beta = \sum_{j=1}^{23} \left[ \prod_{j_0=0}^{j-1} (p_{j_0} + 1) \right] \left[ \sum_{q=0}^{115} q \beta_{j,q} \right]$$

$$\sum_{q=0}^{p_j} \beta_{j,q} = 1$$

$$\beta_{j,q} \in \{0, 1\}$$

and  $p_0 = 1$ .

Each  $x_j^i \in \mathbb{R}$  is in an open interval  $(b_{j,q}, b_{j,q+1})$  for some  $0 \leq q \leq p_j$ , and its existence is indicated by a boolean variable  $\alpha_{j,q}^i$ :

$$\sum_{j=1}^d c_{j,j} \tilde{x}_j^i = x_j^i \in \sum_{q=0}^{p_j} \alpha_{j,q}^i [b_{j,q} + m_j, b_{j,q+1} - m_j] = \sum_{q=0}^{p_j} [l_{j,q}^i, r_{j,q}^i]$$

$$\sum_{q=0}^{p_j} \alpha_{j,q}^i = 1$$

$$\alpha_{j,q}^i \in \{0, 1\}$$

for sufficiently small positive  $m_j$  such as

$$m_j = \frac{1}{2} \min \{ |x_j^{i_1} - x_j^{i_2}| : x_j^{i_1} \neq x_j^{i_2} \}$$

and for some  $l_{j,q}^i$  and  $r_{j,q}^i$ . Both terms are introduced to linearize the nonlinear products  $\alpha_{j,q}^i (b_{j,q} + m_j)$  and  $\alpha_{j,q}^i (b_{j,q+1} - m_j)$  respectively. Proven constructively, Theorem 4.1 ensures the linearizability.

**Theorem 4.1.** Two intervals  $\alpha_{j,q}^i [b_{j,q} + m_j, b_{j,q+1} - m_j]$  and  $[l_{j,q}^i, r_{j,q}^i]$  are identical only when

$$l_{j,q}^i \stackrel{113}{\in} [-M, b_{j,q} + m_j] + M(1 - \alpha_{j,q}^i)$$

$$l_{j,q}^i \stackrel{150}{\in} [b_{j,q} + m_j, M] - M(1 - \alpha_{j,q}^i)$$

$$r_{j,q}^i \in [-M, b_{j,q+1} - m_j] + M(1 - \alpha_{j,q}^i)$$

$$r_{j,q}^i \in [b_{j,q+1} - m_j, M] - M(1 - \alpha_{j,q}^i).$$

152 *Proof.* It suffices to show that  $l_{j,q}^i = \alpha_{j,q}^i(b_{j,q} + m_j)$  under the given constraints because substitution  $b_{j,q}$  and  $m_j$  with  $b_{j,q+1}$  and  $-m_j$  results in the expression for  $r_{j,q}^i$ . The equivalent condition for the nonlinear product is given by for sufficiently large positive  $M_1$ ,  $M_2$ ,  $M_3$  and  $M_4$

$$\begin{aligned} l_{j,q}^i &= \begin{cases} 0, & \text{for } \alpha_{j,q}^i = 0 \\ b_{j,q} + m_j, & \text{for } \alpha_{j,q}^i = 1 \end{cases} \\ &\in \begin{cases} [-M_1, 0] \cap [0, M_2], & \text{for } \alpha_{j,q}^i = 0 \\ [b_{j,q} + m_j, M_3] \cap [-M_4, b_{j,q} + m_j], & \text{for } \alpha_{j,q}^i = 1. \end{cases} \end{aligned}$$

Consider how each interval changes when  $\alpha_{j,q}^i$  moves from 0 to 1:

$$\begin{aligned} [b_{j,q} + m_j, M_3] &= [-M_1, 0] + [b_{j,q} + m_j + M_1, M_3] \\ [-M_4, b_{j,q} + m_j] &= [0, M_2] + [-M_4, b_{j,q} + m_j - M_2]. \end{aligned}$$

10 Hence the translations are given by  $(1 - \alpha_{j,q}^i)[b_{j,q} + m_j + M_1, M_3]$  and  $(1 - \alpha_{j,q}^i)[-M_4, b_{j,q} + m_j - M_2]$ . To remove all nonlinear terms, choose  $M_1$  and  $M_2$  such that  $b_{j,q} + m_j + M_1$  and  $b_{j,q} + m_j - M_2$  are constant. One example of such the ordered tuple  $(M_1, M_2, M_3, M_4)$  is  $(M - b_{j,q} - m_j, M + b_{j,q} + m_j, M, M)$ .  $\square$

Governed by a boolean variable  $\gamma_\beta^i$ , an instance  $x^i \in \mathbb{R}^d$  is also located in one of these boxes labeled by  $0 \leq \beta \leq B - 1$ 23

$$\begin{aligned} \sum_{j=1}^d \left[ \prod_{j_0=0}^{j-1} (p_{j_0} + 1) \right] \left[ \sum_{q=0}^{p_j} q \alpha_{j,q}^i \right] &= \sum_{\beta=0}^{B-1} \beta \gamma_\beta^i \\ \sum_{\beta=0}^{B-1} \gamma_\beta^i &= 1 \\ \gamma_\beta^i &\in \{0, 1\}. \end{aligned}$$

By majority voting, a decision box  $\beta$  therefore predicts exactly one class label from the following set23

$$\Theta_\beta = \operatorname{argmax}_{0 \leq k \leq n} \left\{ \sum_{i=1}^N y_k^i \gamma_\beta^i \right\}.$$

In total, there are

$$N - \sum_{\beta=0}^{B-1} \max_{0 \leq k \leq n} \left\{ \sum_{i=1}^N y_k^i \gamma_\beta^i \right\} = N + \sum_{\beta=0}^{B-1} \min_{0 \leq k \leq n} \left\{ - \sum_{i=1}^N y_k^i \gamma_\beta^i \right\}$$

misclassified instances.

**Theorem 4.2.** The optimal value of the program

$$\begin{aligned} & \text{minimize} \quad h_\beta \\ & \text{subject to} \quad h_\beta + \sum_{i=1}^N y_k^i \gamma_\beta^i + N z_{\beta,k} \stackrel{10}{\geq} 0, \\ & \quad \sum_{k=0}^n z_{\beta,k} = n, \\ & \quad z_{\beta,k} \in \{0, 1\} \end{aligned}$$

is given by

$$\min_{0 \leq k \leq n} \left\{ - \sum_{i=1}^N y_k^i \gamma_\beta^i \right\}.$$

*Proof.* Let  $\mathcal{P}$  be the original problem. It can be partitioned into  $n+1$  subproblems, each of which  $\mathcal{P}_{k_0}$  for  $0 \leq k_0 \leq n$  has the following restriction:

$$z_{\beta,k} = \begin{cases} 0, & \text{for } k = k_0 \\ 1, & \text{for } k \neq k_0. \end{cases}$$

For each subproblem  $\mathcal{P}_{k_0}$ ,

$$h_\beta \stackrel{138}{\geq} - \sum_{i=1}^N y_{k_0}^i \gamma_\beta^i = 0 - \sum_{i=1}^N y_{k_0}^i \gamma_\beta^i \geq - \sum_{i=1}^N y_k^i \gamma_\beta^i - N z_{\beta,k}$$

and this implies

$$\min(\mathcal{P}_{k_0}) = - \sum_{i=1}^N y_{k_0}^i \gamma_\beta^i.$$

Hence

$$\min(\mathcal{P}) = \min_{0 \leq k_0 \leq n} (\min(\mathcal{P}_{k_0})) = \min_{0 \leq k_0 \leq n} \left\{ - \sum_{i=1}^N y_{k_0}^i \gamma_\beta^i \right\}.$$

□

By Theorems 4.1 and 4.2, the selection model for continuous dataset is given by

$$\begin{aligned} & \text{minimize} \quad \sum_{\beta=0}^{B-1} h_\beta \\ & \text{subject to} \quad \sum_{\tilde{j}=1}^{\tilde{d}} c_{j,\tilde{j}} \leq 1, \\ & \quad \sum_{j=1}^d c_{j,\tilde{j}} \leq 1, \\ & \quad b_{j,q+1} - b_{j,q} \geq 0, \end{aligned}$$

$$\begin{aligned}
& \sum_{j=1}^d \tilde{x}_j^i c_{j,\tilde{j}} - \sum_{q=0}^{p_j} l_{j,q}^i \geq 0, \\
& \sum_{j=1}^d \tilde{x}_j^i c_{j,\tilde{j}} - \sum_{q=0}^{\textcolor{brown}{10}} r_{j,q}^i \leq 0, \\
& l_{j,q}^i + M\alpha_{j,q}^i \geq 0, \\
& l_{j,q}^i - M\alpha_{j,q}^i \leq 0, \\
& l_{j,q}^i - b_{j,q} + M\alpha_{j,q}^i \leq M + m_j, \\
& l_{j,q}^i - b_{j,q} - M\alpha_{j,q}^i \geq -M + m_j, \\
& r_{j,q}^i + M\alpha_{j,q}^i \geq 0, \\
& r_{j,q}^i - M\alpha_{j,q}^i \leq 0, \\
& r_{j,q}^i - b_{j,q+1} + M\alpha_{j,q}^i \leq M - m_j, \\
& r_{j,q}^i - b_{j,q+1} - M\alpha_{j,q}^i \geq -M - m_j, \\
& \sum_{j=1}^d \left[ \prod_{j_0=0}^{j-1} (p_{j_0} + 1) \right] \left[ \sum_{q=0}^{p_j} q\alpha_{j,q}^i \right] - \sum_{\beta=0}^{B-1} \beta\gamma_\beta^i = \textcolor{brown}{10}, \\
& \sum_{q=0}^{p_j} \alpha_{j,q}^i = 1, \\
& \sum_{\beta=0}^{B-1} \gamma_\beta^i = 1, \\
& h_\beta + \sum_{i=1}^N y_k^i \gamma_\beta^i + N z_{\beta,k} \stackrel{\textcolor{brown}{10}}{\geq} 0, \\
& \sum_{k=0}^n z_{\beta,k} = n, \\
& l_{j,q}^i, r_{j,q}^i, b_{j,q}, h_\beta \in \mathbb{R}, \\
& c_{j,\tilde{j}}, \alpha_{j,q}^i, \gamma_\beta^i, z_{\beta,k} \in \{0, 1\}
\end{aligned}$$

where the artificial splitting values  $b_{j,0}$  and  $b_{j,p_j+1}$  are also treated as decision variables, and it produces a training accuracy of

$$1 + \frac{\sum_{\beta=0}^{B-1} h_\beta^*}{N} \leq 1.$$

#### 4.2 Selection of Mixed-Type Features

More generally, a training instance  $\tilde{x}^i \in \mathbb{R}^{\tilde{d}}$  has a mixed-type component  $\tilde{x}_j^i \in \mathbb{R}$  in feature  $\tilde{j}$ . The index sets of continuous and categorical features are denoted by  $\tilde{\mathcal{C}}_{\text{cont}}$  and  $\tilde{\mathcal{C}}_{\text{cat}}$  where

$$\tilde{\mathcal{C}}_{\text{cont}} \cup \tilde{\mathcal{C}}_{\text{cat}} = \{1, 2, \dots, \tilde{d}\}.$$

The continuous features are initially selected, whereas all categorical features are kept. The latter will be subsequently selected. The sets  $\mathcal{C}_{\text{cont}}$  and  $\mathcal{C}_{\text{cat}}$  represent new continuous and intermediate categorical components respectively where

$$\begin{aligned} |\mathcal{C}_{\text{cont}}| &\leq |\tilde{\mathcal{C}}_{\text{cont}}| \\ |\mathcal{C}_{\text{cat}}| &= |\tilde{\mathcal{C}}_{\text{cat}}| \\ \mathcal{C}_{\text{cont}} \cup \mathcal{C}_{\text{cat}} &= \{1, 2, \dots, d\}. \end{aligned}$$

These conditions above can be satisfied specifically, as illustrated on the health insurance dataset in Chapter 5, when  $\mathcal{C}_{\text{cont}} \subseteq \tilde{\mathcal{C}}_{\text{cont}}$  and  $\mathcal{C}_{\text{cat}} = \tilde{\mathcal{C}}_{\text{cat}}$ , for instance. In the case of continuous data type, the constraints of feature selection become

$$\begin{aligned} x_j^i &= \sum_{\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}} c_{j\tilde{j}} \tilde{x}_{\tilde{j}}^i, & j \in \mathcal{C}_{\text{cont}} \\ \sum_{\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}} c_{j\tilde{j}} &\leq 1, & j \in \mathcal{C}_{\text{cont}} \\ \sum_{j \in \mathcal{C}_{\text{cont}}} c_{j\tilde{j}} &\leq 1, & \tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}} \\ c_{j\tilde{j}} &\in \{0, 1\}, & (j, \tilde{j}) \in \mathcal{C}_{\text{cont}} \times \tilde{\mathcal{C}}_{\text{cont}}. \end{aligned}$$

Since at most  $|\mathcal{C}_{\text{cont}}|$  out of  $|\tilde{\mathcal{C}}_{\text{cont}}|$  continuous features are selected, the following condition holds:

$$\sum_{(j, \tilde{j}) \in \mathcal{C}_{\text{cont}} \times \tilde{\mathcal{C}}_{\text{cont}}} c_{j\tilde{j}} \leq |\mathcal{C}_{\text{cont}}|.$$

A selected, rearranged component  $x_j^i \in \mathbb{R}$  for a feature  $1 \leq j \leq d$  is now either continuous or categorical. A continuous feature  $j \in \mathcal{C}_{\text{cont}}$  is similarly assumed to have  $p_j$  splitting points, namely  $b_{j,q} \in \mathbb{R}$  where  $1 \leq q \leq p_j$ . Usually,  $p_j$  is assumed to be constant across all new continuous features because the new explicit order of this selection is unknown before optimization. A categorical feature  $j \in \mathcal{C}_{\text{cat}}$  comprises finite discrete values which are also assumed to form  $p_j + 1$  new small groups labeled with  $0 \leq u_j \leq p_j$ .

A box  $0 \leq \beta \leq B - 1$  along a categorical feature, as opposed to a continuous feature, lacks continuity because its entry is simply a singleton. Algebraically, it is represented by a set

$$S_\beta = \left| \prod_{j \in \mathcal{C}_{\text{cont}}} \sum_{q=0}^{p_j} \beta_{j,q} [b_{j,q}, b_{j,q+1}] \times \prod_{j \in \mathcal{C}_{\text{cat}}} \{u_j\} \right|^{131}$$

where

$$\begin{aligned} \beta &= \sum_{j \in \mathcal{C}_{\text{cont}}} \left[ \prod_{0 \leq j_0 < j} (p_{j_0} + 1) \right] \left[ \sum_{q=0}^{p_j} q \beta_{j,q} \right] \\ &\quad + \sum_{j \in \mathcal{C}_{\text{cat}}} \left[ \prod_{0 \leq j_0 < j} (p_{j_0} + 1) \right] u_j \end{aligned}$$

$$\sum_{q=0}^{p_j} \beta_{j,q} = 1, \quad j \in \mathcal{C}_{\text{cont}}$$

$$\beta_{j,q} \in \{0, 1\}, \quad j \in \mathcal{C}_{\text{cont}}$$

$$u_j \in \{0, 1, \dots, p_j\}, \quad j \in \mathcal{C}_{\text{cat}}$$

and  $p_0 = 0$ . The existence of  $b_{j,0}$  and  $b_{j,p_j+1}$  where  $j \in \mathcal{C}_{\text{cat}}$  is shown in the previous section. Numerically, each box can also be identified by the unique combination of binary  $(\beta_{j,q})_{j \in \mathcal{C}_{\text{cont}}}$  and integer  $(u_j)_{j \in \mathcal{C}_{\text{cat}}}$ .

For a categorical feature  $j \in \mathcal{C}_{\text{cat}}$ , an original categorical label  $x_j^i \in \mathbb{R}$  is reassigned to a new integer group label  $0 \leq v_{j,x_j^i} \leq p_j$ . As a result, the following conditions must hold:

$$\begin{aligned} \sum_{\beta=0}^{B-1} \beta \gamma_\beta^i &= \sum_{j \in \mathcal{C}_{\text{cont}}} \left[ \prod_{0 \leq j_0 < j} (p_{j_0} + 1) \right] \left[ \sum_{q=0}^{p_j} q \alpha_{j,q}^i \right] \\ &\quad + \sum_{j \in \mathcal{C}_{\text{cat}}} \left[ \prod_{0 \leq j_0 < j} (p_{j_0} + 1) \right] v_{j,x_j^i} \end{aligned}$$

$$\sum_{q=0}^{p_j} \alpha_{j,q}^i = 1, \quad j \in \mathcal{C}_{\text{cont}}$$

$$\sum_{\beta=0}^{B-1} \gamma_\beta^i = 1,$$

$$\beta_{j,q} \in \{0, 1\}, \quad j \in \mathcal{C}_{\text{cont}}$$

$$v_{j,x_j^i} \in \{0, 1, \dots, p_j\}, \quad j \in \mathcal{C}_{\text{cat}}$$

A boolean variable  $f_j \in \{0, 1\}$  is defined to determine whether a categorical feature  $j$  is significant. All categorical labels of an insignificant feature are grouped together. Its necessary, though insufficient, condition can be obtained:

$$-Mf_j \leq v_{j,x_j^i} \leq Mf_j.$$

If at most  $d_{\text{cat}}$  out of  $|\mathcal{C}_{\text{cat}}|$  categorical features are of interest, the following condition holds:

$$\sum_{j \in \mathcal{C}_{\text{cat}}} f_j \leq d_{\text{cat}}.$$

There are at most  $|\mathcal{C}_{\text{cont}}| + d_{\text{cat}} \leq d \leq \tilde{d}$  contributing factors,  $|\mathcal{C}_{\text{cont}}| \leq |\tilde{\mathcal{C}}_{\text{cont}}|$  of which are continuous and  $d_{\text{cat}} \leq |\mathcal{C}_{\text{cat}}| = |\tilde{\mathcal{C}}_{\text{cat}}|$  categorical:

$$\sum_{(j, \tilde{j}) \in \mathcal{C}_{\text{cont}} \times \tilde{\mathcal{C}}_{\text{cont}}} c_{j, \tilde{j}} + \sum_{j \in \mathcal{C}_{\text{cat}}} f_j \leq d.$$

A continuous feature  $\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}$  is deemed significant when

$$\sum_{j \in \mathcal{C}_{\text{cont}}} c_{j, \tilde{j}} = 1,$$

and for an original categorical feature  $j \in \tilde{\mathcal{C}}_{\text{cat}}$  corresponding to  $j \in \mathcal{C}_{\text{cat}}$  a new group label  $v_{j, x^i}$  is nonconstant across all training instances  $x^i$ .

The final selection model is proposed:

$$\begin{aligned} & \text{minimize} \quad \sum_{\beta=0}^{B-1} h_\beta \\ & \text{subject to} \quad \sum_{\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}} c_{j, \tilde{j}} \leq 1, \quad \tilde{j} \in \mathcal{C}_{\text{cont}}, \\ & \quad \sum_{j \in \mathcal{C}_{\text{cont}}} c_{j, \tilde{j}} \leq 1, \quad \tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}, \\ & \quad b_{j, q+1} - b_{j, q} \geq 0, \quad \tilde{j} \in \mathcal{C}_{\text{cont}}, \\ & \quad \sum_{\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}} \tilde{x}_j^i c_{j, \tilde{j}} - \sum_{q=0}^{p_j} l_{j, q}^i \geq 0, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad \sum_{\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}} \tilde{x}_j^i c_{j, \tilde{j}} - \sum_{q=0}^{p_j} r_{j, q}^i \leq 0, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad l_{j, q}^i + M\alpha_{j, q}^i \geq 0, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad l_{j, q}^i - M\alpha_{j, q}^i \leq 0, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad l_{j, q}^i - b_{j, q} + M\alpha_{j, q}^i \leq M + m_j, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad l_{j, q}^i - b_{j, q} - M\alpha_{j, q}^i \geq -M + m_j, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad r_{j, q}^i + M\alpha_{j, q}^i \geq 0, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad r_{j, q}^i - M\alpha_{j, q}^i \leq 0, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad r_{j, q}^i - b_{j, q+1} + M\alpha_{j, q}^i \leq M - m_j, \quad j \in \mathcal{C}_{\text{cont}}, \\ & \quad r_{j, q}^i - b_{j, q+1} - M\alpha_{j, q}^i \geq -M - m_j, \quad j \in \mathcal{C}_{\text{cont}}, \end{aligned}$$

$$\begin{aligned} & \sum_{j \in \mathcal{C}_{\text{cont}}} \left[ \prod_{0 \leq j_0 < j} (p_{j_0} + 1) \right] \left[ \sum_{q=0}^{p_j} q \alpha_{j,q}^i \right] \\ & + \sum_{j \in \mathcal{C}_{\text{cat}}} \left[ \prod_{0 \leq j_0 < j} (p_{j_0} + 1) \right] v_{j,x_j^i} \\ & - \sum_{\beta=0}^{B-1} \beta \gamma_{\beta}^i = 0, \\ & \sum_{q=0}^{p_j} \alpha_{j,q}^i = 1, \quad \quad \quad \textcolor{teal}{j} \in \mathcal{C}_{\text{cont}}, \\ & v_{j,x_j^i} + M f_j \geq 0, \quad \quad \quad \textcolor{teal}{j} \in \mathcal{C}_{\text{cat}}, \\ & v_{j,x_j^i} - M f_j \leq 0, \quad \quad \quad j \in \mathcal{C}_{\text{cat}}, \\ & \sum_{(j,\tilde{j}) \in \mathcal{C}_{\text{cont}} \times \tilde{\mathcal{C}}_{\text{cont}}} c_{j,\tilde{j}} + \sum_{j \in \mathcal{C}_{\text{cat}}} f_j \leq d, \\ & \sum_{\beta=0}^{B-1} \gamma_{\beta}^i = 1, \\ & h_{\beta} + \sum_{i=1}^N y_k^i \gamma_{\beta}^i + N z_{\beta,k} \stackrel{\textcolor{brown}{10}}{\geq} 0, \\ & \sum_{k=0}^n z_{\beta,k} = n, \\ & l_{j,q}^i, r_{j,q}^i, b_{j,q} \in \mathbb{R}, \quad \quad \quad j \in \mathcal{C}_{\text{cont}}, \\ & h_{\beta} \in \mathbb{R}, \\ & c_{j,\tilde{j}} \stackrel{\textcolor{teal}{40}}{\in} \{0, 1\}, \quad \quad \quad (j, \tilde{j}) \in \mathcal{C}_{\text{cont}} \times \tilde{\mathcal{C}}_{\text{cont}}, \\ & \alpha_{j,q}^i \in \{0, 1\}, \quad \quad \quad j \in \mathcal{C}_{\text{cont}}, \\ & f_j \in \{0, 1\}, \quad \quad \quad j \in \mathcal{C}_{\text{cat}}, \\ & v_{j,x_j^i} \in \{0, 1, \dots, p_j\}, \quad \quad \quad j \in \mathcal{C}_{\text{cat}}, \\ & \alpha_{j,q}^i, \gamma_{\beta}^i, z_{\beta,k} \in \{0, 1\}. \end{aligned}$$

### 4.3 CPLEX OPL Modeling

The proposed classifier heavily relies on 0-1 mixed integer programming (MIP). The CPLEX optimizer (version 22.1.1) is used to solve for the classifier including its splitting values and the set of predicted class labels in each decision box. Although achieving higher performance, manual adjustment of internal optimization procedures such as a node selection during branching and a combination of multiple techniques in cut generation is beyond the scope of this dissertation. The MIP problem is very large, and its information is stored in a huge tree data structure. Multiple lock-free nodes can be executed simultaneously in parallel by utilizing all available CPU cores. CPLEX uses in-memory computation.

When a central memory is consumed more than its upper limit which is 2048 MB by default, some nodes are transferred from the in-memory set to node files which are also in memory and compressed by default. Optionally, they can be flushed to disk, in either uncompressed or compressed form, where speed is sacrificed for more storage space. As more solutions are explored, the branch-and-cut tree grows larger. When its size exceeds its upper limit, which is set at  $10^{75}$  MB by default, the optimization process terminates. The solver also stops when a memory is exhausted or a disk is fully occupied depending on whether node files are stored in memory or on disk. CPLEX parameters related to this dissertation is included in Table 4.1.

Table 4.1: Relevant CPLEX parameters

Parameter	Description
cplex.intsollim	MIP solution number limit
cplex.tilim	Time limit per optimizer call (in seconds)
cplex.threads	<sup>14</sup> Parallel threads (default: 0 implying up to 32 threads)
cplex.workmem	Working memory before compression and swap (in MB) (default: 2048)
cplex.trelim	Uncompressed tree limit (in MB) (default: $10^{75}$ )
cplex.nodefileind	<sup>14</sup> Node storage file switch <ul style="list-style-type: none"> <li>0: No node file</li> <li>1: Node file in memory and compressed (default)</li> <li>2: Node file on disk</li> <li>3: Node file on disk and compressed</li> </ul>
cplex.status	Solution status code <ul style="list-style-type: none"> <li>1: Optimal for simplex and barrier methods</li> </ul>

Table 4.1: Relevant CPLEX parameters (continued)

Parameter	Description
	11: Time limit exceeded
	101: Optimal for MIP model
	102: Optimal within predefined MIP gap tolerance
	104: Limit on mixed integer solutions
	111: Tree memory limit exceeded and integer solution found
	112: Tree memory limit exceeded and no integer solution

Two following classification files are written in Optimization Programming Language (OPL), supported by default. Code 4.1 is the main execution of the classification model in Code 4.2. Two data structures are employed: an array and a tuple. Once the first is declared, its size is unchanged. The latter is used as a secondary option only when a combination of indexes cannot perfectly fit in an array format. As illustrated in Chapter 5, only three features are considered: A\\_AGE, PEMLR and SS\\_YN. Three splits are assumed except two for SS\\_YN representing both whether social security payments are paid and whether a survey participant is in the universe of this question. Two most significant factors are of interest. The cardinality of a new continuous component  $|\mathcal{C}_{\text{cont}}|$  is assumed to be the minimum of its given counterpart  $|\tilde{\mathcal{C}}_{\text{cont}}| = 1$  and an upper bound on the number of significant features  $d = 2$ . The continuous feature selection can be partially concluded by the condition  $c_{j,\tilde{j}}^* = 1$ . The sufficiently small positive number  $m_0$  is set to be 0.01. The execution time is limited up to 24 hours or one day. Code 4.1 records every MIP solution, feasible but not necessarily optimal, thereby calling a CPLEX solver multiple times. After the working memory exceeds 2 GB, some nodes are transferred to disk in compressed form. The uncompressed tree size is limited to 200 GB.

Code 4.1: Main OPL model

```

45 1 /*****
2 * OPL 22.1.1.0 Model
3 * Author: songkomkrit
4 * Creation Date: Nov 4, 2024 at 12:24:05 AM
5 *****/
6
7 *****/

```

```

8   * NOTES
9   * pl.bc.solutionValue[thisOplModel.mPairs.find(1,0)]
10 *****/
11
12 *****/
13 * Class Labels
14 * Input file: 0, 1, 2, ..., n
15 * Algorithm: 0, 1, 2, ..., n
16 * Output file: 0, 1, 2, ..., n
17 *****/
18
19 *****/
20 * INPUTS
21 *****/
22 int mdimold = 3; // dimension // 4 or 184 or 8 or 4
23 int mdimcontold = 1; // continuous dimension // 2 or 66 or 3 or 2
24 //int mdimcat = 2; // categorical dimension // 2 or 118 or 5 or 2
25 int mN = 100; // number of instances // 8 or 157681 or 100 or 100
26 int mn = 4; // the value of n = (number of classes) - 1 // 1 or 4 or 4
27
28 int mseltol = 2; // given number of total selected cont/cat dimensions (at
      most)
29
30 // Initialized UB on number of selected continuous dimensions
31 int mselcont = mdimcontold;
32 execute {
33     if (mselcont > mseltol)
34         mselcont = mseltol;
35 }
36
37 int mexcont = mdimcontold - mselcont; // computed LB on number of
      excluded continuous dimensions
38 int mdim = mdimold - mexcont;
39 int mdimcont = mselcont;
40
41 range mDS = 1..mdim;

```

```

42 range mDSCONTOLD = 1..mdimcontold; // old continuous
43 range mDSCONT = 1..mselcont; // new continuous
44 range mDSCAT = mdimcont+1..mdim; // shifted categorical
45 range mIS = 1..mN;
46 float mxcontold[mIS][mDSCONTOLD]; // x along continuous dimensions
47 int mxcat[mIS][mDSCAT]; // x along categorical dimensions
48 int my[mIS];
49 int mmaxlab[mDSCAT]; // maximum labels for categorical dimensions
50 float mM[mDS]; // big-M for all new/shifted dimensions (continuous and
      categorical)
51 float mm[mDSCONT]; // small-m for continuous dimensions
52 int mp[mDS]; // number of cuts along axes
53 int mcoef[mDS];
54
55 ****
56 * TUPLES
57 ****
58 tuple ContPairType { // index for continuous cut
59     int j;
60     int q;
61 };
62
63 {ContPairType} mContPairs = {<j, q> | j in mDSCONT, q in 0..mp[j]+1};
64
65 tuple ContTripleType { // index for continuous cut of each individual
       instance
66     int i;
67     int j;
68     int q;
69 };
70
71 {ContTripleType} mContTriples = {<i, j, q> | i in mIS, j in mDSCONT, q in
      0..mp[j]};
72
73 tuple CatPairType { // index for categorical group
74     int j;

```

```
75     int l;
76 };
77
78 {CatPairType} mCatPairs = {<j, l> | j in mDSCAT, l in 0..mmaxlab[j]};
79
80 tuple tuplePred {
81     key int b;
82     sorted {int} label;
83 }
84 sorted {tuplePred} mpred;
85 {int} memptyset = {};
86
87 ****
88 * OUTSIDE EXECUTION
89 ****
90 execute {
91     thisOplModel.settings.run_engineLog = "tmp/current-engine.log"; //
92     temporary engine log
93 }
94 ****
95 * MAIN EXECUTION
96 ****
97 main {
98     var ftime = Opl.round((new Date()).getTime()/1000) % 100000; // first
99     timestamp (in seconds)
100
101    // Input/variable filenames
102    var infilename = "input/seltrain20num3each20.csv"; // input filename
103    var varfilename = "input/selproc20num3co3ca3cutinfo.csv"; // variable
104    filename (6 columns)
105
106    // Prefix of all output files
107    var prefixout = "output/" + ftime + "-";
108    prefixout += infilename.split("/")[1].split(".")[0] + "-";
```

```

108 // Inputs
109 //var M0 = 500; // big-M (float)
110 var m0 = 0.01; // small-m (float)
111 var pcont0 = 3; // max number of cuts along continuous axis (integer)
112
113 // Customization
114 var timelimit = 1; // whether set total time limits (1 = limit / 0 =
none)
115 var limit = 1; // whether customize performance settings (1 =
customize / 0 = none)
116 var perf = 1; // whether set limits (1 = limit / 0 = none)
117
118 // Custom time limit parameter
119 if (timelimit == 1)
120     var acctimelimmin = 24*60; // accumulated time limit (in minutes)
121
122 // Cplex limit parameters (excluding time limit)
123 if (limit == 1) {
124     var intsollim = 1; // MIP solution number limit (in each iteration)
125 }
126
127 // Cplex performance parameters
128 if (perf == 1) {
129     var threads = 0; // parallel threads (default: 0 = at most 32
threads)
130     var workmemgb = 2; // 14 working memory before compression and swap (
in GB) (default: 2 GB) (only marginally improved efficiency)
14
131     var trelimgb = 200; // uncompressed tree memory limit (in GB) (
default: around 1e+72 GB)
132
133 /* Node storage file switch
134 * 0 = No node file
135 * 1 = Node file in memory and compressed (default)
136 * 2 = Node file on disk
137 * 3 = Node file on disk and compressed
138 */

```

```

139     var nodefileind = 3;
140
141     /* Note on directory for temporary working files
142      * cplex.workdir = ...;
143      * CPLEX Error 1422: Could not open file for writing
144      */
145
146     // Calculation
147     var workmem = 1024*workmemgb; // working memory before compression
148     // and swap (in MB) (default: 2048 MB)
149     var trelim = 1024*trelimgb; // uncompressed tree memory limit (in
150     // MB) (default: 1e+75 MB)
151 }
152
153 // Postfixes
154 var cpostfixname = "mfullaltseltol-" + thisOplModel.mseltol; // common
155     postfix name
156 if (timelimit == 1)
157     cpostfixname += "-t-" + acctimelimmin + ".csv";
158 else
159     cpostfixname += ".csv";
160 var postfixerror = "-" + cpostfixname; // postfix of error file
161 var postfixout = "-pcont-" + pcont0 + "-" + cpostfixname; // postfix of
162     all other output files
163
164 // Output filenames
165 var outerrorname = prefixout + "export-error" + postfixerror;
166 var outinstancename = prefixout + "export-predict-instance" +
167     postfixout;
168 var outcutcontname = prefixout + "export-cutcont-full" + postfixout;
169 var outcutcatname = prefixout + "export-cutcat-full" + postfixout;
170
171 // The existence of region is not checked here
172 // In fact, it can be check through enumeration of certain binary
173     representations
174 var outregionname = prefixout + "export-predict-region" + postfixout;

```

```

168     var outselvarintname = prefixout + "export-select-var-int" + postfixout
169         ; // selected variables (integer)
170
171     var outselvarstrname = prefixout + "export-select-var-str" + postfixout
172         ; // selected variables (string)
173
174     // Engine log (initialized)
175
176     var logfilename = "log/" + ftime + "-engine-" + cpostfixname.split(".")
177         [0] + ".log";
178
179     var outlog = new IloOplOutputFile(logfilename);
180
181     // OPL
182
183     var source = new IloOplModelSource("p-mixed-cuts-alt-seltol.mod");24
184
185     var cplex = new IloCplex();
186
187     var def = new IloOplModelDefinition(source);
188
189     var opl = new IloOplModel(def, cplex);
190
191     var data = new IloOplDataElements();
192
193     data.dimold = thisOplModel.mdimold;
194
195     data.dimcontold = thisOplModel.mdimcontold;
196
197     data.dim = thisOplModel.mdim;
198
199     data.dimcont = thisOplModel.mdimcont;
200
201     //data.dimcat = thisOplModel.mdimcat;
202
203     data.N = thisOplModel.mN;
204
205     data.n = thisOplModel.mn;
206
207     data.xcontold = thisOplModel.mxcontold;
208
209     data.xcat = thisOplModel.mxcat;
210
211     data.y = thisOplModel.my;
212
213
214     var pred = thisOplModel.mpred; // set of predicted labels
215
216
217     data.seltol = thisOplModel.mseltol;
218
219     data.selcont = thisOplModel.mselcont;
220
221     data.excont = thisOplModel.mexcont;
222
223
224     data.m = thisOplModel.mm;
225
226     for (var j=1; j<=data.dimcont; j++)

```

```

201     data.m[j] = m0;
202
203     var f = new IloOplInputFile(infilename); // training dataset
204     f.readline();           // skip a header
205     for (var i=1; i<=data.N; i++) {
206         var myitem = f.readline().split(",");
207         data.y[i] = Opl.intValue(myitem[data.dimold]);
208         for (var j=1; j<=data.dimcontold; j++)
209             data.xcontold[i][j] = Opl.floatValue(myitem[j-1]);
210         for (var j=data.dimcontold+1; j<=data.dimold; j++)
211             data.xcat[i][j-data.exccont] = Opl.intValue(myitem[j-1]);
212     }
213     f.close();
214
215     data.p = thisOplModel.mp;
216     for (var j=1; j<=data.dimcont; j++)
217         data.p[j] = pcont0;
218
219     data.M = thisOplModel.mM;
220     data.maxlab = thisOplModel.mmaxlab;
221     var M0cont = 1;
222     var f = new IloOplInputFile(varfilename); // variable info
223     f.readline();           // skip a header
224     for (var j=1; j<=data.dimold; j++) {
225         var myitem = f.readline().split(",");
226         if (j <= data.dimcontold) {
227             var curMcont = 1 + Opl.max1(Opl.abs(Opl.intValue(myitem[3])),
228                                         Opl.abs(Opl.intValue(myitem[4])));
229             M0cont = Opl.max1(M0cont, curMcont);
230         }
231         else {
232             data.p[j-data.exccont] = Opl.intValue(myitem[5]);
233             data.maxlab[j-data.exccont] = Opl.intValue(myitem[4]);
234             data.M[j-data.exccont] = 1 + Opl.intValue(myitem[5]);
235         }
236     }

```

```

236     f.close();
237
238     for (var j=1; j<=data.dimcont; j++)
239         data.M[j] = M0cont;
240
241     data.coef = thisOplModel.mcoef;
242     data.coef[1] = 1;
243     for (var j=2; j<=data.dim; j++)
244         data.coef[j] = data.coef[j-1]*(data.p[j]+1);
245
246     var nump = 0; // total number of cuts
247     for (var j=1; j<=data.dim; j++)
248         nump += data.p[j];
249
102    opl.addDataSource(data);
251    opl.generate();
252    opl.settings.mainEndEnabled = true;
253
254    // Cplex limits (excluding time limit)
255    if (limit == 1) {
256        cplex.intsollim = intsollim; // MIP solution number limit (> 0)
257    }
258
259    // Cplex performance
260    if (perf == 1) {
261        cplex.threads = threads; // parallel threads
14
262        cplex.workmem = workmem; // working memory before compression and
263        swap (in MB)
264        cplex.trelim = trelim; // uncompressed tree memory limit (in MB)
265        cplex.nodefileind = nodefileind; // node storage file switch
266    }
267
268    // Initialization
269    var status = -9; // solution status code (initialized)
270    var iter = 0; // iteration
271    var acctime = 0; // accumulated running time (in seconds)

```

```
271     var texceed = 0; // whether acctime > tilimmin (1 = total time limit
272         exceeded / 0 = not)
273
274     // Calculation
275     if (timelimit == 1)
276         var acctimelim = 60*acctimelimmin; // accumulated time limit (in
277             seconds)
278     else
279         var acctimelim = -1;
280
281     // Optimization
282     while (texceed == 0) { // accumulated time limit not exceeded
283
284         // Exit status codes
285         if (status == 1) // 1: CPX_STAT_OPTIMAL
286             break;
287         else if (status == 101) // 101: CPXMIP_OPTIMAL
288             break;
289         else if (status == 102) // 102: CPXMIP_OPTIMAL_TOL
290             break;
291         else if (status == 111) // 111: CPXMIP_MEM_LIM_FEAS
292             break;
293         else if (status == 112) // 112: CPXMIP_MEM_LIM_INFEAS
294             break;
295
296         /* Non-exit status codes
297          * 11: CPX_STAT_ABORT_TIME_LIM
298          * 104: CPXMIP_SOL_LIM
299          */
300
301         // In the case when the previous status is not one of the above
302         if (timelimit == 1) // time limit for each call to optimizer (in
303             seconds)
304             cplex.tilim = acctimelim - acctime;
305         var start = new Date(); // begin a timer
306
```

```

304     pred.clear(); // clear previous set of predicted labels
305
306     // Solve
307     if (cplex.solve()) {
308
309         var end = new Date(); // end a timer
310         var solvetime = end.getTime() - start.getTime(); // compute
311             solving time
312         acctime += solvetime/1000; // accumulated running time (in s)
313
314         if ((timelimit == 1) && (acctime >= acctimelim)) // total time
315             limit exceeded (in seconds)
316             texceed = 1;
317
318         iter += 1; // update iteration
319
320         var error = data.N + cplex.getObjValue(); // the number of
321             misclassified instances
322         var accuracy = (1-error/data.N)*100; // training accuracy
323
324         status = cplex.status; // solution status code (1 = opt / 11 =
325             time limit / ...)
326         var lberr = data.N + cplex.getBestObjValue(); // LB on minimum
327             (optimal) error
328         var relgap = cplex.getMIPRelativeGap(); // relative objective
329             gap for MIP
330
331         // Open output text files (append = true)
332         var outerror = new IloOplOutputFile(outerrorname, true);
333         var outinstance = new IloOplOutputFile(outinstancename, true);
334         var outcutcont = new IloOplOutputFile(outcutcontname, true);
335         var outcutcat = new IloOplOutputFile(outcutcatname, true);
336         var outregion = new IloOplOutputFile(outregionname, true);
337         var outselvarint = new IloOplOutputFile(outselvarintname, true);

```

```

332         var outselvarstr = new IloOplOutputFile(outselvarstrname, true);

333
334         // outerror
335         if (!outerror.exists) {
336             outerror.write("iter,");
337             73             for (var j=1; j<=data.dim; j++)
338                 outerror.write("p", j, ",");
339             outerror.write("error,accuracy,ms,acctmin,status,lberr,
340                           relgap");
341         }
342         outerror.write("\n", iter, ",");
343         73         for (var j=1; j<=data.dim; j++)
344             outerror.write(data.p[j], ",");
345         outerror.write(error, "", accuracy, ",");
346         outerror.write(solvetime, "", acctime/60, ",");
347         outerror.write(status, "", lberr, "", relgap);

348         // Scripting logs 1
349         writeln("\n-----");
350         writeln("Iteration ", iter);
351         writeln("Bounds on # of cuts = ", nump, " with", data.p);
352         writeln("Error = ", error, " (out of ", data.N, " instances)");
353         writeln("Accuracy = ", accuracy);
354         writeln("Solving time = ", solvetime/60000, " min (minutes)");
355         writeln("Accumulated time = ", acctime/60, " min (minutes)");
356         writeln("\nSolution status code = ", status);
357         writeln("LB on error = ", lberr);
358         writeln("Relative objective gap = ", relgap);
359         writeln("\nSelected variables:");

360
361         // Create a set of predicted labels (majority voting)
362         for (var b=0; b<opl.B; b++) {
363             var lset = Opl.operatorUNION(thisOplModel.memptyset,
364                                         thisOplModel.memptyset);
365             var maxnum = 0;

```

```

365         for (var k=0; k<=data.n; k++) {
366             var num = 0;
367             72             for (var i=1; i<=data.N; i++)
368                 num += (data.y[i] == k)*opl.g.solutionValue[i][b];
369
370                 if (num == maxnum)
371                     lset.add(k);
372                 else if (num > maxnum) {
373                     maxnum = num;
374                     lset.clear();
375                     lset.add(k);
376                 }
377             pred.add(b, lset);
378         }
379
380         // outinstance
381         if (!outinstance.exists)
382             outinstance.write("iter,id,class,region,predict");
383             14 for (var i=1; i<=data.N; i++) {
384                 outinstance.write("\n", iter, ",", i, ",", data.y[i], ",");
385                 for (var b=0; b<opl.B; b++)
386                     if (opl.g.solutionValue[i][b] == 1) { // occur only once
387                         outinstance.write(b, ",");
388                         outinstance.write(pred.get(b).label);
389                         break; // terminate the loop
390                     }
391             }
392
393         // outcutcont
394         if (!outcutcont.exists)
395             outcutcont.write("iter,j,q,bc");
396             for (var j=1; j<=data.dimcont; j++) {
397                 for (var q=1; q<=data.p[j]; q++) {
398                     outcutcont.write("\n", iter, ",", j, ",", q, ",");

```

```

399         outcutcont.write(opl.bc.solutionValue[thisOplModel.
400             mContPairs.find(j,q)]);
401     }
402
403     // outcutcat
404     if (!outcutcat.exists)
405         outcutcat.write("iter,j,l,v");
406     for (var j=data.dimcont+1; j<=data.dim; j++) {
407         for (var l=0; l<=data.maxlab[j]; l++) {
408             outcutcat.write("\n", iter, ",",
409                 j, ",",
410                 l, ",");
411             outcutcat.write(opl.v.solutionValue[thisOplModel.
412                 mCatPairs.find(j,l)]);
413     }
414
415     // outregion
416     if (!outregion.exists)
417         outregion.write("iter,region,occupy,predict");
418     for (var b=0; b<opl.B; b++) {
419         outregion.write("\n", iter, ",",
420             b, ",");
421         var s = 0; // initialize s (presumably unoccupied)
422         for (var i=1; i<=data.N; i++)
423             if (opl.g.solutionValue[i][b] == 1) { // occupied
424                 s = 1;
425                 break; // iterminate the loop
426             }
427         outregion.write(s, ",");
428         outregion.write(pred.get(b).label);
429     }
430
431     // outselparint
432     if (!outselparint.exists)
433         outselparint.write("iter,j,jold,mselect,type"); // mselect =
434             model select (not actual)

```

```

431     for (var j=1; j<=data.dimcont; j++) { // selected continuous
432         features
433         outselvarint.write("\n", iter, ", ", j, ",");
434         var seljold = -1;
435         for (var jold=1; jold<=data.dimcontold; jold++)
436             // Determine which old continuous feature is selected
437             if (opl.ccont.solutionValue[j][jold] == 1) {
438                 seljold = jold;
439                 break; // terminate the loop
440             }
441         outselvarint.write(seljold, ",");
442         outselvarint.write("1,"); // Based on model, all new cont
443         features are selected
444         outselvarint.write("cont");
445     }
446     for (var j=data.dimcont+1; j<=data.dim; j++) { // categorical
447         feature
448         outselvarint.write("\n", iter, ", ", j, ", ", j+data.exccont,
449             ",");
450         if (opl.f.solutionValue[j] == 1) // selected categorical
451             feature (model)
452             outselvarint.write("1,");
453         else // unselected categorical feature (model)
454             outselvarint.write("0,");
455         outselvarint.write("cat");
456     }
457
458     // outselvarstr
459     if (!outselvarstr.exists)
460         outselvarstr.write("iter,jold,jnew,aselect,type,variable");
461         // aselect = actual select
462     var varinfilename = new IloOplInputFile(varfilename); // variable
463         info
464     varinfilename.readline(); // skip a header
465     var numselcont = 0; // initialized number of actually selected
466         continuous features

```

```

459     var numselcat = 0; // initialized number of actually selected
        categorical features
460     for (var jold=1; jold<=data.dimcontold; jold++) { // CONTINUOUS
461         outselvarstr.write("\n", iter, ", ", jold, ",");
462         var jnew = -1;
463         var aselect = 0; // initialized to be unselected (continuous
                )
464         for (var j=1; j<=data.dimcont; j++)
465             // Determine whether a current old continuous feature is
                selected
466             if (opl.ccont.solutionValue[j][jold] == 1) { // selected
                (actual 1/2)
467                 jnew = j;
468                 break; // terminate the loop
469             }
470             outselvarstr.write(jnew, ",");
471             var myitem = varinfile.readline().split(",");
472             if (jnew > 0) { // selected continuous feature (actual 1/2)
473                 aselect = 1; // seem to be selected (initialization for
                actual 2/2)
474                 for (var q=0; q<=data.p[jnew]; q++) {
475                     var bcleft = opl.bc.solutionValue[thisOplModel.
                        mContPairs.find(jnew,q)];
476                     var bcright = opl.bc.solutionValue[thisOplModel.
                        mContPairs.find(jnew,q+1)];
477                     var minxjnew = Opl.intValue(myitem[3]);
478                     var maxxjnew = Opl.intValue(myitem[4]);
479                     if ((bcleft <= minxjnew) && (bcright >= maxxjnew)) {
                            // cover [min,max]
480                         aselect = 0; // unselected (actual 2/2)
481                         break;
482                     }
483                 }
484             }
485             outselvarstr.write(aselect, ",");
486             if (aselect == 1) { // actually selected continuous feature

```

```

487         // Scripting logs 2 (continuous)
488         write("\t", myitem[1], " (Continuous)\n");
489         numselcont += 1;
490     }
491     outselvarstr.write("cont,");
492     outselvarstr.write(myitem[1]); // variable name
493 }
494 for (var jold=data.dimcontold+1; jold<=data.dimold; jold++) { //
495     CATEGORICAL
496     var jnew = jold-data.exccont;
497     outselvarstr.write("\n", iter, ", ", jold, ", ", jnew, ", ");
498     var aselect = 0; // initialized to be unselected (
499         categorical)
500     var myitem = varinfile.readline().split(",");
501     if (opl.f.solutionValue[jnew] == 1) { // selected
502         categorical feature (actual 1/2)
503         var vat0 = opl.v.solutionValue[thisOplModel.mCatPairs.
504             find(jnew,0)];
505         for (var l=1; l<=data.maxlab[jnew]; l++) {
506             var vcur = opl.v.solutionValue[thisOplModel.mCatPairs
507                 .find(jnew,l)];
508             if (vcur != vat0) { // distinct new groups are
509                 detected
510                 aselect = 1; // selected categorical feature (
511                     actual 2/2)
512                 break;
513             }
514         }
515         outselvarstr.write(aselect, ",");
516         if (aselect == 1) { // actually selected categorical feature
517             // Scripting logs 2 (categorical)
518             write("\t", myitem[1], " (Categorical)\n");
519             numselcat += 1;
520         }
521         outselvarstr.write("cat,");

```

```

516         outselvarstr.write(myitem[1]);
517     }
518     varinfile.close();
519
520     // Scripting logs 3
521     var numselall = numselcont + numselcat;
522     writeln("\nNumber of selected variables = ", numselall, " (",
523           numselcont, " continuous + ", numselcat, " categorical)");
524     writeln("-----");
525
526     // Closing output text files
527     outerror.close();
528     outinstance.close();
529     outcutcont.close();
530     outcutcat.close();
531     outregion.close();
532     outselvarint.close();
533     outselvarstr.close();
534 }24
535 else
536     writeln("No solution");
537
538 opl.end();
539 data.end();
540 def.end();
541 cplex.end();
542 source.end();
543
544 // Engine log (exported)
545 var inlog = new IloOplInputFile("tmp/current-engine.log");
546 while (!inlog.eof) {
547     outlog.writeln(inlog.readline());
548 }
549 inlog.close();
550 outlog.close();

```

551 }

Code 4.2: Box classifier OPL model

```

1  ****
2  * OPL 22.1.1.0 Model
3  * Author: songkomkrit
4  * Creation Date: Nov 4, 2024 at 1:15:57 AM
5  ****
6
7  ****
8  * DATA INFORMATION (INPUTS)
9  ****
10 int dimold = ...; // old dimension
11 int dimcontold = ...; // old continuous dimension
12 int dim = ...; // new dimension
13 int dimcont = ...; // new continuous dimension
14 //int dimcat = ...; // categorical dimension
15 int N = ...; // number of instances
16 int n = ...; // number of classes
17
18 ****
19 * FEATURE SELECTION (INPUTS)
20 ****
21 int seltol = ...; // given number of total selected cont/cat dimensions (
    at most)
22 int selcont = ...; // UB on number of selected continuous dimensions
23 int excont = ...; // computed LB on number of excluded continuous
    dimensions
24
25 ****
26 * INDEX RANGES 1
27 ****
28 range DS = 1..dim; // for dimensions
29 range DSCONTOLD = 1..dimcontold; // for old continuous dimensions
30 range DSCONT = 1..dimcont; // for new continuous dimensions

```

```

31 range DSCAT = dimcont+1..dim; // for shifted categorical dimensions
32 range IS = 1..N; // for instances
33 range KS = 0..n; // for classes
34
35 ****
36 * INITIAL PARAMETERS (INPUTS)
37 ****
38 float M[DS] = ...; // big-M for all new/shifted dimensions (continuous
    and categorical)
39 float m[DSCONT] = ...; // small-m for new continuous dimensions
40
41 ****
42 * DATA EXTRACTION (INPUTS)
43 ****
44 float xcontold[IS][DSCONTOLD] = ...; // instances along old continuous
    dimensions
45 int xcat[IS][DSCAT] = ...; // instances along shifted categorical
    dimensions
46 int y[IS] = ...; // targets
47 int maxlab[DSCAT] = ...; // maximum labels for new categorical dimensions
48 int p[DS] = ...; // number of cuts along axes
49 int coef[DS] = ...; // product coefficients
50
51 ****
52 * NUMBER OF BOXES
53 ****
54 int B = 1; // initialize the number of boxes
55 execute {
56     for (var j in DS)
57         B = B*(p[j]+1); // compute the number of boxes
58 }
59
60 ****
61 * INDEX RANGES 2
62 ****
63 range BS = 0..B-1; // for regions

```

```

64
65  ****
66  * TUPLES
67  ****
68 tuple ContPairType { // index for continuous cut
69     int j;
70     int q;
71 };
72
73 {ContPairType} ContPairs = {<j, q> | j in DSCONT, q in 0..p[j]+1};
74
75 tuple ContTripleType { // index for continuous cut of each individual
76     instance
77     int i;
78     int j;
79     int q;
80 };
81 {ContTripleType} ContTriples = {<i, j, q> | i in IS, j in DSCONT, q in 0..
82     p[j]};
83
84 tuple CatPairType { // index for categorical group
85     int j;
86     int l;
87 };
88 {CatPairType} CatPairs = {<j, l> | j in DSCAT, l in 0..maxlab[j]};
89
90 ****
91 * DECISION VARIABLES
92 ****
93 dvar float l[ContTriples];
94 dvar float r[ContTriples];
95 dvar float bc[ContPairs]; // bc is in R (c = cut)
96 // Note that b is used for beta indexing
97 dvar float h[BS]; // h

```

```

98 dvar boolean a[ContTriples]; // alpha
99 dvar int+ v[CatPairs]; // v (categorical features)
100 dvar boolean g[IS][BS]; // gamma
101 dvar boolean z[BS][KS]; //
102 // Feature selection
103 dvar boolean ccont[DSCONT][DSCONTOLD]; // select continuous dimensions
104 dvar boolean f[DSCAT]; // select categorical dimensions
105
106 ****
107 * OBJECTIVE FUNCTION
108 ****
109 minimize sum(b in BS) h[b]; // min total number of misclassified
      instances
110
111 ****
112 * CONSTRAINTS
113 ****
24
114 subject to {
115
116   forall(j in DSCONT)
117     getnewcont:
118       sum(jold in DSCONTOLD) ccont[j][jold] <= 1;
119
120   forall(jold in DSCONTOLD)
121     seloldcont:
122       sum(j in DSCONT) ccont[j][jold] <= 1;
123
124   forall(j in DSCONT, q in 0..p[j])
125     bc[<j,q+1>] - bc[<j,q>] >= 0;
126
127   forall(i in IS, j in DSCONT) {
128     lbound:
129       (sum(jold in DSCONTOLD) xcontold[i][jold]*ccont[j][jold]) - (
130         sum(q in 0..p[j]) l[<i,j,q>]) >= 0;
130     rbound:

```

```

131         (sum(jold in DSCONTOLD) xcontold[i][jold]*ccont[j][jold]) - (
132             sum(q in 0..p[j]) r[<i,j,q>]) <= 0;
133     }
134
135     forall(i in IS, j in DSCONT, q in 0..p[j]) {
136         l[<i,j,q>] + M[j]*a[<i,j,q>] >= 0;
137         l[<i,j,q>] - M[j]*a[<i,j,q>] <= 0;
138         l[<i,j,q>] - bc[<j,q>] + M[j]*a[<i,j,q>] <= M[j] + m[j];
139         l[<i,j,q>] - bc[<j,q>] - M[j]*a[<i,j,q>] >= -M[j] + m[j];
140         r[<i,j,q>] + M[j]*a[<i,j,q>] >= 0;
141         r[<i,j,q>] - M[j]*a[<i,j,q>] <= 0;
142         r[<i,j,q>] - bc[<j,q+1>] + M[j]*a[<i,j,q>] <= M[j] - m[j];
143         r[<i,j,q>] - bc[<j,q+1>] - M[j]*a[<i,j,q>] >= -M[j] - m[j];
144     }
145
146     forall(i in IS)
147         (sum(j in DSCONT) coef[j]*(sum(q in 0..p[j]) q*a[<i,j,q>])) + (sum(
148             j in DSCAT) coef[j]*v[<j,xcat[i][j]>]) - (sum(b in BS) b*g[i][b]
149             ) == 0;
150
151
152     forall(i in IS, j in DSCONT)
153         pregion:
154             sum(q in 0..p[j]) a[<i,j,q>] == 1;
155
156
157     forall(i in IS) {
158         bregion:
159             sum(b in BS) g[i][b] == 1;
160     }
161
162     forall(b in BS, k in KS)
163         error1:
164             h[b] + (sum(i in IS) (y[i] == k)*g[i][b]) + N*z[b][k] >= 0;
165
166     forall(b in BS)
167         error2:
168             sum(k in KS) z[b][k] == n;

```

```

164
165     forall(j in DSCAT, l in 0..maxlab[j])
166         v[<j,l>] <= p[j];
167
168     forall(i in IS, j in DSCAT) {
169         selcat1:
170             92 v[<j,xcat[i][j]>] + M[j]*f[j] >= 0;
171         selcat2:
172             92 v[<j,xcat[i][j]>] - M[j]*f[j] <= 0;
173     }
174
175     seltolnum:
176         (sum(j in DSCONT, jold in DSCONTOLD) ccont[j][jold]) + (sum(j in
177             DSCAT) f[j]) <= seltol;
177 }
```

#### 4.4 Recalculation of Decision Boxes

Some of selected  $d$  features may be trivial; therefore, they cannot be contributing factors. This occurs when two consecutive splitting values along a continuous feature covers an entire dataset or all categorical values are reallocated to the same group. Moreover, the proposed classification model usually assumes that there are up to  $d$  new continuous features ( $|\mathcal{C}_{\text{cont}}| \leq d$ ), but a new continuous feature  $j \in \mathcal{C}_{\text{cont}}$  may turn unselected:  $c_{j,\tilde{j}}^* = 0$  for all  $\tilde{j} \in \tilde{\mathcal{C}}_{\text{cont}}$ . All of these circumstances lead to excessive number of decision boxes. A close examination of optimal splitting values  $b_{j,q}^*$  and  $v_{j,x_j^*}^*$  can further provide which feature is actually important and should be finally selected, thereby reducing number of boxes. To determine which two distinct boxes can be merged, all numerical decision box labels are recalculated through a transformation  $g$  to new labels in a final feature space.

<sup>118</sup> Suppose only  $d'$  out of  $d$  features are finally selected. The feature map  $\sigma : \{0, 1, \dots, d\} \rightarrow \{-1\} \cup \{0, 1, \dots, d'\}$  is defined by

$$\sigma(j) = \begin{cases} \text{feature in new space,} & \text{for finally selected feature } j \\ -1, & \text{for finally unselected feature } j \\ 0, & \text{if } j = 0. \end{cases}$$

There is a one-to-one corresponding between  $j$  and  $\sigma(j) \geq 0$ , and the image of  $\sigma$  includes  $0, 1, \dots, d'$ . Consider a decision box  $1 \leq \beta \leq B$ . Define its position along a feature  $j$  by

$$q_j = \begin{cases} \sum_{q=0}^{p_j} q \beta_{j,q}, & \text{for continuous feature } j \\ u_j, & \text{for categorical feature } j. \end{cases}$$

Let  $w = \min\{j : q_j \neq 0\}$ . If  $w = 1$ , then both positions of the current box  $\beta$  and the previous counterpart  $\beta - 1$  along the first feature differ by 1. For  $w > 1$ , the previous box  $\beta - 1$  locates at position  $p_j$  along every feature  $j < w$ , and the position of both boxes at feature  $w$  differs by 1. Based on this observation, the following recurrence relation of new box labels can be obtained:

$$\stackrel{132}{g(\beta)} - g(\beta - 1) = - \sum_{j=1}^{w-1} p_j \prod_{j' \in \Sigma_j} (p_{j'} + 1) + 1 \cdot \prod_{j' \in \Sigma_w} (p_{j'} + 1)$$

where  $g(0) = 0$  and  $\Sigma_j = \{j' : 0 \leq \sigma(j') < \sigma(j)\}$ .

The utility module in Code 4.3 includes file copying, floating point number rounding, retrieving all keys of maximum dictionary value, finding an interval containing a given number, and exporting DataFrame with nonduplicate entries. The typecasting module in Code 4.4 can convert a set in string format to a Python set and vice versa, and also express an immutable interval object in string format. The recalculation module in Code 4.5 computes a full list of final numerical decision regions  $g(\beta)$ . Modules 4.6 and 4.7 returns the dictionaries of selected features and their splitting values respectively. True decision regions including their predicted class labels are computed by Module 4.8. Similar results generated by Module 4.9 is based solely on numerical decision regions, possibly redundant before merging, and their predicted class labels directly reported by CPLEX optimizer. As shown in Chapter 5, CPLEX solutions are inconsistent and therefore infeasible during first few iterations. Module 4.10 calculates <sup>62</sup> the number of correctly classified instances based on the true decision region from Module 4.8 and the CPLEX counterpart from Module 4.9. Clearly, the first is more accurate than the latter. Code 4.11 is the main execution file. A DataFrame iterator initially constructed by the method `iteruples` is utilized only when a DataFrame, an iterable, can be iterated row by row using the method `next` during an informational query; nonetheless, its usage is not recommended when a query answer is scattered over rows.

Code 4.3: Basic utility for recalculation of region (module/operation/xutil.py)

```
1 46 import os
2 import shutil
3 import json
4 import math
5 import numpy as np
6 import pandas as pd
7
8 # Create directory (if not exist)
9 def create_dir(dir):
10    ...
11    Usage: create directory (if not exist)
12    Required arguments:
13        dir: directory name
14    ...
15
16    try: os.makedirs(dir)
17    except FileExistsError: pass
18
19
20 # Copy single file
21 def copy(srcpath, destpath):
22    ...
23    Usage: copy single file
24    Required arguments:
25        srcpath: source pathname
26        destpath: destination pathname
27    ...
28
29 # Split path into directory and file
30 srcdir, srcfile = os.path.split(srcpath) # source
31 destdir, destfile = os.path.split(destpath) # destination
32
33 # Create destination directory (if not exist)
34 create_dir(destdir)
```

```
35
36     # Copy source file into destination folder (filename unchanged)
37     shutil.copy2(srcpath, destdir) # preserve file metadata
38
39     # Rename copied file to correct destination filename
40     os.rename(f"{destdir}/{srcfile}", destpath)
41
42
43 # Round up or down number to decimal places
44 def round_num(number, decimals, direction):
45     """
46         Usage: round up or down number to decimal places
47         Required arguments:
48             number: number to be rounded
49             decimals: number of decimal places to round to
50             direction: either up or down ('up', 'down')
51         Outputs:
52             rounded number to specified decimal places
53     """
54
55     if isinstance(decimals, int) or isinstance(decimals, np.integer):
56         if decimals >= 0:
57             if direction == 'up':
58                 return math.ceil(number*10**decimals)/10**decimals
59             elif direction == 'down':
60                 return math.floor(number*10**decimals)/10**decimals
61             else:
62                 raise TypeError("Direction can be either up or down")
63         else:
64             raise TypeError("Number of decimal places to round to must be
65                             nonnegative")
66     else:
67         raise TypeError("Number of decimal places must be an integer")
68
69 # Find maximum value of dictionary and key set
```

```
70 def max_dictval(dc):
71     """
72         Usage: find maximum value of dictionary and all of its
73             corresponding keys
74         Required arguments:
75             dc: dictionary
76         Outputs:
77             kmax: set of all keys of maximum value
78             vmax: maximum value
79     """
80
80     kmax = set()
81     vmax = dc[next(iter(dc))] # value of first key
82     for k, v in dc.items():
83         if v > vmax:
84             vmax = v
85             kmax = {k}
86         elif v == vmax:
87             kmax.add(k)
88
89     return kmax, vmax
90
91
92 # Find interval index of specific value from list of real-line splits
93 def itvpos(x, splits, closed='neither'):
94     """
95         Usage: find interval index of specific value from array of real-
96             line splits
97         Required arguments:
98             x: specific value of interest
99             splits: list of real line splits
100            closed: whether intervals are closed on left-side, right-side
101                or neither ('left', 'right', 'neither')
102        Outputs:
103            interval index of specific input value
104    """
```

```

103
104     if closed == 'left': # [_, s), [s, _)
105         for i, s in enumerate(splits):
106             if x < s: return i
107     elif closed == 'neither': # (_, s), (s, _)
108         for s in splits:
109             if x == s:
110                 raise Exception(f"Open intervals are chosen but input value
111 {x} is at split value {s}")
112     closed = 'right' # now safe to be extended to (_, s], (s, _]
113
114     if closed == 'right': # (_, s], (s, _]
115         for i, s in enumerate(splits):
116             if x <= s:
117                 return i
118
119     # Last interval
120     return i + 1
121
122 # Return left and right endpoints of rounded interval
123 def itvopts(itv, decimals=2, extend=True):
124     """
125         Usage: return left and right endpoints of rounded interval
126
127         Required arguments:
128             itv: Pandas interval to be rounded
129
130         Optional arguments:
131             40
132             decimals: number of decimal places to round to (default: 2)
133             extend: whether extend (true) or shrink (default) interval (
134                 default: True)
135
136         Outputs:
137             lpt: left endpoint of rounded interval
138             rpt: right endpoint of rounded interval
139
140     """
141
142     if isinstance(itv, pd._libs.interval.Interval):

```

```
137     if extend:
138         ldirect, rdirect = 'down', 'up'
139     else:
140         ldirect, rdirect = 'up', 'down'
141
142     if np.isinf(itv.left):
143         lpt = itv.left
144     else:
145         lpt = round_num(itv.left, decimals, ldirect)
146
147     if np.isinf(itv.right):
148         rpt = itv.right
149     else:
150         rpt = round_num(itv.right, decimals, rdirect)
151
152     return lpt, rpt
153
154 else:
155     raise TypeError("Only Pandas intervals are allowed")
156
157
158 # Import dictionary from JSON file
159 def import_dict(jsonpath):
160     """
161         Usage: parse JSON data into dictionary
162         Required arguments:
163             jsonpath: JSON filepath (usually metadata filepath)
164         Outputs:
165             dictionary
166     """
167
168     with open(jsonpath) as file:
169         contents = file.read()
170
171     # JSON data is parsed into dictionary
172     return json.loads(contents)
```

```
173
174
175 # Export dataframe with nonduplicate entries
176 def nondup(df, ndcols, intcols=list(), intdtype='Int16'):
177     """
178         Usage: export dataframe with nonduplicate entries
179         Required arguments:
180             df: dataframe
181             ndcols: two-dimensional multilevel column lists with
182                     nonduplicate entries
183         Optional arguments:
184             intcols: integer columns (default: empty list)
185             intdtype: Pandas integer data type (default: 'Int16' or pd.
186                     Int16Dtype())
187             Outputs: same dataframe but without duplicate entries
188     """
189
190     dfn = df.copy(deep=True)
191     for i in range(len(ndcols),0,-1): # iterate over multilevel column
192         lists with nonduplicate entries
193         ccols = [f for cols in ndcols[0:i] for f in cols]
194         dfn.loc[dfn[ccols].duplicated(), ccols] = pd.NA
195     for col in intcols:
196         dfn[col] = pd.array(dfn[col], dtype=intdtype)
197
198     return dfn
```

Code 4.4: Typecasting (module/operation/typecast.py)

```

1 import re
13 import numpy as np
3 import pandas as pd
4
5 from module.operation.xutil import itvtopts
6
7
8 # Convert set/number in string format to Python set
9 def strtoset(setstr):
10     """
11         Usage: convert set/number in string format to Python set
12         Required arguments:
13             setstr: set/number in string format
14         Outputs: corresponding set
15     """
16
17     elems = re.findall(r'[^{},; \s]+', setstr)
18     numset = set(map(int, elems))
19
20     return numset
21
22
23 # Convert set to string
24 def settostr(st, sep=',', left='{', right='}'):
25     """
26         Usage: convert set to string
27         Required arguments:
28             st: set
29         Optional arguments:
30             sep: separator (default: ',')
31             left: left symbol (default: '{')
32             right: right symbol (default: '}')
33         Outputs: string representing given set
34     """

```

```

35
36     stre = sep.join([str(e) for e in st])
37
38     return f"{left}{stre}{right}"
39
40
41 # Convert Pandas interval to string
42 def itvtostr(itv, decimals=2, extend=True):
43     """
44         Usage: convert Pandas interval to string
45
46         Required arguments:
47             itv: Pandas interval
48
49         Optional arguments:
50             40decimals: number of decimal places to round to (default: 2)
51             extend: whether extend (true) or shrink (default) interval (
52                 default: True)
53
54         Outputs: string interval
55     """
56
57     lpt, rpt = itvtopts(itv, decimals, extend)
58     l = f'{lpt:.{decimals}f}'
59     r = f'{rpt:.{decimals}f}'
60
61     if itv.closed == 'neither': return f'({l}, {r})'
62     elif itv.closed == 'left': return f'[{l}, {r})'
63     elif itv.closed == 'right': return f'({l}, {r}]'
64     else: return f'[{l}, {r}]'
65
66
67 # Describe Pandas interval in text format
68 def itvtodesc(itv, decimals=2, extend=True):
69     """
70
71         Usage: describe Pandas interval in text format
72
73         Required arguments:
74             itv: Pandas interval
75
76         Optional arguments:

```

```
70     decimals: number of decimal places to round to (default: 2)
40
71     extend: whether extend (true) or shrink (default) interval (
72         default: True)
73     ...
74
75     lpt, rpt = itvtopts(itv, decimals, extend)
76     l = f"{lpt:.{decimals}f}"
77     r = f"{rpt:.{decimals}f}"
78
79     esum = itv.left + itv.right
80     if np.isnan(esum): # -np.inf, np.inf
81         return "any number"
82     elif not np.isinf(esum): # num, num
83         return f"between {l} and {r}"
84     elif esum < 0: # -np.inf, num
85         return f"below {r}"
86     else: # num, np.inf
87         return f"above {l}"
```

Code 4.5: Recalculation of regions (module/operation/calregs.py)

```

1 import numpy as np
2
3
4 # Calculate new corresponding region label (helper)
5 def hcalbn(bo, bnperv, idxn, pcuto, pocum, pncumx):
6     """
7         Usage: calculate new corresponding region label (helper)
8         Required arguments:
9             bo: region label for old features (nonzero)
10            bnperv: previous region label for new features
11            idxn: new feature indexes
12            pcuto: old cut numbers
13            pocum: cumulative number of box regions across old features
14            pncumx: cumulative number of extended box regions across new
15                features
16            Outputs: corresponding region label
17        """
18    # bo must be between 1 and np.prod(pcuto+1)-1
19    bn = bnperv
20    for jmax in range(len(pcuto)-1,-1,-1):
21        # bo (incremented by 1) in base representation has the last nonzero
22        # at digit jmax
23        if bo%pocum[jmax] == 0:
24            for j in range(jmax):
25                bn -= pcuto[j]*pncumx[idxn[j]]
26            bn += pncumx[idxn[jmax]]
27            break
28    return bn
29
30
31 # Calculate corresponding decision regions (helper)
32 def hcalregs(BO, idxn, pcuto, pocum, pncumx):

```

```

33     """
34     Usage: calculate corresponding decision regions (helper)
35     Required arguments:
36         BO: total number of old box regions
37         idxn: new feature indexes
38         pcuto: old cut numbers
39         pocum: cumulative number of box regions across old features
40         pncumx: cumulative number of extended box regions across new
41             features
42             Outputs: corresponding region label
43
44     """
45
46
47
48
49
50
51
52
53 # Calculate new corresponding decision regions (main)
54 def calregs(pcuto, sidx, pdtype=np.int16, idtype=np.int16, rdtype=np.int16
55     ):
56     """
57     Usage: calculate new corresponding decision regions (main)
58     Required arguments:
59         pcuto: old cut numbers
60         sidx: selected feature indexes (in order)
61     Optional arguments:
62         pdtype: NumPy data type of cut number (default: np.int16)
63         idtype: NumPy data type of index (default: np.int16)
64         rdtype: NumPy data type of region number (default: np.int16)
65     Outputs: new corresponding regions
66     """

```

```

67 # Typecasting
68 pculo = np.array(pculo, dtype=pdtype)
69 sidx = np.array(sidx, dtype=idtype)
70
71 # Basic calculation
72 dimo = pculo.size # old dimension
73 dimn = sidx.size # new dimension
74 pcutn = pculo[sidx] # new cut numbers
75 BO = np.prod(pculo+1).astype(rdtype) # number of old regions
76 BN = np.prod(pcutn+1).astype(rdtype) # number of new regions
77
78 # New feature indexes
79 idxn = np.full(dimo, -1, dtype=idtype)
80 idxn[sidx] = np.arange(dimm, dtype=idtype)
81 idxn[idxn < 0] = np.arange(dimm, dimo, dtype=idtype)
82
83 # Cumulative number of box regions
84 pocum = np.cumprod(np.append([1], pculo[0:-1]+1), dtype=rdtype) # old
85 pncum = np.cumprod(np.append([1], pcutn[0:-1]+1), dtype=rdtype) # new
86 pncumx = np.concatenate((pncum, np.zeros(dimo-dimn, dtype=rdtype))) #
87 # new and extended
88
89 # New corresponding regions (helper function called)
90 bns = np.array(hcalregs(BO, idxn, pculo, pocum, pncumx), dtype=rdtype)
91
92 # Output
93 return bns
94
95 # Illustration
96 """
97 print('pculo: {0}\nsidx: {1}\nbns: {2}\n'.format(pculo:=[3, 4], sidx:=[0],
98 calregs(pculo, sidx)))
99 print('pculo: {0}\nsidx: {1}\nbns: {2}\n'.format(pculo:=[3, 4], sidx:=[1],
100 calregs(pculo, sidx)))

```

```

99 print('pcuto: {0}\nsidx: {1}\nbns: {2}\n'.format(pcuto:=[3, 4], sidx:=[0,
1], calregs(pcuto, sidx)))
100 print('pcuto: {0}\nsidx: {1}\nbns: {2}\n'.format(pcuto:=[3, 4], sidx:=[1,
0], calregs(pcuto, sidx)))
101 ...

```

Code 4.6: Feature selection (module/model/findsels.py)

```

1 # Find feature selection
2 def findsels(itsel, pcuto):
3     ...
4     Usage: find feature selection (per file)
5     Required arguments:
6         itsel: selected string variables (DataFrame iterator)
7         pcuto: old cut numbers
8     Outputs:
9         tsels: dictionary of selected variables and given number of
10            cuts
11 ...
12     csrow = next(itself) # iterator of selected string variables across all
13     iterations
14     tsels = dict() # selected variables and given number of cuts
15
16     citer = -1 # current iteration
17     while True:
18         try:
19             if csrow.aselect == 1: # for selected variable
20                 if csrow.ite != citer:
21                     citer = csrow.ite
22                     tsels[citer] = {
23                         'variables': list(), # selected feature
24                         'types': list(), # type of selected feature
25                         'js': list(), # selected index
26                         'ps': list() # given cut number
27                     }

```

```
27         tsels[citer]['variables'].append(csrow.variable)
28         tsels[citer]['types'].append(csrow.type)
29         tsels[citer]['js'].append(csrow.jnew)
30         tsels[citer]['ps'].append(pculo[csrow.jnew-1])
31     csrow = next(itsel) # update DataFrame iterator
32 except StopIteration:
33     break
34
35 return tsels
```

48

Code 4.7: Cuts or split values (module/model/findcuts.py)

```
1 import numpy as np
2 import pandas as pd
3
4 # Find cuts and groups
5 def findcuts(tsels, itcont, itcat, intvclosed='neither', intvsubtype='
    float32'):
6
7     Usage: find cuts and groups (per file)
8
9     Required arguments:
10
11         tsels: dictionary of selected variables and given number of
12             cuts
13
14         itcont: full continuous cuts (DataFrame iterator)
15
16         itcat: full categoriological cuts (DataFrame iterator)
17
18     Optional arguments:
19
20         intvclosed: types of Pandas interval sides (values: 'left', '
21             right', 'both', 'neither')
22
23         intvsubtype: types of Pandas interval bounds (subtype of pandas
24             IntervalDtype)
25
26     Outputs:
27
28         tcuts: dictionary of cuts and groups along all selected
29             features
30
31         ...
32
33
34         ccontrow = next(itcont) # iterator of full continuous cuts across all
35             iterations
36
37         ccatrow = next(itcat) # iterator of full categorical cuts across all
38             iterations
39
40         tcuts = dict() # cuts and groups along all selected features
41
42
43         for citer, sel in tsels.items(): # cuts across all selected features
44             tcuts[citer] = dict()
45
46             for ind, j in enumerate(sel['js']):
47                 tcuts[citer][j] = {
48                     'variable': tsels[citer]['variables'][ind],
```

```

28         'type': tsels[citer]['types'][ind],
29         'cuts': list(),
30         'groups': dict()
31     }
32
33     # Cuts
34     while ccontrow.iter < citer: # previous iteration may select no
35         continuous feature
36         ccontrow = next(itcont)
37     while ccatrow.iter < citer: # previous iteration may select no
38         categorical feature
39         ccatrow = next(itcat)
40     for jcur in sorted(sel['js']): # numerically sorted features
41         selected
42         cuts = tcuts[citer][jcur]['cuts'] # list of cuts along specific
43             selected feature
44     try: # iterate over full continuous cuts
45         while ccontrow.iter == citer:
46             if ccontrow.j > jcur: # seek no more than current
47                 feature
48                 break
49             else:
50                 if ccontrow.j == jcur: # at current selected feature
51                     cuts.append(ccontrow.bc) # continuous feature
52                     seen
53                     ccontrow = next(itcont) # update DataFrame iterator
54     except StopIteration:
55         pass
56     try: # iterate over full categorical cuts
57         while ccatrow.iter == citer:
58             if ccatrow.j > jcur: # seek no more than current feature
59                 break
60             else:
61                 if ccatrow.j == jcur: # at current selected feature
62                     cuts.append(ccatrow.v) # categorical feature seen
63                     ccatrow = next(itcat) # update DataFrame iterator

```

```
58         except StopIteration:
59             pass
60
61     # Groups
62     pcutdc = dict(zip(tsels[citer]['js'], tsels[citer]['ps'])) # cut
63     # numbers along selected features
64     for j, info in tcuts[citer].items():
65         pnum = pcutdc[j] # number of cuts on current selected feature
66         cuts = info['cuts']
67         if info['type'] == 'cont': # continuous feature
68             excuts = [-np.inf] + cuts + [np.inf]
69             intvs = pd.arrays.IntervalArray.from_breaks(
70                 breaks=excuts,
71                 copy=False, # default: False
72                 closed=intvclosed, # types of Pandas interval sides
73                 dtype=pd.IntervalDtype(subtype=intvsubtype)) # types of
74                 # Pandas interval bounds
75             )
76             info['groups'] = {gr: intvs[gr] for gr in range(pnum+1)}
77         else: # categorical feature
78             info['groups'] = {gr: set() for gr in range(pnum+1)}
79             for val, gr in enumerate(cuts):
80                 info['groups'][gr].add(val) # categorical value in cut/
81                 group
82
83     return tcuts
```

Code 4.8: True decision regions (module/model/findtregs.py)<sup>96</sup>

```

1 import numpy as np
2 import pandas as pd
3
4 from module.operation.xutil import max_dictval, itvpos
5
6
7 # Calculate new true decision regions and predictions (truly correct)
8 def findtregs(tsels, tcuts, df, pdtype=np.int16):
9     """
10         Usage: calculate new true decision regions and predictions (per
11             file)
12
13             Required arguments:
14                 tsels: dictionary of selected variables and given number of
15                     cuts
16
17                 tcuts: dictionary of cuts and groups along all selected
18                     features
19
20                 df: training dataset including target variable (DataFrame, not
21                     iterator)
22
23             Optional arguments:
24                 pdtype: NumPy data type of cut number (default: np.int16)
25
26             Outputs:
27                 ttregs: dictionary of new true decision regions and their
28                     predicted classes
29
30             ...
31
32
33             ttregs = dict() # new true regions with predicted classes (truly
34                 correct)
35
36             classes = df['class'].unique() # all possible classes
37
38
39             for citer in tsels.keys():
40                 regs = pd.Series([0]*len(df))
41
42                 js = tsels[citer]['js']
43
44                 pcutn = np.array(tsels[citer]['ps'], dtype=pdtype) # new cut
45
46                     numbers

```

```

28     pncum = np.cumprod(np.append([1], pcutn[0:-1]+1), dtype=pdtype) #
29         cumulative number of new box regions
30
31     BN = np.prod(pcutn+1) # number of new regions
32
33     # Convert base representation of decision region to base 10
34     for ind, j in enumerate(js):
35         info = tcuts[citer][j]
36         attr = info['variable']
37         cuts = info['cuts']
38         if info['type'] == 'cont': # continuous feature
39             regs = regs + pncum[ind]*df[attr].apply(lambda x: itvpos(x,
40                                         cuts))
41         else: # categorical feature
42             regs = regs + pncum[ind]*pd.Series([cuts[x] for x in df[attr]
43                                         []])
44
45     # Find predicted classes in decision regions
46     ttregs[citer] = {
47         b: {
48             'classes': set(), # true predicted class set
49             'correct': 0, # number of instances correctly predicted
50             'ninst': 0, # number of training instances (total)
51             'ncinst': {n: 0 for n in range(len(classes))} # number of
52                                         training instances in targets
53             } for b in range(BN)
54         }
55
56     for i in range(len(df)):
57         ttregs[citer][regs[i]]['ninst'] += 1 # instance in region
58         ttregs[citer][regs[i]]['ncinst'][df['class'][i]] += 1 #
59             instance of specific target in region
60
61     for b in range(BN):
62         kmax, vmax = max_dictval(ttregs[citer][b]['ncinst']) # true
63             majority voting
64         ttregs[citer][b]['classes'] = kmax # all classes that have
65             maximum number of instances

```

```

56         ttregs[citer][b]['correct'] = vmax # maximum number of
57             instances
58
59     return ttregs

```

Code 4.9: CPLEX decision regions (module/model/findregs.py)<sup>114</sup>

```

1 import numpy as np
2
3 from module.operation.typecast import strtoset
4 from module.operation.calregs import calregs
5
6
7 # Calculate new cplex decision regions and predictions (partially correct)
8 def findregs(tsels, itpred, pculo, idtype=np.int16, pdtype=np.int16):
9     """
10     Usage: calculate new cplex decision regions and predictions (per
11           file)
12
13     Required arguments:
14         tsels: dictionary of selected variables and given number of
15               cuts
16         itpred: individual result of cplex prediction (DataFrame
17               iterator)
18         pculo: old cut numbers
19
20     Optional arguments:
21         pdtype: NumPy data type of cut number (default: np.int16)
22         idtype: NumPy data type of index (default: np.int16)
23
24     Outputs:
25         tcregs: dictionary of new cplex decision regions and their
26               predicted classes
27
28     """
29
30     cprow = next(itpred) # iterator of instance predictions across all
31             iterations
32
33     tcregs = dict() # new cplex regions with predicted classes (partially
34                     correct)

```

```

24     classes = set() # set all possible classes (collected from training
25         dataset)
26
27     citer = -1 # current iteration
28
29     while True: # reported by cplex as occupied region
30         try:
31             if cprow.iter != citer: # new iteration
32                 citer = cprow.iter
33                 if citer in tsels.keys(): # current iteration actually
34                     selects at least one feature
35                     keep = True # keep doing in this while loop
36                     pcutn = np.array(tsels[citer]['ps'], dtype=pdtype)
37                     sidx = np.array(tsels[citer]['js'], dtype=idtype) - 1 #
38                         index starts at 0
39                     BN = np.prod(pcutn+1) # number of new regions
40                     bns = calregs(pcuto, sidx) # new corresponding regions
41                     tcregs[citer] = {
42                         b: {
43                             'lclasses': list(), # list of cplex predicted
44                                 class set
45                             'nlcinst': list() # list of instance number in
46                                 corresponding cplex class set
47                         } for b in range(BN)
48                     }
49                 else: # current iteration selects no feature
50                     keep = False # update iterator and go to the next while
loop
51                 if keep and cprow.iter == citer: # every record in iteration
52                     that selects feature
53                     creg = tcregs[citer][bns[cprow.region]] # new cplex region
54                     pset = strtoset(cprow.predict) # current set of classes
55                     predicted by cplex
56                     classes = classes.union(pset) # add to set of all possible
57                     classes
58             try: # current set of predicted classes already exists

```

```

51             creg['nlcinst'][creg['lclasses'].index(pset)] += 1
52
53         except ValueError: # new set of predicted classes
54             creg['lclasses'].append(pset)
55             creg['nlcinst'].append(1)
56
57         cprox = next(itpred) # update DataFrame iterator
58
59     except StopIteration:
60
61         break
62
63
64     for cregs in tcregs.values(): # reported by cplex as unoccupied region
65
66         for creg in cregs.values():
67
68             if not creg['lclasses']:
69
70                 creg['lclasses'] = [classes] # predict only one of the
71
72                     entire set
73
74                 nlcinst = [0] # no instance reported by cplex in the rest of
75
76                     new regions
77
78
79     return tcregs

```

Code 4.10: Classification correctness (module/model/findcorr.py)

```

1 # Find both true and recalculated cplex correctness
2 def findcorr(ttregs, tcregs):
3     """
4         Usage: find both true and recalculated cplex correctness (per file)
5         Required arguments:
6             ttregs: dictionary of new true decision regions and their
7                 predicted classes
8             tcregs: dictionary of new cplex decision regions and their
9                 predicted classes
10            Outputs:
11                tc62corr: true number of correctly classified instances per region
12                cc62corr: recalculated cplex number of correctly classified
13                instances per region
14
15        ...
16
17        tc62corr = dict() # true correctness
18        cc62corr = dict() # cplex correctness
19        for citer, tregs in ttregs.items(): # true classification
20            tc62corr[citer] = {
21                'correct': 0,
22                'detail': {b: tregs[b]['correct'] for b in tregs.keys()}
23            }
24            tc62corr[citer]['correct'] = sum(tc62corr[citer]['detail'].values())
25        for citer, cregs in tcregs.items(): # cplex classification
26            cc62corr[citer] = {
27                'correct': 0,
28                'detail': {b: 0 for b in cregs.keys()}
29            }
30            for b in cregs.keys():
31                for soc in tcregs[citer][b]['lclasses']:
32                    cc62corr[citer]['detail'][b] = max([ttregs[citer][b]['ncinst'][c] for c in soc])
33            cc62corr[citer]['correct'] = sum(cc62corr[citer]['detail'].values())

```

```
31     return tcorr, ccorr
```

Code 4.11: Final mixed box classifier (finalbox.py)

```

1 import csv
2 import re
3 import pandas as pd
4
5 from module.operation.xutil import *
6 from module.operation.typecast import *
7 from module.operation.calregs import calregs
8 from module.model.findsels import findsels
9 from module.model.findcuts import findcuts
10 from module.model.findtregs import findtregs
11 from module.model.findcregs import findcregs
12 from module.model.findcorr import findcorr
13
14
15 # Parameters
16 pcuto = [3,3,2] # original cut numbers across all given features
17 isexample = True # whether example is shown
18 issreport = True # whether reports of feature selection are written
19 isrreport = True # whether reports of detailed decision regions are
                  written
20
21 # Informational prefixes/postfixes
22 ts = "75305" # last digits of timestamp
23 data = "seltrain20num3each20" # data name (no file extension)
24 inprefix = f"{ts}-{data}-export-" # input filename prefix
25 inpostfix = "-mfullaltseltol-2-t-1440" # input filename postfix
26
27 # Required inputs
28 datadir = "../../Projects/Box Classifiers/alternative/input" # directory
                  of training instances (cplex inputs)
29 indir = "../../Projects/Box Classifiers/alternative/output" # main
                  input directory (cplex results)
```

```

30 datfile = f"{{data}}.csv" # training dataset with target variable
31 datapredfile = f"{{inprefix}}predict-instance-pcont-3{{inpostfix}}.csv" #
   individual result of cplex prediction
32 inerrfile = f"{{inprefix}}error{{inpostfix}}.csv" # classification errors and
   performance metrics
33 inselfile = f"{{inprefix}}select-var-str-pcont-3{{inpostfix}}.csv" # selected
   string variables
34 incutcontfile = f"{{inprefix}}cutcont-full-pcont-3{{inpostfix}}.csv" #
   continuous cuts
35 incutcatfile = f"{{inprefix}}cutcat-full-pcont-3{{inpostfix}}.csv" #
   categorical cuts
36
37 # Optional inputs
38 if issreport: # reports of feature selection must be written
39     metadir = "../../Data/Encoded/metadata" # metadata directory
40     metafile = "meta-indep-pppub20enc.json" # metadata (after encoding)
        file
41     # Relabel case-insensitive NIU values for all selected categorical
        features
42     niudc = {'SS_YN': "NIU (aged below 15)", 'PEMLR': "NIU"}
43 if issreport: # reports of detailed decision regions must be written
44     clabels = {0: 'NNN', 1: 'NNY', 2: 'NY_', 3: 'YNN', 4: 'Y1Y'}
45
46 # Required outputs
47 outdir = f"../../Outputs/Main/Box/{{data}}" # main output directory
48 outperffile = f"{{ts}}-eperf.csv" # classification performances (accuracy/
   error/time)
49 outselfile = f"{{ts}}-selvarfin.csv" # selected string variables, cuts and
   groups
50 outregfile = f"{{ts}}-predregfin.csv" # full decision regions
51
52 # Optional outputs
53 outcutcontfile = f"{{ts}}-cutcont.csv" # continuous cuts
54 outcutcatfile = f"{{ts}}-cutcat.csv" # categorical cuts
55 if issreport: # reports of feature selection must be written
56     outsrepwdfile = f"{{ts}}-report-sel-dup.csv" # with duplicate entries

```

```

57     outsrepndfile = f"{ts}-report-sel-nondup.csv" # with nonduplicate
           entries
58 if isrreport: # reports of detailed decision regions
59     outrrepwdfile = f"{ts}-report-reg-dup.csv" # with duplicate entries
60     outrrepndfile = f"{ts}-report-reg-nondup.csv" # with nonduplicate
           entries
61
62 # Create main output directory (if not exist)
63 create_dir(outdir)
64
65 # Import datasets
66 dfe = pd.read_csv(f"{indir}/{inerrfile}") # cplex classification errors
           and performance metrics
67 dfs = pd.read_csv(f"{indir}/{inselfile}") # selected string variables
68 dfcont = pd.read_csv(f"{indir}/{incutcontfile}") # full continuous cuts
69 dfcat = pd.read_csv(f"{indir}/{incutcatfile}") # full categorical cuts
70 df = pd.read_csv(f"{datdir}/{datfile}") # training dataset including
           target variable
71 dfp = pd.read_csv(f"{indir}/{datpredfile}") # individual result of cplex
           prediction
72
73 # Initialize DataFrame iterators
74 itsel = dfs.itertuples() # selected string variables
75 itcont = dfcont.itertuples() # full continuous cuts
76 itcat = dfcat.itertuples() # full categorical cuts
77 itpred = dfp.itertuples() # individual result of cplex prediction
78
79 # Main execution
80 tsels = findsels(itsel, pcuto) # selected variables
81 tcuts = findcuts(tsels, itcont, itcat) # cuts along all selected features
82 ttregs = findtregs(tsels, tcuts, df) # new true regions and predicted
           classes
83 tcregs = findcregs(tsels, itpred, pcuto) # new cplex regions and predicted
           classes
84 tcorr, ccorr = findcorr(ttregs, tcregs) # true/cplex correctness
85

```

```

86 # Calculate performance results
87 dfen = pd.DataFrame({
88     'iter': tcorr.keys(), # iteration that selects feature
89     'taccuracy': [info['correct']*100/len(df) for info in tcorr.values()],
90         # true accuracies
91     'caccuracy': [info['correct']*100/len(df) for info in ccorr.values()],
92         # recalculated cplex accuracies
93     'terror': [len(df) - info['correct'] for info in tcorr.values()], #
94         # true errors
95     'cerror': [len(df) - info['correct'] for info in ccorr.values()] #
96         # recalculated cplex errors
97 })
98 dfen = pd.merge(dfen, dfe, how='outer')
99 dfen.rename(columns = {
100     'error': 'rror', # reported cplex errors
101     'accuracy': 'raccuracy' # reported cplex accuracies
102 }, inplace=True)
103 cols = dfen.columns.tolist()
104 new_cols = cols[0:1] + cols[5:5+len(pcuto)] + cols[1:3] + cols[-6:-5] +
105     cols[3:5] + cols[-7:-6] + cols[-5:]
106 dfen = dfen[new_cols] # rearranged columns
107 dfen['ms'] = dfen['ms']/60000 # convert milliseconds to minutes
108 dfen = dfen.rename(columns={'ms':'minute'})
109
110 # Display performance results
111 print(f"\n{dfen}\n")
112
113 # Examples
114 if isexample:
115     iters = [1, 2, 15]
116     for citer in iters:
117         try:
118             print(f"Selected features (iteration {citer})\n{tsels[citer]}\n")
119         print(f"Cuts (iteration {citer})\n{tcuts[citer]}\n")

```

```

115     print(f"True decision regions (iteration {citer})\n{ttregs[
116         citer]}\n")
116     print(f"Cplex decision regions (iteration {citer})\n{tcregs[
117         citer]}\n")
117     print(f"True correctness (iteration {citer})\n{tcorr[citer]}\n")
118
118     print(f"Cplex correctness (iteration {citer})\n{ccorr[citer]}\n"
119         ")
119 except KeyError:
120     print(f"Iteration {citer} selects no features\n")
121
122 # Export non-edited information
123 copy(f"{indir}/{incutcontfile}", f"{outdir}/{outcutcontfile}") #
123     continuous cuts
124 copy(f"{indir}/{incutcatfile}", f"{outdir}/{outcutcatfile}") # categorical
124     cuts
125
126 # Export performance results (accuracy/error/time)
127 dfen.to_csv(f"{outdir}/{outeperffile}", float_format=".2f", header=True,
127     index=False)
128
129 # Export selected variables, cuts and groups
130 with open(f"{outdir}/{outselfile}", 'w', newline='') as file:38
131     writer = csv.DictWriter(
132         file,
133         fieldnames = [
134             'iter', 'jfin', 'j', 'var', 'type',
135             'p', 'cuts', 'groups'
136         ]
137     )
138     writer.writeheader()
139     for citer, info in tsels.items():
140         cuts = [[round(cut, 2) for cut in tcuts[citer][j]['cuts']] for j in
140             info['js']]
141         groups = list()
142         for ind, j in enumerate(info['js']):

```

```

143     if info['types'][ind] == 'cont': # continuous feature
144         jgrs = dict()
145         for gr, member in tcuts[citer][j]['groups'].items():
146             jgrs[gr] = itvtostr(member)
147             groups.append(jgrs)
148     else: # categorical feature
149         groups.append(tcuts[citer][j]['groups'])
150 dfstmp = pd.DataFrame({
151     'iter': citer,
152     'jfin': range(1, len(info['js'])+1), # 1, 2, ...
153     'j': info['js'], # j in cplex model
154     'variable': info['variables'],
155     'type': info['types'],
156     'p': info['ps'],
157     'cuts': cuts,
158     'groups': groups
159 })
160 dfstmp.to_csv(f"{outdir}/{outselfile}", mode='a', header=False, index=
161 False)
162 del dfstmp
163
164 # Export predicted classes and number of instances in all decision regions
165 with open(f"{outdir}/{outregfile}", 'w', newline='') as file:38
166     writer = csv.DictWriter(
167         file,
168         fieldnames = [
169             'iter', 'reg', 'ninst', 'tpred', 'lrpreds',
170             'tcorr', 'ccorr', 'ncinst'
171         ]
172     )
173     writer.writeheader()
174     for citer, tregs in ttregs.items():
175         for b, treg in tregs.items():
176             # List of predicted classes reported by cplex in string format
177             lrpreds = settostr(map(settostr, tcregs[citer][b]['lclasses']),
178             left='[', right=']')

```

```

177     writer.writerow({
178         'iter': citer,
179         'reg': b,
180         'ninst': treg['ninst'], # number of instances
181         'tpred': settostr(treg['classes']), # true predicted class
182         'lrpreds': lrpreds,
183         'tcorr': tcorr[citer]['detail'][b], # true correctness
184         'ccorr': ccorr[citer]['detail'][b], # cplex correctness
185         'ncinst': treg['ncinst'] # targets and number of member
186             instances
187     })
188
189 # Export final reports of feature selection (with duplicate/nonduplicate
190 # entries) (if specified)
191
192 if issreport: # reports of feature selection must be written
193
194     # New labels of selected categorical features (catvdc)
195     metadc = import_dict(jsonPath=f'{metadir}/{metafile}') # metadata after
196         encoding
197     catvars = set() # all selected categorical features (initialized)
198     pattern = r'(^|[\w])(niu)([\w]|$)' # regex to search for niu
199     pattern = re.compile(pattern, re.IGNORECASE)
200     for info in tsels.values():
201         for ind, attr in enumerate(info['variables']):
202             if info['types'][ind] == 'cat':
203                 catvars.add(attr)
204     catvdc = {attr: metadc[attr]['values'] for attr in catvars} # labels of
205         selected categorical features
206     for attr, valdc in catvdc.items():
207         for val, desc in valdc.items():
208             matches = re.search(pattern, desc.replace(',', ' '))
209             if bool(matches): # case-insensitive value label containing niu
210                 try:
211                     catvdc[attr][val] = niudc[attr] # relabel

```



```

240         'label': metadc[info['variable']] ['label'],
241         'group': gr,
242         'member': elem,
243         'desc': desc
244     }
245     grls.append(dc)
246 dfg = pd.DataFrame(grls) # group dataframe
247
248 # Report dataframe of feature selection with duplicate entries (dfrp)
249 dfsrp = pd.merge(dfen[efields], dfg) # merge two dataframes: error/
250             metric and group
251
252 # Report dataframe of feature selection with nonduplicate entries (dfn)
253 dfsrpn = nondup(
254     dfsrp,
255     ndcols=[
256         ['iter', 'taccuracy', 'minute', 'acctmin', 'status'],
257         ['j', 'variable', 'type', 'label'],
258         ['group']
259     ],
260     intcols=['iter', 'status', 'j', 'group'] # integer columns
261 )
262
263 # Export final reports of feature selection
264 dfsrp.to_csv( # with duplicate entries
265     f"{outdir}/{outsrepwdfile}",
266     float_format=".2f",
267     header=True, index=False
268 )
269 dfsrpn.to_csv( # with nonduplicate entries
270     f"{outdir}/{outsrepndfile}",
271     sep=',', na_rep='',
272     float_format=".2f",
273     header=True, index=False
274 )

```

```

275 print(f"{{dfsrp.head()}\n") # feature selection (with duplicate entries)
276 print(f"{{dfsrpn.head()}\n") # feature selection (with nonduplicate entries
277 )
278
279 # Export final reports of detailed decision regions (with duplicate/
280 # nonduplicate entries) (if specified)
281 if isrreport: # reports of detailed decision regions must be written
282
283 # Export final reports of detailed regions (with duplicate entries)
284 with open(f"{outdir}/{outrrepwdfile}", "w", newline='') as file:
285     writer = csv.DictWriter(
286         file,
287         fieldnames = [
288             'iter',
289             'ordvars', 'strvars',
290             'reg', 'ordreg', 'crossreg',
291             'tpreds', 'strtspreds',
292             'ninst'
293         ])
294     writer.writeheader()
295     for citer, tregs in ttregs.items():
296         strvars = ', '.join(tsels[citer]['variables'])
297         ps = tsels[citer]['ps']
298         qs = [0]*len(ps) # base representation of numerical decision
299         region
300         js = tsels[citer]['js']
301         for b, treg in tregs.items():
302             grls = list() # list of group members
303             for ind in range(len(ps)):
304                 member = tcuts[citer][js[ind]]['groups'][qs[ind]]
305                 if isinstance(member, pd._libs.interval.Interval): #
306                     Pandas interval
307                     grls.append(itvtostr(member))
308                 elif isinstance(member, set): # set
309

```

```

307         grls.append(settostr(member))
308     else:
309         raise TypeError("Cut intervals can be either Pandas
310                         intervals or sets")
311     writer.writerow({
312         'iter': citer,
313         'ordvars': f"({', '.join([str(j) for j in js])})", #
314                         ordered pair of selected features
315         'strvars': strvars, # string of selected features
316         'reg': b,
317         'ordreg': f"({', '.join([str(q) for q in qs])})", #
318                         ordered pair of numerical region
319         'crossreg': ' x '.join(grls), # cross product of
320                         features in string format
321         'tpreds': ', '.join([str(v) for v in treg['classes']]), #
322                         true predicted numerical classes
323         'strtpreds': ', '.join([clabels[v] for v in treg['
324                         classes']]), # true predicted class labels
325         'ninst': treg['ninst'] # number of training instances in
326                         region
327     })
328     for ind in range(len(ps)): # increment base representation
329         of region for next for loop
330         qs[ind] += 1 # increment by 1
331         if qs[ind] > ps[ind]: qs[ind] = 0 # new leading one
332         else: break # same leading one
333
334     # Export final reports of detailed regions (with nonduplicate entries)
335     dfrrp = pd.read_csv(f"{outdir}/{outrrepwdfile}")
336     dfrrpn = nondup(dfrrp, ndcols=[['iter', 'ordvars', 'strvars']], intcols
337                     =[['iter']])
338     dfrrpn.to_csv( # with nonduplicate entries
339         f"{outdir}/{outrrepndfile}",
340         sep=',', na_rep='',
341         header=True, index=False
342     )

```

```

334
335 print(f"{{dfrrp.head()}\n") # detailed decision regions (with duplicate
   entries)
336 print(f"{{dfrrpn.head()}\n") # detailed decision regions (with nonduplicate
   entries)
337
338
339 # Reexamination of CPLEX Results
340
341 # Additional output files
342 outexffile = f"{{ts}}-exam-full.csv" # full cplex reexamination
343 outexdfile = f"{{ts}}-exam-diff.csv" # difference in new decision regions
344 outexnfile = f"{{ts}}-exam-diffnum.csv" # number of difference
345
346 # Convert full coordinate to position in new feature space
347 def tonpos(citer, coord):
348     ls = list()
349     for j in tsels[citer]['js']:
350         if tcuts[citer][j]['type'] == 'cont':
351             ls.append(itvpos(coord[j-1], tcuts[citer][j]['cuts']))
352         else:
353             ls.append(tcuts[citer][j]['cuts'][coord[j-1]])
354     return tuple(ls)
355
356 # Compute new numerical region from given position to new feature space
357 def tonreg(citer, pos):
358     pcutn = np.array(tsels[citer]['ps'], dtype=np.int16)
359     pncum = np.cumprod(np.append([1], pcutn[0:-1]+1), dtype=np.int16)
360     return np.dot(pncum, pos)
361
362 dfpn = dfp.copy() # copy of individual result of cplex prediction
363 dfpn = dfpn[dfpn['iter'].isin(tsels.keys())] # exclude iterations of no
   feature selection
364
365 nregdc = dict() # new numerical regions in all iterations
366 for citer, info in tsels.items():

```

```

367     nregdc[citer] = calregs(pcuto=sidx=np.array(info['js'])-1)
368 dfpn['creg'] = dfpn.apply(lambda x: nregdc[x.ITER][x.region], axis=1) #
    new region based on cplex result
369 dfpn['cpred'] = dfpn.apply(lambda x: ttregs[x.ITER][x.creg]['classes'],
    axis=1) # cplex predicted class
370
371 dfc = pd.merge(df, dfpn, how='right', left_on=df.index+1, right_on='id',
    suffixes='', '_pn')) # include instance
372 del dfc['class_pn']
373 cols = dfc.columns.tolist()
374 new_cols = cols[len(pcuto)+1:len(pcuto)+3] + cols[0:len(pcuto)+1] + cols
    [-4:]
375 dfc = dfc[new_cols]
376 dfc = dfc.rename(columns={'region': 'rreg', 'predict': 'rpred'})
377 dfc['rpred'] = dfc['rpred'].apply(strtaset)
378
379 dfc['coord'] = dfc.iloc[:, 2:len(pcuto)+2].apply(tuple, axis=1) # full
    original coordinate
380 dfc['tpos'] = dfc.apply(lambda x: tonpos(x.ITER, x.coord), axis=1) # true
    position in new feature space
381 dfc['treg'] = dfc.apply(lambda x: tonreg(x.ITER, x.tpos), axis=1) # true
    decision region
382 dfc['tpred'] = dfc.apply(lambda x: ttregs[x.ITER][x.treg]['classes'], axis
    =1) # true predicted class
383
384 dfcd = dfc[dfc['creg'] != dfc['treg']] # new cplex region differs from new
    true region
385 dfcn = dfcd.groupby('ITER').size().reset_index(name='dnum') # number of
    difference
386
387 print(f'{dfcn}\n') # display number of difference in region recalculation
388 print(f'{dfcd}\n') # display difference in new regions
389
390 # Export cplex reexamination results
391 dfc.to_csv(f'{outdir}/{outexffile}', header=True, index=False) # full
    cplex reexamination

```

```
392 dfcd.to_csv(f"{outdir}/{outexdfile}", header=True, index=False) #
    difference in new decision regions
393 dfcn.to_csv(f"{outdir}/{outexnfile}", header=True, index=False) #
    difference number
```

# CHAPTER V

## RESULTS ON HEALTH INSURANCE

### 5.1 Training Data

The box classifier proposed in Chapter 4 is illustrated on the sample of size 100 (25 per class) and three preselected features: A\\_AGE, PEMLR and SS\\_YN. The variable description and cross tabulation analysis with five bins on a continuous feature is displayed in Table 5.1. Each bin covers at least two different insurance coverage types. Although survey participants are unique, some sample records can be the same in feature and even in target due to initial preselection of features and resultant partial loss of personal information. The sampling result can be seen during Iteration 7 in Table 5.7. This chapter investigates two contributing factors out of three based solely on highest training accuracy.

Table 5.1: Cross tabulation of sample data by preselected variables and health insurance coverage types

Preslected Variable	Insurance Coverage Type (GRP, DIR, PUB)			
	NNN	NNY	NY_	Y1Y
<b>A_AGE: Age</b>				
Universe: All persons				
(1.917, 18.6]	4	8	2	0
(18.6, 35.2]	10	2	1	4
(35.2, 51.8]	5	1	5	2
(51.8, 68.4]	1	4	8	6
(68.4, 85.0]	0	5	4	8
				0
<b>PEMLR: Major labor force recode</b>				
Universe: All persons				
0: NIU	4	5	2	0
1: Employed - at work	8	3	7	9
2: Employed - absent	0	0	3	1
3: Unemployed - on layoff	1	1	0	0
4: Unemployed - looking	1	1	1	0
5: Not in labor force - retired	0	5	5	9
6: Not in labor force - disabled	0	2	1	0
				0

Table 5.1: Cross tabulation of sample data by preselected variables and health insurance coverage types (continued)

Preselected Variable	Insurance Coverage Type (GRP, DIR, PUB)				
	NNN	NNY	NY_	Y1Y	YNN
7: Not in labor force - other	6	3	1	1	2
<b>SS YN: Who received social security payments either for themselves or as combined payments with other family members?</b>					
Universe: All persons aged 15+					
0: NIU	3	5	2	0	4
1: Yes	0	9	7	10	1
2: No	17	6	11	10	15

## 5.2 Decision Tree

The goal is to find up to two significant determinants of health insurance coverage out of three features namely A\_AGE, PEMLR and SS\_YN. The first is continuous whereas the last two are categorical. Three splits are assumed in Code 4.1 on an individual feature. Since SS\_YN has only three possible values, this feature can have up to two splits. In total, there should be at most  $(3 + 1)(3 + 1) = 16$  decision boxes. As a result, decision trees of at least depth 3 and at most 16 leaf nodes are considered. Code 5.1 computes the trees of depths 3, 4 and 5 built by the Gini impurity within 5 seconds each as displayed in Figures 5.1, 5.2 and 5.3 respectively. They give training accuracies of 45%, 50% and 54% with 7, 11 and 15 splitting values in total and 8, 12 and 16 decision boxes. The two splits  $A_{AGE} = 70.5$  and  $A_{AGE} = 75$  in Figures 5.2 and 5.3 are redundant because both cannot distinguish the classes of training instances in left and right nodes by predicting the same class label 4.

Figure 5.1: Gini-based decision tree with depth 3, 7 non-leaf nodes and 8 leaf nodes giving a training accuracy of 45%




Figure 5.2: Gini-based decision tree with depth 4, 11 non-leaf nodes and 12 leaf nodes giving training accuracy of 50%





Figure 5.3: Gini-based decision tree with depth 5, 15 non-leaf nodes and 16 leaf nodes giving training accuracy of 54.4%



Code 5.1: Gini-based decision tree classifier

```

1  14 import matplotlib.pyplot as plt
2  import pandas as pd
3  import numpy as np
4  import csv
5  import os
6  from sklearn.tree import DecisionTreeClassifier, export_text, plot_tree
7
8  def create_dir(dir):
9      try:
10          os.makedirs(dir)
11      except FileExistsError:
12          pass
13
14 # Given Information
15 data_ls = []
16 data_ls.append({
17     'data': '../../Samples/cplex/seltrain20num3each20.csv',
18     'info': '../../Samples/cplex/selproc20num3co3ca3cutinfo.csv',
19     'configs': [
20         106 {'max_depth': 3, 'max_leaves': 16},
21         {'max_depth': 4, 'max_leaves': 16},
22         {'max_depth': 5, 'max_leaves': 16}
23     ],
24     'outdir': '../../Outputs/Main/Tree'
25 })
26 print(f"{data_ls}\n")
27
28 # Decision Tree
29 def dtree(df_data, df_info, max_depth, max_leaves, data_path='', info_path
30           =''):
31
32     # One-hot encoding
33     feat_cat = list(df_info[df_info['type'] == 'Categorical']['variable'])

```

```

33     for v in feat_cat:
34         df_data[v] = df_data[v].astype('category')
35     one_hot_data = pd.get_dummies(df_data[feat_cat], drop_first=True)
36     X = df_data.iloc[:,0:-(len(feat_cat)+1)].join(one_hot_data)
37     y = df_data['class']
38
39     # Build decision tree
40     clf = DecisionTreeClassifier(
41         max_depth=max_depth,33
42         max_leaf_nodes=max_leaves,34
43         random_state=0
44     )
45     34
46     clf.fit(X, y)
47
48     # Performance
49     score = clf.score(X, y)
50     y_pred = clf.predict(X)
51     err_ind = (y_pred != y.to_numpy().flatten()).astype(int)
52     error = np.count_nonzero(err_ind)
53     accuracy = (1-error/len(y_pred))*100
54
55     # Tree structure
56     depth = clf.tree_.max_depth
57     nodes = clf.tree_.node_count
58     leaves = clf.tree_.n_leaves
59     splits = nodes - leaves
60
61     # Decision tree summary
62     summary = {
63         'error': error, 'accuracy': accuracy, 'score': score,
64         'depth': depth,
65         'nodes': nodes, 'leaves': leaves, 'splits': splits
66     }
67
68     # Decision rules
69     rules = export_text(clf, feature_names=list(X.columns))

```

```

69
70     # Predicted values
71     df_pred = pd.DataFrame({
72         'y_true': df_data['class'],
73         'y_pred': y_pred,
74         'e': err_ind
75     })
76
77     # Display results
78     if data_path != '':
79         print(f"Data: {data_path}")
80     if info_path != '':
81         print(f"Info: {info_path}")
82     print(f"Maximum depth: {max_depth}")
83     print(f"Maximum number of leaves: {max_leaves}\n")
84     print(f"Categorical features: {feat_cat}")
85     print(f"X: {X.columns.values}\n")
86     print(f"Summary:")
87     print(f"\tDepth = {depth} | Leaves = {leaves}")
88     print(f"\tError = {error} | Accuracy = {accuracy} | Score = {score}")
89     print(f"\tNodes = {nodes} | Splits = {splits}\n")
90     print(f"Decision rules:\n{rules}\n")
91
92     # Return statement
93     return clf, summary, rules, df_pred
94
95 # Implementation
96 for dc in data_ls:
97
98     # Export information
99     datname = os.path.splitext(os.path.basename(dc['data']))[0] # without
100    file extension
101    outdatadir = f"{dc['outdir']}/{datname}"
102    outprefix = datname
103    outsumfile = f"{outdatadir}/{outprefix}-summary.csv"
104    outruledir = f"{outdatadir}/rules"

```

```

104     outpreddir = f"{outdatadir}/prediction"
105     outfigdir = f"{outdatadir}/figures"
106
107     # Import
108     df_data = pd.read_csv(dc['data'])
109     df_info = pd.read_csv(dc['info'])
110
111     # Exported figure formats
112     fig_formats = ['svg', 'pgf', 'pdf']
113
114     # Create directories
115     create_dir(f"{outdatadir}/rules")
116     create_dir(f"{outdatadir}/prediction")
117     for format in fig_formats:
118         create_dir(f"{outdatadir}/figures/{format}")
119
120     # Export summary file in CSV format
121     with open(outsumfile, 'w') as sumfile:
122
123         sumheader = [
124             'mdepth', 'mleaves', 'depth', 'leaves',
125             'error', 'accuracy', 'score',
126             'nodes', 'splits'
127         ]
128         writer = csv.DictWriter(sumfile, fieldnames=sumheader)
129         writer.writeheader()
130
131         for config in dc['configs']:
132
133             # Tree configuration
134             mdepth = config['max_depth'] # depth
135             mleaves = config['max_leaves'] # number of leaves
136
137             # Postfix of exported files with specific depth and number of
138             # leaves
139             outpostfix = f"mdepth-{mdepth}-mleaves-{mleaves}"

```

```
139
140     # Decision tree
141     clf, summary, rules, df_pred = dtree(
142         df_data, df_info, mdepth, mleaves,
143         data_path=dc['data'], info_path=dc['info']
144     )
145
146     # Export summary result to CSV file
147     summary['mdepth'] = mdepth
148     summary['mleaves'] = mleaves
149     writer.writerow(summary)
150
151     # Decision rules
152     with open(f"{outruledir}/{outprefix}-rule-{outpostfix}.txt", 'w'
153     ) as rulefile:
154         rulefile.write(rules)
155
156     # Prediction
157     outpredfile = f"{outpreddir}/{outprefix}-pred-{outpostfix}.csv"
158     df_pred.index = df_pred.index + 1
159     df_pred.to_csv(outpredfile, index_label='id')
160
161     # Tree plots
162     plot_tree(clf)
163     #plot_tree(clf, label='none', impurity=False)
164     for format in fig_formats:
165         outfigfile = f"{outfigdir}/{format}/{outprefix}-fig-{outpostfix}.{format}"
166         plt.savefig(outfigfile, bbox_inches='tight')
167         #plt.show()
168
169     # Newline
170     print()
```

### 5.3 Proposed Model

A record of an MIP solution returned by a CPLEX solver is counted as an iteration. The proposed box classifier is given within 15 iterations as reported by the solver, or 13 iterations by careful reexamination, before all CPLEX node files fully occupy the reserved disk space of 200 GB where the optimal solution status is inconclusive. <sup>130</sup> As shown in Tables 5.2 and 5.3, the box classifier gives six splitting values in total, three per each contributing factor, whereas all three decision trees at least seven. It achieves a high training accuracy of 51%, compared to the trees of 12 and 16 boxes at 50% and 54%. Although the first requires a significantly longer building time of at least 78.88 minutes (iteration 13) or up to 209.93 minutes (last iteration 15), the latter two output superfluous 11 and 15 total splits. Interestingly, the box classifier and all three decision trees consider A\_AGE and PEMLR significant features, and they have consistent, though nonidentical, categorical splitting values on PEMLR. Based on the box classifier, PEMLR = 3, 4, 5 and 7 share similar characteristics, and they are grouped together as a new single unit or splitting value. Another group of PEMLR = 0 and 6 is also generated. Nonetheless, all decision trees lack the capability to bundle similar categorical values.

The training accuracy, the execution time and the minimum storage size of a box classifier per iteration are reported in Table 5.4. Feature selection occurs as of iteration 2. The training accuracy directly reported by a CPLEX solver as the negative of the objective value differs from the true accuracy produced and recomputed by the proposed box classifier based solely on the splitting values during the first 13 iterations. Certain training instances do not exactly lie until iteration 10 in their CPLEX decision regions, whether original or merged, as indicated by inconsistency between both CPLEX and true training accuracies when both region types are assumed to generate identical predictions. The acceptable box classifier of training accuracy 51% is given since iteration 13 within 78.88 minutes, taking up at least 5.92 GB of disk space but no more than 7 GB, and with a relative MIP gap of 6.35 defined by the relative <sup>79</sup> difference between the best integer objective and the objective of the best CPLEX tree node remaining. The CPLEX engine log can be examined in an appendix.

Groups of values on selected features and their resultant box regions including predicted class labels are shown in Tables 5.5 and 5.6 respectively. Some bins as a result of feature splits may be empty, and their corresponding decision boxes are therefore nonexistent. The dimension of new continuous features in Code 4.1 is one, but iterations 2 to 9 select only categorical features. As a result, splits on the continuous feature A\\_AGE is redundant, and the number of decision boxes is overly reported by a CPLEX solver. After recalculating numerical decision regions and merging boxes, the difference between CPLEX and true decision regions occurs as illustrated on a per-instance basis in Table 5.7. This is possibly due to the insufficiently small CPLEX feasibility tolerance of  $10^{-6}$  by default. At least 41 training instances suffer from this inconsistency, and all especially in iteration 7. No difference can be detected as of iteration 10.

Table 5.2: Comparison between multiple decision tree of depths 3 to 5 and proposed classifier in iterations 13 to 15 based on number of splitting values, number of decision boxes, training accuracy and execution time

Classification Model	Specification	Num of Splitting Values				Num of Boxes	Training Accuracy (%)	Execution Time (min)
		A\_AGE	PEMLR	SS\_YN	Total			
Decision tree	Depth of 3	4	3	0	7	8	45	0.08
	Depth of 4	8	3	0	11	12	50	
	Depth of 5	12	3	0	15	16	54	
Proposed classifier	Iteration 13	3	3	0	6	16	51	78.88
	Iteration 14	3	3	0	6	16	51	82.02
	Iteration 15	3	3	0	6	16	51	209.93

Table 5.3: Splitting values on features of multiple decision tree of depths 3 to 5 and proposed classifier in iterations 13 to 15

Classification Model		Splitting Values				Training Accuracy (%)
Model	Specification	A_AGE	PEMLR	SS_YN		
Decision tree	Depth of 3	14.5, 17.5, 59.5, 78.5	{2}, {5}, {6}, {0, 1, 3, 4, 7}	—	—	45
	Depth of 4	6, 14.5, 17.5, 48.5, 59.5, 70.5, 78.5, 82.5	{2}, {5}, {6}, {0, 1, 3, 4, 7}	—	—	50
Proposed classifier	Depth of 5	2.5, 6, 14.5, 17.5, 48.5, 57.5, 59.5, 62, 70.5, 75, 78.5	{2}, {5}, {6}, {0, 1, 3, 4, 7}	—	—	54
	Iteration 13	24.99, 55.99, 64.99	{2}, {1}, {3, 4, 5, 7}, {0, 6}	—	—	51
Iterations 14 to 15		24.01, 55.99, 64.99	{2}, {1}, {3, 4, 5, 7}, {0, 6}	—	—	51

Table 5.4: Training accuracy, execution time, minimum storage usage, relative MIP gap and number of inconsistent data across all iterations

Iteration	Accuracy (%)			Execution Time (min)			Min Storage (GB)			Rel Gap	Inconsistent
	True	CPLEX	Reported	Each	Accum	Tree	Nodes	Comp			
1				20	0	0			279		
2	38	35	28	0.03	0.03				27.57	41	
3	38	35	31	0.01	0.04				22.14	41	
4	38	35	36	0.01	0.06				17.25	41	
5	38	35	38	0.03	0.09				15.5	41	
6	40	36	39	13.3	13.39	0.99	0	0	8.67	41	
7	40	30	40	5.27	18.66	1.24	0	0	8.42	100	
8	43	40	43	4.64	23.3	2.74	0.49	0.45	7.75	41	
9	44	42	44	7.67	30.97	3.68	1.3	1.18	7.54	41	
10	47	47	46	37.23	68.2	3.35	1.34	1.19	7.01		
11	48	48	48	1.18	69.38	3.46	1.5	1.32	6.67		
12	50	50	49	7.17	76.55	4.11	1.64	1.45	6.51		
13	51	51	50	2.33	78.88	8.13	5.92	5.17	6.35		
14	51	51	51	3.14	82.02	9.06	7	6.13	6.2		
15	51	51	51	127.91	209.93	192.68	190.58	167.06	6.08		

Table 5.5: Selected variables and groups of values across all iterations

Iteration	Selected Variable			Group	Index	Member	Label
	Index	Symbol	Type				
2	2	PEMLR	Categorical	0	1		Employed - at work <span style="background-color: #e6eaf2; border: 1px solid black; padding: 2px;">18</span>
					3		Unemployed - on layoff <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					7		Not in labor force - other <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					5		Not in labor force - retired <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					0		NIU
					2		Employed - absent <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					4		Unemployed - looking <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">33</span>
					6		Not in labor force - disabled <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">33</span>
					2	No	
					1	Yes	
					1		NIU (aged below 15)
					0		
					2		
3	2	PEMLR	Categorical	0	1		Employed - at work <span style="background-color: #e6eaf2; border: 1px solid black; padding: 2px;">18</span>
					3		Unemployed - on layoff <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					7		Not in labor force - other <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					5		Not in labor force - retired <span style="background-color: #f2e6e6; border: 1px solid black; padding: 2px;">18</span>
					0		NIU

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Index	Member
	Index	Symbol	Type			
					2	Employed - absent
					4	Unemployed - looking <sup>33</sup>
					6	Not in labor force - disabled
				No		
				Yes		
					NIU (aged below 15)	
3	SS_YN	Categorical	0			
			1		1	
			2		0	
4	PEMLR	Categorical	0			
			1	Employed - at work <sup>18</sup>		
			3	Unemployed - on layoff		
			7	Not in labor force - other		
			5	Not in labor force - retired		
			3	NIU		
			0			
			2	Employed - absent		
			4	Unemployed - looking <sup>33</sup>		
			6	Not in labor force - disabled		
3	SS_YN	Categorical	0			
			1		2	
			1		1	

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Member	
	Index	Symbol	Type		Index	Label
5	2	PEMLR	Categorical	0	1	Employed - at work <span style="background-color: #c0a080; border: 1px solid black; padding: 2px;">18</span>
					3	Unemployed - on layoff
					7	Not in labor force - other
				2	5	Not in labor force - retired
				3	0	NIU
					2	Employed - absent
					4	Unemployed - looking <span style="background-color: #d9b3ff; border: 1px solid black; padding: 2px;">33</span>
					6	Not in labor force - disabled
				3	0	No
					2	Yes
					0	NIU (aged below 15)
6	2	PEMLR	Categorical	0	1	Employed - at work <span style="background-color: #d9b3ff; border: 1px solid black; padding: 2px;">33</span>
					3	Unemployed - on layoff
					7	Not in labor force - other
				1	2	Employed - absent

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Member	
	Index	Symbol	Type		Index	Label
				2	5	Not in labor force - retired <sup>18</sup>
				3	0	NIU
				4	4	Unemployed - looking
				6	6	Not in labor force - disabled
				No	No	
				Yes	Yes	
				2	0	NIU (aged below 15)
7	2	PEMLR	Categorical	0	1	Employed - at work <sup>18</sup>
					2	Employed - absent
				4	4	Unemployed - looking
				No	NIU	
				2	0	Unemployed - on layoff
					3	
					6	Not in labor force - disabled
					7	Not in labor force - other
				3	5	Not in labor force - retired
3	SS_YN	Categorical		1	0	NIU (aged below 15)

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Index	Member
	Index	Symbol	Type			
8	2	PEMLR	Categorical	0	2	Employed - absent
				1	1	Employed - at work
				2	6	Not in labor force - disabled
					0	NIU
				3	3	Unemployed - on layoff
				4	4	Unemployed - looking
				7	7	Not in labor force - other
				5	5	Not in labor force - retired
				3	0	NIU (aged below 15)
				2	0	
				1	1	No
						NIU (aged below 15)
					1	Yes
9	2	PEMLR	Categorical	0	2	Employed - absent
				1	1	Employed - at work
				2	0	NIU

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Index	Member	Label
	Index	Symbol	Type				
10	1	A_AGE	Continuous	0	( $-\infty$ , 24.01) (24.01, 40.99) (40.99, 65.99) (65.99, $\infty$ )	3 4 6 7 5 0	Unemployed - on layoff Unemployed - looking Not in labor force - disabled Not in labor force - other Not in labor force - retired NIU (aged below 15)
3	SS_YN	Categorical		3 0 2	1	Yes	
2	PEMLR	Categorical		0 1 2	1 1 7 4	Employed - absent Employed - at work Not in labor force - other Unemployed - looking	

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Index	Member
	Index	Symbol	Type			
11	1	A_AGE	Continuous	0	5 15 0	Not in labor force - retired NIU
				1	3	Unemployed - on layoff
				2	3	Between 41 and 64
				3	6	Not in labor force - disabled 129
						Above 65
						Below 24
2	PEMLR	Categorical	0	2	2	Employed - absent
				1	1	Employed - at work 33
					7	Not in labor force - other
				2	4	Unemployed - looking 30
					5	Not in labor force - retired NIU
				3	0	Unemployed - on layoff
					3	Not in labor force - disabled
					6	

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Member	
	Index	Symbol	Type		Index	Label
12	1	A_AGE	Continuous	0	( $-\infty, 24.99$ )	Below 24
				1	(24.99, 40.01)	Between 25 and 40
				2	(40.00, 64.01)	Between 41 and 64
				3	(64.01, $\infty$ )	Above 65
2	PEMLR	Categorical		0	2	Employed - absent
				1	1	Employed - at work
				2	4	Unemployed - looking
				3	5	Not in labor force - retired
				4	7	Not in labor force - other
				5	0	NIU
				6	3	Unemployed - on layoff
13	1	A_AGE	Continuous	0	( $-\infty, 24.99$ )	Unemployed - on layoff
				1	(24.99, 55.99)	Below 24
				2	(55.99, 64.99)	Between 25 and 55
				3	(64.99, $\infty$ )	Between 56 and 64
						Above 65

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Index	Member	Label
	Index	Symbol	Type				
2	PEMLR	Categorical	0	0	2		Employed - absent
			1	1	1		Employed - at work
			2	3	1		Unemployed - on layoff
				4	2		Unemployed - looking
					5		Not in labor force - retired
					7		Not in labor force - other
			3	0			NIU
					6	15	Not in labor force - disabled
14	1	A_AGE	Continuous	0	( $-\infty$ , 24.01)		Below 24
				1	(24.01, 55.99)		Between 25 and 55
				2	(55.99, 64.99)		Between 56 and 64
				3	(64.99, $\infty$ )		Above 65
2	PEMLR	Categorical	0	2			Employed - absent
			1	1			Employed - at work
			2	2	3	18	Unemployed - on layoff
					4		Unemployed - looking

Table 5.5: Selected variables and groups of values across all iterations (continued)

Iteration	Selected Variable			Group	Index	Member	Label
	Index	Symbol	Type				
15	1	A\_AGE	Continuous	0	( $-\infty$ , 24.01)	Below 24	
				1	(24.01, 55.99)	Between 25 and 55	
				2	(55.99, 64.99)	Between 56 and 64	
				3	(64.99, $\infty$ )	Above 65	
2	PEMLR	Categorical	0	2		Employed - absent	
			1	1		Employed - at work <sup>18</sup>	
			2	3		Unemployed - on layon	
				4		Unemployed - looking	
				5		Not in labor force - retired	
				7		Not in labor force - other	
			3	0		NIU	
				6		Not in labor force - disabled	

Table 5.6: Decision regions and predicted class labels across all iterations

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
2	(2,3)	PEMLR, SS\_YN	0	(0,0)	{1,3,7} × {2}	0	NNN	48
			1	(1,0)	∅ × {2}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
			2	(2,0)	{5} × {2}	2	NY <sub>—</sub>	3
			3	(3,0)	{0,2,4,6} × {2}	2	NY <sub>—</sub>	8
			4	(0,1)	{1,3,7} × {1}	2,4	NY <sub>—</sub> , YY	6
			5	(1,1)	∅ × {1}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
			6	(2,1)	{5} × {1}	4	YY	16
			7	(3,1)	{0,2,4,6} × {1}	1	NNY	5
			8	(0,2)	{1,3,7} × {0}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
			9	(1,2)	∅ × {0}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
			10	(2,2)	{5} × {0}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
			11	(3,2)	{0,2,4,6} × {0}	1	NNY	14
3	(2,3)	PEMLR, SS\_YN	0	(0,0)	{1,3,7} × {2}	0	NNN	48
			1	(1,0)	∅ × {2}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
			2	(2,0)	{5} × {2}	2	NY <sub>—</sub>	3
			3	(3,0)	{0,2,4,6} × {2}	2	NY <sub>—</sub>	8

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
4	(0,1)		4	{1,3,7} × {1}		2,4	NY <sub>—</sub> , Y1Y	6
5	(1,1)		5	∅ × {1}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0	
6	(2,1)		6	{5} × {1}	4		Y1Y	16
7	(3,1)		7	{0,2,4,6} × {1}	1		NNY	5
8	(0,2)		8	{1,3,7} × {0}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0	
9	(1,2)		9	∅ × {0}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0	
10	(2,2)		10	{5} × {0}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0	
11	(3,2)		11	{0,2,4,6} × {0}	1		NNY	14
4	(2,3)	PEMLR, SS_YN	0	(0,0)	{1,3,7} × {2}	0	NNN	48
1	(1,0)		1	∅ × {2}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0	
2	(2,0)		2	{5} × {2}	2		NY <sub>—</sub>	3
3	(3,0)		3	{0,2,4,6} × {2}	2		NY <sub>—</sub>	8
4	(0,1)		4	{1,3,7} × {1}	2,4		NY <sub>—</sub> , Y1Y	6
5	(1,1)		5	∅ × {1}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0	
6	(2,1)		6	{5} × {1}	4		Y1Y	16
7	(3,1)		7	{0,2,4,6} × {1}	1		NNY	5

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
8	(0,2)			{1,3,7} × {0}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
9	(1,2)			∅ × {0}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
10	(2,2)			{5} × {0}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
11	(3,2)			{0,2,4,6} × {0}		1	NNY	14
5	(2,3)	PEMLR, SS_YN	0	(0,0)	{1,3,7} × {2}	0	NNN	48
	1	(1,0)		∅ × {2}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
	2	(2,0)		{5} × {2}		2	NY <sub>—</sub>	3
	3	(3,0)		{0,2,4,6} × {2}		2	NY <sub>—</sub>	8
	4	(0,1)		{1,3,7} × {1}		2,4	NY <sub>—</sub> , YYY	6
	5	(1,1)		∅ × {1}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
	6	(2,1)		{5} × {1}		4	YYY	16
	7	(3,1)		{0,2,4,6} × {1}		1	NNY	5
	8	(0,2)		{1,3,7} × {0}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
	9	(1,2)		∅ × {0}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
	10	(2,2)		{5} × {0}		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YYY	0
	11	(3,2)		{0,2,4,6} × {0}		1	NNY	14

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
6	(2,3)	PEMLR, SS\_YN	0	(0,0)	$\{1, 3, 7\} \times \{2\}$	0	NNN	48
			1	(1,0)	$\{2\} \times \{2\}$	2	NY <sub>-</sub>	3
			2	(2,0)	$\{5\} \times \{2\}$	2	NY <sub>-</sub>	3
			3	(3,0)	$\{0, 4, 6\} \times \{2\}$	0,3	NNN, YNN	5
			4	(0,1)	$\{1, 3, 7\} \times \{1\}$	2,4	NY <sub>-</sub> , YYY	6
			5	(1,1)	$\{2\} \times \{1\}$	2	NY <sub>-</sub>	1
			6	(2,1)	$\{5\} \times \{1\}$	4	YYY	16
			7	(3,1)	$\{0, 4, 6\} \times \{1\}$	1	NNY	4
			8	(0,2)	$\{1, 3, 7\} \times \{0\}$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0
			9	(1,2)	$\{2\} \times \{0\}$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0
			10	(2,2)	$\{5\} \times \{0\}$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0
7	(2,3)	PEMLR, SS\_YN	0	(0,0)	$\{1, 2, 4\} \times \emptyset$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0
			1	(1,0)	$\emptyset \times \emptyset$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0
			2	(2,0)	$\{0, 3, 6, 7\} \times \emptyset$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0
			3	(3,0)	$\{5\} \times \emptyset$	0,1,2,3,4	NNN, NNY, NY <sub>-</sub> , YNN, YY	0

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
4	(0,1)		4	$\{1, 2, 4\} \times \{0, 2\}$		3	YNN	42
5	(1,1)			$\emptyset \times \{0, 2\}$		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YY	0
6	(2,1)		6	$\{0, 3, 6, 7\} \times \{0, 2\}$		0	NNN	28
7	(3,1)			$\{3\} \times \{0, 2\}$		2	NY <sub>—</sub>	3
8	(0,2)			$\{1, 2, 4\} \times \{1\}$		2	NY <sub>—</sub>	6
9	(1,2)			$\emptyset \times \{1\}$		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YY	0
10	(2,2)		10	$\{0, 3, 6, 7\} \times \{1\}$		1	NNY	5
11	(3,2)			$\{5\} \times \{1\}$		4	YY	16
8	(2,3)	PEMLR, SS_YN	0	(0,0)	$\{2\} \times \{2\}$	2	NY <sub>—</sub>	3
1	(1,0)			$\{1, 6\} \times \{2\}$		3	YNN	35
2	(2,0)		2	$\{0, 3, 4, 7\} \times \{2\}$		0	NNN	18
3	(3,0)			$\{5\} \times \{2\}$		2	NY <sub>—</sub>	3
4	(0,1)			$\{2\} \times \emptyset$		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YY	0
5	(1,1)			$\{1, 6\} \times \emptyset$		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YY	0
6	(2,1)		6	$\{0, 3, 4, 7\} \times \emptyset$		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YY	0
7	(3,1)			$\{5\} \times \emptyset$		0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, YY	0

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
8	(0,2)			{2} × {0,1}		2	NY_	1
9	(1,2)			{1,6} × {0,1}		2	NY_	7
10	(2,2)			{0, 3, 4, 7} × {0,1}		1	NNY	17
11	(3,2)			{3} × {0,1}		4	Y1Y	16
9	(2,3)	PEMLR, SS_YN	0	(0,0)	{2} × {2}	2	NY_	3
			1	(1,0)	{1} × {2}	3	YNN	35
			2	(2,0)	{0, 3, 4, 6, 7} × {2}	0	NNN	18
			3	(3,0)	{5} × {2}	2	NY_	3
			4	(0,1)	{2} × Ø	0,1,2,3,4	NNN, NNY, NY_-, YNN, Y1Y	0
			5	(1,1)	{1} × Ø	0,1,2,3,4	NNN, NNY, NY_-, YNN, Y1Y	0
			6	(2,1)	{0,3,4,6,7} × Ø	0,1,2,3,4	NNN, NNY, NY_-, YNN, Y1Y	0
			7	(3,1)	{5} × Ø	0,1,2,3,4	NNN, NNY, NY_-, YNN, Y1Y	0
			8	(0,2)	{2} × {0,1}	2	NY_	1
			9	(1,2)	{1} × {0,1}	2	NY_	4
			10	(2,2)	{0,3,4,6,7} × {0,1}	1	NNY	20
			11	(3,2)	{5} × {0,1}	4	Y1Y	16

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
10	(1,2)	A\_AGE, PEMLR	0	(0,0)	( $-\infty, 24.01$ ) $\times \{2\}$	0,1,2,3,4	NNN, NNY, NY $_-$ , YNN, Y1Y	0
			1	(1,0)	(24.01, 40.99) $\times \{2\}$	2	NY $_-$	2
			2	(2,0)	(40.99, 65.99) $\times \{2\}$	4	Y1Y	1
			3	(3,0)	(65.99, $\infty$ ) $\times \{2\}$	2	NY $_-$	1
			4	(0,1)	( $-\infty, 24.01$ ) $\times \{1, 7\}$	0	NNN	11
			5	(1,1)	(24.01, 40.99) $\times \{1, 7\}$	3	YNN	17
			6	(2,1)	(40.99, 65.99) $\times \{1, 7\}$	3	YNN	20
			7	(3,1)	(65.99, $\infty$ ) $\times \{1, 7\}$	2,4	NY $_-,$ Y1Y	4
			8	(0,2)	( $-\infty, 24.01$ ) $\times \{4, 5\}$	1,3	NNY, YNN	2
			9	(1,2)	(24.01, 40.99) $\times \{4, 5\}$	0,3	NNN, YNN	2
			10	(2,2)	(40.99, 65.99) $\times \{4, 5\}$	2	NY $_-$	4
			11	(3,2)	(65.99, $\infty$ ) $\times \{4, 5\}$	4	Y1Y	16
			12	(0,3)	( $-\infty, 24.01$ ) $\times \{0, 3, 6\}$	1	NNY	15
			13	(1,3)	(24.01, 40.99) $\times \{0, 3, 6\}$	0	NNN	1
			14	(2,3)	(40.99, 65.99) $\times \{0, 3, 6\}$	1	NNY	3
			15	(3,3)	(65.99, $\infty$ ) $\times \{0, 3, 6\}$	1	NNY	1

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables			Decision Region			Predicted Classes			Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label			
11	(1,2)	A\_AGE, PEMLR	0	(0,0)	( $-\infty$ , 24.01) $\times$ {2}	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0		
			1	(1,0)	(24.01, 40.99) $\times$ {2}	2	NY <sub>—</sub>	2		
			2	(2,0)	(40.99, 64.99) $\times$ {2}	4	Y1Y	1		
			3	(3,0)	(64.99, $\infty$ ) $\times$ {2}	2	NY <sub>—</sub>	1		
			4	(0,1)	( $-\infty$ , 24.01) $\times$ {1,7}	0	NNN	11		
			5	(1,1)	(24.01, 40.99) $\times$ {1,7}	3	YNN	17		
			6	(2,1)	(40.99, 64.99) $\times$ {1,7}	3	YNN	18		
			7	(3,1)	(64.99, $\infty$ ) $\times$ {1,7}	2,4	NY <sub>—</sub> , Y1Y	6		
			8	(0,2)	( $-\infty$ , 24.01) $\times$ {4,5}	1,3	NNY, YNN	2		
			9	(1,2)	(24.01, 40.99) $\times$ {4,5}	0,3	NNN, YNN	2		
			10	(2,2)	(40.99, 64.99) $\times$ {4,5}	2	NY <sub>—</sub>	4		
			11	(3,2)	(64.99, $\infty$ ) $\times$ {4,5}	4	Y1Y	16		
			12	(0,3)	( $-\infty$ , 24.01) $\times$ {0,3,6}	1	NNY	15		
			13	(1,3)	(24.01, 40.99) $\times$ {0,3,6}	0	NNN	1		
			14	(2,3)	(40.99, 64.99) $\times$ {0,3,6}	1	NNY	3		
			15	(3,3)	(64.99, $\infty$ ) $\times$ {0,3,6}	1	NNY	1		

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
12	(1,2)	A\_AGE, PEMLR	0	(0,0)	( $-\infty, 24.99 \times \{2\}$ )	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0
			1	(1,0)	(24.99, 40.01) $\times \{2\}$	2	NY <sub>—</sub>	2
			2	(2,0)	(40.00, 64.01) $\times \{2\}$	4	Y1Y	1
			3	(3,0)	(64.01, $\infty$ ) $\times \{2\}$	2	NY <sub>—</sub>	1
			4	(0,1)	( $-\infty, 24.99 \times \{1\}$ )	0	NNN	7
			5	(1,1)	(24.99, 40.01) $\times \{1\}$	3	YNN	14
			6	(2,1)	(40.00, 64.01) $\times \{1\}$	3	YNN	13
			7	(3,1)	(64.01, $\infty$ ) $\times \{1\}$	2	NY <sub>—</sub>	5
			8	(0,2)	( $-\infty, 24.99 \times \{4, 5, 7\}$ )	1	NNY	6
			9	(1,2)	(24.99, 40.01) $\times \{4, 5, 7\}$	0	NNN	5
			10	(2,2)	(40.00, 64.01) $\times \{4, 5, 7\}$	2	NY <sub>—</sub>	9
			11	(3,2)	(64.01, $\infty$ ) $\times \{4, 5, 7\}$	4	Y1Y	17
			12	(0,3)	( $-\infty, 24.99 \times \{0, 3, 6\}$ )	1	NNY	15
			13	(1,3)	(24.99, 40.01) $\times \{0, 3, 6\}$	0	NNN	1
			14	(2,3)	(40.00, 64.01) $\times \{0, 3, 6\}$	1	NNY	3
			15	(3,3)	(64.01, $\infty$ ) $\times \{0, 3, 6\}$	1	NNY	1

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
13	(1,2)	A\_AGE, PEMLR	0	(0,0)	( $-\infty, 24.99 \times \{2\}$ )	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0
			1	(1,0)	(24.99, 55.99) $\times \{2\}$	2	NY <sub>—</sub>	2
			2	(2,0)	(55.99, 64.99) $\times \{2\}$	4	Y1Y	1
			3	(3,0)	(64.99, $\infty$ ) $\times \{2\}$	2	NY <sub>—</sub>	1
			4	(0,1)	( $-\infty, 24.99 \times \{1\}$ )	0	NNN	7
			5	(1,1)	(24.99, 55.99) $\times \{1\}$	3	YNN	23
			6	(2,1)	(55.99, 64.99) $\times \{1\}$	3	YNN	4
			7	(3,1)	(64.99, $\infty$ ) $\times \{1\}$	2	NY <sub>—</sub>	5
			8	(0,2)	( $-\infty, 24.99 \times \{3, 4, 5, 7\}$ )	1	NNY	6
			9	(1,2)	(24.99, 55.99) $\times \{3, 4, 5, 7\}$	0	NNN	9
			10	(2,2)	(55.99, 64.99) $\times \{3, 4, 5, 7\}$	2	NY <sub>—</sub>	7
			11	(3,2)	(64.99, $\infty$ ) $\times \{3, 4, 5, 7\}$	4	Y1Y	17
			12	(0,3)	( $-\infty, 24.99 \times \{0, 6\}$ )	1	NNY	15
			13	(1,3)	(24.99, 55.99) $\times \{0, 6\}$	1	NNY	1
			14	(2,3)	(55.99, 64.99) $\times \{0, 6\}$	2	NY <sub>—</sub>	1
			15	(3,3)	(64.99, $\infty$ ) $\times \{0, 6\}$	1	NNY	1

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
14	(1,2)	A\_AGE, PEMLR	0	(0,0)	( $-\infty, 24.01$ ) $\times \{2\}$	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0
			1	(1,0)	(24.01, 55.99) $\times \{2\}$	2	NY <sub>—</sub>	2
			2	(2,0)	(55.99, 64.99) $\times \{2\}$	4	Y1Y	1
			3	(3,0)	(64.99, $\infty$ ) $\times \{2\}$	2	NY <sub>—</sub>	1
			4	(0,1)	( $-\infty, 24.01$ ) $\times \{1\}$	0	NNN	7
			5	(1,1)	(24.01, 55.99) $\times \{1\}$	3	YNN	23
			6	(2,1)	(55.99, 64.99) $\times \{1\}$	3	YNN	4
			7	(3,1)	(64.99, $\infty$ ) $\times \{1\}$	2	NY <sub>—</sub>	5
			8	(0,2)	( $-\infty, 24.01$ ) $\times \{3, 4, 5, 7\}$	1	NNY	6
			9	(1,2)	(24.01, 55.99) $\times \{3, 4, 5, 7\}$	0	NNN	9
			10	(2,2)	(55.99, 64.99) $\times \{3, 4, 5, 7\}$	2	NY <sub>—</sub>	7
			11	(3,2)	(64.99, $\infty$ ) $\times \{3, 4, 5, 7\}$	4	Y1Y	17
			12	(0,3)	( $-\infty, 24.01$ ) $\times \{0, 6\}$	1	NNY	15
			13	(1,3)	(24.01, 55.99) $\times \{0, 6\}$	1	NNY	1
			14	(2,3)	(55.99, 64.99) $\times \{0, 6\}$	2	NY <sub>—</sub>	1
			15	(3,3)	(64.99, $\infty$ ) $\times \{0, 6\}$	1	NNY	1

Table 5.6: Decision regions and predicted class labels across all iterations (continued)

Iter	Selected Variables		Decision Region			Predicted Classes		Num
	Tuple	Symbol	Ind	Tuple	Cross Product	Ind	Label	
15	(1,2)	A\_AGE, PEMLR	0	(0,0)	( $-\infty, 24.01$ ) $\times \{2\}$	0,1,2,3,4	NNN, NNY, NY <sub>—</sub> , YNN, Y1Y	0
			1	(1,0)	(24.01, 55.99) $\times \{2\}$	2	NY <sub>—</sub>	2
			2	(2,0)	(55.99, 64.99) $\times \{2\}$	4	Y1Y	1
			3	(3,0)	(64.99, $\infty$ ) $\times \{2\}$	2	NY <sub>—</sub>	1
			4	(0,1)	( $-\infty, 24.01$ ) $\times \{1\}$	0	NNN	7
			5	(1,1)	(24.01, 55.99) $\times \{1\}$	3	YNN	23
			6	(2,1)	(55.99, 64.99) $\times \{1\}$	3	YNN	4
			7	(3,1)	(64.99, $\infty$ ) $\times \{1\}$	2	NY <sub>—</sub>	5
			8	(0,2)	( $-\infty, 24.01$ ) $\times \{3, 4, 5, 7\}$	1	NNY	6
			9	(1,2)	(24.01, 55.99) $\times \{3, 4, 5, 7\}$	0	NNN	9
			10	(2,2)	(55.99, 64.99) $\times \{3, 4, 5, 7\}$	2	NY <sub>—</sub>	7
			11	(3,2)	(64.99, $\infty$ ) $\times \{3, 4, 5, 7\}$	4	Y1Y	17
			12	(0,3)	( $-\infty, 24.01$ ) $\times \{0, 6\}$	1	NNY	15
			13	(1,3)	(24.01, 55.99) $\times \{0, 6\}$	1	NNY	1
			14	(2,3)	(55.99, 64.99) $\times \{0, 6\}$	2	NY <sub>—</sub>	1
			15	(3,3)	(64.99, $\infty$ ) $\times \{0, 6\}$	1	NNY	1

Table 5.7: Inconsistency between numerical CPLEX and true decision regions

Iter	Training Instance				Reported				CPLEX		True		
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict
2	8	4	0	0	0	38	1	9	0,1,2,3,4	11	1		
10	12	0	0	0	0	38	1	9	0,1,2,3,4	11	1		
20	10	0	0	0	0	38	1	9	0,1,2,3,4	11	1		
21	85	5	1	1	1	22	4	5	0,1,2,3,4	6	4		
22	74	5	1	1	1	22	4	5	0,1,2,3,4	6	4		
23	64	5	1	1	1	22	4	5	0,1,2,3,4	6	4		
24	73	5	1	1	1	22	4	5	0,1,2,3,4	6	4		
26	5	0	0	1	1	38	1	9	0,1,2,3,4	11	1		
27	4	0	0	1	1	38	1	9	0,1,2,3,4	11	1		
28	10	0	0	1	1	38	1	9	0,1,2,3,4	11	1		
29	54	6	1	1	1	26	1	6	4	7	1		
30	3	0	0	1	1	38	1	9	0,1,2,3,4	11	1		
33	17	4	1	1	1	26	1	6	4	7	1		
35	77	6	1	1	1	26	1	6	4	7	1		
36	5	0	0	1	1	38	1	9	0,1,2,3,4	11	1		
37	80	5	1	1	1	22	4	5	0,1,2,3,4	6	4		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
40	21	7	1	1	14	2	3	2	4	4	4	2, 4		
44	79	1	1	2	14	2	3	2	4	4	4	2, 4		
47	5	0	0	2	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
48	76	5	1	2	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
51	2	0	0	2	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
53	67	1	1	2	14	2	3	2	4	4	4	2, 4		
54	67	5	1	2	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
56	85	5	1	2	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
58	70	2	1	2	26	1	6	4	7	7	7	1		
60	56	6	1	2	26	1	6	4	7	7	7	1		
64	63	1	1	3	14	2	3	2	4	4	4	2, 4		
65	14	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
74	4	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
75	12	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
78	7	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
87	73	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
90	76	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
91	77	5	1	4	22	4	5	0,1,2,3,4	6	4				
93	71	1	1	4	14	2	3	2	4	4	2,4			
94	70	5	1	4	22	4	5	0,1,2,3,4	6	4				
95	78	5	1	4	22	4	5	0,1,2,3,4	6	4				
96	67	7	1	4	14	2	3	2	4	4	2,4			
97	71	5	1	4	22	4	5	0,1,2,3,4	6	4				
98	66	5	1	4	22	4	5	0,1,2,3,4	6	4				
99	67	5	1	4	22	4	5	0,1,2,3,4	6	4				
3	8	4	0	0	0	38	1	9	0,1,2,3,4	11	1			
10	12	0	0	0	0	38	1	9	0,1,2,3,4	11	1			
20	10	0	0	0	0	38	1	9	0,1,2,3,4	11	1			
21	85	5	1	1	22	4	5	0,1,2,3,4	6	4				
22	74	5	1	1	22	4	5	0,1,2,3,4	6	4				
23	64	5	1	1	22	4	5	0,1,2,3,4	6	4				
24	73	5	1	1	22	4	5	0,1,2,3,4	6	4				
26	5	0	0	1	38	1	9	0,1,2,3,4	11	1				

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	CPLEX	Predict	Region	Predict	Region	Predict
27	4	0	0	1	38	1	9	0,1,2,3,4	11	1				
28	10	0	0	1	38	1	9	0,1,2,3,4	11	1				
29	54	6	1	1	26	1	6	4	7	1				
30	3	0	0	1	38	1	9	0,1,2,3,4	11	1				
33	17	4	1	1	26	1	6	4	7	1				
35	77	6	1	1	26	1	6	4	7	1				
36	5	0	0	1	38	1	9	0,1,2,3,4	11	1				
37	80	5	1	1	22	4	5	0,1,2,3,4	6	4				
40	21	7	1	1	14	2	3	2	4	2,4				
44	79	1	1	2	14	2	3	2	4	2,4				
47	5	0	0	2	38	1	9	0,1,2,3,4	11	1				
48	76	5	1	2	22	4	5	0,1,2,3,4	6	4				
51	2	0	0	2	38	1	9	0,1,2,3,4	11	1				
53	67	1	1	2	14	2	3	2	4	2,4				
54	67	5	1	2	22	4	5	0,1,2,3,4	6	4				
56	85	5	1	2	22	4	5	0,1,2,3,4	6	4				
58	70	2	1	2	26	1	6	4	7	1				

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
60	56	6	1	2	26	1	6	4	4	7	7	1		
64	63	1	1	3	14	2	3	2	2	4	4	2, 4		
65	14	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
74	4	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
75	12	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
78	7	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
87	73	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
90	76	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
91	77	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
93	71	1	1	4	14	2	3	2	4	4	4	2, 4		
94	70	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
95	78	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
96	67	7	1	4	14	2	3	2	4	4	4	2, 4		
97	71	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
98	66	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
99	67	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX		True		
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict
4	8	4	0	0	0	38	1	9	0, 1, 2, 3, 4	11	1		
10	12	0	0	0	0	38	1	9	0, 1, 2, 3, 4	11	1		
20	10	0	0	0	0	38	1	9	0, 1, 2, 3, 4	11	1		
21	85	5	1	1	22	4	5	0, 1, 2, 3, 4	6	4			
22	74	5	1	1	22	4	5	0, 1, 2, 3, 4	6	4			
23	64	5	1	1	22	4	5	0, 1, 2, 3, 4	6	4			
24	73	5	1	1	22	4	5	0, 1, 2, 3, 4	6	4			
26	5	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
27	4	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
28	10	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
29	54	6	1	1	26	1	6	4	7	1			
30	3	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
33	17	4	1	1	26	1	6	4	7	1			
35	77	6	1	1	26	1	6	4	7	1			
36	5	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
37	80	5	1	1	22	4	5	0, 1, 2, 3, 4	6	4			

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
40	21	7	1	1	14	2	3	2	4	4	4	2, 4		
44	79	1	1	2	14	2	3	2	4	4	4	2, 4		
47	5	0	0	2	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
48	76	5	1	2	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
51	2	0	0	2	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
53	67	1	1	2	14	2	3	2	4	4	4	2, 4		
54	67	5	1	2	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
56	85	5	1	2	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
58	70	2	1	2	26	1	6	4	7	7	7	1		
60	56	6	1	2	26	1	6	4	7	7	7	1		
64	63	1	1	3	14	2	3	2	4	4	4	2, 4		
65	14	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
74	4	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
75	12	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
78	7	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
87	73	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
90	76	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
91	77	5	1	4	22	4	5	0,1,2,3,4	6	4				
93	71	1	1	4	14	2	3	2	4	4	2,4			
94	70	5	1	4	22	4	5	0,1,2,3,4	6	4				
95	78	5	1	4	22	4	5	0,1,2,3,4	6	4				
96	67	7	1	4	14	2	3	2	4	4	2,4			
97	71	5	1	4	22	4	5	0,1,2,3,4	6	4				
98	66	5	1	4	22	4	5	0,1,2,3,4	6	4				
99	67	5	1	4	22	4	5	0,1,2,3,4	6	4				
5	8	4	0	0	0	38	1	9	0,1,2,3,4	11	1			
10	12	0	0	0	0	38	1	9	0,1,2,3,4	11	1			
20	10	0	0	0	0	38	1	9	0,1,2,3,4	11	1			
21	85	5	1	1	22	4	5	0,1,2,3,4	6	4				
22	74	5	1	1	22	4	5	0,1,2,3,4	6	4				
23	64	5	1	1	22	4	5	0,1,2,3,4	6	4				
24	73	5	1	1	22	4	5	0,1,2,3,4	6	4				
26	5	0	0	1	38	1	9	0,1,2,3,4	11	1				

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	ID	Training Instance			Reported			CPLEX			True	
		A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region
27	4	0	0	1	38	1	9	0,1,2,3,4	11	1		
28	10	0	0	1	38	1	9	0,1,2,3,4	11	1		
29	54	6	1	1	26	1	6	4	7	1		
30	3	0	0	1	38	1	9	0,1,2,3,4	11	1		
33	17	4	1	1	26	1	6	4	7	1		
35	77	6	1	1	26	1	6	4	7	1		
36	5	0	0	1	38	1	9	0,1,2,3,4	11	1		
37	80	5	1	1	22	4	5	0,1,2,3,4	6	4		
40	21	7	1	1	14	2	3	2	4	2,4		
44	79	1	1	2	14	2	3	2	4	2,4		
47	5	0	0	2	38	1	9	0,1,2,3,4	11	1		
48	76	5	1	2	22	4	5	0,1,2,3,4	6	4		
51	2	0	0	2	38	1	9	0,1,2,3,4	11	1		
53	67	1	1	2	14	2	3	2	4	2,4		
54	67	5	1	2	22	4	5	0,1,2,3,4	6	4		
56	85	5	1	2	22	4	5	0,1,2,3,4	6	4		
58	70	2	1	2	26	1	6	4	7	1		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
60	56	6	1	2	26	1	6	4	4	7	7	1		
64	63	1	1	3	14	2	3	2	2	4	4	2, 4		
65	14	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
74	4	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
75	12	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
78	7	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	11	1		
87	73	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
90	76	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
91	77	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
93	71	1	1	4	14	2	3	2	4	4	4	2, 4		
94	70	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
95	78	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
96	67	7	1	4	14	2	3	2	4	4	4	2, 4		
97	71	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
98	66	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		
99	67	5	1	4	22	4	5	0, 1, 2, 3, 4	6	6	6	4		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX		True		
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict
6	8	4	0	0	0	38	1	9	0, 1, 2, 3, 4	11	1		
10	12	0	0	0	0	38	1	9	0, 1, 2, 3, 4	11	1		
20	10	0	0	0	0	38	1	9	0, 1, 2, 3, 4	11	1		
21	85	5	1	1	22	4	5	2		6	4		
22	74	5	1	1	22	4	5	2		6	4		
23	64	5	1	1	22	4	5	2		6	4		
24	73	5	1	1	22	4	5	2		6	4		
26	5	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
27	4	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
28	10	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
29	54	6	1	1	26	1	6	4		7	1		
30	3	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
33	17	4	1	1	26	1	6	4		7	1		
35	77	6	1	1	26	1	6	4		7	1		
36	5	0	0	1	38	1	9	0, 1, 2, 3, 4	11	1			
37	80	5	1	1	22	4	5	2		6	4		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
40	21	7	1	1	14	2, 3	3	0, 3	4	4	2, 4			
44	79	1	1	2	14	2, 3	3	0, 3	4	4	2, 4			
47	5	0	0	2	38	1	9	0, 1, 2, 3, 4	11	11	1			
48	76	5	1	2	22	4	5	2	6	6	4			
51	2	0	0	2	38	1	9	0, 1, 2, 3, 4	11	11	1			
53	67	1	1	2	14	2, 3	3	0, 3	4	4	2, 4			
54	67	5	1	2	22	4	5	2	6	6	4			
56	85	5	1	2	22	4	5	2	6	6	4			
58	70	2	1	2	18	2	4	2, 4	5	5	2			
60	56	6	1	2	26	1	6	4	7	7	1			
64	63	1	1	3	14	2, 3	3	0, 3	4	4	2, 4			
65	14	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	1			
74	4	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	1			
75	12	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	1			
78	7	0	0	3	38	1	9	0, 1, 2, 3, 4	11	11	1			
87	73	5	1	4	22	4	5	2	6	6	4			
90	76	5	1	4	22	4	5	2	6	6	4			

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
91	77	5	1	4	22	4	5	2	6	6	4			
93	71	1	1	4	14	2, 3	3	0, 3	4	4	2, 4			
94	70	5	1	4	22	4	5	2	6	6	4			
95	78	5	1	4	22	4	5	2	6	6	4			
96	67	7	1	4	14	2, 3	3	0, 3	4	4	2, 4			
97	71	5	1	4	22	4	5	2	6	6	4			
98	66	5	1	4	22	4	5	2	6	6	4			
99	67	5	1	4	22	4	5	2	6	6	4			
7	1	24	1	2	0	14	3	3	0, 1, 2, 3, 4	4	3			
2	58	7	2	0	22	0	5	5	0, 1, 2, 3, 4	6	0			
3	24	1	2	0	14	3	3	0, 1, 2, 3, 4	4	3				
4	40	7	2	0	22	0	5	5	0, 1, 2, 3, 4	6	0			
5	24	1	2	0	14	3	3	0, 1, 2, 3, 4	4	3				
6	26	1	2	0	14	3	3	0, 1, 2, 3, 4	4	3				
7	18	7	2	0	22	0	5	5	0, 1, 2, 3, 4	6	0			
8	4	0	0	0	22	0	5	5	0, 1, 2, 3, 4	6	0			

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	CPLEX	Predict	Region	Predict	Region	Predict
9	38	3	2	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
10	12	0	0	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
11	46	7	2	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
12	26	1	2	0	14	3	3	3	0,1,2,3,4	4	4	3	3	3
13	35	7	2	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
14	19	7	2	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
15	29	4	2	0	14	3	3	3	0,1,2,3,4	4	4	3	3	3
16	24	0	2	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
17	35	1	2	0	14	3	3	3	0,1,2,3,4	4	4	3	3	3
18	48	1	2	0	14	3	3	3	0,1,2,3,4	4	4	3	3	3
19	41	1	2	0	14	3	3	3	0,1,2,3,4	4	4	3	3	3
20	10	0	0	0	22	0	5	5	0,1,2,3,4	6	6	0	0	0
21	85	5	1	1	38	4	9	9	0,1,2,3,4	11	11	4	4	4
22	74	5	1	1	38	4	9	9	0,1,2,3,4	11	11	4	4	4
23	64	5	1	1	38	4	9	9	0,1,2,3,4	11	11	4	4	4
24	73	5	1	1	38	4	9	9	0,1,2,3,4	11	11	4	4	4
25	15	7	2	1	22	0	5	5	0,1,2,3,4	6	6	0	0	0

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
26	5	0	0	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
27	4	0	0	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
28	10	0	0	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
29	54	6	1	1	34	1	8	2	10	1	1	1	1	1
30	3	0	0	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
31	45	3	2	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
32	28	1	2	1	14	3	3	0,1,2,3,4	4	3	3	3	3	3
33	17	4	1	1	26	2	6	0	8	2	2	2	2	2
34	57	1	2	1	14	3	3	0,1,2,3,4	4	3	3	3	3	3
35	77	6	1	1	34	1	8	2	10	1	1	1	1	1
36	5	0	0	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
37	80	5	1	1	38	4	9	0,1,2,3,4	11	4	4	4	4	4
38	16	1	2	1	14	3	3	0,1,2,3,4	4	3	3	3	3	3
39	57	7	2	1	22	0	5	0,1,2,3,4	6	0	0	0	0	0
40	21	7	1	1	34	1	8	2	10	1	1	1	1	1
41	56	4	2	2	14	3	3	0,1,2,3,4	4	3	3	3	3	3
42	64	5	2	2	26	2	6	0	7	2	2	2	2	2

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	CPLEX	Predict	Region	Predict	Region	Predict
43	38	2	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	
44	79	1	1	2	26	2	6	0	8	8	2	2	2	
45	57	7	2	2	22	0	5	0,1,2,3,4	6	6	0	0	0	
46	65	1	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	
47	5	0	0	2	22	0	5	0,1,2,3,4	6	6	0	0	0	
48	76	5	1	2	38	4	9	0,1,2,3,4	11	11	4	4	4	
49	49	1	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	
50	37	2	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	
51	2	0	0	2	22	0	5	0,1,2,3,4	6	6	0	0	0	
52	41	1	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	
53	67	1	1	2	26	2	6	0	8	8	2	2	2	
54	67	5	1	2	38	4	9	0,1,2,3,4	11	11	4	4	4	
55	63	5	2	2	26	2	6	0	7	7	2	2	2	
56	85	5	1	2	38	4	9	0,1,2,3,4	11	11	4	4	4	
57	19	1	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	
58	70	2	1	2	26	2	6	0	8	8	2	2	2	
59	38	1	2	2	14	3	3	0,1,2,3,4	4	4	3	3	3	

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	ID	Training Instance			Reported			CPLEX			True	
		A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region
60	56	6	1	2	34	1	8	2	2	10	1	1
61	29	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
62	26	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
63	59	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
64	63	1	1	3	26	2	6	0	8	8	2	2
65	14	0	0	3	22	0	5	0,1,2,3,4	6	6	0	0
66	22	4	2	3	14	3	3	0,1,2,3,4	4	4	3	3
67	25	7	2	3	22	0	5	0,1,2,3,4	6	6	0	0
68	18	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
69	25	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
70	46	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
71	40	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
72	29	4	2	3	14	3	3	0,1,2,3,4	4	4	3	3
73	33	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3
74	4	0	0	3	22	0	5	0,1,2,3,4	6	6	0	0
75	12	0	0	3	22	0	5	0,1,2,3,4	6	6	0	0
76	51	7	2	3	22	0	5	0,1,2,3,4	6	6	0	0

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	CPLEX	Predict	Region	Predict	Region	Predict
77	29	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3	3	
78	7	0	0	3	22	0	5	0,1,2,3,4	6	6	0	0	0	
79	51	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3	3	
80	41	1	2	3	14	3	3	0,1,2,3,4	4	4	3	3	3	
81	78	5	2	4	26	2	6	0	7	7	2	2	2	
82	60	2	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
83	27	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
84	65	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
85	22	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
86	42	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
87	73	5	1	4	38	4	9	0,1,2,3,4	11	4	4	3	3	
88	45	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
89	26	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
90	76	5	1	4	38	4	9	0,1,2,3,4	11	4	4	3	3	
91	77	5	1	4	38	4	9	0,1,2,3,4	11	4	4	4	4	
92	27	1	2	4	14	3	3	0,1,2,3,4	4	4	3	3	3	
93	71	1	1	4	26	2	6	0	8	8	2	2	2	

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX		True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region
94	70	5	1	4	38	4	9	0,1,2,3,4	11	4		
95	78	5	1	4	38	4	9	0,1,2,3,4	11	4		
96	67	7	1	4	34	1	8	2	10	1		
97	71	5	1	4	38	4	9	0,1,2,3,4	11	4		
98	66	5	1	4	38	4	9	0,1,2,3,4	11	4		
99	67	5	1	4	38	4	9	0,1,2,3,4	11	4		
100	61	1	2	4	14	3	3	0,1,2,3,4	4	3		
8	8	4	0	0	0	34	1	8	2	10	1	
10	12	0	0	0	0	34	1	8	2	10	1	
20	10	0	0	0	0	34	1	8	2	10	1	
21	85	5	1	1	38	4	9	2	11	4		
22	74	5	1	1	38	4	9	2	11	4		
23	64	5	1	1	38	4	9	2	11	4		
24	73	5	1	1	38	4	9	2	11	4		
26	5	0	0	1	34	1	8	2	10	1		
27	4	0	0	1	34	1	8	2	10	1		

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX		True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region
28	10	0	0	1	34	1	8	2	10	10	1	1
29	54	6	1	1	30	2	7	0,1,2,3,4	9	9	2	
30	3	0	0	1	34	1	8	2	10	10	1	
33	17	4	1	1	34	1	8	2	10	10	1	
35	77	6	1	1	30	2	7	0,1,2,3,4	9	9	2	
36	5	0	0	1	34	1	8	2	10	10	1	
37	80	5	1	1	38	4	9	2	11	11	4	
40	21	7	1	1	34	1	8	2	10	10	1	
44	79	1	1	2	30	2	7	0,1,2,3,4	9	9	2	
47	5	0	0	2	34	1	8	2	10	10	1	
48	76	5	1	2	38	4	9	2	11	11	4	
51	2	0	0	2	34	1	8	2	10	10	1	
53	67	1	1	2	30	2	7	0,1,2,3,4	9	9	2	
54	67	5	1	2	38	4	9	2	11	11	4	
56	85	5	1	2	38	4	9	2	11	11	4	
58	70	2	1	2	26	2	6	0,1,2,3,4	8	8	2	
60	56	6	1	2	30	2	7	0,1,2,3,4	9	9	2	

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX				True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict	Region
64	63	1	1	3	30	2	7	0, 1, 2, 3, 4	9	2				
65	14	0	0	3	34	1	8	2	10	10	1			
74	4	0	0	3	34	1	8	2	10	10	1			
75	12	0	0	3	34	1	8	2	10	10	1			
78	7	0	0	3	34	1	8	2	10	10	1			
87	73	5	1	4	38	4	9	2	11	11	4			
90	76	5	1	4	38	4	9	2	11	11	4			
91	77	5	1	4	38	4	9	2	11	11	4			
93	71	1	1	4	30	2	7	0, 1, 2, 3, 4	9	2				
94	70	5	1	4	38	4	9	2	11	11	4			
95	78	5	1	4	38	4	9	2	11	11	4			
96	67	7	1	4	34	1	8	2	10	10	1			
97	71	5	1	4	38	4	9	2	11	11	4			
98	66	5	1	4	38	4	9	2	11	11	4			
99	67	5	1	4	38	4	9	2	11	11	4			
9	8	4	0	0	34	1	8	2	10	10	1			

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	ID	Training Instance			Target	Region	Predict	CPLEX			True	
		A_AGE	PEMLR	SSYN				Region	Predict	Region	Region	Predict
10	12	0	0	0	34	1	8	2	2	10	10	1
20	10	0	0	0	34	1	8	2	2	10	10	1
21	85	5	1	1	38	4	9	2	2	11	11	4
22	74	5	1	1	38	4	9	2	2	11	11	4
23	64	5	1	1	38	4	9	2	2	11	11	4
24	73	5	1	1	38	4	9	2	2	11	11	4
26	5	0	0	1	34	1	8	2	2	10	10	1
27	4	0	0	1	34	1	8	2	2	10	10	1
28	10	0	0	1	34	1	8	2	2	10	10	1
29	54	6	1	1	34	1	8	2	2	10	10	1
30	3	0	0	1	34	1	8	2	2	10	10	1
33	17	4	1	1	34	1	8	2	2	10	10	1
35	77	6	1	1	34	1	8	2	2	10	10	1
36	5	0	0	1	34	1	8	2	2	10	10	1
37	80	5	1	1	38	4	9	2	2	11	11	4
40	21	7	1	1	34	1	8	2	2	10	10	1
44	79	1	1	2	30	2	7	0,1,2,3,4	9	9	9	2

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX		True	
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region
47	5	0	0	2	34	1	8	2	2	10	1	1
48	76	5	1	2	38	4	9	2	2	11	4	
51	2	0	0	2	34	1	8	2	2	10	1	
53	67	1	1	2	30	2	7	0,1,2,3,4	9	9	2	
54	67	5	1	2	38	4	9	2	2	11	4	
56	85	5	1	2	38	4	9	2	2	11	4	
58	70	2	1	2	26	2	6	0,1,2,3,4	8	8	2	
60	56	6	1	2	34	1	8	2	2	10	1	
64	63	1	1	3	30	2	7	0,1,2,3,4	9	9	2	
65	14	0	0	3	34	1	8	2	2	10	1	
74	4	0	0	3	34	1	8	2	2	10	1	
75	12	0	0	3	34	1	8	2	2	10	1	
78	7	0	0	3	34	1	8	2	2	10	1	
87	73	5	1	4	38	4	9	2	2	11	4	
90	76	5	1	4	38	4	9	2	2	11	4	
91	77	5	1	4	38	4	9	2	2	11	4	
93	71	1	1	4	30	2	7	0,1,2,3,4	9	9	2	

Table 5.7: Inconsistency between numerical CPLEX and true decision regions (continued)

Iter	Training Instance				Reported				CPLEX		True		
	ID	A_AGE	PEMLR	SSYN	Target	Region	Predict	Region	Predict	Region	Predict	Region	Predict
94	70	5	1	4	38	4	9	2	11	11	4		
95	78	5	1	4	38	4	9	2	11	11	4		
96	67	7	1	4	34	1	8	2	10	10	1		
97	71	5	1	4	38	4	9	2	11	11	4		
98	66	5	1	4	38	4	9	2	11	11	4		
99	67	5	1	4	38	4	9	2	11	11	4		

## CHAPTER VI

### CONCLUDING REMARKS

Throughout this dissertation, the 2020 person-level CPS ASEC health insurance dataset in SAS7BDAT format is converted to feather and CSV formats. The file sizes markedly reduce by 94.02% and 71.31% respectively. Five combinations of health insurance enrollment in employment-based plan (GRP), direct-purchase plan (DIR) and public health insurance (PUB) are considered, leading to five possible classes. All codes are written in Python, well-known for data analysis, except the proposed box classifier in OPL embedded in CPLEX Optimization Studio. A Python class and a pandas DataFrame accessor are introduced so that a method can be called on a DataFrame at any time. All classification models, a Gini-based decision tree and the proposed classifier, are tested on a remote virtual machine to prevent the intervention in local computing resources and also to flexibly configure hardware and operating system. Python 3.13 with the global interpreter lock (GIL) still enabled is built from source. The GitHub repository is also available at <https://github.com/songkomkrit/phd>.

The proposed box classifier is heavily based on the rigorous formulation of 0-1 MILP problem, and it is very large-scale. Only 100 out of 157,681 noninfant survey participants are randomly selected as a sample of equal class size. Prior to the investigation of 2 contributing factors, 3 out of 184 independent variables are preselected by the SelectKBest using <sup>143</sup> mutual information from a mixture of continuous and categorical features. Compared to the decision tree of multiple depths, the proposed model achieves a high training accuracy and low number of total splits within an hour and a half, though optimality not guaranteed, it constructs the branch-and-cut tree of large size between 6 GB and 7 GB, and it can group together similar categorical values to provide better insight into a selected categorical feature. A limitation of this study includes the lack of high-performance computing (HPC) technology of aggregating multiple computer clusters to efficiently serve massive computation required by the proposed model in the nature of 0-1 MILP. Therefore, further investigation into its approximation algorithm with theoretically derived bound on training accuracy compared to the exact 0-1 MILP model is suggested.

## References

- <sup>23</sup> Bernstein, D. J., Duif, N., Lange, T., Schwabe, P., and Yang, B.-Y. (2012). High-speed high-security signatures. *Journal of cryptographic engineering*, 2(2):77–89.
- <sup>55</sup> Cebula, R. J. (2006). A further analysis of determinants of health insurance coverage. *International Advances in Economic Research*, 12(3):382–389.
- <sup>77</sup> Cover, T. M. and Thomas, J. A. T. (2005). *Elements of Information Theory*. John Wiley Sons, Ltd.
- <sup>50</sup> Dolinsky, A. and Caputo, R. K. (1997). Psychological and demographic characteristics as determinants of women's health insurance coverage. *Journal of Consumer Affairs*, 31(2):218–237.
- <sup>39</sup> Jin, Y., Hou, Z., and Zhang, D. (2016). Determinants of health insurance coverage among people aged 45 and over in china: Who buys public, private and multiple insurance. *PLOS ONE*, 11(8):1–15.
- <sup>59</sup> Markowitz, M. A., Gold, M., and Rice, T. (1991). Determinants of health insurance status among young adults. *Medical care*, pages 6–19.
- <sup>60</sup> Mulenga, J., Mulenga, M. C., Musonda, K., and Phiri, C. (2021). Examining gender differentials and determinants of private health insurance coverage in zambia. *BMC Health Services Research*, 21(1):1–11.
- <sup>49</sup> Rivest, R. L., Shamir, A., and Adleman, L. (1978). A method for obtaining digital signatures and public-key cryptosystems. *Communications of the ACM*, 21(2):120–126.
- <sup>23</sup> Ross, B. C. (2014). Mutual information between discrete and continuous data sets. *PLOS ONE*, 9(2):1–5.
- Scikit-learn (2024a). Decision trees. <https://scikit-learn.org/1.5/modules/tree.html>. Accessed: 2024-11-18.
- Scikit-learn (2024b). SelectKbest. [https://scikit-learn.org/stable/modules/generated/sklearn.feature\\_selection.SelectKBest.html](https://scikit-learn.org/stable/modules/generated/sklearn.feature_selection.SelectKBest.html). Accessed: 2024-11-18.

## APPENDICES

## APPENDIX A

### CPLEX ENGINE LOG

```
<<< setup

13
Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File           3
CPXPARAM_MIP_Limits_Solutions        1
CPXPARAM_TimeLimit                  86400
CPXPARAM_MIP_Limits_TreeMemory      204800
5
Tried aggregator 1 time.

MIP Presolve eliminated 402 rows and 800 columns.
MIP Presolve modified 200 coefficients.
Reduced MIP has 4004 rows, 5507 columns, and 22553 nonzeros.
Reduced MIP has 4643 binaries, 11 generals, 0 SOSs, and 0 indicators.
Presolve time = 0.01 sec. (17.75 ticks)
Found incumbent of value -20.000000 after 0.02 sec. (24.01 ticks)

Root node processing (before b&c):
Real time      = 0.02 sec. (24.25 ticks)
Parallel b&c, 8 threads:
Real time      = 0.00 sec. (0.00 ticks)
Sync time (average) = 0.00 sec.
Wait time (average) = 0.00 sec.

-----
Total (root+branch&cut) = 0.02 sec. (24.25 ticks)

-----
Iteration 1
Bounds on # of cuts = 8 with [3 3 2]
Error = 80 (out of 100 instances)
Accuracy = 20
Solving time = 0.0003894 min (minutes)
Accumulated time = 0.0003894 min (minutes)

Solution status code = 104
LB on error = -5500
```

```

Relative objective gap = 278.999999999

Selected variables:

Number of selected variables = 0 (0 continuous + 0 categorical)

-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1
CPXPARAM_TimeLimit                  86399.976635986328
CPXPARAM_MIP_Limits_TreeMemory     204800
25 Probing time = 0.01 sec. (4.62 ticks)
Cover probing fixed 8 vars, tightened 40 bounds.
Clique table members: 11812.
MIP emphasis: balance optimality and feasibility.
MIP search method: dynamic search.
Parallel mode: deterministic, using up to 8 threads.
Root relaxation solution time = 0.03 sec. (35.79 ticks)

Nodes                                         Cuts/
Node  Left   Objective  IInf Best Integer    Best Bound   ItCnt   Gap
*    0+    0           -20.0000  -5600.0000      --- 
0    0    -800.0000   472    -20.0000  -800.0000   1209    --- 
0    0    -800.0000   346    -20.0000      Cuts: 512   1987    --- 
0    0    -800.0000   651    -20.0000      Cuts: 874   3508    --- 
*    0+    0           -28.0000  -800.0000      --- 

29 GUB cover cuts applied: 29
Clique cuts applied: 10
Cover cuts applied: 51
Implied bound cuts applied: 242
Flow cuts applied: 6
Mixed integer rounding cuts applied: 186
Zero-half cuts applied: 77
Lift and project cuts applied: 7
Gomory fractional cuts applied: 16

Root node processing (before b&c):

```

```

Real time           = 1.78 sec. (1803.05 ticks)
Parallel b&c, 8 threads:
Real time           = 0.00 sec. (0.00 ticks)
Sync time (average) = 0.00 sec.
Wait time (average) = 0.00 sec.

-----
Total (root+branch&cut) = 1.78 sec. (1803.05 ticks)

-----
Iteration 2
Bounds on # of cuts = 8 with [3 3 2]
Error = 72 (out of 100 instances)
Accuracy = 28
Solving time = 0.029740967 min (minutes)
Accumulated time = 0.030130367 min (minutes)

Solution status code = 104
LB on error = -700
Relative objective gap = 27.571428571

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)

-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1
CPXPARAM_TimeLimit                  86398.192177978519
CPXPARAM_MIP_Limits_TreeMemory      204800
11 MIP emphasis: balance optimality and feasibility.
MIP search method: dynamic search.
Parallel mode: deterministic, using up to 8 threads.

Nodes                               Cuts/
Node  Left     Objective  IInf Best Integer    Best Bound   ItCnt   Gap
*      0+      -31.0000   -717.7485      ---
```

```

GUB cover cuts applied: 41
3
Clique cuts applied: 73
Cover cuts applied: 433
Implied bound cuts applied: 315
Flow cuts applied: 8
Mixed integer rounding cuts applied: 447
Zero-half cuts applied: 145
Lift and project cuts applied: 13
Gomory fractional cuts applied: 57

Root node processing (before b&c):
Real time      = 0.74 sec. (861.25 ticks)
Parallel b&c, 8 threads:
Real time      = 0.00 sec. (0.00 ticks)
Sync time (average) = 0.00 sec.
Wait time (average) = 0.00 sec.
-----
Total (root+branch&cut) = 0.74 sec. (861.25 ticks)

-----
Iteration 3
Bounds on # of cuts = 8 with [3 3 2]
Error = 69 (out of 100 instances)
Accuracy = 31
Solving time = 0.01229578 min (minutes)
Accumulated time = 0.042426147 min (minutes)

Solution status code = 104
LB on error = -617.482727096
Relative objective gap = 22.1446041

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)
-----
Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d

```

```

CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1
CPXPARAM_TimeLimit                 86397.45443115235
CPXPARAM_MIP_Limits_TreeMemory     204800
11 MIP emphasis: balance optimality and feasibility.
MIP search method: dynamic search.
Parallel mode: deterministic, using up to 8 threads.

```

Nodes	Cuts/						
Node	Left	Objective	IInf	Best Integer	Best Bound	ItCnt	Gap

```
*      0+    0           -36.0000      -657.1275      ---
```

```

GUB cover cuts applied: 41
3 Clique cuts applied: 73
Cover cuts applied: 623
Implied bound cuts applied: 329
Flow cuts applied: 12
Mixed integer rounding cuts applied: 562
Zero-half cuts applied: 191
Lift and project cuts applied: 22
Gomory fractional cuts applied: 108

```

```

Root node processing (before b&c):
Real time      = 0.82 sec. (913.50 ticks)
Parallel b&c, 8 threads:
Real time      = 0.00 sec. (0.00 ticks)
Sync time (average) = 0.00 sec.
Wait time (average) = 0.00 sec.

-----
Total (root+branch&cut) = 0.82 sec. (913.50 ticks)

```

```

-----
Iteration 4
Bounds on # of cuts = 8 with [3 3 2]
Error = 64 (out of 100 instances)
Accuracy = 36
Solving time = 0.013641048 min (minutes)
Accumulated time = 0.056067196 min (minutes)
```

```

Solution status code = 104
LB on error = -557.127521455
Relative objective gap = 17.253542263

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)

-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File           3
CPXPARAM_MIP_Limits_Solutions        1
CPXPARAM_TimeLimit                  86396.635968261719
CPXPARAM_MIP_Limits_TreeMemory      204800
11 MIP emphasis: balance optimality and feasibility.
MIP search method: dynamic search.
Parallel mode: deterministic, using up to 8 threads.

Nodes                                         Cuts/
Node  Left     Objective  IInf  Best Integer   Best Bound   ItCnt   Gap
*    0+     0             -38.0000   -626.9345       --- 

GUB cover cuts applied: 82
3 Clique cuts applied: 73
Cover cuts applied: 1063
Implied bound cuts applied: 407
Flow cuts applied: 35
Mixed integer rounding cuts applied: 819
Zero-half cuts applied: 258
Lift and project cuts applied: 22
Gomory fractional cuts applied: 160

Root node processing (before b&c):
Real time          = 1.96 sec. (1928.89 ticks)
Parallel b&c, 8 threads:
Real time          = 0.00 sec. (0.00 ticks)

```

```

Sync time (average) = 0.00 sec.
Wait time (average) = 0.00 sec.

-----
Total (root+branch&cut) = 1.96 sec. (1928.89 ticks)

-----
Iteration 5
Bounds on # of cuts = 8 with [3 3 2]
Error = 62 (out of 100 instances)
Accuracy = 38
Solving time = 0.032725952 min (minutes)
Accumulated time = 0.088793148 min (minutes)

Solution status code = 104
LB on error = -526.934511415
Relative objective gap = 15.498276616

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)

-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File 3
CPXPARAM_MIP_Limits_Solutions 1
CPXPARAM_TimeLimit 86394.672411132808
CPXPARAM_MIP_Limits_TreeMemory 204800
11 MIP emphasis: balance optimality and feasibility.
MIP search method: dynamic search.
Parallel mode: deterministic, using up to 8 threads.

Nodes
      Cuts/
Node Left   Objective  IInf Best Integer    Best Bound   ItCnt   Gap
0     0   -577.3658   659    -38.0000    Cuts: 836    28237    ---
0     0   -558.5105   640    -38.0000    Cuts: 955    31741    ---
0     0   -540.9147   613    -38.0000    Cuts: 870    34307    ---
0     0   -539.0391   710    -38.0000    Cuts: 924    36234    ---

```

```

0     0     -538.9354   762      -38.0000    Cuts: 989    37794    ---
Detecting symmetries...
0     0     -538.8822   778      -38.0000    Cuts: 830    39029    ---
0     0     -538.8578   826      -38.0000    Cuts: 708    40186    ---
0     0     -538.8409   806      -38.0000    Cuts: 266    40928    ---
0     0     -538.8265   840      -38.0000    Cuts: 601    41623    ---
0     2     -538.8265   827      -38.0000    -538.8265   41623    ---
5 Elapsed time = 5.26 sec. (5435.47 ticks, tree = 0.02 MB, solutions = 5)
2     4     -532.4711   622      -38.0000    -538.8264   44441    ---
9     9     -530.6872   643      -38.0000    -538.8264   47088    ---
27    20     -521.8493   667      -38.0000    -538.6068   60887    ---
46    20     -531.9657   614      -38.0000    -538.6066   60999    ---
80    68     -509.9472   575      -38.0000    -538.6066   103610   ---
118   57     -528.6696   612      -38.0000    -538.6066   98680    ---
156   138    -490.7266   504      -38.0000    -538.6066   147852   ---
194   169    -486.6126   511      -38.0000    -538.6066   164110   ---
248   209    -484.0715   570      -38.0000    -538.6066   181896   ---
625   468    -387.6828   467      -38.0000    -538.6066   243471   ---
22 Elapsed time = 8.32 sec. (8694.74 ticks, tree = 6.06 MB, solutions = 5)
1551  1044    infeasible          -38.0000    -538.6066   323452    ---
```

22 Performing restart 1

```

Repeating presolve.
Tried aggregator 1 time.
MIP Presolve eliminated 447 rows and 48 columns.
MIP Presolve modified 2098 coefficients.
11 Reduced MIP has 3557 rows, 5459 columns, and 21635 nonzeros.
Reduced MIP has 4603 binaries, 51 generals, 0 SOSs, and 0 indicators.
Presolve time = 0.01 sec. (20.08 ticks)
Tried aggregator 1 time.
MIP Presolve eliminated 1 rows and 0 columns.
MIP Presolve modified 300 coefficients.
Reduced MIP has 3556 rows, 5459 columns, and 21533 nonzeros.
Reduced MIP has 4603 binaries, 51 generals, 0 SOSs, and 0 indicators.
Presolve time = 0.02 sec. (21.21 ticks)
Resolve time = 0.18 sec. (172.19 ticks)
1603   0     -531.3154   530      -38.0000    Cuts: 989    388606    ---
1603   0     -507.2228   677      -38.0000    Cuts: 989    394828    ---
```

1603	0	-483.0125	703	-38.0000	Cuts: 989	399749	---
1603	0	-460.7636	713	-38.0000	Cuts: 989	407166	---
1603	0	-451.8578	687	-38.0000	Cuts: 989	412425	---
1603	0	-450.6323	805	-38.0000	Cuts: 989	415841	---
1603	0	-432.3823	759	-38.0000	Cuts: 989	423001	---
1603	0	-431.4684	871	-38.0000	Cuts: 989	426280	---
1603	0	-418.8128	830	-38.0000	Cuts: 989	433824	---
1603	0	-417.3207	854	-38.0000	Cuts: 989	437138	998.21%
1603	0	-412.4347	847	-38.0000	Cuts: 989	442602	985.35%
1603	0	-412.0400	919	-38.0000	Cuts: 989	445973	984.32%
1603	0	-411.2439	902	-38.0000	Cuts: 989	449769	980.32%
1603	0	-405.6804	852	-38.0000	Cuts: 989	458674	967.58%
1603	0	-405.2740	821	-38.0000	Cuts: 989	461351	962.76%
1603	0	-400.9631	855	-38.0000	Cuts: 989	468469	952.28%
1603	0	-400.5521	861	-38.0000	Cuts: 989	472372	952.28%
1603	0	-399.9329	893	-38.0000	Cuts: 989	475615	952.28%
1603	0	-397.2191	915	-38.0000	Cuts: 989	483998	944.52%
1603	0	-397.1061	974	-38.0000	Cuts: 989	487153	944.52%
1603	0	-396.3444	963	-38.0000	Cuts: 989	492117	943.01%
1603	0	-395.8637	958	-38.0000	Cuts: 989	496720	939.08%
1603	0	-395.7821	987	-38.0000	Cuts: 989	498869	938.39%
1603	0	-393.1402	932	-38.0000	Cuts: 989	506111	934.58%
1603	0	-393.0317	970	-38.0000	Cuts: 989	508897	934.29%
1603	0	-392.7950	1024	-38.0000	Cuts: 989	513782	933.67%
1603	0	-391.5060	909	-38.0000	Cuts: 989	518934	930.28%
1603	0	-391.4094	932	-38.0000	Cuts: 989	523923	930.02%
1603	0	-390.7816	965	-38.0000	Cuts: 989	530008	928.37%
1603	0	-390.4502	996	-38.0000	Cuts: 989	535960	927.50%
1603	0	-389.7746	975	-38.0000	Cuts: 964	544136	925.72%
1603	0	-389.7179	1028	-38.0000	Cuts: 989	548551	925.57%
1603	0	-389.2127	1004	-38.0000	Cuts: 779	559361	924.24%
1603	0	-389.1541	1044	-38.0000	Cuts: 989	563246	924.09%
1603	0	-388.9571	1041	-38.0000	Cuts: 550	570153	923.57%
1603	0	-388.9327	1102	-38.0000	Cuts: 989	573533	923.51%
1603	0	-388.7011	1102	-38.0000	Cuts: 689	580181	922.90%
1603	0	-388.6569	1153	-38.0000	Cuts: 989	583864	922.78%
1603	2	-388.6569	1138	-38.0000	-388.6569	583864	922.78%
1604	3	-388.2777	1073	-38.0000	-388.2776	587877	921.78%
1605	4	-387.6984	1112	-38.0000	-387.6983	589040	920.26%

1606	5	-387.2199	1098	-38.0000	-387.2194	590656	919.00%
1607	6	-386.8095	1049	-38.0000	-387.0084	594070	918.44%
1609	4	-386.1028	771	-38.0000	-387.0084	595848	918.44%
1610	5	-384.6422	738	-38.0000	-387.0084	598389	918.44%
1612	8	-382.0306	768	-38.0000	-387.0084	613444	918.44%
1615	9	-383.3599	777	-38.0000	-386.9557	622553	918.30%
5							
Elapsed time = 129.55 sec. (136324.17 ticks, tree = 0.02 MB, solutions = 5)							
1616	9	-375.8867	788	-38.0000	-386.9557	626524	918.30%
1618	12	-381.5367	781	-38.0000	-386.9557	649547	918.30%
1620	11	-384.0428	927	-38.0000	-386.9557	645526	918.30%
1621	7	-385.0541	787	-38.0000	-386.9557	604066	918.30%
1624	17	-380.8858	736	-38.0000	-386.8091	710376	917.92%
1626	18	-380.7050	773	-38.0000	-386.8091	720185	917.92%
1628	20	-383.5446	949	-38.0000	-386.8091	752988	917.92%
1629	23	-382.1894	814	-38.0000	-386.1685	802390	916.23%
1633	19	-379.8805	765	-38.0000	-386.1685	724806	916.23%
1636	21	-382.9042	965	-38.0000	-386.1685	754400	916.23%
54							
Elapsed time = 144.26 sec. (150551.65 ticks, tree = 0.16 MB, solutions = 5)							
1638	23	-380.8078	875	-38.0000	-386.1685	784761	916.23%
1640	30	-378.6604	789	-38.0000	-386.1685	871097	916.23%
1642	33	-382.5092	979	-38.0000	-386.1685	905127	916.23%
1644	28	-369.0237	733	-38.0000	-386.1685	859325	916.23%
1645	37	-371.9556	867	-38.0000	-386.1685	939036	916.23%
1648	39	-371.2651	710	-38.0000	-386.1685	956044	916.23%
1650	41	-372.1191	850	-38.0000	-386.1685	974080	916.23%
1653	42	-379.9721	743	-38.0000	-386.1685	985124	916.23%
1658	49	-377.9725	784	-38.0000	-386.1685	1012953	916.23%
1660	42	-368.8209	739	-38.0000	-386.1685	980397	916.23%
5							
Elapsed time = 158.38 sec. (165820.30 ticks, tree = 0.22 MB, solutions = 5)							
1662	46	-371.9569	788	-38.0000	-386.1685	996170	916.23%
1664	45	-378.6304	890	-38.0000	-386.1685	993788	916.23%
1666	48	-362.4336	921	-38.0000	-386.1685	1004351	916.23%
1669	57	-375.2631	783	-38.0000	-386.1685	1054343	916.23%
1672	65	-377.0938	785	-38.0000	-386.1685	1077462	916.23%
1676	56	-370.4028	811	-38.0000	-386.1685	1048798	916.23%
1677	58	-377.8983	718	-38.0000	-386.1685	1057061	916.23%
1680	69	-377.3027	879	-38.0000	-386.1685	1098444	916.23%
1682	73	-377.2401	751	-38.0000	-386.1685	1119275	916.23%
1687	64	-366.9964	711	-38.0000	-386.1685	1081207	916.23%

```

5
Elapsed time = 170.66 sec. (179644.29 ticks, tree = 0.33 MB, solutions = 5)
1689   80    -376.0566  805    -38.0000   -386.1685  1152637  916.23%
1692   81    -364.2601  795    -38.0000   -386.1685  1158452  916.23%
1698   86    -375.6997  713    -38.0000   -386.1685  1176524  916.23%
1702   78    -367.0278  782    -38.0000   -386.1685  1148330  916.23%
1705   87    -362.6076  808    -38.0000   -386.1685  1186831  916.23%
1709   87    -372.5778  688    -38.0000   -386.1685  1182617  916.23%
1715   91    -361.2418  775    -38.0000   -386.1685  1198439  916.23%
1718   96    -364.3288  787    -38.0000   -386.1685  1229751  916.23%
1722   97    -361.7048  671    -38.0000   -386.1685  1223041  916.23%
1731  101    -371.0484  819    -38.0000   -386.1685  1241877  916.23%
5
Elapsed time = 181.55 sec. (190828.34 ticks, tree = 0.48 MB, solutions = 5)
1738  101    -352.9145  701    -38.0000   -386.1685  1224916  916.23%
1747  105    -348.2397  651    -38.0000   -386.1685  1226350  916.23%
1751  92     -355.5354  732    -38.0000   -386.1685  1201408  916.23%
1753  98     -363.3957  800    -38.0000   -386.1685  1236017  916.23%
1760  109    -360.8998  699    -38.0000   -386.1685  1258257  916.23%
1766  106    -362.0373  768    -38.0000   -386.1685  1251129  916.23%
1770  138    -369.8963  847    -38.0000   -386.1685  1315878  916.23%
1776  157    -359.2809  751    -38.0000   -386.1685  1371681  916.23%
1780  143    -372.8468  866    -38.0000   -386.1685  1336188  916.23%
1788  159    -357.3907  752    -38.0000   -386.1685  1376458  916.23%
Elapsed time = 192.07 sec. (201530.64 ticks, tree = 1.48 MB, solutions = 5)
1793  165    -351.1548  720    -38.0000   -386.1685  1382812  916.23%
1800  146    -330.0804  647    -38.0000   -386.1685  1313355  916.23%
1809  168    -354.1876  662    -38.0000   -386.1685  1388199  916.23%
1819  169    -347.8706  660    -38.0000   -386.1685  1390338  916.23%
1827  171    -347.0562  700    -38.0000   -386.1685  1392341  916.23%
1838  198    -359.3410  735    -38.0000   -386.1685  1468649  916.23%
1844  189    -316.1421  609    -38.0000   -386.1685  1413172  916.23%
1856  184    -366.0754  822    -38.0000   -386.1685  1431628  916.23%
1862  177    -342.0989  643    -38.0000   -386.1685  1401987  916.23%
1872  185    -368.7856  775    -38.0000   -386.1685  1433055  916.23%
Elapsed time = 202.84 sec. (212543.16 ticks, tree = 2.11 MB, solutions = 5)
1886  204    -348.5624  768    -38.0000   -386.1685  1470065  916.23%
1896  187    -367.8768  775    -38.0000   -386.1685  1439100  916.23%
1910  263    -366.6514  725    -38.0000   -386.1685  1563807  916.23%
1917  226    -366.2143  745    -38.0000   -386.1685  1526100  916.23%
1936  223    -329.7481  750    -38.0000   -386.1685  1508197  916.23%

```

```

1943 280 -352.0908 798 -38.0000 -386.1685 1611855 916.23%
1954 306 -346.5994 704 -38.0000 -386.1685 1668764 916.23%
1963 266 -359.3957 727 -38.0000 -386.1685 1578568 916.23%
1976 227 -330.0316 709 -38.0000 -386.1685 1517288 916.23%
1996 304 -332.9077 756 -38.0000 -386.1685 1652826 916.23%
5 Elapsed time = 212.95 sec. (223101.71 ticks, tree = 5.77 MB, solutions = 5)
2005 237 -359.0799 637 -38.0000 -386.1685 1547380 916.23%
2023 289 -351.0669 792 -38.0000 -386.1685 1631819 916.23%
2045 312 -332.4457 739 -38.0000 -386.1685 1662091 916.23%
2068 366 -350.4486 785 -38.0000 -386.1685 1774184 916.23%
2081 393 -327.5920 631 -38.0000 -386.1685 1810141 916.23%
2099 326 -322.0228 695 -38.0000 -386.1685 1696440 916.23%
2119 349 -325.3107 627 -38.0000 -386.1685 1722349 916.23%
2140 448 -321.3074 722 -38.0000 -386.1685 1913614 916.23%
2160 460 -315.9675 684 -38.0000 -386.1685 1927645 916.23%
2227 375 -329.5555 813 -38.0000 -386.1685 1801495 916.23%
5 Elapsed time = 225.67 sec. (235995.28 ticks, tree = 6.47 MB, solutions = 5)
2329 554 -274.9106 575 -38.0000 -386.1685 2020145 916.23%
2462 603 -208.4551 608 -38.0000 -386.1685 2106858 916.23%
2643 662 -287.5155 621 -38.0000 -386.1685 2198449 916.23%
2816 632 -274.9940 683 -38.0000 -386.1685 2159172 916.23%
2986 735 -213.5904 523 -38.0000 -386.1685 2277454 916.23%
3306 787 -211.7584 632 -38.0000 -385.3111 2315535 913.98%
3607 1286 -201.8962 558 -38.0000 -385.3111 2674488 913.98%
3977 1303 -183.7525 692 -38.0000 -385.3111 2693379 913.98%
4008 1540 -376.5161 957 -38.0000 -385.3111 2835562 913.98%
4055 1700 -376.8232 922 -38.0000 -385.3111 2930975 913.98%
5 Elapsed time = 265.35 sec. (274668.79 ticks, tree = 65.53 MB, solutions = 5)
4113 1703 -375.8357 891 -38.0000 -385.3111 2941519 913.98%
4283 2263 -129.2319 583 -38.0000 -384.4635 3322625 911.75%
4472 2267 -374.2307 1055 -38.0000 -384.4635 3388151 911.75%
4510 2280 -365.4293 795 -38.0000 -384.4635 3426661 911.75%
4538 2416 -346.9335 718 -38.0000 -381.9426 3507655 905.11%
4576 2480 -361.8407 815 -38.0000 -381.9426 3618609 905.11%
4615 2528 -373.4181 888 -38.0000 -381.9426 3742100 905.11%
4658 2532 -342.0634 836 -38.0000 -381.9426 3734502 905.11%
4699 2533 -365.4533 944 -38.0000 -381.9426 3763000 905.11%
4747 2657 -310.5418 677 -38.0000 -381.9426 4014791 905.11%
Elapsed time = 303.11 sec. (313289.88 ticks, tree = 111.76 MB, solutions = 5)

```

4802	2620	-349.3655	890	-38.0000	-381.9426	3957330	905.11%
4871	2755	-323.3668	697	-38.0000	-381.9426	4199276	905.11%
4946	2741	-290.9565	601	-38.0000	-381.9426	4189091	905.11%
5043	2816	-273.6839	761	-38.0000	-381.9426	4291508	905.11%
5155	2962	-201.2710	658	-38.0000	-381.9426	4460142	905.11%
5291	2981	-169.8593	604	-38.0000	-381.9426	4478921	905.11%
5466	3076	-203.9541	682	-38.0000	-381.9426	4584024	905.11%
5694	3180	-135.7850	678	-38.0000	-381.9426	4698677	905.11%
6097	3555	-75.2412	434	-38.0000	-381.9426	4847836	905.11%
6335	3538	-100.6562	464	-38.0000	-381.9426	4949312	905.11%
5							
<b>Elapsed time = 342.63 sec.</b> (351762.11 ticks, tree = 158.31 MB, solutions = 5)							
6614	4051	-82.9797	391	-38.0000	-381.9426	5198382	905.11%
7157	4043	-93.9551	441	-38.0000	-381.9426	5261948	905.11%
7752	4029	-193.8106	526	-38.0000	-381.9426	5254080	905.11%
7876	4590	-83.9348	406	-38.0000	-381.8931	5514496	904.98%
7902	4881	-379.3565	919	-38.0000	-381.8926	5595047	904.98%
7940	5145	-286.1287	658	-38.0000	-380.8071	5682204	902.12%
8002	4691	-379.3689	774	-38.0000	-380.6354	5544630	901.67%
8035	5148	-364.5840	753	-38.0000	-380.6354	5716992	901.67%
8098	5346	-324.6925	717	-38.0000	-379.9667	5809066	899.91%
8209	5380	-263.0652	689	-38.0000	-379.9667	5827011	899.91%
5							
<b>Elapsed time = 383.55 sec.</b> (391445.00 ticks, tree = 250.41 MB, solutions = 5)							
8407	5393	-359.8021	721	-38.0000	-379.9667	5914698	899.91%
8481	5521	-262.1683	689	-38.0000	-379.9667	6008749	899.91%
8682	5483	-357.5335	722	-38.0000	-379.9667	6039212	899.91%
8840	5744	-352.5118	627	-38.0000	-379.9667	6188503	899.91%
9256	5975	-93.5178	383	-38.0000	-379.9667	6283362	899.91%
9630	6102	-222.7763	518	-38.0000	-379.9667	6388913	899.91%
9957	6395	-332.9427	599	-38.0000	-379.9667	6566131	899.91%
10206	6704	-102.7602	493	-38.0000	-379.9667	6620570	899.91%
10687	6744	-356.8449	804	-38.0000	-379.9667	6676558	899.91%
10892	7279	-141.4255	485	-38.0000	-379.9667	6824257	899.91%
<b>Elapsed time = 424.74 sec.</b> (430070.66 ticks, tree = 348.74 MB, solutions = 5)							
11285	7549	-266.8955	713	-38.0000	-379.9667	6935942	899.91%
11952	8078	-81.0221	475	-38.0000	-379.9667	7048892	899.91%
12136	8219	-376.5899	831	-38.0000	-379.7943	7146826	899.46%
12316	8696	-376.1854	831	-38.0000	-379.5824	7253016	898.90%
12762	9331	-109.6829	395	-38.0000	-379.5824	7366582	898.90%
13127	9413	-307.3537	678	-38.0000	-379.4554	7421367	898.57%

13190	9725	-370.0417	752	-38.0000	-379.4554	7491216	898.57%
13369	10087	-365.0055	759	-38.0000	-379.4554	7647384	898.57%
13522	9992	-149.8716	574	-38.0000	-379.3906	7584555	898.40%
13675	10455	-169.6634	556	-38.0000	-379.3906	7707912	898.40%
Elapsed time = 472.46 sec. (468453.20 ticks, tree = 464.06 MB, solutions = 5)							
13959	10554	-275.5156	638	-38.0000	-379.3906	7826355	898.40%
14081	10676	-330.6031	587	-38.0000	-379.3841	7853249	898.38%
14380	10903	-299.8063	554	-38.0000	-379.2996	7908540	898.16%
14811	10991	-84.2419	244	-38.0000	-379.2886	7914970	898.13%
15473	11856	-43.7849	209	-38.0000	-379.2886	8097559	898.13%
15621	11659	-375.0829	765	-38.0000	-379.2886	8079509	898.13%
15745	12045	-279.4488	234	-38.0000	-379.2886	8159239	898.13%
16259	12480	-122.9856	334	-38.0000	-379.2886	8247673	898.13%
16560	12619	-150.5545	539	-38.0000	-379.2386	8302917	898.00%
16678	12987	-260.3273	396	-38.0000	-378.8563	8406230	896.99%
Elapsed time = 525.90 sec. (506688.39 ticks, tree = 537.86 MB, solutions = 5)							
16832	13408	-360.3564	681	-38.0000	-378.8563	8512516	896.99%
17110	13421	-347.1104	577	-38.0000	-378.7315	8526769	896.66%
17190	13641	-337.1913	715	-38.0000	-378.5983	8577198	896.31%
17403	13718	-266.2754	489	-38.0000	-378.5983	8642161	896.31%
17723	13869	-246.2897	615	-38.0000	-378.5983	8701973	896.31%
17846	14453	-147.7591	476	-38.0000	-378.5983	8901628	896.31%
18013	14743	-257.4287	619	-38.0000	-378.5983	9008331	896.31%
18451	14774	-193.0102	557	-38.0000	-378.5983	9013834	896.31%
18659	14808	-112.1777	501	-38.0000	-378.5983	9017455	896.31%
18954	15194	-365.5685	865	-38.0000	-378.5983	9123572	896.31%
5							
Elapsed time = 577.52 sec. (546429.72 ticks, tree = 545.80 MB, solutions = 5)							
18993	14989	-304.6462	216	-38.0000	-378.5190	9079117	896.10%
19220	15840	-359.2220	537	-38.0000	-378.5190	9298493	896.10%
19362	15500	-367.9160	862	-38.0000	-378.3778	9199784	895.73%
19647	16099	-337.1348	625	-38.0000	-378.2779	9416366	895.47%
19967	16207	-348.9415	288	-38.0000	-378.2779	9475112	895.47%
20375	16345	-375.7467	838	-38.0000	-378.2215	9569876	895.32%
20568	16421	-210.0809	171	-38.0000	-378.2029	9586501	895.27%
20898	16905	-48.9183	177	-38.0000	-378.1858	9664318	895.23%
21209	17362	-43.6742	267	-38.0000	-378.1858	9772573	895.23%
21460	17380	-195.1753	181	-38.0000	-378.1382	9776799	895.10%
Elapsed time = 628.76 sec. (585005.60 ticks, tree = 564.44 MB, solutions = 5)							
21731	17569	-176.2266	368	-38.0000	-378.1382	9846289	895.10%

22006	18252	-234.4369	589	-38.0000	-378.1353	10008342	895.09%
22183	18306	-306.6087	349	-38.0000	-378.1353	9991426	895.09%
22423	18469	-121.7009	505	-38.0000	-378.1353	10072247	895.09%
22692	18987	-121.6388	336	-38.0000	-378.1353	10213880	895.09%
22850	19137	-56.8695	394	-38.0000	-378.1353	10254885	895.09%
22918	19013	-364.3899	709	-38.0000	-378.0981	10236729	894.99%
23147	19464	-325.3539	713	-38.0000	-377.9287	10374695	894.55%
23527	19550	-169.3183	533	-38.0000	-377.9287	10393813	894.55%
24049	19625	-364.2002	903	-38.0000	-377.8836	10371003	894.43%
5							
<b>Elapsed time = 682.61 sec.</b> (623723.92 ticks, tree = 682.22 MB, solutions = 5)							
24686	20421	-368.3340	750	-38.0000	-377.8294	10657403	894.29%
25245	19621	-341.1563	713	-38.0000	-377.8294	10466998	894.29%
25810	20807	-353.1728	676	-38.0000	-377.8294	10767293	894.29%
26049	21383	-358.5244	487	-38.0000	-377.8294	10845444	894.29%
26370	21135	-277.1734	655	-38.0000	-377.7041	10818422	893.96%
26824	21172	-182.8045	538	-38.0000	-377.6195	10821038	893.74%
27218	22670	-296.3888	360	-38.0000	-377.6195	11004288	893.74%
27628	22783	-189.3246	127	-38.0000	-377.6147	11054059	893.72%
28136	22825	-270.7104	612	-38.0000	-377.6147	11112939	893.72%
28294	24138	-209.7610	529	-38.0000	-377.6147	11307267	893.72%
5							
<b>Elapsed time = 734.91 sec.</b> (662090.80 ticks, tree = 797.77 MB, solutions = 5)							
28605	23711	-234.1514	552	-38.0000	-377.6147	11253825	893.72%
28840	24553	-268.2504	475	-38.0000	-377.5816	11391896	893.64%
29426	24982	-166.5687	513	-38.0000	-377.5816	11485504	893.64%
29687	25483	-371.1550	894	-38.0000	-377.5816	11577943	893.64%
30202	25692	-274.5559	499	-38.0000	-377.4552	11622202	893.30%
30909	25657	-63.7559	371	-38.0000	-377.4257	11604346	893.23%
31597	25853	-118.5099	565	-38.0000	-377.4257	11717188	893.23%
32092	26336	-181.8973	511	-38.0000	-377.4257	11767598	893.23%
33050	26745	-46.3389	148	-38.0000	-377.4257	11832881	893.23%
33558	27309	-53.9421	87	-38.0000	-377.3971	11887058	893.15%
22							
<b>Elapsed time = 781.18 sec.</b> (700363.36 ticks, tree = 1010.72 MB, solutions = 5)							
33666	27434	-282.0341	190	-38.0000	-377.2214	11958972	892.69%
* 33853+29275				-39.0000	-377.1435		867.03%
33922	29276	-367.3141	816	-39.0000	-377.1435	12240781	867.03%
33978	29609	-373.9386	762	-39.0000	-377.1435	12286072	867.03%
34107	29321	-272.3192	625	-39.0000	-377.1435	12257306	867.03%

GUB cover cuts applied: 745

```

3
Clique cuts applied: 45
Cover cuts applied: 3303
Implied bound cuts applied: 47
Flow cuts applied: 81
Mixed integer rounding cuts applied: 882
Zero-half cuts applied: 110
Lift and project cuts applied: 6
Gomory fractional cuts applied: 196

Root node processing (before b&c):
Real time      = 5.07 sec. (5253.09 ticks)
Parallel b&c, 8 threads:
Real time      = 792.79 sec. (713089.45 ticks)
Sync time (average) = 91.30 sec.
Wait time (average) = 0.07 sec.
-----
Total (root+branch&cut) = 797.86 sec. (718342.54 ticks)

-----
Iteration 6
Bounds on # of cuts = 8 with [3 3 2]
Error = 61 (out of 100 instances)
Accuracy = 39
Solving time = 13.297700484 min (minutes)
Accumulated time = 13.386493632 min (minutes)

Solution status code = 104
LB on error = -277.143152611
Relative objective gap = 8.670337246

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)
-----
Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1

```

CPXPARAM_TimeLimit	85596.810382080075
CPXPARAM_MIP_Limits_TreeMemory	204800
<b>21</b>	
<b>Nodes</b>	<b>Cuts/</b>
Node Left	Objective IInf Best Integer Best Bound ItCnt Gap
34184 30011	infeasible -39.0000 -377.1432 12462046 867.03%
<b>5</b>	<b>Elapsed time = 0.56 sec. (7.69 ticks, tree = 1131.55 MB, solutions = 6)</b>
34185 30011	infeasible -39.0000 -377.1432 12463576 867.03%
34186 30012	-353.1274 307 -39.0000 -377.1432 12467117 867.03%
34230 30050	-240.2890 140 -39.0000 -377.1432 12469248 867.03%
34284 30101	-96.2412 68 -39.0000 -377.1432 12469654 867.03%
34322 30026	-310.4203 254 -39.0000 -377.1432 12474494 867.03%
34358 30062	-208.3211 168 -39.0000 -377.1432 12474783 867.03%
34418 30117	-61.5243 49 -39.0000 -377.1432 12474986 867.03%
34429 30013	-375.1626 767 -39.0000 -377.1432 12465551 867.03%
34430 30013	-368.5689 712 -39.0000 -377.1432 12480749 867.03%
34467 30044	-274.8883 182 -39.0000 -377.1369 12485663 867.02%
<b>9</b>	<b>Elapsed time = 4.67 sec. (3790.87 ticks, tree = 1118.48 MB, solutions = 6)</b>
34559 30016	-375.0799 850 -39.0000 -377.1369 12488423 867.02%
34566 30025	-347.9018 626 -39.0000 -376.9781 12489041 866.61%
34577 30032	-332.5967 607 -39.0000 -376.9781 12490820 866.61%
34601 30027	-337.4018 605 -39.0000 -376.9781 12498141 866.61%
34627 30041	-305.9294 499 -39.0000 -376.9781 12501938 866.61%
34686 30147	-296.6126 233 -39.0000 -376.9781 12501312 866.61%
34810 30028	-351.9984 446 -39.0000 -376.9781 12506723 866.61%
34871 30070	-210.9115 477 -39.0000 -376.9781 12496496 866.61%
34894 30030	-347.0129 721 -39.0000 -376.9781 12516063 866.61%
34921 30128	-340.5311 403 -39.0000 -376.9781 12501487 866.61%
<b>22</b>	<b>Elapsed time = 18.01 sec. (13637.71 ticks, tree = 1129.36 MB, solutions = 6)</b>
35000 30164	-248.6996 190 -39.0000 -376.9781 12503763 866.61%
35127 30084	-205.3721 505 -39.0000 -376.9781 12522308 866.61%
35293 30114	-133.2772 471 -39.0000 -376.9781 12523058 866.61%
35359 30236	-342.9975 706 -39.0000 -376.9781 12518300 866.61%
35553 30295	-154.2894 114 -39.0000 -376.9781 12510201 866.61%
35761 30483	-66.1665 53 -39.0000 -376.9781 12512438 866.61%
35798 30258	-297.3622 651 -39.0000 -376.9781 12521841 866.61%
35816 30266	-281.3269 625 -39.0000 -376.9781 12523129 866.61%
35843 30276	-256.0856 595 -39.0000 -376.9744 12523344 866.60%

```

35885 30140      -302.2962    240      -39.0000     -376.9744 12517050  866.60%
5 Elapsed time = 30.67 sec. (23289.65 ticks, tree = 1133.67 MB, solutions = 6)
36002 30180      -252.7491    441      -39.0000     -376.9744 12529649  866.60%
36062 30299      -206.5953    589      -39.0000     -376.9744 12527129  866.60%
36101 30230      -57.4126    281      -39.0000     -376.9744 12532623  866.60%
36126 30319      -159.6736    546      -39.0000     -376.9744 12528123  866.60%
36145 30340      -344.3312    457      -39.0000     -376.9744 12533604  866.60%
36233 30409      -163.6412    356      -39.0000     -376.9744 12535025  866.60%
36303 30347      -91.1935    479      -39.0000     -376.9744 12529582  866.60%
36329 30235      -375.3955    857      -39.0000     -376.9744 12539899  866.60%
36545 30368      cutoff       -39.0000     -376.9744 12531654  866.60%
36575 30265      -348.5818    255      -39.0000     -376.9744 12541452  866.60%
5 Elapsed time = 42.20 sec. (33038.41 ticks, tree = 1127.58 MB, solutions = 6)
36709 30470      -351.3221    624      -39.0000     -376.9744 12544142  866.60%
36729 30559      -215.9049    649      -39.0000     -376.9744 12544298  866.60%
36812 30436      -161.8911    120      -39.0000     -376.9744 12548856  866.60%
36944 30486      -328.9821    597      -39.0000     -376.9744 12550670  866.60%
37174 30492      -322.6494    608      -39.0000     -376.9744 12552363  866.60%
37271 30718      -149.7022    112      -39.0000     -376.9744 12556065  866.60%
37335 30604      -117.6572    523      -39.0000     -376.9744 12548367  866.60%
37361 30612      -97.8061    497      -39.0000     -376.9744 12549204  866.60%
37508 30622      -74.8865    483      -39.0000     -376.9744 12549545  866.60%
37547 30284      -269.1983    676      -39.0000     -376.9744 12570795  866.60%
5 Elapsed time = 56.00 sec. (42712.64 ticks, tree = 1132.84 MB, solutions = 6)
37587 30639      -46.6761    404      -39.0000     -376.9744 12551100  866.60%
37639 30414      -311.7083    637      -39.0000     -376.9744 12561840  866.60%
37916 30226      -75.1134    38       -39.0000     -376.9744 12586701  866.60%
37975 30522      -298.5992    190      -39.0000     -376.9744 12567952  866.60%
38358 30734      -49.6809    34       -39.0000     -376.9744 12573259  866.60%
38425 30896      -312.8846    395      -39.0000     -376.9744 12576993  866.60%
38560 30651      -351.1738    707      -39.0000     -376.9744 12567726  866.60%
38703 30659      -338.3736    682      -39.0000     -376.9744 12569044  866.60%
38722 30923      -251.4943    422      -39.0000     -376.9744 12578618  866.60%
38807 30678      -300.9916    641      -39.0000     -376.9744 12570330  866.60%
Elapsed time = 69.11 sec. (52474.66 ticks, tree = 1168.75 MB, solutions = 6)
38865 30114      -364.9152    785      -39.0000     -376.9744 12605868  866.60%
39094 30118      -364.5336    776      -39.0000     -376.9744 12608499  866.60%
39163 30390      -290.9313    188      -39.0000     -376.9744 12593666  866.60%
39318 30330      -128.7170    102      -39.0000     -376.9744 12608320  866.60%

```

39378	30824	-371.6508	666	-39.0000	-376.9744	12583385	866.60%
39448	30859	-235.6664	169	-39.0000	-376.9744	12587080	866.60%
39572	30207	-115.2196	106	-39.0000	-376.9744	12620071	866.60%
39664	30963	-184.5348	344	-39.0000	-376.9744	12600785	866.60%
39767	30781	-243.6394	154	-39.0000	-376.9744	12609310	866.60%
39849	30937	-367.9700	804	-39.0000	-376.9744	12597338	866.60%
5							
<b>Elapsed time = 80.41 sec. (62223.15 ticks, tree = 1187.62 MB, solutions = 6)</b>							
39854	30851	-372.7405	686	-39.0000	-376.9744	12613720	866.60%
39993	30935	-102.8985	77	-39.0000	-376.9744	12616877	866.60%
40140	30982	-256.2504	319	-39.0000	-376.9744	12605444	866.60%
40214	31050	-74.6662	160	-39.0000	-376.9744	12606445	866.60%
40237	30486	-373.3192	818	-39.0000	-376.9744	12620511	866.60%
40365	30487	-371.8640	807	-39.0000	-376.9744	12623950	866.60%
40369	31131	-374.6936	763	-39.0000	-376.9744	12621218	866.60%
40456	31135	-198.9005	131	-39.0000	-376.9744	12617239	866.60%
40555	30500	-355.6002	607	-39.0000	-376.9744	12631140	866.60%
40570	30508	-331.8984	543	-39.0000	-376.9744	12632773	866.60%
5							
<b>Elapsed time = 92.34 sec. (72321.10 ticks, tree = 1149.15 MB, solutions = 6)</b>							
40596	30518	-328.9640	539	-39.0000	-376.9744	12633058	866.60%
40632	30271	-259.0082	190	-39.0000	-376.9744	12650779	866.60%
40800	31223	-90.5794	81	-39.0000	-376.9744	12635395	866.60%
41073	31344	-64.5276	40	-39.0000	-376.9744	12637685	866.60%
41160	30618	-133.3406	487	-39.0000	-376.9744	12643767	866.60%
41210	31110	-356.1415	734	-39.0000	-376.9744	12623652	866.60%
41230	30356	-355.0434	236	-39.0000	-376.9744	12664838	866.60%
41364	31124	-323.7738	674	-39.0000	-376.9744	12626631	866.60%
41379	31356	-369.4440	735	-39.0000	-376.9744	12647780	866.60%
41481	30734	-138.1924	86	-39.0000	-376.9744	12656975	866.60%
22							
<b>Elapsed time = 104.01 sec. (81980.95 ticks, tree = 1160.34 MB, solutions = 6)</b>							
41544	30398	-298.4723	615	-39.0000	-376.9744	12669908	866.60%
41678	31417	-241.3441	167	-39.0000	-376.9744	12654919	866.60%
41866	31505	-61.6078	64	-39.0000	-376.9744	12655794	866.60%
41914	31163	-244.9421	559	-39.0000	-376.9744	12639460	866.60%
42050	31172	-220.4289	522	-39.0000	-376.9744	12640470	866.60%
42082	30440	-203.7039	545	-39.0000	-376.9744	12674888	866.60%
42117	30505	-307.1978	643	-39.0000	-376.9744	12694878	866.60%
42157	30458	-162.6077	487	-39.0000	-376.9744	12676762	866.60%
42257	31346	-321.7987	248	-39.0000	-376.9744	12666744	866.60%
42771	31228	-124.3631	93	-39.0000	-376.9744	12686599	866.60%

```

5
Elapsed time = 119.11 sec. (94489.24 ticks, tree = 1192.42 MB, solutions = 6)
43224 31270 -374.6367 958 -39.0000 -376.9744 12694136 866.60%
43751 33045 -161.2916 114 -39.0000 -376.9744 12987648 866.60%
44530 30774 -150.7804 111 -39.0000 -376.9744 12718084 866.60%
44812 30814 -374.2969 1033 -39.0000 -376.9744 12725929 866.60%
45132 30671 cutoff -39.0000 -376.9744 12724888 866.60%
45505 31494 -360.9840 699 -39.0000 -376.9744 12709907 866.60%
45992 31897 -85.7831 53 -39.0000 -376.9744 12902866 866.60%
46284 35065 -111.8791 76 -39.0000 -376.9744 13253046 866.60%
46578 31053 -356.1008 650 -39.0000 -376.9744 12774822 866.60%
46906 31958 -274.4820 382 -39.0000 -376.9744 12935080 866.60%
5
Elapsed time = 164.80 sec. (133139.60 ticks, tree = 1235.78 MB, solutions = 6)
47493 31337 -291.1340 219 -39.0000 -376.9744 12792486 866.60%
48138 31430 -374.7112 1029 -39.0000 -376.9744 12799082 866.60%
48546 32033 -116.6233 179 -39.0000 -376.9194 12782627 866.46%
49011 32202 -357.4841 370 -39.0000 -376.9194 12958830 866.46%
50019 32432 -103.9418 68 -39.0000 -376.9194 12967930 866.46%
50531 31080 -370.9851 885 -39.0000 -376.9194 12828929 866.46%
* 50701+31549 -40.0000 -376.9194 842.30%
51048 32626 -160.4344 119 -40.0000 -376.9194 12988233 842.30%
51323 33736 -344.6369 244 -40.0000 -376.9194 13106949 842.30%
51999 37235 -345.6706 331 -40.0000 -376.9194 13626666 842.30%
52188 31438 -349.4261 701 -40.0000 -376.9194 12876494 842.30%
5
Elapsed time = 209.24 sec. (171662.93 ticks, tree = 1199.03 MB, solutions = 7)
52481 37432 -201.6757 314 -40.0000 -376.9194 13648219 842.30%
53422 35758 -365.5130 684 -40.0000 -376.9194 13371629 842.30%
53912 37682 -130.6639 94 -40.0000 -376.9194 13667768 842.30%
54122 34391 -222.5263 261 -40.0000 -376.9194 13156341 842.30%
54537 34575 -118.8445 76 -40.0000 -376.9194 13161634 842.30%
54944 32867 -274.5121 285 -40.0000 -376.9194 13066188 842.30%
55210 36351 -126.9557 87 -40.0000 -376.9194 13427861 842.30%
55473 36429 -261.6947 186 -40.0000 -376.9194 13441222 842.30%
55684 34630 -361.6861 651 -40.0000 -376.9194 13188259 842.30%
56056 31799 -294.4002 652 -40.0000 -376.9194 12963851 842.30%
Elapsed time = 253.04 sec. (209922.64 ticks, tree = 1190.36 MB, solutions = 7)
56741 31813 -374.9630 885 -40.0000 -376.9194 12984867 842.30%
57071 36555 -349.2594 626 -40.0000 -376.9194 13480838 842.30%
57695 31966 -342.6780 723 -40.0000 -376.9194 13006011 842.30%
58149 32052 -133.2492 96 -40.0000 -376.9194 13020291 842.30%

```

```

58577 36670      -319.4597   209      -40.0000    -376.9194 13512903 842.30%
59334 38194      infeasible          -40.0000    -376.9194 13776794 842.30%
59411 36778      -351.9628   635      -40.0000    -376.9194 13531178 842.30%
59775 33722      -371.4617   918      -40.0000    -376.9194 13181426 842.30%
59948 36900      -366.2275   661      -40.0000    -376.9194 13549234 842.30%
60447 32460      -335.7909   735      -40.0000    -376.9194 13080118 842.30%
5
Elapsed time = 296.23 sec. (248581.39 ticks, tree = 1274.28 MB, solutions = 7)
60791 37101      -185.5764   181      -40.0000    -376.9194 13570876 842.30%
61392 34217      -374.0933   734      -40.0000    -376.9194 13219253 842.30%
62039 36439      -363.2180   698      -40.0000    -376.9194 13336882 842.30%
62196 36566      -46.5830   229      -40.0000    -376.9194 13345567 842.30%
62482 34472      -340.0144   758      -40.0000    -376.9194 13248238 842.30%
Began writing nodes to disk (directory ./cpjhGkJOU created)

```

```

GUB cover cuts applied: 872
3
Clique cuts applied: 53
Cover cuts applied: 3794
Implied bound cuts applied: 59
Flow cuts applied: 95
Mixed integer rounding cuts applied: 1264
Zero-half cuts applied: 118
Lift and project cuts applied: 8
Gomory fractional cuts applied: 197

```

```

Root node processing (before b&c):
Real time      = 0.00 sec. (0.68 ticks)
Parallel b&c, 8 threads:
Real time      = 316.13 sec. (270209.62 ticks)
Sync time (average) = 21.13 sec.
Wait time (average) = 0.00 sec.

-----
Total (root+branch&cut) = 316.14 sec. (270210.30 ticks)

```

```

-----
Iteration 7
Bounds on # of cuts = 8 with [3 3 2]
Error = 60 (out of 100 instances)
Accuracy = 40
Solving time = 5.268966785 min (minutes)
```

```

Accumulated time = 18.655460417 min (minutes)

Solution status code = 104
LB on error = -276.833555011
Relative objective gap = 8.420838875

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)

-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d

CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1
CPXPARAM_TimeLimit                  85280.672374999995
CPXPARAM_MIP_Limits_TreeMemory     204800

5 Nodes                               Cuts/
Node Left    Objective  IInf Best Integer   Best Bound   ItCnt   Gap
62493 56328 -371.5512  875    -40.0000   -376.8336 16793405  842.08%
2 Elapsed time = 1.28 sec. (381.47 ticks, tree = 2553.13 MB, solutions = 7)
Nodefile size = 505.19 MB (457.73 MB after compression)
62494 56329 -371.1453  802    -40.0000   -376.8336 16795022  842.08%
62497 56331 -371.0317  798    -40.0000   -376.8336 16796271  842.08%
62498 56328 -368.1504  812    -40.0000   -376.8336 16797169  842.08%
62512 56334 -374.4435  690    -40.0000   -376.8336 16798167  842.08%
62525 56343 -367.3256  732    -40.0000   -376.8336 16801668  842.08%
62532 56335 -369.7631  729    -40.0000   -376.8336 16799811  842.08%
62542 56346 infeasible        -40.0000   -376.8336 16803611  842.08%
62547 56350 -365.8593  652    -40.0000   -376.8336 16804496  842.08%
62560 56356 -364.8589  634    -40.0000   -376.8336 16805402  842.08%
62618 56340 -373.4930  705    -40.0000   -376.8336 16804652  842.08%
Elapsed time = 5.50 sec. (4460.10 ticks, tree = 2546.50 MB, solutions = 7)
Nodefile size = 505.19 MB (457.73 MB after compression)
62639 56342 -376.2051  828    -40.0000   -376.8205 16808904  842.05%
62665 56385 -373.6476  439    -40.0000   -376.8205 16811958  842.05%
62722 56376 -285.1413  212    -40.0000   -376.8205 16814049  842.05%

```

62904 56365	-320.2108	319	-40.0000	-376.8205	16832674	842.05%
62969 56414	-207.5316	159	-40.0000	-376.8205	16836614	842.05%
63094 56358	-361.8225	455	-40.0000	-376.8205	16829520	842.05%
63139 56390	-350.5564	411	-40.0000	-376.8205	16833177	842.05%
63164 56347	-366.7584	820	-40.0000	-376.8205	16827937	842.05%
63232 56547	-261.9177	265	-40.0000	-376.8205	16828650	842.05%
63383 56506	-372.3550	659	-40.0000	-376.8205	16845155	842.05%
Elapsed time = 17.85 sec. (15002.70 ticks, tree = 2538.21 MB, solutions = 7)						
<b>Nodefile size</b> = 505.19 MB (457.73 MB after compression)						
63431 56370	-361.1593	662	-40.0000	-376.8205	16836599	842.05%
63518 56528	-366.3616	580	-40.0000	-376.8205	16851365	842.05%
63551 56668	-372.7898	614	-40.0000	-376.8205	16838522	842.05%
63617 56356	infeasible		-40.0000	-376.8205	16847550	842.05%
63657 56433	-373.2525	857	-40.0000	-376.5778	16842129	841.44%
63720 56584	infeasible		-40.0000	-376.5778	16866006	841.44%
63742 56708	-347.8130	343	-40.0000	-376.5778	16851562	841.44%
63817 56407	-372.9694	713	-40.0000	-376.5778	16853277	841.44%
63875 56438	-336.4001	379	-40.0000	-376.5778	16856671	841.44%
63937 56457	-370.4856	719	-40.0000	-376.5778	16855716	841.44%
Elapsed time = 29.24 sec. (24884.76 ticks, tree = 2542.06 MB, solutions = 7)						
<b>Nodefile size</b> = 505.19 MB (457.73 MB after compression)						
63986 56760	-361.2265	352	-40.0000	-376.5778	16863808	841.44%
* 64088+56788			-42.0000	-376.5778		796.61%
64161 56427	-308.4527	287	-42.0000	-376.5778	16861750	796.61%
64305 56426	-364.4031	448	-42.0000	-376.5778	16867050	796.61%
64344 56429	cutoff		-42.0000	-376.5778	16870294	796.61%
64408 56433	-361.1858	402	-42.0000	-376.5778	16864366	796.61%
64514 56592	-369.9594	867	-42.0000	-376.5778	16880737	796.61%
64661 56555	-117.7107	86	-42.0000	-376.5778	16881851	796.61%
64713 56603	-366.8417	779	-42.0000	-376.5778	16886930	796.61%
64780 56605	-366.4698	401	-42.0000	-376.5778	16885487	796.61%
64920 56444	-257.3129	304	-42.0000	-376.5778	16880818	796.61%
Elapsed time = 40.45 sec. (34952.40 ticks, tree = 2527.61 MB, solutions = 8)						
<b>Nodefile size</b> = 505.19 MB (457.73 MB after compression)						
65008 56483	-373.2735	748	-42.0000	-376.5778	16879719	796.61%
65038 56496	-371.2082	756	-42.0000	-376.5778	16884054	796.61%
65110 56516	-350.0730	368	-42.0000	-376.5778	16888980	796.61%
65158 56558	-235.2681	191	-42.0000	-376.5778	16892346	796.61%
65285 56665	-371.7312	780	-42.0000	-376.5778	16902786	796.61%

```

65319 56612    -366.8891 1013     -42.0000   -376.5778 16899193 796.61%
65328 56515    -369.2649  813     -42.0000   -376.5778 16898243 796.61%
65349 56619    -365.9130  961     -42.0000   -376.5778 16903443 796.61%
65377 56656    -374.9636  869     -42.0000   -376.5778 16903553 796.61%
65461 56566    -354.8815  435     -42.0000   -376.5778 16906832 796.61%
9
Elapsed time = 51.75 sec. (45094.74 ticks, tree = 2537.59 MB, solutions = 8)
Nodefile size = 505.19 MB (457.73 MB after compression)
65538 56652    -352.6881  414     -42.0000   -376.5778 16912258 796.61%
65579 56663    -373.6537  807     -42.0000   -376.5778 16911756 796.61%
65603 56591    -375.1709  881     -42.0000   -376.5778 16912590 796.61%
65614 56685    -368.6663  587     -42.0000   -376.5778 16926075 796.61%
65654 56606    -326.8965  270     -42.0000   -376.5778 16919118 796.61%
65840 56689    -344.0531  352     -42.0000   -376.5778 16932035 796.61%
65863 56702    -353.1667  420     -42.0000   -376.5778 16935329 796.61%
65889 56719    -319.7314  372     -42.0000   -376.5778 16938567 796.61%
65911 56725    -322.5031  341     -42.0000   -376.5778 16941732 796.61%
65958 56694    -373.2894  1005    -42.0000   -376.5778 16931254 796.61%
2
Elapsed time = 62.90 sec. (55166.59 ticks, tree = 2544.63 MB, solutions = 8)
Nodefile size = 505.19 MB (457.73 MB after compression)
65997 56768    -253.7349  280     -42.0000   -376.5778 16947850 796.61%
66033 56799    -200.2774  224     -42.0000   -376.5778 16951162 796.61%
66088 56579    -363.1327  912     -42.0000   -376.5778 16939742 796.61%
66104 56529    -366.7705  832     -42.0000   -376.5778 16919965 796.61%
66121 56540    -363.5003  629     -42.0000   -376.5778 16923506 796.61%
66256 56603    -333.1568  482     -42.0000   -376.5778 16927307 796.61%
66353 56781    -358.3175  407     -42.0000   -376.5778 16950761 796.61%
66420 56807    -333.2784  378     -42.0000   -376.5778 16954452 796.61%
66540 56939    -273.2919  280     -42.0000   -376.5778 16973671 796.61%
66663 56741    -346.7942  445     -42.0000   -376.5778 16960552 796.61%
2
Elapsed time = 74.45 sec. (65498.15 ticks, tree = 2558.25 MB, solutions = 8)
Nodefile size = 505.19 MB (457.73 MB after compression)
66746 56738    -367.2268  477     -42.0000   -376.5778 16960134 796.61%
67127 56776    -342.2970  517     -42.0000   -376.5778 16968251 796.61%
67238 56999    -371.4690  752     -42.0000   -376.5778 16983874 796.61%
67266 57021    -333.9642  341     -42.0000   -376.5778 16987177 796.61%
67424 56898    -76.4479  160     -42.0000   -376.5778 16978530 796.61%
67530 57053    -373.1439  621     -42.0000   -376.5778 16993918 796.61%
67784 57039    -91.9323  75      -42.0000   -376.5778 16976965 796.61%
67923 57209    -374.6908  824     -42.0000   -376.5778 17000708 796.61%

```

```

67941 56855      -372.2216   428      -42.0000     -376.5778 16977830  796.61%
68103 56928      -331.4462   469      -42.0000     -376.5778 16990292  796.61%
Elapsed time = 85.79 sec. (75199.50 ticks, tree = 2566.21 MB, solutions = 8)
Nodefile size = 505.19 MB (457.73 MB after compression)
68294 56955      -247.9800   326      -42.0000     -376.5778 16984262  796.61%
68361 56926      infeasible          -42.0000     -376.5778 16995251  796.61%
68454 56941      -342.9196   259      -42.0000     -376.5778 16998376  796.61%
68580 56992      -249.5999   176      -42.0000     -376.5778 17002343  796.61%
68785 57111      -334.3761   321      -42.0000     -376.5778 16998461  796.61%
68946 56636      -370.2219   1051     -42.0000     -376.5778 16959597  796.61%
68960 57248      infeasible          -42.0000     -376.5778 17004796  796.61%
69028 57254      infeasible          -42.0000     -376.5778 17007632  796.61%
69137 57046      cutoff                -42.0000     -376.5778 17011825  796.61%
69146 57258      -374.6623   732      -42.0000     -376.5778 17013586  796.61%
Elapsed time = 96.76 sec. (84893.06 ticks, tree = 2553.89 MB, solutions = 8)
Nodefile size = 505.19 MB (457.73 MB after compression)
69174 57079      -374.6247   714      -42.0000     -376.5778 17010021  796.61%
69379 57535      -154.2234   96       -42.0000     -376.5778 17040415  796.61%
69542 57048      -351.2630   495     -42.0000     -376.5778 17024459  796.61%
69611 57092      -249.8471   236     -42.0000     -376.5778 17027482  796.61%
69791 57123      -266.5293   180     -42.0000     -376.5778 17021100  796.61%
69896 57588      infeasible          -42.0000     -376.5778 17051599  796.61%
69900 57201      -372.7224   744     -42.0000     -376.5778 17026463  796.61%
69921 57253      -355.6185   324     -42.0000     -376.5778 17037474  796.61%
70000 57290      -294.2659   218     -42.0000     -376.5778 17038577  796.61%
70742 57498      -268.3576   172     -42.0000     -376.5778 17052046  796.61%
Elapsed time = 111.68 sec. (97530.70 ticks, tree = 2556.97 MB, solutions = 9)
Nodefile size = 505.19 MB (457.73 MB after compression)
71350 57728      -348.3798   248     -42.0000     -376.5778 17063553  796.61%
71743 57460      -373.4932   966     -42.0000     -376.5778 17049682  796.61%
71755 57653      -370.4464   636     -42.0000     -376.5778 17078692  796.61%
72187 57551      -215.6947   184     -42.0000     -376.5778 17066389  796.61%
72276 57850      -367.7073   661     -42.0000     -376.5778 17096223  796.61%
72618 57937      -157.8367   118     -42.0000     -376.5778 17107344  796.61%
73589 58103      -366.4535   645     -42.0000     -376.5778 17117318  796.61%
74114 58372      -220.1499   157     -42.0000     -376.5778 17127622  796.61%
74271 57688      -366.0440   1022    -42.0000     -376.5778 17107476  796.61%
74330 58468      -278.5357   406     -42.0000     -376.5778 17158803  796.61%
Elapsed time = 151.49 sec. (136817.80 ticks, tree = 2572.25 MB, solutions = 9)

```

```

Nodefile size = 505.19 MB (457.73 MB after compression)
 74466 57137      -373.4744    786      -42.0000     -376.5778 17075738 796.61%
 74579 57229      -125.4892   163      -42.0000     -376.5778 17083210 796.61%
 74997 58823      -124.1569    77      -42.0000     -376.5778 17191261 796.61%
 75138 57699      -351.9220   642      -42.0000     -376.5778 17150191 796.61%
 75183 57727      -312.4915   310      -42.0000     -376.5778 17159655 796.61%
 75598 57528      cutoff       -42.0000     -376.5778 17113472 796.61%
 75757 57645      -372.7641   917      -42.0000     -376.5778 17123059 796.61%
 75781 57652      -363.8514   654      -42.0000     -376.5778 17133198 796.61%
 75914 57770      -368.0621   641      -42.0000     -376.5778 17141831 796.61%
 76307 57888      -367.1160   710      -42.0000     -376.5778 17151066 796.61%
                                         2
Elapsed time = 182.24 sec. (176632.97 ticks, tree = 2640.89 MB, solutions = 10)

Nodefile size = 505.19 MB (457.73 MB after compression)
 76625 58372      -276.7328   275      -42.0000     -376.5778 17215778 796.61%
 76896 58881      -363.3072   789      -42.0000     -376.5778 17266359 796.61%
 77088 58341      -205.9310   178      -42.0000     -376.5778 17178206 796.61%
 77452 58913      -289.3936   190      -42.0000     -376.5778 17282930 796.61%
 77896 58805      -59.1187    71      -42.0000     -376.5778 17249555 796.61%
 78198 58777      -104.5215   100      -42.0000     -376.5778 17202653 796.61%
 78213 58926      -368.4008   652      -42.0000     -376.5778 17267554 796.61%
 78401 58786      -372.5803   1028     -42.0000     -376.5778 17218675 796.61%
 78547 59186      -304.1862   222      -42.0000     -376.5778 17287687 796.61%
 78819 59304      -355.0582   246      -42.0000     -376.5778 17297787 796.61%
                                         2
Elapsed time = 213.20 sec. (216193.23 ticks, tree = 2715.45 MB, solutions = 11)

Nodefile size = 505.19 MB (457.73 MB after compression)
* 78861+59332           -43.0000     -376.5778      775.76%
 78863 58919      -372.1730   923      -43.0000     -376.5778 17245546 775.76%
 78865 58921      -362.0419   695      -43.0000     -376.5778 17262028 775.76%
 78908 58961      -287.4919   224      -43.0000     -376.5778 17274297 775.76%
 79046 59079      -351.1997   373      -43.0000     -376.5778 17285981 775.76%
 79251 59269      -136.6352   93       -43.0000     -376.5778 17296280 775.76%
 79485 59473      -331.8259   277      -43.0000     -376.5778 17304844 775.76%
 79610 59575      -368.4471   613      -43.0000     -376.5778 17311192 775.76%
 79779 59736      -235.4136   155      -43.0000     -376.5778 17320410 775.76%
 79874 59817      infeasible   -43.0000     -376.5778 17331372 775.76%
 79976 59913      -352.6447   359      -43.0000     -376.5778 17343498 775.76%
                                         2
Elapsed time = 240.73 sec. (260469.65 ticks, tree = 2807.01 MB, solutions = 12)

Nodefile size = 505.19 MB (457.73 MB after compression)
 80225 60135      -351.0370   334      -43.0000     -376.5778 17359520 775.76%

```

80482 60367	-372.6844	1128	-43.0000	-376.5778	17379949	775.76%
80486 60371	-370.6348	854	-43.0000	-376.5778	17391940	775.76%
80489 60374	-366.6817	652	-43.0000	-376.5778	17402505	775.76%
80618 60496	-366.6781	671	-43.0000	-376.5778	17414997	775.76%
80896 60756	cutoff		-43.0000	-376.5778	17426348	775.76%
81024 60865	-368.8018	769	-43.0000	-376.5778	17439191	775.76%
81161 60978	infeasible		-43.0000	-376.5778	17452029	775.76%
81372 61172	-368.2417	708	-43.0000	-376.5778	17463161	775.76%

```

GUB cover cuts applied: 916
3
@lique cuts applied: 53
Cover cuts applied: 3875
Implied bound cuts applied: 59
Flow cuts applied: 100
Mixed integer rounding cuts applied: 1398
Zero-half cuts applied: 121
Lift and project cuts applied: 9
Gomory fractional cuts applied: 198

```

```

Root node processing (before b&c):
Real time      = 0.00 sec. (0.97 ticks)
Parallel b&c, 8 threads:
Real time      = 278.62 sec. (311816.15 ticks)
Sync time (average) = 11.93 sec.
Wait time (average) = 0.00 sec.
-----
Total (root+branch&cut) = 278.62 sec. (311817.12 ticks)
-----
```

```

Iteration 8
Bounds on # of cuts = 8 with [3 3 2]
Error = 57 (out of 100 instances)
Accuracy = 43
Solving time = 4.643691231 min (minutes)
Accumulated time = 23.299151648 min (minutes)
```

```

Solution status code = 104
LB on error = -276.380316895
Relative objective gap = 7.753030625
```

```

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)

-----
[13] Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d

CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1
CPXPARAM_TimeLimit                  85002.050901123046
CPXPARAM_MIP_Limits_TreeMemory      204800

[5] Nodes                               Cuts/
Node  Left     Objective  IInf  Best Integer   Best Bound   ItCnt   Gap
81435 71926    -369.0867  475    -43.0000    -376.3803  19472128  775.30%
Elapsed time = 3.10 sec. (2384.36 ticks, tree = 3375.96 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
81438 71929    -351.7855  242    -43.0000    -376.3803  19472768  775.30%
81471 71961    -270.8111  173    -43.0000    -376.3803  19473216  775.30%
81515 72001    -157.5837  98     -43.0000    -376.3803  19473641  775.30%
81563 71926    -374.3382  753    -43.0000    -376.3803  19473609  775.30%
81564 71928    -372.4402  715    -43.0000    -376.3803  19481748  775.30%
81567 71930    -371.4346  663    -43.0000    -376.3803  19482880  775.30%
81571 71933    -371.2108  644    -43.0000    -376.3803  19483675  775.30%
81572 71934    -370.7107  636    -43.0000    -376.3803  19484433  775.30%
81576 71931    -360.4175  763    -43.0000    -376.3803  19502020  775.30%
81661 72012    -144.5408  107    -43.0000    -376.3803  19488685  775.30%
Elapsed time = 9.37 sec. (7373.28 ticks, tree = 3370.21 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
81706 72044    -358.3163  625    -43.0000    -376.3803  19488229  775.30%
81757 72071    -303.3940  260    -43.0000    -376.3803  19492258  775.30%
82046 72027    -154.9862  247    -43.0000    -376.3803  19515571  775.30%
82190 72089    -266.6773  179    -43.0000    -376.3803  19502642  775.30%
82339 72085    -249.3634  162    -43.0000    -376.3803  19503964  775.30%
82548 71934    -359.2701  768    -43.0000    -376.3803  19543860  775.30%
82551 71937    -357.5116  530    -43.0000    -376.3803  19547438  775.30%
82574 71952    -339.6193  324    -43.0000    -376.3803  19550709  775.30%

```

```

82657 72026      -155.4003   164      -43.0000    -376.3803 19552766  775.30%
82707 72064      -355.4909   247      -43.0000    -376.3803 19555144  775.30%
Elapsed time = 23.10 sec. (18322.56 ticks, tree = 3345.19 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
82804 72154      -136.7153   96       -43.0000    -376.3527 19557777  775.24%
82850 72307      -360.9410   741      -43.0000    -376.3527 19521065  775.24%
82855 72311      -342.6034   249      -43.0000    -376.1368 19523927  774.74%
82983 71936      -362.8146   626      -43.0000    -376.1368 19553992  774.74%
82985 72161      -371.0562   970      -43.0000    -376.1368 19520957  774.74%
82987 72193      -374.9001   951      -43.0000    -376.1368 19562191  774.74%
82993 71941      -358.9686   430      -43.0000    -376.1368 19567870  774.74%
82999 71946      -348.8783   255      -43.0000    -376.1368 19572436  774.74%
83050 71987      -258.2577   225      -43.0000    -376.1368 19574685  774.74%
83115 72047      -106.9395   149      -43.0000    -376.1368 19575766  774.74%
Elapsed time = 35.85 sec. (28977.15 ticks, tree = 3351.66 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
83146 72066      infeasible          -43.0000    -376.1368 19578155  774.74%
83150 72197      -355.5337   338      -43.0000    -376.1368 19576926  774.74%
83255 72221      -222.3896   129      -43.0000    -376.1368 19540293  774.74%
83429 72318      cutoff               -43.0000    -376.1368 19579829  774.74%
83434 72191      -359.3736   818      -43.0000    -376.1368 19542416  774.74%
83449 72287      -371.6337   619      -43.0000    -376.1368 19550427  774.74%
83487 72317      -265.8980   174      -43.0000    -376.1368 19553782  774.74%
83744 72447      -333.6008   253      -43.0000    -376.1368 19553268  774.74%
83839 72511      -194.0038   122      -43.0000    -376.1368 19554512  774.74%
83950 72252      -192.8584   143      -43.0000    -376.1368 19555244  774.74%
Elapsed time = 48.25 sec. (39354.87 ticks, tree = 3364.70 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
84017 72081      -354.4707   699      -43.0000    -376.1368 19578452  774.74%
84023 72069      -366.0459   957      -43.0000    -376.1368 19597048  774.74%
84036 71956      -348.2522   252      -43.0000    -376.1368 19588460  774.74%
84184 72414      -333.2872   216      -43.0000    -376.1368 19572926  774.74%
84316 72094      -351.1716   513      -43.0000    -376.1368 19591693  774.74%
84492 72137      -253.3089   162      -43.0000    -376.1368 19595305  774.74%
84589 72520      -372.8630   619      -43.0000    -376.1368 19581721  774.74%
84631 72559      -273.3236   176      -43.0000    -376.1368 19584387  774.74%
84755 72337      -342.0960   228      -43.0000    -376.1368 19606229  774.74%
84999 72657      -350.7128   344      -43.0000    -376.1368 19589927  774.74%
Elapsed time = 59.71 sec. (49483.74 ticks, tree = 3372.85 MB, solutions = 13)

```

```

Nodefile size = 1328.84 MB (1208.58 MB after compression)
85177 72284 -200.4956 128 -43.0000 -376.1368 19608089 774.74%
85252 72564 -366.6790 841 -43.0000 -376.1368 19577339 774.74%
85269 72536 infeasible -43.0000 -376.1368 19591276 774.74%
85318 72802 -272.0554 179 -43.0000 -376.1368 19598160 774.74%
85458 72106 -271.7240 204 -43.0000 -376.1368 19630436 774.74%
85583 72343 -369.7473 635 -43.0000 -376.1368 19620884 774.74%
85753 72537 -368.2100 867 -43.0000 -376.1368 19598411 774.74%
85869 72101 -319.9908 214 -43.0000 -376.1368 19628379 774.74%
86144 72573 -271.7490 196 -43.0000 -376.1368 19604341 774.74%
86291 72116 -306.6315 350 -43.0000 -376.1368 19628397 774.74%
5
Elapsed time = 72.00 sec. (59610.39 ticks, tree = 3339.28 MB, solutions = 13)

Nodefile size = 1328.84 MB (1208.58 MB after compression)
86447 72541 -125.2543 65 -43.0000 -376.1368 19631988 774.74%
86788 72227 -46.0606 174 -43.0000 -376.1368 19635812 774.74%
86904 72855 -90.1545 54 -43.0000 -376.1368 19614400 774.74%
86987 72371 -183.6352 116 -43.0000 -376.1368 19641703 774.74%
87059 72230 -371.5048 694 -43.0000 -376.1368 19641837 774.74%
87140 72762 -210.2776 139 -43.0000 -376.1368 19616474 774.74%
87328 72220 -366.7426 657 -43.0000 -376.1368 19654622 774.74%
87338 72227 -342.5130 261 -43.0000 -376.1368 19658216 774.74%
87497 73022 -331.2281 315 -43.0000 -376.1368 19630982 774.74%
87569 73080 -184.5925 181 -43.0000 -376.1368 19631567 774.74%
2
Elapsed time = 83.56 sec. (69415.07 ticks, tree = 3374.71 MB, solutions = 13)

Nodefile size = 1328.84 MB (1208.58 MB after compression)
87722 72426 -196.0292 354 -43.0000 -376.1368 19658817 774.74%
87813 72470 -313.7015 224 -43.0000 -376.1368 19657117 774.74%
88010 73139 -332.3763 232 -43.0000 -376.1368 19638071 774.74%
88193 72344 -369.2216 688 -43.0000 -376.1368 19671787 774.74%
88226 72439 -344.1819 306 -43.0000 -376.1368 19663453 774.74%
88382 73331 -108.0697 65 -43.0000 -376.1368 19645596 774.74%
88585 72524 -154.1781 103 -43.0000 -376.1368 19666440 774.74%
88643 72580 -341.4974 385 -43.0000 -376.1368 19679295 774.74%
88686 72613 -276.5086 221 -43.0000 -376.1368 19683720 774.74%
88853 73404 -204.9500 146 -43.0000 -376.1368 19657466 774.74%
Elapsed time = 96.42 sec. (79164.76 ticks, tree = 3376.03 MB, solutions = 13)

Nodefile size = 1328.84 MB (1208.58 MB after compression)
88930 72572 -371.0431 728 -43.0000 -376.1368 19675302 774.74%
88947 72490 -365.6207 494 -43.0000 -376.1368 19682400 774.74%

```

```

89059 72630    -210.4036   137     -43.0000   -376.1368 19680104  774.74%
89353 73556    -174.7126   116     -43.0000   -376.1368 19669157  774.74%
89437 72881    -348.1156   280     -43.0000   -376.1368 19641906  774.74%
89803 72768    -138.0596   89      -43.0000   -376.1368 19686828  774.74%
90099 73621    -369.2874   668     -43.0000   -376.1368 19676578  774.74%
90187 72870    -145.8195   96      -43.0000   -376.1368 19692884  774.74%
90391 72907    -350.2219   270     -43.0000   -376.1368 19696002  774.74%
90568 72953    -260.3118   162     -43.0000   -376.1368 19699570  774.74%
22
Elapsed time = 107.23 sec. (88918.59 ticks, tree = 3355.42 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
90747 73000    -232.2603   144     -43.0000   -376.1368 19670487  774.74%
90865 73685    -212.0829   144     -43.0000   -376.1368 19685798  774.74%
91021 73711    -147.6431   128     -43.0000   -376.1368 19686698  774.74%
91106 73041    -279.0274   184     -43.0000   -376.1368 19662197  774.74%
91217 72694    -367.0982   639     -43.0000   -376.1368 19714979  774.74%
91226 72696    -364.1187   634     -43.0000   -376.1368 19718381  774.74%
91279 73087    -334.1832   285     -43.0000   -376.1368 19684478  774.74%
91581 72886    -239.2958   177     -43.0000   -376.1368 19731529  774.74%
91880 72773    -172.1287   147     -43.0000   -376.1368 19724728  774.74%
92103 72979    -318.1041   204     -43.0000   -376.1368 19741671  774.74%
5
Elapsed time = 122.50 sec. (101620.07 ticks, tree = 3349.38 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
92488 73193    -370.3096   645     -43.0000   -376.1368 19705612  774.74%
92693 73253    -263.1795   257     -43.0000   -376.1368 19716357  774.74%
93074 72883    -356.9105   851     -43.0000   -376.1368 19744324  774.74%
93449 72909    -298.8729   213     -43.0000   -376.1368 19753841  774.74%
94224 73670    -245.3925   164     -43.0000   -376.1368 19727039  774.74%
95151 73027    -142.9352   102     -43.0000   -376.1368 19773585  774.74%
96004 73918    -234.3377   168     -43.0000   -376.1368 19744955  774.74%
96537 75077    -76.1794    41      -43.0000   -376.1368 19787753  774.74%
97188 73361    -339.1905   244     -43.0000   -376.1368 19803446  774.74%
97957 73408    -98.3815    50      -43.0000   -376.1368 19811535  774.74%
Elapsed time = 169.17 sec. (140231.77 ticks, tree = 3363.58 MB, solutions = 13)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
98359 73123    -368.1863   739     -43.0000   -376.1368 19803156  774.74%
99166 73425    -362.4546   512     -43.0000   -376.1368 19828990  774.74%
99573 74050    -348.9752   262     -43.0000   -376.1368 19832253  774.74%
*100206+75506          -44.0000   -376.1368          754.86%
100260 74255    -187.1122   111     -44.0000   -376.1368 19841225  754.86%

```

100755	73923	-141.6525	76	-44.0000	-376.1368	19855053	754.86%
101360	74183	-254.1317	165	-44.0000	-376.1368	19869790	754.86%
101983	74396	-365.9683	679	-44.0000	-376.1368	19880718	754.86%
102256	73251	-358.7644	844	-44.0000	-376.1368	19850813	754.86%
102534	74551	-369.3515	969	-44.0000	-376.1368	19886540	754.86%
102636	74685	-201.0157	189	-44.0000	-376.1368	19906540	754.86%
2							
Elapsed time = 213.97 sec. (178886.70 ticks, tree = 3369.28 MB, solutions = 14)							
Nodefile size = 1328.84 MB (1208.58 MB after compression)							
103075	74690	-137.0039	86	-44.0000	-376.1368	19858793	754.86%
103324	74781	-259.5830	176	-44.0000	-376.1368	19870758	754.86%
103868	73707	-357.3355	710	-44.0000	-376.1368	19916863	754.86%
104488	74966	-156.8062	105	-44.0000	-376.1368	19935045	754.86%
104840	73993	-298.3118	195	-44.0000	-376.1368	19937028	754.86%
105230	74463	-370.2003	680	-44.0000	-376.1368	19945863	754.86%
106185	75111	-328.7164	230	-44.0000	-376.1368	19921098	754.86%
106948	74994	-64.9639	51	-44.0000	-376.1368	19976173	754.86%
107545	75108	-275.3044	179	-44.0000	-376.1368	19985828	754.86%
108190	74573	-122.1881	75	-44.0000	-376.1368	19949611	754.86%
2							
Elapsed time = 255.53 sec. (217150.33 ticks, tree = 3470.33 MB, solutions = 15)							
Nodefile size = 1328.84 MB (1208.58 MB after compression)							
108890	74604	-302.1580	203	-44.0000	-376.1368	19988782	754.86%
109683	74939	-72.1704	42	-44.0000	-376.1368	19996434	754.86%
110213	75844	-152.6764	113	-44.0000	-376.1368	20025497	754.86%
110687	74738	-372.4462	654	-44.0000	-376.1368	19979491	754.86%
111104	75218	-255.9594	181	-44.0000	-376.1368	20021953	754.86%
111226	75914	-280.6563	210	-44.0000	-376.1368	20052210	754.86%
111818	75067	-108.0074	75	-44.0000	-376.1368	20004989	754.86%
112086	74183	-175.7369	112	-44.0000	-376.1368	20000307	754.86%
112565	76266	-241.4723	169	-44.0000	-376.1368	20079748	754.86%
113030	76439	-164.3090	212	-44.0000	-376.1368	20090558	754.86%
2							
Elapsed time = 300.62 sec. (255370.86 ticks, tree = 3493.07 MB, solutions = 16)							
Nodefile size = 1328.84 MB (1208.58 MB after compression)							
113440	75423	-356.3437	390	-44.0000	-376.1368	20066747	754.86%
113846	75655	-329.7125	232	-44.0000	-376.1368	20074973	754.86%
114376	76956	-372.7014	765	-44.0000	-376.1368	20119752	754.86%
114992	75269	-357.7460	861	-44.0000	-376.1368	20084688	754.86%
115064	75899	-244.1868	170	-44.0000	-376.1368	20104973	754.86%
115422	75281	-356.3431	761	-44.0000	-376.1368	20099647	754.86%
115659	77257	-354.9574	229	-44.0000	-376.1368	20156509	754.86%

```

116481 77486 -350.4063 259 -44.0000 -376.1368 20166270 754.86%
117012 74851 -338.6518 338 -44.0000 -376.1368 20099673 754.86%
117672 76593 -73.3108 55 -44.0000 -376.1368 20139708 754.86%
2 Elapsed time = 340.22 sec. (294342.29 ticks, tree = 3590.75 MB, solutions = 16)
Nodefile size = 1328.84 MB (1208.58 MB after compression)

118392 76837 -340.1003 223 -44.0000 -376.1368 20149430 754.86%
118661 76951 -338.5554 252 -44.0000 -376.1368 20159026 754.86%
119232 78202 -370.3891 879 -44.0000 -376.1368 20206881 754.86%
119504 78208 -365.8875 675 -44.0000 -376.1368 20215279 754.86%
120370 78339 -294.4108 228 -44.0000 -376.1368 20224887 754.86%
120736 77663 -371.1597 751 -44.0000 -376.1368 20197661 754.86%
121137 78468 -263.1958 171 -44.0000 -376.1368 20240044 754.86%
121380 76760 -361.0483 578 -44.0000 -376.1368 20206996 754.86%
121504 78546 -372.0299 951 -44.0000 -376.1368 20254287 754.86%
121709 77052 -189.2273 149 -44.0000 -376.1368 20224660 754.86%
24 Elapsed time = 369.68 sec. (333296.33 ticks, tree = 3591.38 MB, solutions = 17)
Nodefile size = 1328.84 MB (1208.58 MB after compression)

121787 77894 -347.8439 314 -44.0000 -376.1368 20232409 754.86%
121944 78563 -362.8561 674 -44.0000 -376.1368 20281358 754.86%
122228 78030 -369.6159 952 -44.0000 -376.1368 20251103 754.86%
122239 78035 -365.2604 668 -44.0000 -376.1368 20260623 754.86%
122604 79033 -116.1095 76 -44.0000 -376.1368 20304884 754.86%
122641 77112 -360.7584 740 -44.0000 -376.1368 20264111 754.86%
122909 79061 -359.0364 761 -44.0000 -376.1368 20328240 754.86%
122912 79064 -345.4132 728 -44.0000 -376.1368 20339694 754.86%
123088 79214 -340.4910 331 -44.0000 -376.1368 20349332 754.86%
123335 79434 -366.9963 736 -44.0000 -376.1368 20359227 754.86%
2 Elapsed time = 386.93 sec. (378266.74 ticks, tree = 3689.23 MB, solutions = 18)
Nodefile size = 1328.84 MB (1208.58 MB after compression)

123606 77360 -367.9078 813 -44.0000 -376.1368 20304015 754.86%
123789 77402 -270.6668 213 -44.0000 -376.1368 20313171 754.86%
124252 77565 -147.9091 111 -44.0000 -376.1368 20322273 754.86%
124710 80275 -339.1575 259 -44.0000 -376.1368 20399552 754.86%
125071 80455 -130.4602 96 -44.0000 -376.1368 20407189 754.86%
125120 80488 -364.5023 979 -44.0000 -376.1368 20414180 754.86%
125393 78074 -67.5268 51 -44.0000 -376.1368 20356949 754.86%
125548 78206 -61.4737 25 -44.0000 -376.1368 20365875 754.86%
125824 80617 -365.8242 646 -44.0000 -376.1368 20434361 754.86%
126311 80820 -149.0581 106 -44.0000 -376.1368 20445898 754.86%

```

```

Elapsed time = 402.92 sec. (417930.32 ticks, tree = 3750.55 MB, solutions = 18)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
126818 78688 -359.1233 621 -44.0000 -376.1368 20397046 754.86%
127130 78818 -361.6743 326 -44.0000 -376.1368 20405785 754.86%
127645 81464 infeasible -44.0000 -376.1368 20480980 754.86%
127773 79050 -370.5096 967 -44.0000 -376.1368 20420424 754.86%
128047 79052 -369.8842 919 -44.0000 -376.1368 20426470 754.86%
128292 82017 -100.5857 62 -44.0000 -376.1368 20513017 754.86%
128338 82042 -364.7610 328 -44.0000 -376.1368 20523898 754.86%
128527 79071 -360.6063 650 -44.0000 -376.1368 20446426 754.86%
128837 82360 -201.0485 146 -44.0000 -376.1368 20543286 754.86%
129157 82638 -369.1021 836 -44.0000 -376.1368 20553236 754.86%
Elapsed time = 433.80 sec. (460667.96 ticks, tree = 3767.71 MB, solutions = 19)
Nodefile size = 1328.84 MB (1208.58 MB after compression)
129298 82771 -49.6236 49 -44.0000 -376.1368 20560041 754.86%
129563 83000 -360.7373 441 -44.0000 -376.1368 20569164 754.86%
129908 83292 -150.2737 107 -44.0000 -376.1368 20580126 754.86%
130141 83494 -240.2222 141 -44.0000 -376.1368 20590944 754.86%
130362 83680 -370.2243 736 -44.0000 -376.1368 20601487 754.86%
130505 83814 -359.7878 388 -44.0000 -376.1368 20614667 754.86%
130871 84128 -128.4628 80 -44.0000 -376.1368 20623685 754.86%

GUB cover cuts applied: 1043
Clique cuts applied: 57
Cover cuts applied: 4277
Implied bound cuts applied: 68
Flow cuts applied: 118
Mixed integer rounding cuts applied: 1735
Zero-half cuts applied: 125
Lift and project cuts applied: 9
Gomory fractional cuts applied: 199

Root node processing (before b&c):
Real time          = 0.00 sec. (1.39 ticks)
Parallel b&c, 8 threads:
Real time          = 460.44 sec. (493387.72 ticks)
Sync time (average) = 9.29 sec.
Wait time (average) = 0.00 sec.
-----

```

```

Total (root+branch&cut) = 460.44 sec. (493389.11 ticks)

-----
Iteration 9
Bounds on # of cuts = 8 with [3 3 2]
Error = 56 (out of 100 instances)
Accuracy = 44
Solving time = 7.674096716 min (minutes)
Accumulated time = 30.973248364 min (minutes)

Solution status code = 104
LB on error = -275.942710447
Relative objective gap = 7.54415251

Selected variables:
PEMLR (Categorical)
SS_YN (Categorical)

Number of selected variables = 2 (0 continuous + 2 categorical)

13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File           3
CPXPARAM_MIP_Limits_Solutions        1
CPXPARAM_TimeLimit                  84541.60509814453
CPXPARAM_MIP_Limits_TreeMemory      204800

21 Nodes
          Cuts/
Node Left   Objective  IInf Best Integer    Best Bound   ItCnt   Gap
130908 115417  infeasible       -44.0000   -375.9427 24852547 754.42%
Elapsed time = 0.21 sec. (11.76 ticks, tree = 4875.97 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)
130946 115453     -75.7118    39     -44.0000   -375.9427 24852830 754.42%
130960 115461  infeasible       -44.0000   -375.9427 24854245 754.42%
130961 115417  infeasible       -44.0000   -375.9427 24855273 754.42%
130962 115419     -375.5477   854     -44.0000   -375.9427 24854727 754.42%
130963 115462     -374.5850   952     -44.0000   -375.9427 24856324 754.42%
130964 115419     -374.8863   762     -44.0000   -375.9239 24859471 754.37%
130966 115420     -370.7308   599     -44.0000   -375.9239 24861461 754.37%

```

```

130970 115420      -365.1263   677      -44.0000    -375.9239 24865366 754.37%
130974 115425      -353.5129   272      -44.0000    -375.9239 24863328 754.37%
131072 115431      -318.7079   260      -44.0000    -375.9239 24868843 754.37%
2
Elapsed time = 6.88 sec. (4499.63 ticks, tree = 4853.98 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)

131222 115489      -186.2469   144      -44.0000    -375.9239 24869233 754.37%
131419 115588      -227.5296   151      -44.0000    -375.9064 24867646 754.33%
131578 115473      -365.3839   660      -44.0000    -375.9064 24885085 754.33%
131721 115419      -364.6390   889      -44.0000    -375.9064 24870560 754.33%
131724 115420      -363.4877   908      -44.0000    -375.9064 24872570 754.33%
131728 115601      -368.4619   691      -44.0000    -375.9064 24886633 754.33%
131749 115614      -344.4963   237      -44.0000    -375.9064 24889538 754.33%
131877 115538      -365.3678   477      -44.0000    -375.9064 24884596 754.33%
131914 115567      -282.2076   191      -44.0000    -375.9064 24887643 754.33%
132035 115773      -357.5782   691      -44.0000    -375.9064 24887689 754.33%
9
Elapsed time = 20.65 sec. (15475.37 ticks, tree = 4891.62 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)

132298 115478      -363.3619   938      -44.0000    -375.9064 24905374 754.33%
132305 115885      -365.9278   666      -44.0000    -375.9064 24893668 754.33%
132438 115476      -371.2272   830      -44.0000    -375.9064 24902926 754.33%
132450 115660      -367.9299   777      -44.0000    -375.6031 24899669 753.64%
132461 115721      -365.2211   688      -44.0000    -375.6031 24906865 753.64%
132632 115757      -133.2122   81       -44.0000    -375.6031 24904356 753.64%
132765 115485      -337.9961   301      -44.0000    -375.6031 24920324 753.64%
132903 115483      -354.2930   485      -44.0000    -375.6031 24918321 753.64%
132974 115524      -276.5625   264      -44.0000    -375.6031 24920543 753.64%
133138 116022      -319.0843   203      -44.0000    -375.6031 24912566 753.64%
2
Elapsed time = 33.13 sec. (25766.01 ticks, tree = 4914.84 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)

133451 115867      -144.2583   99       -44.0000    -375.6031 24916493 753.64%
133606 116211      -45.0030   24       -44.0000    -375.6031 24916465 753.64%
133745 115906      -235.1235   148      -44.0000    -375.6031 24924857 753.64%
134004 115642      -254.9202   165      -44.0000    -375.6031 24933906 753.64%
134329 115597      -79.8389   61       -44.0000    -375.6031 24927955 753.64%
134423 116045      -141.1138   100      -44.0000    -375.6031 24933151 753.64%
134467 115718      -373.6129   866      -44.0000    -375.6031 24938524 753.64%
134536 115666      -199.6527   129      -44.0000    -375.6031 24932904 753.64%
134612 115721      -354.9792   377      -44.0000    -375.6031 24943712 753.64%
134717 116230      -335.6979   239      -44.0000    -375.6031 24937404 753.64%

```

```

2 Elapsed time = 44.97 sec. (35418.05 ticks, tree = 4934.31 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)
135026 115538 -238.0279 154 -44.0000 -375.6031 24941038 753.64%
135204 115612 -369.4843 771 -44.0000 -375.6031 24941848 753.64%
135514 116263 -248.8541 173 -44.0000 -375.6031 24945872 753.64%
135735 115696 -158.7882 110 -44.0000 -375.6031 24946026 753.64%
135885 116414 -164.6318 107 -44.0000 -375.6031 24949736 753.64%
136157 115950 -98.4789 83 -44.0000 -375.6031 24954128 753.64%
136177 116049 -371.4216 844 -44.0000 -375.6031 24942096 753.64%
136184 115729 -359.2447 647 -44.0000 -375.6031 24956224 753.64%
136316 116080 -98.6373 67 -44.0000 -375.6031 24961109 753.64%
136393 116100 -349.1181 249 -44.0000 -375.6031 24963534 753.64%
9 Elapsed time = 57.63 sec. (45651.53 ticks, tree = 4905.68 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)
136849 115888 -253.3435 164 -44.0000 -375.6031 24959565 753.64%
137050 116213 -367.0710 403 -44.0000 -375.6031 24967308 753.64%
137303 115892 -370.9447 739 -44.0000 -375.6031 24969401 753.64%
137389 116655 -171.9714 119 -44.0000 -375.6031 24969048 753.64%
137495 115924 -298.0111 212 -44.0000 -375.6031 24973699 753.64%
137631 115998 -263.0363 183 -44.0000 -375.6031 24969968 753.64%
137795 116758 -248.3035 154 -44.0000 -375.6031 24976581 753.64%
137891 116269 -369.5074 798 -44.0000 -375.6031 24966502 753.64%
137901 115848 -360.4711 938 -44.0000 -375.5768 24990340 753.58%
137906 116274 -365.3659 725 -44.0000 -375.5768 24971064 753.58%
2 Elapsed time = 70.87 sec. (56061.54 ticks, tree = 4932.76 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)
137960 116487 -316.4243 288 -44.0000 -375.5768 24985812 753.58%
138142 116067 -228.0601 154 -44.0000 -375.5768 24985266 753.58%
138227 115731 -362.3989 865 -44.0000 -375.5768 24979413 753.58%
138244 116283 -344.5858 239 -44.0000 -375.5768 24983061 753.58%
138307 115736 -359.8629 779 -44.0000 -375.5768 24983469 753.58%
138489 115938 -175.9894 129 -44.0000 -375.5768 25004586 753.58%
138590 115775 -255.4406 180 -44.0000 -375.5768 24988921 753.58%
138814 116345 -359.1724 760 -44.0000 -375.5768 24995243 753.58%
139074 115974 -105.0916 65 -44.0000 -375.5768 24992675 753.58%
139113 116128 -374.1367 970 -44.0000 -375.5768 24991767 753.58%
Elapsed time = 82.98 sec. (65890.40 ticks, tree = 4914.26 MB, solutions = 20)
Nodefile size = 2828.82 MB (2551.19 MB after compression)
139288 116450 cutoff -44.0000 -375.5768 25002072 753.58%

```

139503	116586	-365.1134	478	-44.0000	-375.5768	25000336	753.58%
139743	116674	-294.4688	225	-44.0000	-375.5768	24997586	753.58%
139909	116748	-108.7938	89	-44.0000	-375.5768	24997959	753.58%
139971	116095	-335.3009	237	-44.0000	-375.5768	25004249	753.58%
140220	116203	-69.1186	46	-44.0000	-375.5768	25004973	753.58%
140240	116121	-362.5128	582	-44.0000	-375.5768	25007014	753.58%
140401	116148	-303.0626	212	-44.0000	-375.5768	25009101	753.58%
140517	116574	-348.2827	284	-44.0000	-375.5768	25019146	753.58%
140699	116276	-258.9445	196	-44.0000	-375.5768	25012673	753.58%
Elapsed time = 94.85 sec. (75581.51 ticks, tree = 4917.26 MB, solutions = 20)							
<b>Nodefile size = 2828.82 MB (2551.19 MB after compression)</b>							
140877	116078	-121.0623	82	-44.0000	-375.5768	25036048	753.58%
140925	116350	-343.0377	230	-44.0000	-375.5768	25017733	753.58%
141100	116151	-232.2341	177	-44.0000	-375.5768	25039954	753.58%
141253	117269	-234.1615	167	-44.0000	-375.5768	25034933	753.58%
141416	116174	-281.4930	181	-44.0000	-375.5768	25019843	753.58%
141745	116720	-364.4253	455	-44.0000	-375.5768	25034074	753.58%
141861	116802	-175.3061	289	-44.0000	-375.5768	25036560	753.58%
142147	116886	-280.5945	190	-44.0000	-375.5768	25034867	753.58%
142406	117437	-150.9468	103	-44.0000	-375.5768	25044378	753.58%
142489	116212	-373.2448	888	-44.0000	-375.5768	25048786	753.58%
Elapsed time = 106.60 sec. (85221.60 ticks, tree = 4909.58 MB, solutions = 20)							
<b>Nodefile size = 2828.82 MB (2551.19 MB after compression)</b>							
142508	117488	-336.2286	214	-44.0000	-375.5768	25048940	753.58%
142640	116225	-363.3862	631	-44.0000	-375.5768	25033233	753.58%
142775	116458	-157.0598	131	-44.0000	-375.5768	25036898	753.58%
142949	117590	-353.3226	361	-44.0000	-375.5768	25056638	753.58%
143076	116219	-361.4628	313	-44.0000	-375.5768	25060174	753.58%
143254	118022	-345.2241	249	-44.0000	-375.5297	25176661	753.48%
143691	116631	-45.6814	55	-44.0000	-375.5297	25047642	753.48%
143831	116896	-258.8147	156	-44.0000	-375.5297	25056621	753.48%
143932	117151	-370.4339	702	-44.0000	-375.5297	25050563	753.48%
144503	116351	-361.2385	431	-44.0000	-375.5297	25058610	753.48%
Elapsed time = 124.41 sec. (98029.26 ticks, tree = 4935.34 MB, solutions = 20)							
<b>Nodefile size = 2828.82 MB (2551.19 MB after compression)</b>							
145598	118282	-84.7192	45	-44.0000	-375.5297	25200709	753.48%
146286	116663	-146.1327	110	-44.0000	-375.5297	25086583	753.48%
146983	118364	-196.2860	147	-44.0000	-375.5297	25217258	753.48%
147695	116842	-288.8602	173	-44.0000	-375.5297	25106005	753.48%

148179	118682	-364.6394	681	-44.0000	-375.5297	25235746	753.48%
148895	118808	-45.9513	35	-44.0000	-375.5297	25239563	753.48%
149564	117128	-102.2161	125	-44.0000	-375.5297	25113787	753.48%
150155	117500	-250.4974	176	-44.0000	-375.5297	25113826	753.48%
151053	117401	-133.1193	72	-44.0000	-375.5297	25149498	753.48%
152268	117266	-74.6968	45	-44.0000	-375.5297	25133951	753.48%
					9		
Elapsed time = 171.10 sec. (136215.45 ticks, tree = 5020.68 MB, solutions = 20)							
Nodefile size = 2828.82 MB (2551.19 MB after compression)							
153265	117421	-131.6317	86	-44.0000	-375.5297	25148312	753.48%
153651	123366	-204.8835	135	-44.0000	-375.5297	25710075	753.48%
154291	127032	-273.1402	193	-44.0000	-375.4562	26185133	753.31%
154685	132699	-230.5562	138	-44.0000	-375.4562	26809062	753.31%
155410	135455	-86.7902	48	-44.0000	-375.0224	27113648	752.32%
156010	135713	-353.6035	369	-44.0000	-374.9424	27159569	752.14%
156428	136562	-373.1474	752	-44.0000	-374.9424	27240959	752.14%
156856	136991	-207.2019	119	-44.0000	-374.9424	27278840	752.14%
157325	137622	-282.8151	202	-44.0000	-374.6467	27376398	751.47%
157554	137746	-361.1068	365	-44.0000	-374.6467	27400626	751.47%
Elapsed time = 229.01 sec. (174835.59 ticks, tree = 6750.00 MB, solutions = 20)							
Nodefile size = 4694.67 MB (4271.79 MB after compression)							
158142	137958	-121.8675	82	-44.0000	-374.6467	27423219	751.47%
158452	138468	-76.5513	58	-44.0000	-374.3973	27479789	750.90%
158893	138456	-347.6235	270	-44.0000	-374.3973	27513832	750.90%
159308	139453	-83.8846	50	-44.0000	-374.3973	27639581	750.90%
159480	139089	-351.9897	348	-44.0000	-374.2840	27601366	750.65%
159932	140136	-288.8156	190	-44.0000	-374.2840	27773711	750.65%
160342	139970	-351.9906	293	-44.0000	-374.2840	27751169	750.65%
161057	140601	-366.0149	640	-44.0000	-374.2840	27867684	750.65%
162160	140791	-223.6580	127	-44.0000	-374.2101	27879510	750.48%
163097	142224	-222.4034	148	-44.0000	-374.1965	28026597	750.45%
Elapsed time = 278.81 sec. (213139.08 ticks, tree = 6770.20 MB, solutions = 20)							
Nodefile size = 4714.67 MB (4281.11 MB after compression)							
163912	142512	infeasible		-44.0000	-374.1965	28049351	750.45%
164581	143728	-93.8205	59	-44.0000	-374.0908	28152876	750.21%
165350	144119	-79.5072	47	-44.0000	-374.0698	28225664	750.16%
165945	144892	-229.1467	130	-44.0000	-374.0698	28296508	750.16%
166536	145100	-279.1562	190	-44.0000	-374.0698	28313847	750.16%
167263	145224	-248.0966	153	-44.0000	-374.0500	28324091	750.11%
167930	146403	-350.6970	275	-44.0000	-373.9883	28442310	749.97%

```

168968 146615      -100.5712    70      -44.0000      -373.9312 28450581 749.84%
169395 147938      -355.1343    366      -44.0000      -373.9312 28581082 749.84%
170326 148098      -257.4100    169      -44.0000      -373.9312 28588582 749.84%
Elapsed time = 328.74 sec. (251329.20 ticks, tree = 6859.09 MB, solutions = 20)
Nodefile size = 4790.43 MB (4339.89 MB after compression)

170842 148288      -349.1396    362      -44.0000      -373.9124 28607750 749.80%
171150 149503      -320.2788    218      -44.0000      -373.9124 28727565 749.80%
171832 149966      -350.6827    359      -44.0000      -373.8929 28794113 749.76%
172192 150174      -170.2027    122      -44.0000      -373.8929 28843720 749.76%
172580 149983      -359.4415    786      -44.0000      -373.8929 28820435 749.76%
172880 151136      -335.9286    284      -44.0000      -373.8929 28944854 749.76%
173494 151420      -241.2605    162      -44.0000      -373.8929 28978189 749.76%
173961 151599      -79.5849     38      -44.0000      -373.8929 29002456 749.76%
174586 152338      -361.9703    801      -44.0000      -373.8929 29088367 749.76%
175313 152491      -326.2307    218      -44.0000      -373.8929 29085315 749.76%
Elapsed time = 380.88 sec. (289676.74 ticks, tree = 7073.81 MB, solutions = 20)
Nodefile size = 4990.52 MB (4516.97 MB after compression)

176015 152689      -289.1985    182      -44.0000      -373.8929 29144336 749.76%
176855 154160      -77.4398     37      -44.0000      -373.8929 29266758 749.76%
177448 154194      -290.7869    193      -44.0000      -373.8929 29274335 749.76%
177800 155086      -352.6978    552      -44.0000      -373.8929 29417626 749.76%
178144 155126      -277.9166    175      -44.0000      -373.8929 29427343 749.76%
178488 155853      -325.1799    217      -44.0000      -373.6771 29539764 749.27%
178978 155690      -227.7448    269      -44.0000      -373.6771 29534376 749.27%
179678 156294      -172.5863     99      -44.0000      -373.6130 29606670 749.12%
180144 157102      -355.1944    657      -44.0000      -373.6099 29747844 749.11%
180869 157097      -338.7220    212      -44.0000      -373.5628 29743077 749.01%
Elapsed time = 433.30 sec. (328264.55 ticks, tree = 7285.22 MB, solutions = 20)
Nodefile size = 5230.30 MB (4731.06 MB after compression)

181719 157876      -303.7777    268      -44.0000      -373.5628 29865351 749.01%
182794 159272      -237.1395    147      -44.0000      -373.5628 29984307 749.01%
183348 159346      -351.1395    663      -44.0000      -373.5628 30006348 749.01%
184056 160314      -367.6314    687      -44.0000      -373.4833 30086392 748.83%
184762 160989      -99.2792     65      -44.0000      -373.4409 30149317 748.73%
185495 161553      -357.1583    641      -44.0000      -373.4409 30227053 748.73%
186459 162127      -156.6030     90      -44.0000      -373.4409 30284992 748.73%
187261 161936      -61.7549     32      -44.0000      -373.3481 30259262 748.52%
188114 162740      -73.0164     36      -44.0000      -373.3443 30325642 748.51%
189070 163956      -152.9141    96      -44.0000      -373.3443 30438865 748.51%

```

```

2 Elapsed time = 486.25 sec. (367163.04 ticks, tree = 7512.82 MB, solutions = 20)
Nodefile size = 5447.40 MB (4922.11 MB after compression)
189644 164386 -367.8376 887 -44.0000 -373.3443 30477271 748.51%
190685 164981 -87.2124 61 -44.0000 -373.3443 30514247 748.51%
191184 166418 -333.6920 221 -44.0000 -373.3443 30646990 748.51%
192458 166950 -208.3170 120 -44.0000 -373.3443 30699405 748.51%
193547 167529 -198.3154 118 -44.0000 -373.3443 30739547 748.51%
194774 168011 -168.6088 199 -44.0000 -373.2787 30794964 748.36%
195925 168908 -142.5090 148 -44.0000 -373.2427 30835364 748.28%
196620 171308 -224.7571 158 -44.0000 -373.2408 30997697 748.27%
197264 171376 -371.6623 716 -44.0000 -373.2408 31005841 748.27%
198034 171635 -208.1538 134 -44.0000 -373.2055 31055553 748.19%
9 Elapsed time = 539.69 sec. (405452.81 ticks, tree = 7961.62 MB, solutions = 20)
Nodefile size = 5907.38 MB (5338.30 MB after compression)
198412 172029 -289.5103 235 -44.0000 -373.2055 31095374 748.19%
198962 172723 -143.3916 95 -44.0000 -373.2055 31160733 748.19%
199414 172871 -308.1767 199 -44.0000 -373.2055 31188479 748.19%
200445 174277 -67.7922 28 -44.0000 -373.1191 31301581 748.00%
201225 174685 -365.1012 671 -44.0000 -373.1191 31351164 748.00%
201850 175086 -310.6747 205 -44.0000 -373.1191 31384774 748.00%
202420 176028 -299.8808 228 -44.0000 -373.1191 31500120 748.00%
202989 176150 -356.5293 345 -44.0000 -373.1191 31508469 748.00%
203966 177277 -349.3249 252 -44.0000 -373.1191 31616486 748.00%
204804 177320 -351.0572 257 -44.0000 -373.0455 31638301 747.83%
2 Elapsed time = 590.71 sec. (444013.14 ticks, tree = 8114.88 MB, solutions = 20)
Nodefile size = 6058.27 MB (5468.92 MB after compression)
205628 178179 -111.3682 81 -44.0000 -373.0143 31717251 747.76%
206144 178259 -197.6408 123 -44.0000 -373.0143 31727454 747.76%
206619 178812 -178.9469 189 -44.0000 -372.9949 31789311 747.72%
207249 179762 -363.1710 818 -44.0000 -372.9899 31871857 747.70%
207745 180890 -212.8827 131 -44.0000 -372.9899 32040405 747.70%
208953 181296 -86.9530 56 -44.0000 -372.9899 32078113 747.70%
209931 181837 -93.0117 192 -44.0000 -372.9480 32163706 747.61%
210844 182022 -195.7135 130 -44.0000 -372.9480 32157809 747.61%
211479 182394 -336.0640 243 -44.0000 -372.8824 32214463 747.46%
211879 183270 -333.1627 209 -44.0000 -372.8748 32262683 747.44%
Elapsed time = 646.29 sec. (482797.42 ticks, tree = 8350.07 MB, solutions = 20)
Nodefile size = 6294.05 MB (5672.22 MB after compression)
212147 184598 -363.4645 1062 -44.0000 -372.8748 32370505 747.44%

```

```

212919 185068 -288.2498 184 -44.0000 -372.8748 32431657 747.44%
214028 185646 -210.1929 142 -44.0000 -372.8748 32487431 747.44%
214899 185756 -200.4004 137 -44.0000 -372.8600 32475142 747.41%
215323 186568 -146.7879 101 -44.0000 -372.8563 32572067 747.40%
215585 186646 -265.0594 174 -44.0000 -372.8430 32582774 747.37%
215930 186866 -296.3604 233 -44.0000 -372.8430 32646715 747.37%
216342 188005 -368.3260 1030 -44.0000 -372.8430 32726916 747.37%
216864 188736 -183.1399 110 -44.0000 -372.8430 32848795 747.37%
217090 189090 -331.5462 245 -44.0000 -372.8430 32903193 747.37%
2 Elapsed time = 697.47 sec. (521071.74 ticks, tree = 8599.97 MB, solutions = 20)
Nodefile size = 6544.44 MB (5890.61 MB after compression)

217790 188686 -323.9812 247 -44.0000 -372.8014 32870258 747.28%
218356 189541 -133.4137 76 -44.0000 -372.7773 32936831 747.22%
219174 190551 -351.0221 300 -44.0000 -372.7773 33038249 747.22%
219578 190300 -368.7349 934 -44.0000 -372.7684 33027649 747.20%
219598 190825 -355.7343 627 -44.0000 -372.7631 33100093 747.19%
219718 191769 -139.0102 86 -44.0000 -372.7377 33251637 747.13%
220184 191764 -131.8059 121 -44.0000 -372.7377 33230928 747.13%
221011 192191 -217.5934 136 -44.0000 -372.7272 33365455 747.11%
221677 192658 -312.0576 207 -44.0000 -372.7272 33417939 747.11%
222408 192605 -131.1298 82 -44.0000 -372.6994 33406887 747.04%
2 Elapsed time = 751.00 sec. (560245.75 ticks, tree = 8875.72 MB, solutions = 20)
Nodefile size = 6819.28 MB (6143.16 MB after compression)

222807 193252 -351.8520 359 -44.0000 -372.6994 33474914 747.04%
223697 193819 -368.2402 1014 -44.0000 -372.6705 33555864 746.98%
224291 194508 -168.4572 113 -44.0000 -372.6705 33597439 746.98%
224688 194980 -328.9159 330 -44.0000 -372.6705 33680048 746.98%
225604 195221 -350.0778 362 -44.0000 -372.6431 33710002 746.92%
226659 196294 -277.8216 183 -44.0000 -372.6029 33779087 746.82%
227209 195824 -306.6847 195 -44.0000 -372.6029 33766707 746.82%
228433 197223 -367.8317 689 -44.0000 -372.5677 33854373 746.74%
229269 199080 -361.1116 655 -44.0000 -372.5534 34022057 746.71%
230336 199294 -175.2973 112 -44.0000 -372.5531 34046870 746.71%
Elapsed time = 804.93 sec. (599059.75 ticks, tree = 9113.38 MB, solutions = 20)
Nodefile size = 7058.01 MB (6351.40 MB after compression)

231216 200588 -358.3446 489 -44.0000 -372.5531 34129659 746.71%
231583 200216 -268.3678 255 -44.0000 -372.5531 34115070 746.71%
232305 201798 -46.5832 26 -44.0000 -372.5531 34219507 746.71%
233137 202370 -185.0193 120 -44.0000 -372.5031 34307455 746.60%

```

234418	201984	-225.0413	192	-44.0000	-372.4962	34280003	746.58%
235315	203798	-343.5671	300	-44.0000	-372.4823	34427805	746.55%
235540	203201	-194.1673	132	-44.0000	-372.4823	34396450	746.55%
236303	204300	-90.3678	54	-44.0000	-372.4732	34472118	746.53%
236745	204491	-353.6942	922	-44.0000	-372.4732	34519696	746.53%
237725	205433	-362.9104	718	-44.0000	-372.4587	34591948	746.50%
2							
Elapsed time = 858.28 sec. (637821.53 ticks, tree = 9338.06 MB, solutions = 20)							
Nodefile size = 7269.93 MB (6536.27 MB after compression)							
238274	205925	-85.8155	50	-44.0000	-372.4587	34647302	746.50%
238981	207487	-231.9881	149	-44.0000	-372.3994	34779028	746.36%
239878	207765	-93.4593	61	-44.0000	-372.3994	34786500	746.36%
240120	207756	-365.9616	411	-44.0000	-372.3994	34822268	746.36%
240478	209365	-199.8041	130	-44.0000	-372.3584	34940305	746.27%
240821	209539	-360.1367	638	-44.0000	-372.3584	34972410	746.27%
241271	209541	-363.1588	1122	-44.0000	-372.3584	34983161	746.27%
241424	210053	-361.2374	950	-44.0000	-372.3584	35084084	746.27%
241576	210292	-347.5688	297	-44.0000	-372.3584	35112261	746.27%
241997	210422	-368.2257	1017	-44.0000	-372.3584	35145629	746.27%
2							
Elapsed time = 912.88 sec. (676882.31 ticks, tree = 9709.04 MB, solutions = 20)							
Nodefile size = 7655.42 MB (6887.57 MB after compression)							
242245	210584	-240.9517	157	-44.0000	-372.3584	35171767	746.27%
242570	210687	-338.0566	350	-44.0000	-372.3584	35275535	746.27%
243231	210809	-332.0380	238	-44.0000	-372.2883	35284325	746.11%
243525	211377	-366.4540	682	-44.0000	-372.2883	35363030	746.11%
243864	211549	-332.6650	319	-44.0000	-372.2883	35413331	746.11%
244343	212034	-284.4207	206	-44.0000	-372.2542	35461002	746.03%
244916	211665	-371.1470	1019	-44.0000	-372.2542	35425781	746.03%
245241	213063	-339.6566	564	-44.0000	-372.2542	35635322	746.03%
245969	213431	-346.9792	377	-44.0000	-372.2542	35676293	746.03%
246514	214170	-356.2338	419	-44.0000	-372.2542	35731859	746.03%
2							
Elapsed time = 966.08 sec. (716168.10 ticks, tree = 9727.48 MB, solutions = 20)							
Nodefile size = 7670.55 MB (6894.27 MB after compression)							
247304	214362	-248.7154	181	-44.0000	-372.1984	35793183	745.91%
247544	214195	-368.2592	1074	-44.0000	-372.1984	35773514	745.91%
248320	215215	-339.6080	224	-44.0000	-372.1984	35912774	745.91%
248943	215127	-219.3915	150	-44.0000	-372.1939	35887771	745.90%
249564	215696	-329.7974	226	-44.0000	-372.1939	35961847	745.90%
250132	216976	-264.5542	167	-44.0000	-372.1916	36040514	745.89%
250395	216722	-370.6489	959	-44.0000	-372.1916	36031786	745.89%

9  
Performing restart 2

```

Repeating presolve.
Tried aggregator 1 time.
Reduced MIP has 3556 rows, 5459 columns, and 23781 nonzeros.
Reduced MIP has 4603 binaries, 51 generals, 0 SOSs, and 0 indicators.
Presolve time = 0.01 sec. (12.05 ticks)

Tried aggregator 1 time.
Reduced MIP has 3556 rows, 5459 columns, and 23781 nonzeros.
Reduced MIP has 4603 binaries, 51 generals, 0 SOSs, and 0 indicators.
Presolve time = 0.02 sec. (16.72 ticks)

Resovle time = 1.99 sec. (423.12 ticks)

250594    0   -385.6923  1361    -44.0000   Cuts: 281 36368218  745.89%
250594    0   -385.5894  1250    -44.0000   Cuts: 88 36373095  745.89%
250594    0   -385.5320  1275    -44.0000   Cuts: 631 36377740  745.89%
250594    0   -385.4713  1249    -44.0000   Cuts: 545 36381282  745.89%
250594    0   -385.4204  1259    -44.0000   Cuts: 957 36387163  745.89%
250594    0   -385.3847  1222    -44.0000   Cuts: 654 36390902  745.89%
250594    0   -385.3577  1237    -44.0000   Cuts: 790 36394642  745.89%
250594    0   -385.3485  1245    -44.0000   Cuts: 703 36396546  745.89%
250594    0   -385.3400  1274    -44.0000   Cuts: 658 36398676  745.89%
250594    2   -385.3400  1250    -44.0000   -372.1916 36398676  745.89%
250597    5   -382.4444  787    -44.0000   -372.1916 36411834  745.89%
250602    9   -380.3559  797    -44.0000   -372.1916 36423958  745.89%
5
Elapsed time = 1108.28 sec. (855683.12 ticks, tree = 0.02 MB, solutions = 20)

250611    6   -378.8050  657    -44.0000   -372.1916 36417553  745.89%
250635   35   -376.0446  672    -44.0000   -372.1916 36531095  745.89%
250672   68   -370.5626  763    -44.0000   -372.1916 36616128  745.89%
250694   92   -371.9434  943    -44.0000   -372.1916 36701820  745.89%
250721  118   -362.8932  629    -44.0000   -372.1916 36801968  745.89%
250761  125   -361.9080  779    -44.0000   -372.1916 36885878  745.89%
250789  184   -368.8459  821    -44.0000   -372.1916 37004980  745.89%
250841  217   -339.4235  586    -44.0000   -372.1916 37066500  745.89%
251153  486   -210.0063  143    -44.0000   -372.1916 37133536  745.89%
251322  495   -364.4991  902    -44.0000   -372.1916 37206131  745.89%
Elapsed time = 1152.80 sec. (895288.35 ticks, tree = 14.88 MB, solutions = 20)

251351  672   -367.3628  827    -44.0000   -372.1916 37251757  745.89%
251394  715   -364.1056  761    -44.0000   -372.1916 37328615  745.89%

```

251440	744	-268.2901	507	-44.0000	-372.1916	37368491	745.89%
251521	826	-318.6446	749	-44.0000	-372.1916	37511071	745.89%
251833	831	-324.7711	304	-44.0000	-372.1916	37519578	745.89%
252407	1017	-289.7608	602	-44.0000	-372.1916	37636368	745.89%
252474	1569	-230.7063	364	-44.0000	-372.1916	37760627	745.89%
252551	1641	-175.7780	280	-44.0000	-372.1916	37815845	745.89%
252648	1761	-350.1193	690	-44.0000	-372.1916	37915832	745.89%
252770	1798	-297.9704	428	-44.0000	-372.1916	37931390	745.89%
5							
<b>Elapsed time = 1202.91 sec.</b> (933976.92 ticks, tree = 72.71 MB, solutions = 20)							
252957	1879	-365.0530	907	-44.0000	-372.1916	38019591	745.89%
253190	1961	-374.1327	746	-44.0000	-372.1916	38105061	745.89%
253209	2081	-366.6955	727	-44.0000	-372.1916	38154827	745.89%
253245	2107	-349.4859	750	-44.0000	-372.1916	38232352	745.89%
253296	2321	-323.2255	719	-44.0000	-372.1916	38306497	745.89%
253335	2350	-338.7238	810	-44.0000	-372.1916	38399274	745.89%
253431	2430	-223.8642	266	-44.0000	-372.1916	38441630	745.89%
253627	2511	-375.7077	894	-44.0000	-372.1916	38536324	745.89%
253710	2600	-267.8143	648	-44.0000	-372.1916	38634838	745.89%
253859	2807	-130.4952	121	-44.0000	-372.1916	38706683	745.89%
<b>Elapsed time = 1250.04 sec.</b> (972969.48 ticks, tree = 103.61 MB, solutions = 20)							
253990	2793	-354.1329	866	-44.0000	-372.1916	38772365	745.89%
254125	2847	-378.1667	932	-44.0000	-372.1916	38821293	745.89%
254160	3057	-345.8537	710	-44.0000	-372.1916	38991676	745.89%
254272	3174	-338.3096	397	-44.0000	-372.1916	39057856	745.89%
254829	3402	-355.6737	381	-44.0000	-372.1916	39162730	745.89%
255039	3352	-378.1796	878	-44.0000	-372.1916	39140890	745.89%
255759	3966	-377.3962	848	-44.0000	-372.1916	39289058	745.89%
256132	4683	-376.0871	913	-44.0000	-372.1916	39411724	745.89%
256571	4897	-110.1847	135	-44.0000	-372.1916	39448784	745.89%
256899	5006	-264.7572	206	-44.0000	-372.1916	39493263	745.89%
5							
<b>Elapsed time = 1299.80 sec.</b> (1011923.48 ticks, tree = 185.99 MB, solutions = 20)							
257633	5503	-108.6815	304	-44.0000	-372.1916	39551337	745.89%
257704	5875	-357.2719	386	-44.0000	-372.1916	39627575	745.89%
258222	6596	-269.8295	197	-44.0000	-372.1916	39752633	745.89%
258860	6676	-377.5047	795	-44.0000	-372.1916	39771980	745.89%
259177	6867	-342.8244	368	-44.0000	-372.1916	39847164	745.89%
259604	7816	-126.7714	273	-44.0000	-372.1916	39962898	745.89%
259992	8066	-346.3133	285	-44.0000	-372.1916	40043650	745.89%
260634	8324	-250.4738	183	-44.0000	-372.1916	40101264	745.89%

```

261423 8587    -117.3785   72    -44.0000    -372.1916 40156633 745.89%
261811 8623      cutoff        -44.0000    -372.1916 40168545 745.89%
5 Elapsed time = 1345.55 sec. (1050174.00 ticks, tree = 360.71 MB, solutions = 20)
262463 9727    -346.0636   360    -44.0000    -372.1916 40305990 745.89%
262827 10015    -53.0047   53    -44.0000    -372.1916 40336812 745.89%
263497 10204    -291.6292   329    -44.0000    -372.1916 40409727 745.89%
263810 10834    -368.7024   900    -44.0000    -372.1916 40508382 745.89%
264034 11380    -299.6250   270    -44.0000    -372.1916 40589629 745.89%
264353 11408    -333.6570   364    -44.0000    -372.1916 40631990 745.89%
265209 11627    -127.5949   81    -44.0000    -372.1916 40690974 745.89%
265375 12058    -373.9214   775    -44.0000    -372.1916 40825316 745.89%
265683 12067    -374.6869   871    -44.0000    -372.1916 40813199 745.89%
266145 12871    -108.7038   66    -44.0000    -372.1916 40958008 745.89%
5 Elapsed time = 1392.76 sec. (1089307.50 ticks, tree = 376.25 MB, solutions = 20)
267009 13160    -339.9349   292    -44.0000    -372.1916 41042304 745.89%
267684 13451    -235.2024   155    -44.0000    -372.1916 41068056 745.89%
268135 14202    -301.8026   239    -44.0000    -372.1916 41179259 745.89%
269063 14802    -332.9360   201    -44.0000    -372.1916 41233945 745.89%
269908 15031    -151.4007   185    -44.0000    -372.1916 41298728 745.89%
270417 15902    -355.9540   424    -44.0000    -372.1916 41379785 745.89%
271179 15998    -182.1055   124    -44.0000    -372.1916 41374578 745.89%
271618 16779    -343.4644   297    -44.0000    -372.1916 41483634 745.89%
272154 17272    -266.0548   154    -44.0000    -372.1916 41561427 745.89%
272757 17853    -107.8635   54    -44.0000    -372.1916 41620379 745.89%
5 Elapsed time = 1441.86 sec. (1127546.03 ticks, tree = 531.02 MB, solutions = 20)
273371 18302    -282.6906   198    -44.0000    -372.1916 41702255 745.89%
274130 18595    -244.6982   252    -44.0000    -372.1916 41749235 745.89%
274538 18916    -352.0270   368    -44.0000    -372.1916 41810597 745.89%
275533 19350    -242.7152   146    -44.0000    -372.1916 41846033 745.89%
276032 19990    -54.5599   49    -44.0000    -372.1916 41908637 745.89%
276526 20374    -115.2920   72    -44.0000    -372.1916 41972219 745.89%
277076 21354    -362.0541   532    -44.0000    -372.1916 42106109 745.89%
277609 20404    -368.4605   1077   -44.0000    -372.1916 41979761 745.89%
278059 22108    -337.7553   273    -44.0000    -372.1916 42232415 745.89%
278647 22119    -320.3121   220    -44.0000    -372.1916 42214941 745.89%
Elapsed time = 1491.47 sec. (1166019.37 ticks, tree = 615.31 MB, solutions = 20)
279632 23591    -334.9430   280    -44.0000    -372.1916 42392818 745.89%
280126 23804    -128.5027   69    -44.0000    -372.1916 42401404 745.89%
280920 23955    -138.4359   120    -44.0000    -372.1916 42477580 745.89%

```

281437	24950	-129.1561	99	-44.0000	-372.1916	42575431	745.89%
281989	25082	-134.7455	71	-44.0000	-372.1916	42585611	745.89%
282711	25369	-371.6460	532	-44.0000	-372.1916	42618193	745.89%
283322	26147	-343.3787	304	-44.0000	-372.1916	42729297	745.89%
284664	26732	-334.3227	329	-44.0000	-372.1916	42818857	745.89%
285866	26665	-363.2964	860	-44.0000	-372.1916	42775391	745.89%
286482	28580	-247.8636	167	-44.0000	-372.1916	42941939	745.89%
5							
Elapsed time = 1539.98 sec. (1204311.03 ticks, tree = 860.28 MB, solutions = 20)							
287505	28813	-299.1811	243	-44.0000	-372.0951	42963649	745.67%
288523	29633	-250.3703	162	-44.0000	-372.0110	43033224	745.48%
289106	30046	-295.2430	201	-44.0000	-372.0110	43069346	745.48%
289455	30190	-192.9309	112	-44.0000	-372.0040	43074509	745.46%
289993	31045	-141.5293	173	-44.0000	-372.0040	43163423	745.46%
290206	31157	-348.8130	419	-44.0000	-371.9483	43202763	745.34%
290699	31651	-341.1091	335	-44.0000	-371.9469	43228780	745.33%
291317	32466	-341.1582	315	-44.0000	-371.9469	43373635	745.33%
291837	32743	-352.7835	540	-44.0000	-371.6923	43438115	744.76%
292068	32468	-351.9463	516	-44.0000	-371.6923	43398040	744.76%
Elapsed time = 1589.93 sec. (1242794.09 ticks, tree = 1076.94 MB, solutions = 20)							
292671	33486	-239.0993	208	-44.0000	-371.6923	43533295	744.76%
292992	33266	-363.6098	582	-44.0000	-371.6923	43504347	744.76%
293493	33938	-118.9946	101	-44.0000	-371.5623	43606836	744.46%
293974	34166	-353.3337	727	-44.0000	-371.5062	43668357	744.33%
294519	34909	-280.2416	186	-44.0000	-371.5062	43776237	744.33%
295353	35538	-189.7857	111	-44.0000	-371.2609	43849416	743.77%
295790	35885	-52.6185	40	-44.0000	-371.2083	43882368	743.66%
296289	35883	-314.7165	258	-44.0000	-371.2083	43920204	743.66%
296578	35201	-354.8640	645	-44.0000	-371.2083	43857528	743.66%
296765	36460	-354.9554	528	-44.0000	-371.2083	44019420	743.66%
5							
Elapsed time = 1642.27 sec. (1284198.61 ticks, tree = 1170.56 MB, solutions = 20)							
296907	36344	-353.1478	725	-44.0000	-371.2083	44017102	743.66%
297436	37190	-175.1358	102	-44.0000	-371.2083	44086601	743.66%
297836	37240	-360.3308	492	-44.0000	-371.0292	44096222	743.25%
298225	37776	-368.8773	710	-44.0000	-371.0292	44237544	743.25%
298876	37904	-76.2539	71	-44.0000	-371.0292	44259745	743.25%
299088	38497	-366.8987	596	-44.0000	-371.0292	44375456	743.25%
299492	38089	-358.5517	265	-44.0000	-370.9771	44293705	743.13%
300346	38897	-311.8971	282	-44.0000	-370.9771	44428265	743.13%
300919	39134	-357.5479	819	-44.0000	-370.9771	44454488	743.13%

301172	39614	-319.6664	202	-44.0000	-370.8041	44571989	742.74%
5							
<b>Elapsed time = 1691.83 sec.</b> (1323114.08 ticks, tree = 1204.52 MB, solutions = 20)							
301646	39448	-344.0955	491	-44.0000	-370.8041	44557156	742.74%
301836	40335	-103.6051	83	-44.0000	-370.8041	44707703	742.74%
302225	40202	-358.3735	487	-44.0000	-370.8041	44704677	742.74%
302610	40600	-355.9007	952	-44.0000	-370.8041	44777613	742.74%
302988	41309	-298.4826	193	-44.0000	-370.6520	44872708	742.39%
303374	40766	-283.5381	167	-44.0000	-370.6520	44825751	742.39%
303891	41485	-304.3835	215	-44.0000	-370.6520	44908146	742.39%
304356	41571	-74.9176	60	-44.0000	-370.6109	44934370	742.30%
304928	42264	-364.8487	443	-44.0000	-370.4962	45035283	742.04%
305462	42397	-359.8320	501	-44.0000	-370.4951	45041146	742.03%
5							
<b>Elapsed time = 1741.50 sec.</b> (1361578.50 ticks, tree = 1299.40 MB, solutions = 20)							
305990	43081	-87.9339	46	-44.0000	-370.4951	45139238	742.03%
306368	43162	-215.9043	149	-44.0000	-370.4950	45145034	742.03%
307093	43334	-343.6828	419	-44.0000	-370.3971	45170187	741.81%
307363	44228	-335.0437	293	-44.0000	-370.3971	45262113	741.81%
307994	44774	-209.7137	119	-44.0000	-370.3477	45337005	741.70%
308082	44372	-360.5717	1018	-44.0000	-370.3477	45292973	741.70%
308313	44758	-359.0325	970	-44.0000	-370.3477	45372677	741.70%
308796	45146	-329.1411	285	-44.0000	-370.2988	45421832	741.59%
309247	45738	-85.4863	51	-44.0000	-370.2988	45556907	741.59%
309734	46020	-367.5729	426	-44.0000	-370.2988	45588630	741.59%
144							
<b>Elapsed time = 1792.12 sec.</b> (1401098.88 ticks, tree = 1498.55 MB, solutions = 20)							
310298	46140	-357.3188	1014	-44.0000	-370.1730	45686049	741.30%
310880	46723	-313.9365	262	-44.0000	-370.0978	45733688	741.13%
311618	47314	-351.6886	376	-44.0000	-370.0978	45815752	741.13%
312071	47781	-268.8162	238	-44.0000	-370.0978	45873219	741.13%
312444	47505	-244.1141	152	-44.0000	-370.0978	45846117	741.13%
313037	48077	-223.3538	252	-44.0000	-370.0978	45934014	741.13%
313489	48766	-231.3842	174	-44.0000	-370.0978	45982195	741.13%
314106	49110	-286.7892	161	-44.0000	-369.8680	46027720	740.61%
314277	49227	-352.6875	410	-44.0000	-369.7946	46049462	740.44%
315052	49499	-356.5130	502	-44.0000	-369.7890	46093606	740.43%
<b>Elapsed time = 1844.27 sec.</b> (1439867.53 ticks, tree = 1727.94 MB, solutions = 20)							
315430	50490	infeasible		-44.0000	-369.7665	46227867	740.38%
315633	50873	-116.4103	66	-44.0000	-369.7325	46279007	740.30%
316395	50950	-319.2967	221	-44.0000	-369.7325	46305582	740.30%
317079	51065	-360.8404	415	-44.0000	-369.6889	46312413	740.20%

```

317677 51183    -365.7037  1061    -44.0000   -369.6668 46348889  740.15%
318344 51962    -125.6950   92      -44.0000   -369.6668 46450552  740.15%
318572 51990    -368.0280  694     -44.0000   -369.6179 46457249  740.04%
318765 52695    -357.1016  1077    -44.0000   -369.5690 46541748  739.93%
319126 52963    -352.8065  686     -44.0000   -369.5690 46586748  739.93%
319440 53430    -260.1408  161     -44.0000   -369.5690 46663375  739.93%
Elapsed time = 1896.37 sec. (1479194.25 ticks, tree = 1951.39 MB, solutions = 20)
320144 53982    -234.4145  165     -44.0000   -369.5411 46755129  739.87%
320530 53857    -207.5893  175     -44.0000   -369.5411 46726581  739.87%
320617 53926    -344.9031  756     -44.0000   -369.5411 46789304  739.87%
321019 54333    -331.2943  278     -44.0000   -369.5411 46876025  739.87%
321384 54728    -330.9338  393     -44.0000   -369.4818 46956127  739.73%
Began writing nodes to disk (directory ./cpx6hXQcQ created)
321929 55231    -205.4632  119     -44.0000   -369.4596 47068125  739.68%
322419 55580    -324.8614  213     -44.0000   -369.4596 47114860  739.68%
322789 55897    -364.3820  405     -44.0000   -369.3454 47171636  739.42%
323522 56158    -364.5998  889     -44.0000   -369.3454 47201561  739.42%
323533 56166    -341.7744  430     -44.0000   -369.3454 47208791  739.42%
Elapsed time = 1948.33 sec. (1518462.54 ticks, tree = 2111.35 MB, solutions = 20)
Nodefile size = 58.62 MB (51.63 MB after compression)
323942 57003    -96.3349  92      -44.0000   -369.3155 47332465  739.35%
324164 57093    -340.3201  295     -44.0000   -369.3155 47380106  739.35%
324358 57091    -342.8492  664     -44.0000   -369.3155 47399665  739.35%
324721 57452    -332.6673  256     -44.0000   -369.3155 47485341  739.35%
325593 57417    -80.5629  105     -44.0000   -369.2700 47458323  739.25%
325870 57756    -344.9406  339     -44.0000   -369.2662 47566012  739.24%
326635 58368    -235.1431  177     -44.0000   -369.2522 47647462  739.21%
326735 58498    -310.1259  223     -44.0000   -369.2522 47686593  739.21%
327241 58889    -332.4587  307     -44.0000   -369.2522 47744689  739.21%
328157 58732    -348.2701  337     -44.0000   -369.2483 47714755  739.20%
Elapsed time = 2000.08 sec. (1556813.49 ticks, tree = 2191.10 MB, solutions = 20)
Nodefile size = 138.10 MB (121.57 MB after compression)
328696 59366    -349.9339  591     -44.0000   -369.2483 47866301  739.20%
329258 59928    -200.9429  112     -44.0000   -369.2483 47903916  739.20%
330085 59816    -360.8325  274     -44.0000   -369.2169 47888319  739.13%
330696 60569    -251.8809  167     -44.0000   -369.1513 47944891  738.98%
331215 61510    -350.2743  253     -44.0000   -369.1513 48067414  738.98%
331643 61684    -252.4282  148     -44.0000   -369.1169 48074972  738.90%
332328 62542    -300.0368  269     -44.0000   -369.1169 48153942  738.90%

```

```

333052 62613    -172.4415   137    -44.0000    -369.1169 48170227 738.90%
333503 63456    -273.7816   225    -44.0000    -369.0920 48254726 738.85%
334319 64313    -129.4382   75     -44.0000    -369.0066 48319508 738.65%
9
Elapsed time = 2053.05 sec. (1595009.26 ticks, tree = 2609.90 MB, solutions = 20)
Nodefile size = 546.80 MB (482.47 MB after compression)

334526 64366    -353.2900   430    -44.0000    -369.0066 48353456 738.65%
335096 64236    -348.8633   383    -44.0000    -369.0066 48342110 738.65%
335482 64995    -357.2174   248    -44.0000    -369.0066 48410627 738.65%
335751 65112    -108.3985   85     -44.0000    -369.0066 48422213 738.65%
336342 65566    -342.3519   298    -44.0000    -369.0066 48508876 738.65%
336872 65367    -278.6137   218    -44.0000    -369.0030 48496547 738.64%
337666 66284    -241.4814   163    -44.0000    -369.0030 48624088 738.64%
338557 67101    -71.7748    33     -44.0000    -368.7571 48737948 738.08%
339421 67550    -280.2961   200    -44.0000    -368.7571 48788027 738.08%
340094 67778    -72.4334    62     -44.0000    -368.7571 48792340 738.08%
9
Elapsed time = 2105.71 sec. (1633306.25 ticks, tree = 2773.62 MB, solutions = 20)
Nodefile size = 694.67 MB (612.65 MB after compression)

340708 68252    -89.3731   41     -44.0000    -368.7571 48849031 738.08%
341145 68828    -235.1402   140    -44.0000    -368.7364 48907267 738.04%
342133 69534    -227.6095   155    -44.0000    -368.6620 49008465 737.87%
343080 69560    cutoff      -44.0000    -368.6620 48981554 737.87%
343436 70905    -359.4257   669    -44.0000    -368.6480 49119605 737.84%
344064 69862    -316.9504   228    -44.0000    -368.6321 49055558 737.80%
344917 71337    -358.6754   317    -44.0000    -368.6321 49158258 737.80%
345459 71450    -241.4689   183    -44.0000    -368.5854 49178803 737.69%
345806 72770    -350.6402   414    -44.0000    -368.5854 49313002 737.69%
346180 72776    -344.2606   682    -44.0000    -368.5854 49334729 737.69%
2
Elapsed time = 2158.28 sec. (1671605.97 ticks, tree = 3247.77 MB, solutions = 20)
Nodefile size = 1193.67 MB (1058.69 MB after compression)

346629 73045    -306.0790   188    -44.0000    -368.5714 49381248 737.66%
346989 73311    -326.8352   274    -44.0000    -368.5714 49410860 737.66%
347251 73656    -159.0263   107    -44.0000    -368.5025 49428784 737.51%
347944 74202    -186.4601   103    -44.0000    -368.4952 49535435 737.49%
348859 74293    -334.4883   288    -44.0000    -368.4952 49557222 737.49%
349336 74834    -85.2232   153    -44.0000    -368.4952 49628825 737.49%
349792 75367    -246.7459   197    -44.0000    -368.4952 49673306 737.49%
350409 75634    -214.3057   148    -44.0000    -368.4689 49693562 737.43%
351125 76103    -65.2717   23     -44.0000    -368.4689 49729789 737.43%
351528 76502    -121.4386   73     -44.0000    -368.4689 49803180 737.43%

```

```

Elapsed time = 2212.26 sec. (1709831.49 ticks, tree = 3429.06 MB, solutions = 20)
Nodefile size = 1374.50 MB (1216.81 MB after compression) 9

351877 76695      -210.5933   124      -44.0000     -368.3886 49818966  737.25%
*352083+76771                -46.0000     -368.3886      700.84%
352358 77214      -203.4235   147      -46.0000     -368.3886 49867602  700.84%
352954 77661      -354.4451   635      -46.0000     -368.3848 49922905  700.84%


GUB cover cuts applied: 1479
Clique cuts applied: 53
Cover cuts applied: 4469
Implied bound cuts applied: 115
Flow cuts applied: 171
Mixed integer rounding cuts applied: 2859
Zero-half cuts applied: 135
Lift and project cuts applied: 20
Gomory fractional cuts applied: 182

Root node processing (before b&c):
Real time      = 0.00 sec. (2.63 ticks)

Parallel b&c, 8 threads:
Real time      = 2233.60 sec. (1733502.38 ticks)
Sync time (average) = 300.51 sec.
Wait time (average) = 0.08 sec.

-----
Total (root+branch&cut) = 2233.60 sec. (1733505.01 ticks)

-----
Iteration 10
Bounds on # of cuts = 8 with [3 3 2]
Error = 54 (out of 100 instances)
Accuracy = 46
Solving time = 37.2267415 min (minutes)
Accumulated time = 68.199989864 min (minutes)

Solution status code = 104
LB on error = -268.366653275
Relative objective gap = 7.007970723

Selected variables:
```

A\_AGE (Continuous)  
PEMLR (Categorical)

Number of selected variables = 2 (1 continuous + 1 categorical)

-----  
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d

CPXPARAM_MIP_Strategy_File	3
CPXPARAM_MIP_Limits_Solutions	1
CPXPARAM_TimeLimit	82308.000608154296
CPXPARAM_MIP_Limits_TreeMemory	204800

21 Nodes Cuts/  
-----

Node	Left	Objective	IInf	Best Integer	Best Bound	ItCnt	Gap
352957	78439	infeasible		-46.0000	-368.3667	50058943	700.80%
2		Elapsed time = 0.58 sec.	(13.44 ticks, tree = 3578.62 MB, solutions = 21)				
		Nodefile size = 1531.15 MB	(1354.94 MB after compression)				
352959	78441	-355.0696	622	-46.0000	-368.3667	50059517	700.80%
352960	78442	-354.9621	614	-46.0000	-368.3667	50059978	700.80%
352961	78441	-368.1422	467	-46.0000	-368.3667	50059688	700.80%
352963	78442	-366.8929	459	-46.0000	-368.3667	50061062	700.80%
352970	78443	-364.4998	478	-46.0000	-368.3667	50063349	700.80%
352991	78459	-359.1808	287	-46.0000	-368.3667	50061782	700.80%
353012	78471	-341.2399	250	-46.0000	-368.3667	50062182	700.80%
353032	78481	-314.3891	241	-46.0000	-368.3667	50062713	700.80%
353075	78464	-352.9182	243	-46.0000	-368.3667	50065349	700.80%
353290	78522	-216.3510	139	-46.0000	-368.3667	50066815	700.80%
2		Elapsed time = 5.58 sec.	(3453.73 ticks, tree = 3574.72 MB, solutions = 21)				
		Nodefile size = 1531.15 MB	(1354.94 MB after compression)				
353412	78478	-313.4469	240	-46.0000	-368.3065	50067622	700.67%
353582	78573	-120.4601	54	-46.0000	-368.3065	50068969	700.67%
353756	78583	-366.5572	569	-46.0000	-368.3065	50069592	700.67%
353915	78593	-350.4133	356	-46.0000	-368.3065	50071762	700.67%
354013	78638	-255.5095	182	-46.0000	-368.3065	50073098	700.67%
354172	78670	-225.7101	139	-46.0000	-368.3065	50075904	700.67%
354385	78504	-226.4890	127	-46.0000	-368.2929	50093543	700.64%
354717	78838	-68.3427	35	-46.0000	-368.2929	50076924	700.64%
354895	78735	-366.5307	385	-46.0000	-368.2929	50081410	700.64%
355013	78725	-358.3571	260	-46.0000	-368.2929	50081358	700.64%

```

Elapsed time = 18.04 sec. (13079.83 ticks, tree = 3596.11 MB, solutions = 21)
Nodefile size = 1531.15 MB (1354.94 MB after compression)
355350 78840 -106.1301 61 -46.0000 -368.2929 50082313 700.64%
355421 78637 -265.3412 275 -46.0000 -368.2929 50101647 700.64%
355525 78674 -185.2515 141 -46.0000 -368.2802 50103370 700.61%
*355558+78900 -47.0000 -368.2802 683.57%
355620 78594 -339.7121 378 -47.0000 -368.2802 50098468 683.57%
355766 78770 -294.4367 166 -47.0000 -368.2802 50106522 683.57%
356139 78635 -175.6360 123 -47.0000 -368.2802 50098267 683.57%
356248 78595 -327.9391 290 -47.0000 -368.2802 50116071 683.57%
356341 78649 -216.7224 142 -47.0000 -368.2802 50118193 683.57%
356578 78816 -170.0356 106 -47.0000 -368.2802 50108680 683.57%
356638 78453 -344.8623 449 -47.0000 -368.2802 50116537 683.57%
Elapsed time = 29.93 sec. (23092.66 ticks, tree = 3533.95 MB, solutions = 24)
Nodefile size = 1531.15 MB (1354.94 MB after compression)
356671 78466 -341.4183 357 -47.0000 -368.2802 50117958 683.57%
356751 78750 -256.5897 150 -47.0000 -368.2802 50111786 683.57%
356870 78469 -366.3548 433 -47.0000 -368.2802 50121648 683.57%
356949 78525 -255.7729 163 -47.0000 -368.2802 50124119 683.57%
357102 78851 -349.7279 232 -47.0000 -368.2802 50117120 683.57%
*357191+78873 -48.0000 -368.2802 667.25%
357191 78711 -367.6334 1100 -48.0000 -368.2802 50124118 667.25%
357194 78714 -367.6270 1104 -48.0000 -368.2802 50124781 667.25%
357195 78609 -342.4514 413 -48.0000 -368.2802 50139710 667.25%
357262 78665 -248.5754 138 -48.0000 -368.2802 50141684 667.25%
357380 78718 -354.8980 803 -48.0000 -368.2802 50142887 667.25%
Elapsed time = 44.43 sec. (43023.32 ticks, tree = 3542.02 MB, solutions = 27)
Nodefile size = 1531.15 MB (1354.94 MB after compression)
357385 78720 -354.1313 745 -48.0000 -368.2802 50144502 667.25%
357389 78723 -352.5103 493 -48.0000 -368.2802 50146723 667.25%
357394 78727 -339.5890 283 -48.0000 -368.2802 50148761 667.25%
357420 78744 -332.3197 331 -48.0000 -368.2802 50149654 667.25%
357451 78769 -280.8813 168 -48.0000 -368.2802 50150722 667.25%
357488 78795 -215.9856 158 -48.0000 -368.2802 50151746 667.25%
357527 78746 -354.7789 1031 -48.0000 -368.2802 50162814 667.25%
357530 78749 -354.6699 1031 -48.0000 -368.2802 50163649 667.25%
357531 78750 -346.2256 653 -48.0000 -368.2802 50170449 667.25%
357533 78752 -344.5490 744 -48.0000 -368.2802 50171923 667.25%
Elapsed time = 55.57 sec. (57967.17 ticks, tree = 3535.25 MB, solutions = 27)

```

```

Nodefile size = 1531.15 MB (1354.94 MB after compression)
357536 78821 -366.0749 1161 -48.0000 -368.2802 50157991 667.25%
357540 78823 -366.0599 1158 -48.0000 -368.2802 50158619 667.25%
357556 78769 -325.5245 302 -48.0000 -368.2802 50177346 667.25%
357590 78792 -291.4648 232 -48.0000 -368.2802 50178499 667.25%
357621 78817 -233.7738 198 -48.0000 -368.2802 50179962 667.25%
357636 78824 -365.1710 595 -48.0000 -368.2802 50183101 667.25%
357669 78849 -340.1584 284 -48.0000 -368.2802 50185185 667.25%
357722 78826 -361.9055 1039 -48.0000 -368.2802 50168111 667.25%
357723 78827 -354.3601 752 -48.0000 -368.2802 50176673 667.25%
357725 78829 -352.8350 745 -48.0000 -368.2802 50178651 667.25%
Elapsed time = 63.73 sec. (73838.94 ticks, tree = 3542.48 MB, solutions = 28)

Nodefile size = 1531.15 MB (1354.94 MB after compression)
357727 78831 -351.3868 663 -48.0000 -368.2802 50180601 667.25%
357729 78833 -349.5185 509 -48.0000 -368.2802 50182598 667.25%
357733 78835 -339.0805 430 -48.0000 -368.2802 50184554 667.25%
357757 78857 -321.4356 295 -48.0000 -368.2802 50185975 667.25%
357781 78864 -367.4109 559 -48.0000 -368.2802 50189238 667.25%
357788 78868 -362.7362 469 -48.0000 -368.2802 50191101 667.25%
357803 78879 -356.6581 374 -48.0000 -368.2802 50192864 667.25%

GUB cover cuts applied: 1515
3 Clique cuts applied: 53
Cover cuts applied: 4487
Implied bound cuts applied: 116
Flow cuts applied: 171
Mixed integer rounding cuts applied: 3009
Zero-half cuts applied: 135
Lift and project cuts applied: 20
Gomory fractional cuts applied: 183

Root node processing (before b&c):
Real time      = 0.00 sec. (1.95 ticks)
Parallel b&c, 8 threads:
Real time      = 70.85 sec. (82977.94 ticks)
Sync time (average) = 1.52 sec.
Wait time (average) = 0.00 sec.
-----
Total (root+branch&cut) = 70.85 sec. (82979.89 ticks)

```

```

-----
Iteration 11
Bounds on # of cuts = 8 with [3 3 2]
Error = 52 (out of 100 instances)
Accuracy = 48
Solving time = 1.180936951 min (minutes)
Accumulated time = 69.380926815 min (minutes)

Solution status code = 104
LB on error = -268.191364056
Relative objective gap = 6.670653418

Selected variables:
A_AGE (Continuous)
PEMLR (Categorical)

Number of selected variables = 2 (1 continuous + 1 categorical)
-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File 3
CPXPARAM_MIP_Limits_Solutions 1
CPXPARAM_TimeLimit 82237.144391113281
CPXPARAM_MIP_Limits_TreeMemory 204800

21 Nodes Cuts/
Node Left Objective IInf Best Integer Best Bound ItCnt Gap
357813 81848 infeasible -48.0000 -368.1914 50513898 667.07%
2 Elapsed time = 0.66 sec. (292.33 ticks, tree = 3726.48 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
357826 81861 -292.1446 183 -48.0000 -368.1914 50513559 667.07%
357851 81885 -234.4599 151 -48.0000 -368.1914 50514204 667.07%
357887 81913 -152.0224 89 -48.0000 -368.1909 50514540 667.06%
357920 81854 -357.2824 437 -48.0000 -368.1909 50516152 667.06%
357957 81858 -352.0901 310 -48.0000 -368.1909 50519329 667.06%
358005 81876 -328.8730 208 -48.0000 -368.1909 50519839 667.06%
358061 81952 -365.6237 549 -48.0000 -368.1909 50516426 667.06%
358123 81944 -173.5007 110 -48.0000 -368.1909 50520624 667.06%

```

```

358187 81986      -63.5680    31     -48.0000      -368.1909 50520867 667.06%
358404 81869      -356.0177   335     -48.0000      -368.1843 50525639 667.05%
Elapsed time = 4.90 sec. (3429.12 ticks, tree = 3706.40 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
358736 81977      -104.3151    66     -48.0000      -368.1843 50527782 667.05%
359077 81930      -213.6064   155     -48.0000      -368.1843 50539357 667.05%
359402 81958      -126.7440   131     -48.0000      -368.1843 50534882 667.05%
359558 82114      -323.8779   203     -48.0000      -368.1843 50527920 667.05%
360011 82123      -110.9767    62     -48.0000      -368.1843 50534255 667.05%
360279 82251      -303.4537   198     -48.0000      -368.1843 50531448 667.05%
360674 82270      -333.9872   256     -48.0000      -368.1843 50533165 667.05%
360773 82324      -216.5179   149     -48.0000      -368.1433 50535459 666.97%
360935 81876      -334.8739   394     -48.0000      -368.1433 50554007 666.97%
361126 82233      -126.4382    85     -48.0000      -368.1433 50538997 666.97%
Elapsed time = 16.84 sec. (13063.54 ticks, tree = 3721.75 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
361224 82365      -356.3953   443     -48.0000      -368.1433 50542559 666.97%
361281 82131      -357.4859   303     -48.0000      -368.1433 50550840 666.97%
361426 82156      -326.2501   224     -48.0000      -368.1433 50553536 666.97%
361646 82220      -176.9277   120     -48.0000      -368.1433 50556001 666.97%
361770 82452      -180.0865   199     -48.0000      -368.1433 50554805 666.97%
361955 82503      -57.9050    56     -48.0000      -368.1433 50556571 666.97%
362344 82097      -142.5888   80     -48.0000      -368.1433 50569144 666.97%
362616 82168      -298.4494   201     -48.0000      -368.1433 50555327 666.97%
362791 82238      -120.0840   76     -48.0000      -368.1433 50557846 666.97%
363008 82410      -348.3597   333     -48.0000      -368.1433 50568317 666.97%
Elapsed time = 29.19 sec. (22675.86 ticks, tree = 3702.14 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
363419 82370      -120.3047   72     -48.0000      -368.1433 50561564 666.97%
363578 82189      -249.4025   251     -48.0000      -368.1433 50581892 666.97%
363716 82216      -192.8838   220     -48.0000      -368.1433 50583993 666.97%
364045 82643      -113.9610   77     -48.0000      -368.1433 50563974 666.97%
364090 82681      -358.5332   390     -48.0000      -368.1433 50576810 666.97%
364122 82699      -341.6880   311     -48.0000      -368.1433 50578930 666.97%
364284 82291      -317.6356   231     -48.0000      -368.1433 50591814 666.97%
364631 82674      -357.5447   338     -48.0000      -368.1433 50572614 666.97%
364749 82708      -296.0979   196     -48.0000      -368.1433 50574904 666.97%
364984 82786      -87.9932    99     -48.0000      -368.1433 50575721 666.97%
Elapsed time = 41.83 sec. (32254.33 ticks, tree = 3717.44 MB, solutions = 29)

```

```

Nodefile size = 1679.11 MB (1484.78 MB after compression)
365223 82504 -191.5209 217 -48.0000 -368.1433 50591049 666.97%
365504 82549 -331.3050 208 -48.0000 -368.1433 50601365 666.97%
365992 82893 -127.0245 73 -48.0000 -368.1433 50588165 666.97%
366170 82544 -366.6969 623 -48.0000 -368.1433 50597281 666.97%
366176 82548 -355.5594 469 -48.0000 -368.1433 50601349 666.97%
366189 82559 -351.7782 427 -48.0000 -368.1433 50603729 666.97%
366204 82569 -339.4731 368 -48.0000 -368.1433 50607134 666.97%
366249 82599 -272.1125 282 -48.0000 -368.1433 50608232 666.97%
366396 82671 -114.3516 71 -48.0000 -368.1433 50609897 666.97%
366634 82736 -309.9270 209 -48.0000 -368.1433 50611201 666.97%
Elapsed time = 54.67 sec. (42460.70 ticks, tree = 3710.17 MB, solutions = 29)

Nodefile size = 1679.11 MB (1484.78 MB after compression)
366756 82821 -111.5596 54 -48.0000 -368.1433 50612395 666.97%
366807 82858 -343.9349 258 -48.0000 -368.1433 50613675 666.97%
366896 82914 -211.1564 174 -48.0000 -368.1433 50615760 666.97%
366985 82971 -366.4920 430 -48.0000 -368.1433 50617063 666.97%
367034 82400 -351.3165 559 -48.0000 -368.1433 50587667 666.97%
367120 83037 -244.8728 179 -48.0000 -368.1433 50620481 666.97%
367337 82703 -334.1119 233 -48.0000 -368.1433 50628475 666.97%
367706 82986 -316.4094 188 -48.0000 -368.1433 50617616 666.97%
367821 83126 -356.0752 340 -48.0000 -368.1433 50627458 666.97%
368044 82503 -135.1360 111 -48.0000 -368.1433 50593666 666.97%
Elapsed time = 67.00 sec. (52139.75 ticks, tree = 3695.91 MB, solutions = 29)

Nodefile size = 1679.11 MB (1484.78 MB after compression)
368238 82922 -164.7335 92 -48.0000 -368.1433 50634114 666.97%
368430 83224 -123.8483 141 -48.0000 -368.1433 50637485 666.97%
368773 83201 -128.9948 87 -48.0000 -368.1433 50629760 666.97%
368913 83264 -357.5110 311 -48.0000 -368.1433 50641918 666.97%
369098 83112 -324.3748 198 -48.0000 -368.1433 50639612 666.97%
369400 83329 -191.7452 204 -48.0000 -368.1433 50645762 666.97%
369572 83433 -223.7018 132 -48.0000 -368.1433 50636921 666.97%
369806 82380 -287.5304 169 -48.0000 -368.1433 50648326 666.97%
370042 83155 -230.0538 152 -48.0000 -368.1433 50627192 666.97%
370296 83206 -105.6802 84 -48.0000 -368.1433 50627997 666.97%
Elapsed time = 79.67 sec. (61734.30 ticks, tree = 3719.22 MB, solutions = 29)

Nodefile size = 1679.11 MB (1484.78 MB after compression)
370473 83648 -363.5100 330 -48.0000 -368.1433 50644687 666.97%
370572 83690 -301.8013 207 -48.0000 -368.1433 50648101 666.97%

```

```

370729 83483   -197.3347 130    -48.0000   -368.1387 50658662 666.96%
370929 83541   -365.7080 488    -48.0000   -368.1387 50660523 666.96%
371088 83221   -351.9229 387    -48.0000   -368.1387 50653084 666.96%
371487 83670   -73.6233 44     -48.0000   -368.1387 50663896 666.96%
371836 83297   -205.4547 120    -48.0000   -368.1387 50656731 666.96%
371955 84037   -363.3737 398    -48.0000   -368.1387 50658794 666.96%
372245 84150   -104.1935 62     -48.0000   -368.1387 50660639 666.96%
372599 84174   -356.4815 416    -48.0000   -368.1387 50662713 666.96%
2
Elapsed time = 91.72 sec. (71418.27 ticks, tree = 3710.01 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)

372758 83830   -350.2123 218    -48.0000   -368.1387 50673011 666.96%
372917 83910   -185.9764 100    -48.0000   -368.1337 50675434 666.95%
373114 82774   -318.4387 220    -48.0000   -368.1337 50678770 666.95%
373417 84320   -338.0692 224    -48.0000   -368.1337 50669801 666.95%
373666 83414   -320.7274 235    -48.0000   -368.1337 50655149 666.95%
374022 83475   -168.1748 126    -48.0000   -368.1337 50656810 666.95%
374273 84491   -280.5796 200    -48.0000   -368.1337 50676353 666.95%
374608 84074   -110.7467 74     -48.0000   -368.1337 50687542 666.95%
374870 83955   -200.9511 127    -48.0000   -368.1337 50773859 666.95%
375060 84635   -264.2193 176    -48.0000   -368.1337 50681732 666.95%
9
Elapsed time = 104.63 sec. (80997.62 ticks, tree = 3712.07 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)

375289 83674   -313.4418 201    -48.0000   -368.1337 50666202 666.95%
375652 83029   -311.7428 205    -48.0000   -368.1337 50695634 666.95%
375861 83121   -243.7553 181    -48.0000   -368.1337 50707677 666.95%
376042 83812   -322.3605 225    -48.0000   -368.1337 50672426 666.95%
376328 83907   -76.8829 55     -48.0000   -368.1337 50673938 666.95%
376562 84043   -315.9558 248    -48.0000   -368.1337 50786727 666.95%
376701 84097   -203.0215 121    -48.0000   -368.1337 50788420 666.95%
376892 83281   -94.0053 88     -48.0000   -368.1337 50707850 666.95%
376963 84416   -300.0476 169    -48.0000   -368.1337 50708399 666.95%
377680 83473   -295.0804 190    -48.0000   -368.1337 50717425 666.95%
2
Elapsed time = 120.42 sec. (93442.31 ticks, tree = 3693.86 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)

378589 84784   -62.4796 50     -48.0000   -368.1337 50723926 666.95%
379167 84588   -357.1111 256    -48.0000   -368.1295 50809279 666.94%
379898 84778   -210.9325 156    -48.0000   -368.1295 50814162 666.94%
381019 83619   -115.1233 68     -48.0000   -368.1295 50707029 666.94%
382720 83365   -140.2585 105   -48.0000   -368.1295 50688807 666.94%

```

```

384080 83309    -101.5742   51    -48.0000    -368.1295 50766747  666.94%
384963 83446    -105.2105   49    -48.0000    -368.1295 50774019  666.94%
386015 84519    -346.9758   297   -48.0000    -368.1265 50783476  666.93%
386910 85693    -155.1845   151   -48.0000    -368.1265 50775095  666.93%
387595 84934    -333.2850   217   -48.0000    -368.1265 50794129  666.93%
Elapsed time = 167.93 sec. (131619.11 ticks, tree = 3741.29 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
388775 86007    -55.9050   38    -48.0000    -368.1265 50790936  666.93%
389667 89849    -58.8835   63    -48.0000    -368.1265 51217466  666.93%
390428 84259    -235.6584   138   -48.0000    -368.1265 50820389  666.93%
391907 85686    -200.5898   122   -48.0000    -368.1265 50817259  666.93%
393428 86618    -190.2522   146   -48.0000    -368.1265 51023481  666.93%
394894 85686    -338.0291   262   -48.0000    -368.1265 50892802  666.93%
396235 86317    -283.0987   189   -48.0000    -368.1265 50835383  666.93%
397505 86197    -70.7395   64    -48.0000    -368.1265 50901768  666.93%
398333 86550    -347.5027   457   -48.0000    -368.1265 50846264  666.93%
399245 86427    -177.6206   95    -48.0000    -368.1265 50911461  666.93%
9
Elapsed time = 217.63 sec. (169797.21 ticks, tree = 3979.15 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
400219 86967    -365.8791   488   -48.0000    -368.1265 50855776  666.93%
401660 91267    -243.3707   155   -48.0000    -368.1265 51274192  666.93%
403296 87512    -341.1402   231   -48.0000    -368.1265 50866250  666.93%
404989 84983    -140.2182   86    -48.0000    -368.0929 50859564  666.86%
406525 88101    -184.9819   105   -48.0000    -368.0929 50876062  666.86%
407805 92086    -259.9844   159   -48.0000    -368.0929 51296163  666.86%
409441 86511    -258.7671   146   -48.0000    -368.0929 50913194  666.86%
411560 92832    -360.5152   318   -48.0000    -368.0929 51306048  666.86%
413551 93075    -71.0918   41    -48.0000    -368.0929 51311387  666.86%
415320 93351    -366.3324   416   -48.0000    -368.0856 51316812  666.84%
2
Elapsed time = 280.95 sec. (207992.61 ticks, tree = 4136.27 MB, solutions = 29)
Nodefile size = 1679.11 MB (1484.78 MB after compression)
416761 93635    -356.6959   307   -48.0000    -368.0856 51321961  666.84%
417641 103611   -333.2727   267   -48.0000    -368.0856 52115151  666.84%
418995 86717    -91.4659   93    -48.0000    -368.0856 50923115  666.84%
420375 95010    -345.7725   227   -48.0000    -368.0856 51592947  666.84%
422388 97745    -208.8593   113   -48.0000    -368.0856 51806281  666.84%
*424820+95327
                           -49.0000    -368.0856          651.20%
424875 86974    -117.5452   83    -49.0000    -368.0856 50941301  651.20%
426829 88296    -141.1596   108   -49.0000    -368.0856 51174273  651.20%

```

```

428842 87107      -81.6216    48     -49.0000      -368.0856 50956823 651.20%
430040 88694      -143.4552   113     -49.0000      -368.0856 51183846 651.20%
431654 88993      -56.4649    57     -49.0000      -368.0856 51187570 651.20%
9
Elapsed time = 330.56 sec. (246162.32 ticks, tree = 3912.30 MB, solutions = 30)
Nodefile size = 1679.11 MB (1484.78 MB after compression)

432487 89155      -309.7494   252     -49.0000      -368.0856 51192129 651.20%
433820 98871      -248.0751   169     -49.0000      -368.0856 51844744 651.20%
434923 89508      -95.4429    54     -49.0000      -368.0856 50996457 651.20%
436455 90671      -329.4717   245     -49.0000      -368.0856 51072363 651.20%
438281 90148      -118.6082   102     -49.0000      -368.0856 51006030 651.20%
439742 90497      -207.3705   167     -49.0000      -368.0856 51216254 651.20%
441567 90674      -173.8533   102     -49.0000      -368.0856 51016082 651.20%
443828 91216      -303.3454   206     -49.0000      -368.0856 51223635 651.20%
445236 87736      -175.7545   94     -49.0000      -368.0856 51043195 651.20%
447049 91633      -313.8024   195     -49.0000      -368.0856 51113941 651.20%
2
Elapsed time = 373.44 sec. (284339.53 ticks, tree = 4204.39 MB, solutions = 30)
Nodefile size = 1679.11 MB (1484.78 MB after compression)

447980 100629      -348.9983   289     -49.0000      -368.0856 51894673 651.20%
449086 92335      -127.1360   75     -49.0000      -368.0856 51244067 651.20%
449528 92362      -357.3279   1052    -49.0000      -368.0856 51255961 651.20%

GUB cover cuts applied: 1587
3
Clique cuts applied: 53
Cover cuts applied: 4561
Implied bound cuts applied: 116
Flow cuts applied: 178
Mixed integer rounding cuts applied: 3530
Zero-half cuts applied: 136
Lift and project cuts applied: 20
Gomory fractional cuts applied: 183

Root node processing (before b&c):
Real time          = 0.00 sec. (2.15 ticks)
Parallel b&c, 8 threads:
Real time          = 430.29 sec. (305295.57 ticks)
Sync time (average) = 41.19 sec.
Wait time (average) = 0.00 sec.
-----
Total (root+branch&cut) = 430.29 sec. (305297.72 ticks)

```

```

-----
Iteration 12
Bounds on # of cuts = 8 with [3 3 2]
Error = 51 (out of 100 instances)
Accuracy = 49
Solving time = 7.171601351 min (minutes)
Accumulated time = 76.552528166 min (minutes)

Solution status code = 104
LB on error = -267.975324274
Relative objective gap = 6.509700495

Selected variables:
A_AGE (Continuous)
PEMLR (Categorical)

Number of selected variables = 2 (1 continuous + 1 categorical)
-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File 3
CPXPARAM_MIP_Limits_Solutions 1
CPXPARAM_TimeLimit 81806.848310058587
CPXPARAM_MIP_Limits_TreeMemory 204800

21 Nodes Cuts/
Node Left Objective IInf Best Integer Best Bound ItCnt Gap
449529 148551 infeasible 2 -49.0000 -367.9753 54370598 650.97%
Elapsed time = 0.47 sec. (14.98 ticks, tree = 8107.53 MB, solutions = 30)
Nodefile size = 6060.88 MB (5290.89 MB after compression)
449531 148553 -359.5659 442 -49.0000 -367.9753 54371140 650.97%
449538 148551 infeasible -49.0000 -367.9753 54371316 650.97%
449555 148565 -356.7244 318 -49.0000 -367.9753 54371964 650.97%
449593 148577 -332.7352 218 -49.0000 -367.9753 54373247 650.97%
449639 148602 -280.7380 198 -49.0000 -367.9753 54373435 650.97%
449702 148606 -260.2627 157 -49.0000 -367.9753 54373161 650.97%
449786 148649 -166.4203 107 -49.0000 -367.9753 54373940 650.97%
449880 148675 -94.9784 61 -49.0000 -367.9753 54374029 650.97%

```

```

449971 148638      -203.4032   129      -49.0000    -367.9753 54375734 650.97%
450059 148698      -366.2099   443      -49.0000    -367.9753 54375106 650.97%
2
Elapsed time = 5.04 sec. (3168.00 ticks, tree = 8124.01 MB, solutions = 30)

Nodefile size = 6060.88 MB (5290.89 MB after compression)
450236 148594      -295.4153   184      -49.0000    -367.9753 54382327 650.97%
450577 148682      -63.8978    27      -49.0000    -367.9753 54385978 650.97%
450591 148559      -360.5034   415      -49.0000    -367.8207 54398193 650.65%
450738 148908      -173.4438   111      -49.0000    -367.8207 54383205 650.65%
450900 148662      -146.4658   101      -49.0000    -367.8207 54401032 650.65%
451012 148976      -333.3717   213      -49.0000    -367.8207 54385969 650.65%
451296 148560      -363.7896   978      -49.0000    -367.6854 54392980 650.38%
451342 149129      -304.8566   181      -49.0000    -367.6854 54388385 650.38%
451481 148830      -361.6500   361      -49.0000    -367.6854 54396382 650.38%
451603 148878      -283.0614   180      -49.0000    -367.6854 54397899 650.38%
5
Elapsed time = 17.82 sec. (12954.41 ticks, tree = 8108.39 MB, solutions = 30)

Nodefile size = 6060.88 MB (5290.89 MB after compression)
451826 148953      -82.9050    50      -49.0000    -367.6854 54398543 650.38%
451879 148704      -340.0657   313      -49.0000    -367.6854 54393842 650.38%
451961 149414      -296.1621   239      -49.0000    -367.6854 54395518 650.38%
452167 148607      -276.8603   214      -49.0000    -367.6854 54403955 650.38%
452428 149031      -219.7767   147      -49.0000    -367.6854 54406146 650.38%
452701 148652      -365.3107   433      -49.0000    -367.6854 54406178 650.38%
453008 148875      -265.3827   181      -49.0000    -367.6854 54403380 650.38%
453289 149184      -154.6563    92      -49.0000    -367.6854 54411487 650.38%
453348 148960      -360.0414   372      -49.0000    -367.6854 54406637 650.38%
453502 149046      -148.5781    74      -49.0000    -367.6854 54407919 650.38%
5
Elapsed time = 30.74 sec. (22572.71 ticks, tree = 8146.19 MB, solutions = 30)

Nodefile size = 6060.88 MB (5290.89 MB after compression)
453759 148853      -256.7948   204      -49.0000    -367.6854 54415433 650.38%
453922 148937      -60.9847    87      -49.0000    -367.6854 54416165 650.38%
454060 149366      -363.9560   517      -49.0000    -367.6854 54420697 650.38%
*454067+148947          -50.0000    -367.6854      635.37%
454103 149399      -314.6991   203      -50.0000    -367.6854 54422606 635.37%
454237 149500      -56.4004    29      -50.0000    -367.6854 54423429 635.37%
454247 148825      -356.6694   887      -50.0000    -367.6854 54420679 635.37%
454277 148835      -290.6358   185      -50.0000    -367.6854 54422588 635.37%
454414 148923      -67.9049    38      -50.0000    -367.6854 54423303 635.37%
454472 148930      -363.1861   506      -50.0000    -367.6854 54424890 635.37%
454545 149615      -91.8766    82      -50.0000    -367.6854 54431081 635.37%

```

```

2
Elapsed time = 43.16 sec. (32219.69 ticks, tree = 8192.55 MB, solutions = 31)
Nodefile size = 6060.88 MB (5290.89 MB after compression)
454566 149628 -364.7786 412 -50.0000 -367.6854 54432926 635.37%
454641 149685 -257.6134 147 -50.0000 -367.6854 54434532 635.37%
454765 149232 -338.9140 319 -50.0000 -367.6854 54425621 635.37%
454818 149263 -264.9478 165 -50.0000 -367.6854 54427210 635.37%
455006 148623 -232.9872 171 -50.0000 -367.6854 54453546 635.37%
455113 148698 -365.3190 406 -50.0000 -367.6854 54454977 635.37%
455205 148741 -298.9809 232 -50.0000 -367.6854 54456259 635.37%
455387 149424 -232.1075 128 -50.0000 -367.6854 54435736 635.37%
455507 148735 -264.2029 170 -50.0000 -367.6854 54427522 635.37%
455726 149833 -203.7847 140 2 -50.0000 -367.6854 54447876 635.37%
Elapsed time = 54.10 sec. (41946.00 ticks, tree = 8217.64 MB, solutions = 32)
Nodefile size = 6060.88 MB (5290.89 MB after compression)
455921 149884 infeasible -50.0000 -367.6854 54452377 635.37%
455956 149909 -340.9434 221 -50.0000 -367.6854 54453965 635.37%
456118 148703 -322.7887 332 -50.0000 -367.6854 54448276 635.37%
456211 150028 -361.5807 311 -50.0000 -367.6854 54457854 635.37%
456551 150147 -90.9050 48 -50.0000 -367.6854 54458849 635.37%
456710 150218 -244.2240 146 -50.0000 -367.6854 54460397 635.37%
456937 150290 -365.6604 620 -50.0000 -367.6854 54461963 635.37%
457104 150332 -301.2754 178 -50.0000 -367.6854 54463828 635.37%
457325 149253 -317.2975 220 -50.0000 -367.6854 54475276 635.37%
457456 149351 -66.9050 55 2 -50.0000 -367.6854 54475951 635.37%
Elapsed time = 68.03 sec. (53360.20 ticks, tree = 8134.99 MB, solutions = 33)
Nodefile size = 6060.88 MB (5290.89 MB after compression)
457550 149392 -299.9797 180 -50.0000 -367.6854 54477445 635.37%
457686 148828 -349.3764 432 -50.0000 -367.6854 54460618 635.37%
457810 148869 -286.1150 166 -50.0000 -367.6854 54462183 635.37%
458021 148956 -366.7730 1041 -50.0000 -367.6854 54465966 635.37%
458023 148958 -365.0671 968 -50.0000 -367.6854 54471615 635.37%
458024 148959 -363.9372 1032 -50.0000 -367.6854 54476003 635.37%
458026 148959 infeasible -50.0000 -367.6854 54482253 635.37%
458028 149619 -355.0212 967 -50.0000 -367.6854 54505490 635.37%
458029 149620 -354.8428 952 -50.0000 -367.6854 54509299 635.37%
458031 148960 -361.1371 1077 -50.0000 -367.6854 54490873 635.37%
Elapsed time = 75.01 sec. (76144.16 ticks, tree = 8099.72 MB, solutions = 33)
Nodefile size = 6060.88 MB (5290.89 MB after compression)
458035 149623 -338.0811 587 -50.0000 -367.6854 54515789 635.37%

```

458072	149654	-292.3925	206	-50.0000	-367.6854	54517524	635.37%
458195	149745	-366.2947	371	-50.0000	-367.6854	54518192	635.37%
458268	149801	-265.0918	206	-50.0000	-367.6854	54519721	635.37%
458362	148969	-339.0310	358	-50.0000	-367.6854	54499208	635.37%
458394	148993	-294.8755	208	-50.0000	-367.6854	54501358	635.37%
458507	149871	-352.6250	646	-50.0000	-367.6854	54535166	635.37%
458509	149873	-348.5649	612	-50.0000	-367.6854	54536702	635.37%
458514	149878	-344.9235	428	-50.0000	-367.6854	54539075	635.37%
458536	149895	-297.6408	238	-50.0000	-367.6854	54541041	635.37%
<b>Elapsed time = 88.09 sec. (94500.64 ticks, tree = 8197.13 MB, solutions = 33)</b>							
<b>Nodefile size = 6060.88 MB (5290.89 MB after compression)</b>							
458680	149994	-364.9267	362	-50.0000	-367.6854	54542471	635.37%
458801	149115	-328.4475	206	-50.0000	-367.6854	54526877	635.37%
459008	150143	-344.6698	288	-50.0000	-367.6854	54544620	635.37%
459201	150256	-366.0108	502	-50.0000	-367.6854	54545677	635.37%
459262	150301	-288.3912	191	-50.0000	-367.6854	54547706	635.37%
459384	149217	cutoff		-50.0000	-367.6854	54536299	635.37%
459407	150400	-355.7017	347	-50.0000	-367.6854	54550553	635.37%
459462	150443	-285.5415	194	-50.0000	-367.6854	54552575	635.37%
459552	150512	-80.8691	63	-50.0000	-367.6854	54553583	635.37%
459612	150559	-306.0035	185	-50.0000	-367.6854	54555246	635.37%
<b>Elapsed time = 95.25 sec. (104655.04 ticks, tree = 8273.17 MB, solutions = 33)</b>							
<b>Nodefile size = 6060.88 MB (5290.89 MB after compression)</b>							
459757	150659	-364.0543	363	-50.0000	-367.6854	54556163	635.37%
460012	150786	-365.0957	367	-50.0000	-367.6854	54557236	635.37%
460166	150852	-257.4208	157	-50.0000	-367.6854	54558763	635.37%
460271	150928	-364.7451	440	-50.0000	-367.6854	54559507	635.37%
460315	150961	-322.3830	231	-50.0000	-367.6854	54560849	635.37%
460444	151056	-365.3064	533	-50.0000	-367.6854	54562520	635.37%
460460	151063	-349.8631	236	-50.0000	-367.6854	54564641	635.37%
460548	151134	-168.2526	125	-50.0000	-367.6854	54565692	635.37%
460596	149345	-353.9889	773	-50.0000	-367.6854	54557078	635.37%
460634	149374	-285.4250	215	-50.0000	-367.6854	54563745	635.37%
<b>Elapsed time = 104.38 sec. (117804.09 ticks, tree = 8133.27 MB, solutions = 33)</b>							
<b>Nodefile size = 6060.88 MB (5290.89 MB after compression)</b>							
460972	151200	-309.7938	276	-50.0000	-367.6854	54579043	635.37%
460986	149605	-354.4270	858	-50.0000	-367.6854	54576765	635.37%
461156	149721	-353.2440	644	-50.0000	-367.6854	54594267	635.37%
461200	149747	-319.7503	298	-50.0000	-367.6854	54601578	635.37%

```

461459 149970      -140.8536    83      -50.0000      -367.6854 54607404 635.37%
461869 150271      -362.2076    370      -50.0000      -367.6854 54611721 635.37%
462205 150520      -348.8006    380      -50.0000      -367.6854 54618159 635.37%
462684 150874      -141.8029    82      -50.0000      -367.6854 54623422 635.37%
462904 151045      -365.6643    568      -50.0000      -367.6854 54630449 635.37%
463109 151192      -349.4642    263      -50.0000      -367.6854 54638262 635.37%
Elapsed time = 136.21 sec. (163970.28 ticks, tree = 8327.89 MB, solutions = 34)
Nodefile size = 6060.88 MB (5290.89 MB after compression)

```

```

GUB cover cuts applied: 1636
3
Clique cuts applied: 53
Cover cuts applied: 4620
Implied bound cuts applied: 117
Flow cuts applied: 182
Mixed integer rounding cuts applied: 3798
Zero-half cuts applied: 137
Lift and project cuts applied: 21
Gomory fractional cuts applied: 183

```

```

Root node processing (before b&c):
Real time      = 0.00 sec. (2.40 ticks)
Parallel b&c, 8 threads:
Real time      = 139.89 sec. (165844.88 ticks)
Sync time (average) = 3.07 sec.
Wait time (average) = 0.00 sec.
-----
Total (root+branch&cut) = 139.89 sec. (165847.28 ticks)
-----
```

```

Iteration 13
Bounds on # of cuts = 8 with [3 3 2]
Error = 50 (out of 100 instances)
Accuracy = 50
Solving time = 2.331538167 min (minutes)
Accumulated time = 78.884066333 min (minutes)

Solution status code = 104
LB on error = -267.498135184
Relative objective gap = 6.349962704
```

```

Selected variables:
A_AGE (Continuous)
PEMLR (Categorical)

Number of selected variables = 2 (1 continuous + 1 categorical)

-----
[13] Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d

CPXPARAM_MIP_Strategy_File          3
CPXPARAM_MIP_Limits_Solutions       1
CPXPARAM_TimeLimit                  81666.956020019526
CPXPARAM_MIP_Limits_TreeMemory      204800

[21] Nodes                               Cuts/
Node  Left     Objective  IInf Best Integer    Best Bound   ItCnt   Gap
463135 158775  infeasible           -50.0000  -367.4981 55198048 635.00%
[2] Elapsed time = 0.72 sec. (15.17 ticks, tree = 9214.61 MB, solutions = 35)
Nodefile size = 7167.73 MB (6279.59 MB after compression)
463136 158777  -366.5895  490   -50.0000  -367.4981 55198583 635.00%
463140 158777  -366.5176  642   -50.0000  -367.4981 55198925 635.00%
463162 158789  -348.1658  230   -50.0000  -367.4981 55199716 635.00%
463191 158808  -305.6908  217   -50.0000  -367.4981 55200151 635.00%
463231 158839  -228.0707  125   -50.0000  -367.4981 55200362 635.00%
463277 158868  -155.1797  87    -50.0000  -367.4981 55200885 635.00%
463346 158903  -73.9050   40    -50.0000  -367.4981 55201169 635.00%
463386 158807  -332.2260  227   -50.0000  -367.4981 55203386 635.00%
463443 158821  -309.8742  204   -50.0000  -367.4981 55202374 635.00%
463885 158912  -57.9050   30    -50.0000  -367.4981 55206450 635.00%
[2] Elapsed time = 4.78 sec. (3333.40 ticks, tree = 9185.11 MB, solutions = 35)
Nodefile size = 7167.73 MB (6279.59 MB after compression)
463977 158951  -311.4922  247   -50.0000  -367.4981 55207360 635.00%
464319 159014  -129.0656  74    -50.0000  -367.4981 55211007 635.00%
464400 159039  -365.9692  556   -50.0000  -367.4981 55214011 635.00%
464435 158914  -363.0478  611   -50.0000  -367.4981 55217781 635.00%
464654 158929  -332.7367  352   -50.0000  -367.4981 55213624 635.00%
464900 158970  -238.0384  158   -50.0000  -367.3236 55215938 634.65%
465154 159315  -57.9050   43    -50.0000  -367.3236 55221298 634.65%
465181 159068  -320.7091  311   -50.0000  -367.3236 55222588 634.65%

```

```

465201 158920      -354.1757    744      -50.0000     -367.3236 55218060 634.65%
465256 159111      -246.3611    193      -50.0000     -367.3236 55228446 634.65%
2 Elapsed time = 18.42 sec. (13757.59 ticks, tree = 9195.97 MB, solutions = 35)
Nodefile size = 7167.73 MB (6279.59 MB after compression)
465358 159084      -314.4182    271      -50.0000     -367.3236 55226164 634.65%
465456 159131      -187.6688    114      -50.0000     -367.3236 55228695 634.65%
465661 158957      -277.9212    163      -50.0000     -367.3236 55224025 634.65%
466060 159341      -322.8122    208      -50.0000     -367.3236 55231554 634.65%
466373 159214      -320.7883    207      -50.0000     -367.3236 55238808 634.65%
466710 159450      -363.6421    406      -50.0000     -367.3236 55235082 634.65%
467092 159174      -82.9050     46      -50.0000     -367.2274 55234189 634.45%
467517 159450      -80.0285     38      -50.0000     -367.2274 55243721 634.45%
467643 159181      -361.5120    332      -50.0000     -367.2274 55237667 634.45%
467857 159282      -137.5505    86      -50.0000     -367.2274 55239206 634.45%
2 Elapsed time = 30.58 sec. (23322.97 ticks, tree = 9206.18 MB, solutions = 35)
Nodefile size = 7167.73 MB (6279.59 MB after compression)
468131 159579      -98.6959     54      -50.0000     -367.2274 55248828 634.45%
468495 159424      -138.5116    92      -50.0000     -367.2274 55251419 634.45%
468860 159757      -299.5947    187      -50.0000     -367.2274 55249968 634.45%
469263 159717      -102.4586    55      -50.0000     -367.2274 55254216 634.45%
469473 159677      -150.4201    83      -50.0000     -367.2274 55251829 634.45%
469748 159820      -174.4052    108      -50.0000     -367.2274 55257568 634.45%
470173 159481      -323.6713    253      -50.0000     -367.2274 55252810 634.45%
470415 158856      -199.7805    124      -50.0000     -367.2274 55276184 634.45%
470751 159959      -175.7107    99      -50.0000     -367.2274 55263101 634.45%
471015 159827      -151.8560    89      -50.0000     -367.2274 55267815 634.45%
Elapsed time = 42.21 sec. (32903.35 ticks, tree = 9179.86 MB, solutions = 35)
Nodefile size = 7167.73 MB (6279.59 MB after compression)
471249 160104      -129.7341    76      -50.0000     -367.2274 55266272 634.45%
471728 159717      cutoff      -50.0000     -367.2274 55262790 634.45%
472043 158873      -146.7093    92      -50.0000     -367.2274 55269576 634.45%
472112 159045      -359.1444    299      -50.0000     -367.2274 55288895 634.45%
472255 159107      -255.2068    161      -50.0000     -367.2274 55290947 634.45%
472607 160018      -340.2480    214      -50.0000     -367.2274 55279581 634.45%
473049 160115      -107.4381    59      -50.0000     -367.2274 55281245 634.45%
473256 160127      -327.8756    214      -50.0000     -367.2274 55275796 634.45%
473588 159992      -67.9050     32      -50.0000     -367.2274 55278335 634.45%
473847 159971      -349.1251    284      -50.0000     -367.2274 55276168 634.45%
Elapsed time = 53.92 sec. (42468.69 ticks, tree = 9219.60 MB, solutions = 35)

```

```

Nodefile size = 7167.73 MB (6279.59 MB after compression)
*473936+160266           -51.0000   -367.2274   620.05%
474206 160073      -106.9895    61     -51.0000   -367.2274 55277413 620.05%
474463 160635      -153.2612    94     -51.0000   -367.2274 55286212 620.05%
474720 160190      -231.7403   139     -51.0000   -367.2274 55285078 620.05%
474998 160214      -188.9340   119     -51.0000   -367.2274 55293399 620.05%
475115 158909      -351.2163   434     -51.0000   -367.2274 55286348 620.05%
475182 160297      -322.9094   208     -51.0000   -367.2274 55297449 620.05%
475430 159398      -178.7548   109     -51.0000   -367.2274 55314927 620.05%
475645 160241      -343.1800   338     -51.0000   -367.2274 55290066 620.05%
475689 159453      -352.9342   244     -51.0000   -367.2274 55318299 620.05%
475854 159546      -132.8329    74     -51.0000   -367.2274 55319648 620.05%
Elapsed time = 65.35 sec. (52182.49 ticks, tree = 9149.24 MB, solutions = 37)

Nodefile size = 7167.73 MB (6279.59 MB after compression)
476031 160718      -240.2005   152     -51.0000   -367.2274 55306433 620.05%
476142 159580      -362.2827   332     -51.0000   -367.2274 55324358 620.05%
476249 160829      -310.6718   209     -51.0000   -367.2274 55309938 620.05%
476542 159639      -255.0189   186     -51.0000   -367.2274 55330168 620.05%
476682 159724      -364.8578   329     -51.0000   -367.2274 55332953 620.05%
476863 159830      -123.2319    72     -51.0000   -367.2274 55334306 620.05%
477115 159915      -264.5046   167     -51.0000   -367.2274 55335820 620.05%
477332 159993      -363.7070   330     -51.0000   -367.2274 55337385 620.05%
477539 160005      -346.0468   269     -51.0000   -367.2274 55340473 620.05%
477743 160033      -289.9295   263     -51.0000   -367.2274 55343355 620.05%
Elapsed time = 76.10 sec. (61944.06 ticks, tree = 9151.21 MB, solutions = 37)

Nodefile size = 7167.73 MB (6279.59 MB after compression)
478067 160528      -58.4099    23     -51.0000   -367.2274 55320438 620.05%
478272 161231      -353.4015   234     -51.0000   -367.2274 55327993 620.05%
478528 161319      -127.3948   80     -51.0000   -367.2274 55330121 620.05%
478842 160780      -107.5241   73     -51.0000   -367.2274 55324854 620.05%
479065 160251      -364.3253   339     -51.0000   -367.2274 55353325 620.05%
479151 160321      -214.6277   139     -51.0000   -367.2274 55354988 620.05%
479262 160382      -363.8436   407     -51.0000   -367.2274 55356639 620.05%
479450 159282      -67.9050    30     -51.0000   -367.2274 55326580 620.05%
479573 160516      -80.8811    56     -51.0000   -367.2274 55359174 620.05%
479698 159343      -257.4662   179     -51.0000   -367.2274 55329998 620.05%
Elapsed time = 87.26 sec. (71569.74 ticks, tree = 9167.39 MB, solutions = 37)

Nodefile size = 7167.73 MB (6279.59 MB after compression)
479968 159410      -78.9050    42     -51.0000   -367.2274 55331365 620.05%

```

480111	160658	-364.4200	444	-51.0000	-367.2274	55364600	620.05%
480282	159204	-331.5965	250	-51.0000	-367.2274	55319373	620.05%
480731	161741	-101.9345	64	-51.0000	-367.2274	55352367	620.05%
480977	160912	-99.4795	61	-51.0000	-367.2274	55369544	620.05%
481190	161873	-98.8474	60	-51.0000	-367.2274	55355666	620.05%
481381	159573	-347.1083	234	-51.0000	-367.2274	55341855	620.05%
481707	160908	-133.3562	68	-51.0000	-367.2274	55346119	620.05%
481897	160938	-363.3551	308	-51.0000	-367.2274	55348000	620.05%
481964	162036	-343.0073	212	-51.0000	-367.2274	55364517	620.05%
2							
Elapsed time = 98.33 sec. (81154.62 ticks, tree = 9209.33 MB, solutions = 37)							
Nodefile size = 7167.73 MB (6279.59 MB after compression)							
482104	162103	-209.0701	120	-51.0000	-367.2274	55366952	620.05%
482251	161057	-106.7135	99	-51.0000	-367.2274	55353243	620.05%
482354	162205	-281.0030	193	-51.0000	-367.2274	55370235	620.05%
482515	161109	-330.1069	237	-51.0000	-367.2274	55357746	620.05%
482708	162411	-81.9050	43	-51.0000	-367.2274	55372148	620.05%
482820	162458	-269.5278	203	-51.0000	-367.2274	55374343	620.05%
482988	161088	-309.6921	433	-51.0000	-367.2274	55399414	620.05%
483039	162556	-348.2095	215	-51.0000	-367.2274	55378317	620.05%
483226	162656	-89.9044	79	-51.0000	-367.2274	55379615	620.05%
483938	161562	-209.0311	125	-51.0000	-367.2274	55374982	620.05%
2							
Elapsed time = 113.95 sec. (93675.38 ticks, tree = 9187.73 MB, solutions = 37)							
Nodefile size = 7167.73 MB (6279.59 MB after compression)							
484586	159413	-172.3045	113	-51.0000	-367.2274	55359518	620.05%
485529	161722	-101.4604	54	-51.0000	-367.2274	55433697	620.05%
486131	161941	-232.0853	139	-51.0000	-367.2274	55443663	620.05%
486946	162526	-81.6550	59	-51.0000	-367.2274	55404513	620.05%
487527	162760	-156.1149	92	-51.0000	-367.2274	55412036	620.05%
488098	162756	-160.2393	94	-51.0000	-367.2274	55463473	620.05%
488873	163196	-364.3675	591	-51.0000	-367.2274	55428823	620.05%
489167	163437	-131.5328	86	-51.0000	-367.2274	55437245	620.05%
489499	163605	-353.8026	297	-51.0000	-367.2274	55443068	620.05%
490304	163909	-255.8353	167	-51.0000	-367.2274	55449013	620.05%
Elapsed time = 143.38 sec. (132189.37 ticks, tree = 9198.49 MB, solutions = 37)							
Nodefile size = 7167.73 MB (6279.59 MB after compression)							
490905	160344	-153.9110	84	-51.0000	-367.2274	55422663	620.05%
491333	160512	-362.6557	903	-51.0000	-367.2274	55435036	620.05%
491496	164109	-56.2383	27	-51.0000	-367.2274	55478391	620.05%
492194	160785	-95.2200	49	-51.0000	-367.2274	55448138	620.05%

```

492741 160943      -352.7760    226      -51.0000      -367.2274 55453097 620.05%
493057 164745      -364.0406   1032      -51.0000      -367.2274 55509590 620.05%
493058 164746      -359.9377    895      -51.0000      -367.2274 55516078 620.05%
493120 164797      -239.5931    151      -51.0000      -367.2274 55522135 620.05%
493562 165115      -101.7102     52      -51.0000      -367.2274 55526531 620.05%
493915 165390      -364.7521    472      -51.0000      -367.2274 55531114 620.05%
2
Elapsed time = 181.06 sec. (181989.34 ticks, tree = 9277.64 MB, solutions = 37)
Nodefile size = 7167.73 MB (6279.59 MB after compression)

494186 165607      -206.6682    119      -51.0000      -367.2274 55535763 620.05%

```

GUB cover cuts applied: 1670

3 Clique cuts applied: 55

Cover cuts applied: 4658

Implied bound cuts applied: 117

Flow cuts applied: 184

Mixed integer rounding cuts applied: 4034

Zero-half cuts applied: 137

Lift and project cuts applied: 21

Gomory fractional cuts applied: 185

Root node processing (before b&c):

Real time = 0.00 sec. (2.58 ticks)

Parallel b&c, 8 threads:

Real time = 188.35 sec. (189207.47 ticks)

Sync time (average) = 8.78 sec.

Wait time (average) = 0.00 sec.

-----

Total (root+branch&cut) = 188.35 sec. (189210.06 ticks)

-----

Iteration 14

Bounds on # of cuts = 8 with [3 3 2]

Error = 49 (out of 100 instances)

Accuracy = 51

Solving time = 3.139274398 min (minutes)

Accumulated time = 82.023340731 min (minutes)

Solution status code = 104

LB on error = -267.006174534

```

Relative objective gap = 6.196199501

Selected variables:
A_AGE (Continuous)
PEMLR (Categorical)

Number of selected variables = 2 (1 continuous + 1 categorical)

-----
13 Version identifier: 22.1.1.0 | 2022-11-28 | 9160aff4d
CPXPARAM_MIP_Strategy_File 3
CPXPARAM_MIP_Limits_Solutions 1
CPXPARAM_TimeLimit 81478.599556152345
CPXPARAM_MIP_Limits_TreeMemory 204800

21 Nodes Cuts/
Node Left Objective IInf Best Integer Best Bound ItCnt Gap
494456 182201 infeasible -51.0000 -367.0062 56675674 619.62%
5 Elapsed time = 0.24 sec. (15.33 ticks, tree = 9524.00 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)
494475 182210 -351.9932 224 -51.0000 -367.0062 56676084 619.62%
494530 182230 -312.2393 195 -51.0000 -367.0062 56676456 619.62%
494589 182255 -259.6874 171 -51.0000 -367.0062 56676687 619.62%
494665 182282 -180.5270 126 -51.0000 -367.0062 56676863 619.62%
494755 182309 -122.6764 100 -51.0000 -367.0062 56677062 619.62%
494863 182335 cutoff -51.0000 -367.0062 56677152 619.62%
494937 182324 -78.8158 40 -51.0000 -367.0062 56678670 619.62%
494991 182280 -211.8674 166 -51.0000 -367.0062 56678002 619.62%
495064 182323 -88.9050 60 -51.0000 -367.0062 56678696 619.62%
495298 182342 -361.4826 400 -51.0000 -367.0062 56679876 619.62%
2 Elapsed time = 4.70 sec. (3143.89 ticks, tree = 9530.75 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)
495594 182388 -251.8648 214 -51.0000 -367.0062 56683074 619.62%
495860 182577 -108.7543 80 -51.0000 -366.9523 56694950 619.51%
496088 182540 -189.7373 134 -51.0000 -366.9144 56684616 619.44%
496320 182525 -286.3870 178 -51.0000 -366.8762 56685783 619.37%
496537 182580 -340.4613 383 -51.0000 -366.8762 56706383 619.37%
496821 182691 -147.6478 81 -51.0000 -366.8762 56689431 619.37%
497372 182733 -88.9050 52 -51.0000 -366.8762 56690879 619.37%

```

```

497664 182720      -358.8124   331      -51.0000    -366.8762 56710686 619.37%
498118 182764      -237.3959   195      -51.0000    -366.8762 56719970 619.37%
498480 182825      -73.9050    56      -51.0000    -366.8762 56720555 619.37%
Elapsed time = 17.54 sec. (12704.97 ticks, tree = 9531.09 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)

498995 182744      -91.4849   132      -51.0000    -366.8762 56695063 619.37%
499164 182989      -359.6095   298      -51.0000    -366.8762 56716539 619.37%
499601 182253      -244.0278   167      -51.0000    -366.8762 56701358 619.37%
500209 183036      -344.9522   226      -51.0000    -366.8762 56700971 619.37%
500569 183145      cutoff      -51.0000    -366.8762 56701706 619.37%
500875 183215      -223.8724   139      -51.0000    -366.8681 56703419 619.35%
501515 183296      -345.3847   265      -51.0000    -366.8681 56704825 619.35%
502158 182831      -92.9050    50      -51.0000    -366.8681 56713383 619.35%
502527 183166      -226.7766   170      -51.0000    -366.8681 56734624 619.35%
502909 182911      -262.1243   189      -51.0000    -366.8681 56716455 619.35%
Elapsed time = 31.50 sec. (22253.24 ticks, tree = 9560.30 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)

503332 183801      -327.4005   260      -51.0000    -366.8681 56775885 619.35%
503678 183393      -63.9050    28      -51.0000    -366.8681 56750272 619.35%
503992 183427      -231.5535   138      -51.0000    -366.8681 56739737 619.35%
504587 183223      -69.9050    35      -51.0000    -366.8681 56721762 619.35%
504948 183535      -301.0740   190      -51.0000    -366.8681 56742532 619.35%
505495 184109      -189.3199   149      -51.0000    -366.8681 56735249 619.35%
505823 184172      -347.1391   255      -51.0000    -366.8681 56736378 619.35%
506089 184248      -152.5782   92      -51.0000    -366.8681 56737407 619.35%
506643 185098      -102.4718   45      -51.0000    -366.8681 56816717 619.35%
507163 183514      -94.8596    38      -51.0000    -366.8681 56762693 619.35%
Elapsed time = 46.09 sec. (31831.63 ticks, tree = 9612.19 MB, solutions = 37)
Nodefile size = 7507.91 MB (6546.68 MB after compression)

507847 183617      -150.3053   85      -51.0000    -366.8681 56764277 619.35%
508280 183802      -328.5517   206      -51.0000    -366.8681 56736660 619.35%
508940 182769      -294.7658   190      -51.0000    -366.8681 56727257 619.35%
509517 183778      -95.4761    51      -51.0000    -366.8681 56769219 619.35%
509986 183838      -290.1692   199      -51.0000    -366.8681 56771014 619.35%
510665 185497      -128.6918   82      -51.0000    -366.8681 56826754 619.35%
511065 184321      -310.4287   177      -51.0000    -366.8681 56758291 619.35%
511453 184748      -323.7543   217      -51.0000    -366.8681 56799934 619.35%
511733 185661      -352.0178   342      -51.0000    -366.8681 56831520 619.35%
512296 184878      -331.4491   218      -51.0000    -366.8681 56802445 619.35%

```

```

2 Elapsed time = 57.78 sec. (41390.10 ticks, tree = 9769.69 MB, solutions = 37)
Nodefile size = 7582.35 MB (6611.74 MB after compression)
512740 183738 -354.3047 315 -51.0000 -366.8681 56746494 619.35%
513064 183797 -218.5924 179 -51.0000 -366.8681 56747822 619.35%
513481 184788 -81.0717 42 -51.0000 -366.8681 56759505 619.35%
513901 185908 -76.0885 72 -51.0000 -366.8681 56837494 619.35%
514340 185153 -329.4190 291 -51.0000 -366.8681 56808466 619.35%
514728 186009 -167.6558 111 -51.0000 -366.8681 56840056 619.35%
515145 186083 -313.4338 183 -51.0000 -366.8681 56841160 619.35%
515566 186176 -351.2108 233 -51.0000 -366.8681 56842573 619.35%
516099 183458 -234.0999 156 -51.0000 -366.8681 56749879 619.35%
516357 184213 -145.4731 71 -51.0000 -366.8681 56758558 619.35%
2 Elapsed time = 70.16 sec. (50950.48 ticks, tree = 9712.96 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)
516670 183638 -94.4050 69 -51.0000 -366.8681 56751485 619.35%
516864 185539 -353.3629 464 -51.0000 -366.8681 56816763 619.35%
517026 184475 -139.9466 79 -51.0000 -366.8681 56762655 619.35%
517314 183765 -107.6787 60 -51.0000 -366.8681 56756087 619.35%
517555 183845 -229.9116 137 -51.0000 -366.8681 56757069 619.35%
517758 185685 -338.3882 320 -51.0000 -366.8681 56822383 619.35%
517891 186354 -219.8397 132 -51.0000 -366.8681 56852885 619.35%
518073 184508 -358.8005 571 -51.0000 -366.8681 56769302 619.35%
518144 186464 -294.3353 217 -51.0000 -366.8681 56855343 619.35%
518452 184522 -338.0686 327 -51.0000 -366.8681 56773560 619.35%
2 Elapsed time = 82.11 sec. (60586.41 ticks, tree = 9748.86 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)
518550 186598 -301.8589 186 -51.0000 -366.8681 56857731 619.35%
518811 184586 -223.8810 142 -51.0000 -366.8681 56777456 619.35%
519155 186711 -339.9077 213 -51.0000 -366.8681 56860244 619.35%
519520 184342 -334.0798 215 -51.0000 -366.8681 56774326 619.35%
520022 184788 -364.9442 404 -51.0000 -366.8681 56781028 619.35%
520231 184896 -112.3531 60 -51.0000 -366.8681 56782057 619.35%
520511 186342 -61.9044 48 -51.0000 -366.8681 56836938 619.35%
520730 185006 -324.4910 234 -51.0000 -366.8681 56821850 619.35%
521264 186394 -278.5470 174 -51.0000 -366.8681 56840495 619.35%
521704 187004 infeasible -51.0000 -366.8681 56869988 619.35%
Elapsed time = 94.06 sec. (70165.35 ticks, tree = 10016.79 MB, solutions = 37)
Nodefile size = 7722.86 MB (6734.35 MB after compression)
522368 185197 -202.6451 126 -51.0000 -366.8681 56827042 619.35%

```

523238	186645	-324.7403	228	-51.0000	-366.8681	56843991	619.35%
523980	184871	-232.7469	163	-51.0000	-366.8681	56807304	619.35%
524708	185358	-157.1693	125	-51.0000	-366.8681	56831143	619.35%
525280	185365	-269.3653	153	-51.0000	-366.8681	56795954	619.35%
526076	187442	-206.7137	130	-51.0000	-366.8681	56875020	619.35%
526790	187097	-172.2746	99	-51.0000	-366.8681	56849651	619.35%
527291	187608	-120.3658	68	-51.0000	-366.8681	56877135	619.35%
527767	187253	-100.7237	59	-51.0000	-366.8681	56851707	619.35%
528154	185854	-221.2637	143	-51.0000	-366.8681	56837647	619.35%
Elapsed time = 105.04 sec. (79721.78 ticks, tree = 9885.67 MB, solutions = 37)							
<b>Nodefile size = 7507.91 MB (6546.68 MB after compression)</b>							
528448	185109	-360.5449	304	-51.0000	-366.8681	56798386	619.35%
528973	187895	-53.9050	24	-51.0000	-366.8681	56882736	619.35%
529424	187460	-214.0870	144	-51.0000	-366.8681	56857690	619.35%
529852	185284	-258.7113	179	-51.0000	-366.8681	56801753	619.35%
530303	185125	-310.7185	195	-51.0000	-366.8681	56801060	619.35%
530717	186242	-282.9556	190	-51.0000	-366.8681	56845048	619.35%
531229	188181	-355.5929	249	-51.0000	-366.8681	56888841	619.35%
531749	185561	-244.8323	151	-51.0000	-366.8681	56806389	619.35%
532217	187856	-154.1270	103	-51.0000	-366.8681	56865472	619.35%
534491	186745	-336.7932	237	-51.0000	-366.8681	56853455	619.35%
Elapsed time = 119.93 sec. (92134.22 ticks, tree = 9989.67 MB, solutions = 37)							
<b>Nodefile size = 7507.91 MB (6546.68 MB after compression)</b>							
537173	186121	-92.9050	64	-51.0000	-366.8681	56817216	619.35%
539433	186104	-360.0615	320	-51.0000	-366.8681	56829949	619.35%
541783	189363	-350.7550	227	-51.0000	-366.8681	56911498	619.35%
544525	189732	-354.4750	399	-51.0000	-366.8681	56916526	619.35%
547325	187207	-180.8447	112	-51.0000	-366.8681	56852153	619.35%
549534	187269	-359.7960	299	-51.0000	-366.8681	56841886	619.35%
552483	188561	-76.0000	37	-51.0000	-366.8681	56890908	619.35%
555018	187941	-292.0210	169	-51.0000	-366.8681	56850235	619.35%
557686	188231	-248.4755	165	-51.0000	-366.8681	56855537	619.35%
560583	190787	-328.4668	210	-51.0000	-366.8681	56924690	619.35%
Elapsed time = 165.90 sec. (130289.67 ticks, tree = 10459.45 MB, solutions = 37)							
<b>Nodefile size = 7582.35 MB (6611.74 MB after compression)</b>							
563125	189628	-59.9050	34	-51.0000	-366.8681	56911187	619.35%
565396	189136	-263.8448	164	-51.0000	-366.8681	56885160	619.35%
568071	190242	-138.8590	81	-51.0000	-366.8209	56920270	619.26%
570320	189734	-104.5327	70	-51.0000	-366.8209	56893599	619.26%

```

573161 191852    -256.3504   179     -51.0000   -366.8209 57017459 619.26%
575843 191145    -210.8755   128     -51.0000   -366.8209 56934904 619.26%
578475 190142    -345.4650   248     -51.0000   -366.8209 56896990 619.26%
581192 192533    -166.7373   98      -51.0000   -366.8209 57036295 619.26%
583459 192174    -248.0752   140     -51.0000   -366.8209 56949279 619.26%
585497 192912    -207.3005   124     -51.0000   -366.8209 57048453 619.26%
2
Elapsed time = 227.81 sec. (168444.95 ticks, tree = 10705.98 MB, solutions = 37)
Nodefile size = 8470.98 MB (7389.34 MB after compression)

587923 194446    -219.1194   128     -51.0000   -366.8209 57002407 619.26%
590344 193814    -191.1955   108     -51.0000   -366.8209 56985418 619.26%
592510 191113    -132.6357   88      -51.0000   -366.8209 56935710 619.26%
594613 193928    -278.0600   157     -51.0000   -366.8209 57069018 619.26%
596034 194250    -121.5324   72      -51.0000   -366.8209 57074094 619.26%
597396 191764    -298.5444   188     -51.0000   -366.8209 56955753 619.26%
598784 192141    -156.6665   97      -51.0000   -366.8209 56955666 619.26%
599769 192343    -327.9550   264     -51.0000   -366.8209 56962010 619.26%
600940 192582    -61.4004   30      -51.0000   -366.8209 56968128 619.26%
602947 191282    -360.3925   339     -51.0000   -366.8209 56966375 619.26%
2
Elapsed time = 273.41 sec. (206606.47 ticks, tree = 10538.83 MB, solutions = 37)
Nodefile size = 7477.22 MB (6520.03 MB after compression)

604824 195159    -209.5223   165     -51.0000   -366.8209 57110082 619.26%
606991 194686    -228.1652   141     -51.0000   -366.8209 57033764 619.26%
609377 196058    -89.4794   40      -51.0000   -366.8209 57072395 619.26%
611483 196054    -210.2735   128     -51.0000   -366.8209 57126646 619.26%
612145 196417    -241.6389   147     -51.0000   -366.8209 57130810 619.26%
612256 195015    -359.0492   1034    -51.0000   -366.8125 57046859 619.24%
612368 217470    -320.2838   211     -51.0000   -366.7797 57738968 619.18%
612887 228501    -284.2145   276     -51.0000   -366.7797 58010282 619.18%
613500 239780    -358.5293   274     -51.0000   -366.7797 58330379 619.18%
613861 251538    -360.7471   397     -51.0000   -366.7514 58625105 619.12%
2
Elapsed time = 387.78 sec. (245504.90 ticks, tree = 17529.07 MB, solutions = 37)
Nodefile size = 15466.73 MB (13518.12 MB after compression)

615353 239610    -359.5604   1040    -51.0000   -366.7514 58326157 619.12%
616586 263789    -273.0794   174     -51.0000   -366.7514 58939204 619.12%
617658 274839    -355.0167   266     -51.0000   -366.3450 59284748 618.32%
618974 275150    -281.4216   230     -51.0000   -366.3450 59302104 618.32%
620336 276782    -209.2482   130     -51.0000   -366.3450 59362700 618.32%
621684 277961    -214.6874   119     -51.0000   -366.3450 59441273 618.32%
622900 278715    -298.6923   213     -51.0000   -366.3450 59465451 618.32%

```

```

624291 279922 -315.4854 231 -51.0000 -366.3450 59533597 618.32%
625218 281037 -120.8353 63 -51.0000 -366.3450 59570495 618.32%
625993 281792 -361.4253 347 -51.0000 -366.3450 59617364 618.32%
2
Elapsed time = 469.11 sec. (283897.44 ticks, tree = 21071.25 MB, solutions = 37)
Nodefile size = 18993.43 MB (16609.64 MB after compression)

626629 282086 -355.1436 393 -51.0000 -366.3450 59634771 618.32%
627551 282737 -161.8955 100 -51.0000 -366.3450 59683802 618.32%
628412 283151 -358.0560 333 -51.0000 -366.3450 59702143 618.32%
629606 283908 -223.1311 128 -51.0000 -366.3358 59768358 618.31%
630987 285351 -186.6854 131 -51.0000 -365.9983 59853631 617.64%
631970 286256 -60.4004 37 -51.0000 -365.9983 59881553 617.64%
632808 286815 -190.7839 136 -51.0000 -365.9983 59919228 617.64%
634294 287409 -119.7052 96 -51.0000 -365.9983 59983074 617.64%
635715 288834 -355.2322 320 -51.0000 -365.8797 60038286 617.41%
636500 289526 -336.6266 237 -51.0000 -365.8797 60093169 617.41%
2
Elapsed time = 527.49 sec. (322134.89 ticks, tree = 22006.45 MB, solutions = 37)
Nodefile size = 19922.83 MB (17427.82 MB after compression)

637899 289868 -261.2537 170 -51.0000 -365.8532 60117036 617.36%
639303 291156 -357.4336 362 -51.0000 -365.8468 60164756 617.35%
640364 292296 -357.0002 225 -51.0000 -365.8468 60205310 617.35%
641826 293296 -129.2980 67 -51.0000 -365.8468 60231289 617.35%
643710 294344 -324.7103 219 -51.0000 -365.8468 60275209 617.35%
645087 295929 -357.5296 251 -51.0000 -365.8468 60347341 617.35%
647574 297096 -361.3072 347 -51.0000 -365.8468 60403205 617.35%
650132 298525 -157.9824 91 -51.0000 -365.8468 60437070 617.35%
652370 300285 -215.2495 130 -51.0000 -365.8468 60481233 617.35%
653642 302565 -225.2487 127 -51.0000 -365.8468 60540176 617.35%
9
Elapsed time = 588.75 sec. (360318.24 ticks, tree = 23214.25 MB, solutions = 37)
Nodefile size = 21147.62 MB (18482.80 MB after compression)

655359 303578 -241.1639 143 -51.0000 -365.8468 60576128 617.35%
656778 304539 -233.3815 133 -51.0000 -365.7387 60611664 617.13%
658460 305910 -334.7923 278 -51.0000 -365.6873 60683628 617.03%
661036 307178 -306.5428 187 -51.0000 -365.6873 60721530 617.03%
662791 308542 -360.1018 349 -51.0000 -365.6873 60767056 617.03%
664931 310615 -73.4004 33 -51.0000 -365.6873 60843282 617.03%
666181 311479 -80.9050 38 -51.0000 -365.5489 60873920 616.76%
667712 313460 -341.7799 221 -51.0000 -365.4342 60942375 616.54%
668738 314033 -250.3615 164 -51.0000 -365.4342 60969439 616.54%
670378 314777 -340.3181 254 -51.0000 -365.4342 61007417 616.54%

```

```

2 Elapsed time = 648.51 sec. (398512.68 ticks, tree = 24220.43 MB, solutions = 37)
Nodefile size = 22149.07 MB (19347.63 MB after compression)
671660 316624 -190.6028 117 -51.0000 -365.4342 61082628 616.54%
673339 316740 -255.8649 201 -51.0000 -365.4342 61117104 616.54%
675296 318619 -119.2922 64 -51.0000 -365.4342 61162844 616.54%
677401 320444 -231.1208 167 -51.0000 -365.4342 61223447 616.54%
679864 321923 -307.6958 207 -51.0000 -365.4342 61254347 616.54%
681222 323429 -355.7521 293 -51.0000 -365.4342 61293481 616.54%
682604 324985 -164.2641 90 -51.0000 -365.3694 61405616 616.41%
684015 325743 -179.6358 117 -51.0000 -365.3555 61458609 616.38%
685518 327413 -250.6560 141 -51.0000 -365.3071 61539485 616.29%
687434 328626 -146.6897 95 -51.0000 -365.3062 61584384 616.29%
Elapsed time = 708.04 sec. (436685.01 ticks, tree = 25451.98 MB, solutions = 37)
Nodefile size = 23372.09 MB (20413.94 MB after compression)
689399 329467 -99.3480 36 -51.0000 -365.2479 61635355 616.17%
691000 331344 -346.8231 238 -51.0000 -365.2050 61692904 616.09%
692237 332230 -329.2119 241 -51.0000 -365.2050 61733192 616.09%
693523 332898 -86.5479 42 -51.0000 -365.2050 61759830 616.09%
694552 333849 -187.8206 113 -51.0000 -365.1849 61826192 616.05%
696545 334946 -64.0000 28 -51.0000 -365.1849 61889587 616.05%
698225 336435 -223.7746 142 -51.0000 -365.1395 61969519 615.96%
700385 337181 -141.2558 76 -51.0000 -365.1393 61999411 615.96%
701942 339213 -228.3630 129 -51.0000 -365.1151 62061295 615.91%
703039 340138 -336.6943 518 -51.0000 -365.1074 62106040 615.90%
2 Elapsed time = 769.48 sec. (474868.46 ticks, tree = 26523.33 MB, solutions = 37)
Nodefile size = 24455.97 MB (21345.49 MB after compression)
703806 340972 -154.5474 96 -51.0000 -365.1074 62151674 615.90%
704648 342280 -338.7462 252 -51.0000 -365.1031 62231946 615.89%
705803 342510 -349.4838 328 -51.0000 -365.0948 62264654 615.87%
706909 343736 -348.7916 269 -51.0000 -365.0948 62339333 615.87%
708639 344121 -208.9617 132 -51.0000 -365.0948 62361186 615.87%
710029 345547 -179.6985 112 -51.0000 -365.0948 62447113 615.87%
711771 346626 -185.8141 108 -51.0000 -365.0912 62486059 615.87%
712627 348066 -362.4201 343 -51.0000 -365.0912 62582067 615.87%
713715 348780 -80.0606 43 -51.0000 -365.0912 62624224 615.87%
715391 349314 -306.6991 235 -51.0000 -365.0912 62666144 615.87%
Elapsed time = 824.55 sec. (513173.77 ticks, tree = 26881.08 MB, solutions = 37)
Nodefile size = 24808.87 MB (21640.42 MB after compression)
717378 350702 -353.4336 324 -51.0000 -365.0912 62715620 615.87%

```

719540	351649	-316.9172	222	-51.0000	-365.0912	62746033	615.87%
721322	353579	-162.3109	86	-51.0000	-365.0912	62799262	615.87%
723113	355134	-63.9143	35	-51.0000	-365.0289	62843640	615.74%
724802	356270	-143.9895	81	-51.0000	-365.0169	62884338	615.72%
726441	357146	-175.7427	100	-51.0000	-365.0169	62911220	615.72%
728427	358874	-343.8456	331	-51.0000	-365.0169	63006867	615.72%
731003	361195	-342.7434	262	-51.0000	-365.0169	63074158	615.72%
733427	361941	-268.4267	171	-51.0000	-364.9677	63090909	615.62%
735290	363459	cutoff		-51.0000	-364.9677	63130298	615.62%
<sup>2</sup> Elapsed time = 885.78 sec. (551330.14 ticks, tree = 28246.52 MB, solutions = 37)							
Nodefile size = 26162.99 MB (22819.78 MB after compression)							
737115	365594	-144.9050	89	-51.0000	-364.9635	63178021	615.61%
738541	366505	-117.0880	69	-51.0000	-364.9446	63192669	615.58%
739326	367895	-338.1909	310	-51.0000	-364.9446	63273313	615.58%
740151	368444	-354.4144	323	-51.0000	-364.9446	63300507	615.58%
742291	369430	-258.6669	164	-51.0000	-364.9336	63409029	615.56%
745357	370124	-133.1314	67	-51.0000	-364.9268	63420455	615.54%
747378	373306	-70.4004	24	-51.0000	-364.9221	63486694	615.53%
749580	374547	-60.0000	43	-51.0000	-364.9158	63533026	615.52%
752396	376503	-224.8379	132	-51.0000	-364.9158	63590702	615.52%
753817	377198	-110.4004	59	-51.0000	-364.9158	63601596	615.52%
<sup>2</sup> Elapsed time = 947.27 sec. (589510.67 ticks, tree = 29838.63 MB, solutions = 37)							
Nodefile size = 27723.94 MB (24182.95 MB after compression)							
754664	378350	-313.3719	241	-51.0000	-364.9158	63637522	615.52%
755945	380009	-132.6635	77	-51.0000	-364.8896	63692159	615.47%
756996	381032	-114.4004	55	-51.0000	-364.8721	63750087	615.44%
758046	382017	-353.4691	330	-51.0000	-364.8721	63794359	615.44%
758657	382456	-354.2886	246	-51.0000	-364.8721	63843088	615.44%
759881	382519	-240.3827	153	-51.0000	-364.8710	63859500	615.43%
761113	384017	-109.7342	57	-51.0000	-364.8710	63946364	615.43%
762231	384489	-201.7776	137	-51.0000	-364.8699	63967543	615.43%
763687	385146	-167.7341	97	-51.0000	-364.8699	64005961	615.43%
764990	386464	-360.0574	326	-51.0000	-364.8699	64058084	615.43%
Elapsed time = 1005.19 sec. (627814.24 ticks, tree = 30794.27 MB, solutions = 37)							
Nodefile size = 28692.51 MB (25023.74 MB after compression)							
765714	386900	-139.3959	80	-51.0000	-364.8697	64109034	615.43%
766817	387531	-295.4339	190	-51.0000	-364.8697	64159777	615.43%
767913	388740	-70.4004	29	-51.0000	-364.8697	64211795	615.43%
768975	390150	-137.9050	71	-51.0000	-364.8697	64307062	615.43%

```

771045 390586 -353.6152 274 -51.0000 -364.8488 64348089 615.39%
773557 392244 -62.7203 32 -51.0000 -364.8292 64409874 615.35%
775988 394237 cutoff -51.0000 -364.8095 64462634 615.31%
777702 396139 -166.8143 88 -51.0000 -364.8095 64503623 615.31%
779614 396520 -122.6436 68 -51.0000 -364.7910 64539613 615.28%
782146 398855 -312.5603 192 -51.0000 -364.7910 64610935 615.28%
Elapsed time = 1065.82 sec. (665982.42 ticks, tree = 32000.35 MB, solutions = 37)
Nodefile size = 29928.83 MB (26098.76 MB after compression)

784000 399838 -224.3325 136 -51.0000 -364.7910 64651290 615.28%
785883 401786 -194.0282 115 -51.0000 -364.7910 64740881 615.28%
787276 402494 -236.2952 187 -51.0000 -364.7910 64773173 615.28%
788203 403332 -208.3501 132 -51.0000 -364.7626 64821019 615.22%
789654 404080 -274.5377 173 -51.0000 -364.7626 64871019 615.22%
791185 405717 -136.7522 74 -51.0000 -364.7626 64928476 615.22%
792944 407063 -143.8552 81 -51.0000 -364.7489 65009012 615.19%
794449 407935 -60.4004 35 -51.0000 -364.7489 65055525 615.19%
796012 408937 -244.0269 148 -51.0000 -364.7489 65090206 615.19%
797658 410676 -108.4004 65 -51.0000 -364.7316 65157440 615.16%
Elapsed time = 1123.50 sec. (704203.36 ticks, tree = 32906.29 MB, solutions = 37)
Nodefile size = 30835.32 MB (26886.41 MB after compression)

799447 411601 -334.4220 270 -51.0000 -364.7302 65214712 615.16%
800825 412665 -327.5934 259 -51.0000 -364.7141 65259056 615.13%
801941 413971 -339.3653 241 -51.0000 -364.7058 65332119 615.11%
803933 414717 -68.2934 28 -51.0000 -364.7058 65352630 615.11%
806553 416163 -182.9371 105 -51.0000 -364.7058 65420516 615.11%
808329 417827 -92.0000 46 -51.0000 -364.6968 65446803 615.09%
809926 419512 -324.4454 225 -51.0000 -364.6968 65503730 615.09%
811015 420726 -346.9501 222 -51.0000 -364.6855 65546728 615.07%
812351 421285 -332.8297 220 -51.0000 -364.6809 65576229 615.06%
813635 422486 -188.0082 108 -51.0000 -364.6809 65605887 615.06%
Elapsed time = 1183.30 sec. (742384.03 ticks, tree = 34000.77 MB, solutions = 37)
Nodefile size = 31911.50 MB (27825.65 MB after compression)

815552 423494 -73.9775 32 -51.0000 -364.6777 65663571 615.05%
817134 424794 -341.0814 263 -51.0000 -364.6777 65690837 615.05%
818641 426281 -180.3990 110 -51.0000 -364.6777 65757727 615.05%
820682 426974 -165.8716 91 -51.0000 -364.6777 65800359 615.05%
822833 428289 -84.4004 53 -51.0000 -364.6777 65824189 615.05%
824603 430176 -322.1515 209 -51.0000 -364.6777 65871864 615.05%
826717 432281 -222.8604 118 -51.0000 -364.6777 65938161 615.05%

```

```

828986 432669 -221.0570 168 -51.0000 -364.6777 65943629 615.05%
830980 435000 -274.5929 162 -51.0000 -364.6777 66001113 615.05%
833801 436907 -324.0902 213 -51.0000 -364.6475 66128348 615.00%
Elapsed time = 1245.90 sec. (780552.64 ticks, tree = 35882.93 MB, solutions = 37)
Nodefile size = 33776.48 MB (29467.99 MB after compression)

835709 439181 -133.2156 72 -51.0000 -364.6475 66178885 615.00%
837674 439908 -175.4624 114 -51.0000 -364.6475 66189714 615.00%
839601 441162 -250.9862 176 -51.0000 -364.6475 66240455 615.00%
841355 442464 -300.2932 199 -51.0000 -364.5726 66291801 614.85%
842695 444227 -317.4591 246 -51.0000 -364.5726 66361667 614.85%
844185 445795 -174.4656 98 -51.0000 -364.5726 66440393 614.85%
845686 446846 -285.6416 179 -51.0000 -364.5718 66500594 614.85%
847592 448069 -114.7342 59 -51.0000 -364.5542 66550404 614.81%
849312 448835 -257.9658 167 -51.0000 -364.5542 66582371 614.81%
851394 450013 -314.9399 211 -51.0000 -364.5542 66633782 614.81%
Elapsed time = 1307.35 sec. (818726.26 ticks, tree = 37244.89 MB, solutions = 37)
Nodefile size = 35133.82 MB (30656.34 MB after compression)

853084 452324 -312.0660 196 -51.0000 -364.5542 66693652 614.81%
854812 453846 -356.9786 261 -51.0000 -364.5542 66761242 614.81%
855968 454651 -63.4004 24 -51.0000 -364.5542 66802143 614.81%
857129 455667 -171.9293 96 -51.0000 -364.5490 66843806 614.80%
858381 456135 -163.1172 96 -51.0000 -364.5490 66892873 614.80%
860461 456922 -61.1046 29 -51.0000 -364.5490 66953083 614.80%
862972 458277 -214.0353 124 -51.0000 -364.5200 66982830 614.75%
865304 460473 -180.0223 111 -51.0000 -364.5200 67059361 614.75%
867660 461169 -321.5716 208 -51.0000 -364.4985 67072536 614.70%
870293 463316 -340.5852 217 -51.0000 -364.4819 67128946 614.67%
Elapsed time = 1368.78 sec. (856888.40 ticks, tree = 38648.48 MB, solutions = 37)
Nodefile size = 36539.17 MB (31877.98 MB after compression)

873538 467608 -217.7467 139 -51.0000 -364.4664 67233746 614.64%
876593 467125 -244.4728 135 -51.0000 -364.4574 67228464 614.62%
879178 470882 -154.9824 104 -51.0000 -364.4499 67296718 614.61%
881958 472445 -284.8297 214 -51.0000 -364.4351 67334944 614.58%
884732 474861 -279.1491 156 -51.0000 -364.4351 67377191 614.58%
887617 477416 -315.0698 194 -51.0000 -364.4211 67435378 614.55%
890379 478124 -214.2439 123 -51.0000 -364.4195 67448458 614.55%
892245 480785 -325.1725 248 -51.0000 -364.4066 67510545 614.52%
894557 482750 -324.9394 205 -51.0000 -364.4066 67569546 614.52%
896840 483406 -343.9195 287 -51.0000 -364.3964 67595487 614.50%

```

```

5 Elapsed time = 1434.42 sec. (895055.27 ticks, tree = 41047.78 MB, solutions = 37)
Nodefile size = 38972.02 MB (34000.81 MB after compression)
898846 485804 -362.7281 405 -51.0000 -364.3964 67685395 614.50%
900772 486739 -93.3809 45 -51.0000 -364.3964 67709447 614.50%
902306 488326 -249.0641 223 -51.0000 -364.3780 67756185 614.47%
904443 489887 -182.8472 107 -51.0000 -364.3780 67817292 614.47%
906206 491028 -234.4828 133 -51.0000 -364.3780 67848657 614.47%
907466 491892 -312.0740 182 -51.0000 -364.3676 67899357 614.45%
908931 493915 -326.9604 233 -51.0000 -364.3676 67959190 614.45%
910191 494806 -275.8860 191 -51.0000 -364.3676 68017211 614.45%
911432 496455 -70.3965 32 -51.0000 -364.3676 68085484 614.45%
912334 496717 -64.4004 28 -51.0000 -364.3676 68095822 614.45%
2 Elapsed time = 1492.98 sec. (933225.40 ticks, tree = 41910.78 MB, solutions = 37)
Nodefile size = 39834.84 MB (34729.80 MB after compression)
913439 497838 -194.3815 105 -51.0000 -364.3676 68177102 614.45%
914980 498261 -152.9293 86 -51.0000 -364.3676 68196338 614.45%
915804 499766 -323.8244 224 -51.0000 -364.3575 68290289 614.43%
916628 500079 -302.3960 211 -51.0000 -364.3575 68305529 614.43%
918039 500368 -343.3726 228 -51.0000 -364.3403 68340234 614.39%
920007 501929 -275.8006 198 -51.0000 -364.3317 68419509 614.38%
922741 503623 -362.6283 406 -51.0000 -364.3275 68467641 614.37%
925606 505643 -142.1086 79 -51.0000 -364.3179 68521503 614.35%
928546 508163 -217.8474 137 -51.0000 -364.3103 68580599 614.33%
930886 509848 -158.5826 87 -51.0000 -364.2995 68622180 614.31%
2 Elapsed time = 1554.53 sec. (971382.80 ticks, tree = 43251.15 MB, solutions = 37)
Nodefile size = 41149.86 MB (35884.09 MB after compression)
932899 511986 -119.3072 74 -51.0000 -364.2902 68685278 614.29%
934637 512936 -269.4526 187 -51.0000 -364.2902 68703163 614.29%
936749 513505 -198.9682 162 -51.0000 -364.2805 68733415 614.28%
939019 516384 -100.4004 61 -51.0000 -364.2805 68830529 614.28%
940965 516910 -213.4897 124 -51.0000 -364.2729 68840204 614.26%
943366 518019 -329.1310 247 -51.0000 -364.2674 68885751 614.25%
946119 520442 -350.7558 252 -51.0000 -364.2625 68944343 614.24%
949262 523916 -170.8749 94 -51.0000 -364.2478 69045300 614.21%
951577 525662 -284.4097 170 -51.0000 -364.2457 69087488 614.21%
953822 526036 -343.7839 272 -51.0000 -364.2457 69097886 614.21%
Elapsed time = 1618.93 sec. (1009540.36 ticks, tree = 44976.81 MB, solutions = 37)
Nodefile size = 42900.58 MB (37403.42 MB after compression)
956067 528253 -114.9327 57 -51.0000 -364.2457 69141165 614.21%

```

958128 529673	-203.9004	114	-51.0000	-364.2349	69171360	614.19%
960075 531911	-80.4004	39	-51.0000	-364.2178	69250399	614.15%
961383 532901	-192.4865	122	-51.0000	-364.2178	69269827	614.15%
963351 534290	-331.6833	237	-51.0000	-364.2171	69334703	614.15%
964998 535026	-292.4749	209	-51.0000	-364.2171	69368474	614.15%
966596 537588	-233.1557	129	-51.0000	-364.2171	69455104	614.15%
968783 537908	infeasible		-51.0000	-364.1968	69462106	614.11%
970664 538749	-158.7677	91	-51.0000	-364.1944	69525096	614.11%
971877 540717	-303.3489	187	-51.0000	-364.1830	69565557	614.08%
Elapsed time = 1681.97 sec. (1047705.63 ticks, tree = 46825.36 MB, solutions = 37)						
<b>Nodefile size = 44749.88 MB (39030.34 MB after compression)</b>						
972591 541449	-360.6409	389	-51.0000	-364.1830	69614316	614.08%
973284 542393	-346.1220	219	-51.0000	-364.1810	69668081	614.08%
974504 543255	-356.6271	308	-51.0000	-364.1748	69742147	614.07%
975615 544122	-82.3339	49	-51.0000	-364.1721	69809177	614.06%
976405 544162	-359.4143	328	-51.0000	-364.1721	69815975	614.06%
978363 545748	-101.4004	57	-51.0000	-364.1668	69906213	614.05%
979846 546197	-351.0579	406	-51.0000	-364.1654	69950306	614.05%
981386 547870	-81.4004	39	-51.0000	-364.1654	69980541	614.05%
982550 549015	-333.7721	202	-51.0000	-364.1654	70056096	614.05%
983567 549656	-147.8308	79	-51.0000	-364.1654	70073713	614.05%
Elapsed time = 1742.23 sec. (1085912.50 ticks, tree = 47716.70 MB, solutions = 37)						
<b>Nodefile size = 45612.43 MB (39779.51 MB after compression)</b>						
984554 551413	cutoff		-51.0000	-364.1654	70161318	614.05%
985491 551428	-150.5823	93	-51.0000	-364.1654	70191726	614.05%
986750 552700	-282.6257	188	-51.0000	-364.1467	70255403	614.01%
988694 553598	-362.4581	443	-51.0000	-364.1387	70317096	614.00%
990679 555384	-217.3788	127	-51.0000	-364.1311	70394011	613.98%
992846 556974	-362.6461	391	-51.0000	-364.1311	70465635	613.98%
994875 556704	-249.0947	144	-51.0000	-364.1311	70449904	613.98%
996495 558587	-56.8487	28	-51.0000	-364.1193	70519524	613.96%
998699 558897	-98.4589	53	-51.0000	-364.1120	70551356	613.95%
1000118 561480	-343.5201	231	-51.0000	-364.1120	70621249	613.95%
Elapsed time = 1798.66 sec. (1124089.14 ticks, tree = 48342.35 MB, solutions = 37)						
<b>Nodefile size = 46248.91 MB (40321.99 MB after compression)</b>						
1002022 563411	-277.8063	195	-51.0000	-364.1120	70676416	613.95%
1003930 564748	-65.4004	19	-51.0000	-364.1120	70710284	613.95%
1006162 565013	-362.5691	336	-51.0000	-364.1120	70739515	613.95%
1008681 566024	-125.8004	73	-51.0000	-364.1120	70757009	613.95%

1010748	569646	-67.4004	33	-51.0000	-364.1120	70829790	613.95%
1012267	569841	-291.9516	204	-51.0000	-364.1120	70837248	613.95%
1013891	572086	-161.2518	85	-51.0000	-364.1120	70909039	613.95%
1015221	573589	-211.6472	122	-51.0000	-364.1120	70967323	613.95%
1016223	573677	-312.2773	198	-51.0000	-364.1120	70974601	613.95%
1018064	575321	-64.4004	27	-51.0000	-364.0706	71125303	613.86%
2							
Elapsed time = 1860.88 sec. (1162268.08 ticks, tree = 49744.02 MB, solutions = 37)							
Nodefile size = 47631.36 MB (41523.58 MB after compression)							
1019166	576465	-115.9403	63	-51.0000	-364.0706	71178541	613.86%
1020846	576679	-64.4004	35	-51.0000	-364.0568	71195308	613.84%
1022213	578055	-173.5622	90	-51.0000	-364.0568	71266779	613.84%
1023857	578647	-65.4004	29	-51.0000	-364.0531	71297045	613.83%
1026303	581678	-234.5717	164	-51.0000	-364.0414	71391239	613.81%
1029153	583567	-158.5802	93	-51.0000	-364.0414	71445861	613.81%
1032346	585534	-348.8949	248	-51.0000	-364.0236	71475979	613.77%
1035328	585926	-347.8431	215	-51.0000	-364.0196	71480905	613.76%
1037744	587920	-211.7419	131	-51.0000	-364.0029	71521216	613.73%
1040441	591033	-303.7881	176	-51.0000	-363.9979	71589175	613.72%
2							
Elapsed time = 1926.76 sec. (1200428.91 ticks, tree = 51781.74 MB, solutions = 37)							
Nodefile size = 49671.30 MB (43311.39 MB after compression)							
1042352	593264	-71.9796	30	-51.0000	-363.9963	71626550	613.72%
1043678	593042	-324.0286	219	-51.0000	-363.9963	71627371	613.72%
1045587	595732	-200.1915	114	-51.0000	-363.9832	71708209	613.69%
1047688	596461	-254.6115	163	-51.0000	-363.9832	71730582	613.69%
1049872	597740	-287.0454	175	-51.0000	-363.9832	71785578	613.69%
1051704	600386	-91.4004	47	-51.0000	-363.9832	71849627	613.69%
1053617	602054	-261.5171	153	-51.0000	-363.9772	71927071	613.68%
1055976	603674	-132.4849	72	-51.0000	-363.9772	71965461	613.68%
1058607	604897	-255.3902	153	-51.0000	-363.9635	72011301	613.65%
1060413	605986	-354.7212	330	-51.0000	-363.9578	72031929	613.64%
5							
Elapsed time = 1988.67 sec. (1238609.25 ticks, tree = 53778.28 MB, solutions = 37)							
Nodefile size = 51644.80 MB (45060.90 MB after compression)							
1061914	607317	cutoff		-51.0000	-363.9507	72074436	613.63%
1063680	609340	-360.3288	326	-51.0000	-363.9390	72148771	613.61%
1065328	610155	-124.4046	63	-51.0000	-363.9390	72161179	613.61%
1066797	611383	-59.0000	29	-51.0000	-363.9390	72237860	613.61%
1068142	612237	-224.3689	137	-51.0000	-363.9354	72271213	613.60%
1070142	614705	-76.4004	67	-51.0000	-363.9267	72406469	613.58%
1071992	614979	-246.9402	155	-51.0000	-363.9267	72398235	613.58%

1073903	617010	-228.2843	137	-51.0000	-363.9267	72494327	613.58%
1075706	617392	-204.5836	114	-51.0000	-363.9267	72507148	613.58%
1077501	619338	-86.0025	40	-51.0000	-363.9267	72547889	613.58%
Elapsed time = 2046.66 sec. (1276770.39 ticks, tree = 54677.74 MB, solutions = 37)							
<b>Nodefile size = 52565.31 MB (45853.57 MB after compression)</b>							
1079161	620410	-209.3248	118	-51.0000	-363.9135	72608861	613.56%
1081649	622851	-300.1106	181	-51.0000	-363.8983	72686256	613.53%
1083926	623234	-323.1341	202	-51.0000	-363.8983	72691650	613.53%
1086076	625246	-193.9602	117	-51.0000	-363.8939	72732098	613.52%
1088179	627756	-283.5262	204	-51.0000	-363.8939	72790211	613.52%
1091190	628092	-287.6054	202	-51.0000	-363.8939	72814198	613.52%
1093431	629524	-254.8223	146	-51.0000	-363.8939	72854966	613.52%
1095986	632197	-346.0530	225	-51.0000	-363.8939	72931006	613.52%
1098500	634277	-179.1473	104	-51.0000	-363.8939	72978948	613.52%
1100539	636794	-187.8855	109	-51.0000	-363.8939	73044618	613.52%
Elapsed time = 2112.64 sec. (1314938.67 ticks, tree = 56546.65 MB, solutions = 37)							
<b>Nodefile size = 54466.62 MB (47506.30 MB after compression)</b>							
1103600	637668	-312.4463	201	-51.0000	-363.8939	73072583	613.52%
1106082	638900	-267.2381	173	-51.0000	-363.8939	73105694	613.52%
1108007	641241	-209.4077	120	-51.0000	-363.8939	73190173	613.52%
1109950	644769	-99.5139	51	-51.0000	-363.8939	73272081	613.52%
1111945	645280	-92.0000	48	-51.0000	-363.8939	73287605	613.52%
1113936	646411	-228.3004	131	-51.0000	-363.8939	73319493	613.52%
1116470	648988	-229.0410	145	-51.0000	-363.8939	73413311	613.52%
1119248	649821	-191.2266	109	-51.0000	-363.8939	73426213	613.52%
1121744	651852	-229.0925	141	-51.0000	-363.8939	73474305	613.52%
1124550	652993	-117.5139	51	-51.0000	-363.8939	73494935	613.52%
Elapsed time = 2177.62 sec. (1353097.69 ticks, tree = 58255.81 MB, solutions = 37)							
<b>Nodefile size = 56118.36 MB (48944.37 MB after compression)</b>							
1127139	655456	-90.7754	40	-51.0000	-363.8939	73547001	613.52%
1130118	657939	-351.8666	276	-51.0000	-363.8281	73617943	613.39%
1132460	659122	-340.0214	322	-51.0000	-363.8281	73638023	613.39%
1135268	661999	-350.3458	253	-51.0000	-363.8281	73703788	613.39%
1138155	663270	-349.7733	221	-51.0000	-363.7914	73727031	613.32%
1141315	666997	-109.6681	61	-51.0000	-363.7801	73803719	613.29%
1143035	667300	-319.7683	197	-51.0000	-363.7685	73809554	613.27%
1144567	670776	-253.0387	158	-51.0000	-363.7537	73913216	613.24%
1146521	670545	-259.3532	152	-51.0000	-363.7537	73901076	613.24%
1149449	672203	-348.4441	219	-51.0000	-363.7500	73968135	613.24%

```

5 Elapsed time = 2242.11 sec. (1391262.97 ticks, tree = 60633.18 MB, solutions = 37)
Nodefile size = 58549.92 MB (51084.18 MB after compression)
1152049 673941 -272.6028 196 -51.0000 -363.7500 74029925 613.24%
1154335 675960 -232.3749 144 -51.0000 -363.7346 74096293 613.21%
1156256 677959 -342.2852 228 -51.0000 -363.7346 74162994 613.21%
1158262 679301 -283.8515 185 -51.0000 -363.7346 74213670 613.21%
1160659 681152 -329.8099 233 -51.0000 -363.7346 74291318 613.21%
1163080 682052 -356.6172 229 -51.0000 -363.7346 74302383 613.21%
1164962 684898 -239.2677 149 -51.0000 -363.7346 74363108 613.21%
1166859 686253 -215.5065 147 -51.0000 -363.7035 74429048 613.14%
1169268 687434 -137.5978 79 -51.0000 -363.7026 74462687 613.14%
1171545 689622 -209.2428 119 -51.0000 -363.7026 74521715 613.14%
22 Elapsed time = 2302.32 sec. (1429431.71 ticks, tree = 61810.58 MB, solutions = 37)
Nodefile size = 59703.04 MB (52075.58 MB after compression)
1173411 692218 -356.7395 294 -51.0000 -363.7002 74586749 613.14%
1175378 692552 -168.7210 87 -51.0000 -363.6861 74594723 613.11%
1177260 694405 -353.1794 310 -51.0000 -363.6861 74666144 613.11%
1178498 695421 -323.5001 196 -51.0000 -363.6825 74706969 613.10%
1180148 696748 -157.0337 90 -51.0000 -363.6825 74757697 613.10%
1181894 698492 -174.7770 102 -51.0000 -363.6749 74851125 613.09%
1183386 700062 -74.6611 40 -51.0000 -363.6749 74931587 613.09%
1185302 699922 -80.6800 35 -51.0000 -363.6678 74926413 613.07%
1186617 701400 -271.7142 167 -51.0000 -363.6671 74988295 613.07%
1189228 702436 -317.6486 188 -51.0000 -363.6556 75016408 613.05%
? Elapsed time = 2360.98 sec. (1467594.59 ticks, tree = 62502.87 MB, solutions = 37)
Nodefile size = 60366.86 MB (52639.96 MB after compression)
1191792 705430 -255.5873 151 -51.0000 -363.6524 75108073 613.04%
1194437 706237 -124.2892 69 -51.0000 -363.6470 75131286 613.03%
1197089 707759 -307.1593 218 -51.0000 -363.6470 75162684 613.03%
1199984 710769 -130.2921 67 -51.0000 -363.6466 75226744 613.03%
1202782 713542 infeasible -51.0000 -363.6466 75289008 613.03%
1205543 714868 -250.1788 148 -51.0000 -363.6466 75306792 613.03%
1207640 716798 -324.8750 197 -51.0000 -363.6272 75347915 612.99%
1209905 717923 -274.8872 173 -51.0000 -363.6272 75381128 612.99%
1211507 720196 -128.8731 68 -51.0000 -363.6147 75451092 612.97%
1212988 721254 -185.9255 105 -51.0000 -363.6147 75476208 612.97%
Elapsed time = 2430.66 sec. (1505753.18 ticks, tree = 65025.03 MB, solutions = 37)
Nodefile size = 62942.95 MB (54909.80 MB after compression)
1214464 721679 -114.8208 59 -51.0000 -363.6147 75481562 612.97%

```

1216487	723625	-345.3600	243	-51.0000	-363.6147	75547226	612.97%
1218075	723995	-323.9574	195	-51.0000	-363.6134	75552962	612.97%
1219748	725238	-302.7574	216	-51.0000	-363.6134	75612915	612.97%
1221521	726612	-361.9645	476	-51.0000	-363.5945	75637366	612.93%
1222967	728865	-342.9362	292	-51.0000	-363.5945	75726583	612.93%
1224384	730826	-247.8571	152	-51.0000	-363.5945	75797131	612.93%
1225757	731044	-330.0338	261	-51.0000	-363.5945	75791560	612.93%
1226952	732586	-258.1447	163	-51.0000	-363.5845	75882721	612.91%
1228618	732872	-321.9352	194	-51.0000	-363.5839	75927746	612.91%
Elapsed time = 2489.07 sec. (1543964.51 ticks, tree = 66176.85 MB, solutions = 37)							
Nodefile size = 64093.97 MB (55912.45 MB after compression)							
1230703	733149	-351.7396	436	-51.0000	-363.5839	75968280	612.91%
1233278	735609	-131.9364	71	-51.0000	-363.5839	76043170	612.91%
1234652	737416	-235.5213	139	-51.0000	-363.5839	76127813	612.91%
1236454	738419	-181.1871	107	-51.0000	-363.5549	76156762	612.85%
1237699	740772	-129.0000	66	-51.0000	-363.5549	76254593	612.85%
1239535	740626	-147.0000	76	-51.0000	-363.5501	76250246	612.84%
1241284	742271	-246.1793	138	-51.0000	-363.5421	76335355	612.83%
1243215	744506	-336.5570	217	-51.0000	-363.5421	76435943	612.83%
1245194	745177	-297.8112	177	-51.0000	-363.5421	76453687	612.83%
1247711	747555	-348.0724	218	-51.0000	-363.5421	76533897	612.83%
2							
Elapsed time = 2544.68 sec. (1582125.76 ticks, tree = 66528.97 MB, solutions = 37)							
Nodefile size = 64413.10 MB (56160.38 MB after compression)							
1250771	749319	-339.8761	240	-51.0000	-363.5421	76568677	612.83%
1253428	749875	-124.3338	66	-51.0000	-363.5421	76582998	612.83%
1255484	752046	-313.9867	199	-51.0000	-363.5421	76616090	612.83%
1257505	755090	-350.9171	242	-51.0000	-363.5421	76681612	612.83%
1260061	756810	-221.2307	125	-51.0000	-363.5421	76709254	612.83%
1262802	758964	-239.4641	151	-51.0000	-363.5421	76823900	612.83%
1266020	760556	-67.0000	27	-51.0000	-363.5421	76853753	612.83%
1268615	762001	-360.4381	313	-51.0000	-363.5421	76882255	612.83%
1270717	764173	-272.7824	204	-51.0000	-363.5421	76921149	612.83%
1273013	764966	-349.1395	221	-51.0000	-363.5421	76934663	612.83%
Elapsed time = 2612.51 sec. (1620287.49 ticks, tree = 68888.14 MB, solutions = 37)							
Nodefile size = 66752.03 MB (58218.78 MB after compression)							
1274910	766152	-207.9977	119	-51.0000	-363.5421	76966938	612.83%
1276895	767806	-303.6618	187	-51.0000	-363.5421	77002202	612.83%
1279341	770025	-65.0000	32	-51.0000	-363.5421	77074936	612.83%
1281908	771422	-347.6908	259	-51.0000	-363.5421	77108674	612.83%

1284101	773070	-177.3216	96	-51.0000	-363.5421	77190936	612.83%
1286070	776897	-256.3404	143	-51.0000	-363.5421	77312454	612.83%
1287980	777168	-310.7619	207	-51.0000	-363.5421	77318855	612.83%
1290484	778922	-188.5016	112	-51.0000	-363.5421	77387526	612.83%
1293069	781489	-349.1820	220	-51.0000	-363.5421	77460748	612.83%
1296398	783285	-98.9651	55	-51.0000	-363.4446	77499923	612.64%
Elapsed time = 2669.17 sec. (1658442.71 ticks, tree = 70071.06 MB, solutions = 37)							
<b>Nodefile size = 67958.53 MB (59253.49 MB after compression)</b>							
1299543	786097	-336.3001	223	-51.0000	-363.4300	77552721	612.61%
1303025	787564	-273.5397	156	-51.0000	-363.4226	77573312	612.59%
1306367	789080	-165.2899	99	-51.0000	-363.4165	77602295	612.58%
1309683	790823	-118.8209	58	-51.0000	-363.4165	77631755	612.58%
1312927	792605	-219.8976	134	-51.0000	-363.4015	77657849	612.55%
1315995	795803	-116.3636	55	-51.0000	-363.3930	77719274	612.54%
1318964	798022	-189.8624	104	-51.0000	-363.3865	77756398	612.52%
1322287	801721	-105.9631	46	-51.0000	-363.3788	77824176	612.51%
1325904	803857	-200.5226	112	-51.0000	-363.3710	77862574	612.49%
1328164	806865	-213.8837	137	-51.0000	-363.3676	77911316	612.49%
Elapsed time = 2740.62 sec. (1696601.21 ticks, tree = 73281.65 MB, solutions = 37)							
<b>Nodefile size = 71175.40 MB (62084.28 MB after compression)</b>							
1330725	808432	-253.4076	158	-51.0000	-363.3637	77946512	612.48%
1333424	811368	-83.0000	38	-51.0000	-363.3566	77996494	612.46%
1335998	812588	-207.2111	132	-51.0000	-363.3501	78032150	612.45%
1338136	815838	-262.3210	156	-51.0000	-363.3501	78120654	612.45%
1340355	816178	-79.0000	32	-51.0000	-363.3501	78126079	612.45%
1342750	818717	-179.9456	121	-51.0000	-363.3501	78197929	612.45%
1344977	819655	-64.0000	23	-51.0000	-363.3495	78246621	612.45%
1347424	820968	-220.0034	147	-51.0000	-363.3341	78263692	612.42%
1350340	824500	-337.0347	270	-51.0000	-363.3323	78361658	612.42%
1353068	826086	-218.3378	126	-51.0000	-363.3240	78392139	612.40%
Elapsed time = 2808.76 sec. (1734769.59 ticks, tree = 75570.94 MB, solutions = 37)							
<b>Nodefile size = 73464.03 MB (64075.14 MB after compression)</b>							
1354929	828737	-249.5033	167	-51.0000	-363.3240	78453276	612.40%
1357188	828878	-58.0000	31	-51.0000	-363.3240	78474265	612.40%
1360989	829429	-120.5256	54	-51.0000	-363.3071	78489831	612.37%
1363767	832535	-233.8816	139	-51.0000	-363.3009	78554923	612.35%
1366058	836220	-353.4513	283	-51.0000	-363.3009	78615429	612.35%
1368168	836811	-168.0117	96	-51.0000	-363.2916	78636188	612.34%
1370621	838448	-150.5858	71	-51.0000	-363.2852	78668575	612.32%

1373310	840832	-192.6639	118	-51.0000	-363.2852	78723896	612.32%
1376021	842744	-116.0000	61	-51.0000	-363.2846	78755757	612.32%
1378544	843891	-303.4139	177	-51.0000	-363.2846	78798222	612.32%
<sup>2</sup> Elapsed time = 2876.38 sec. (1772947.12 ticks, tree = 78009.93 MB, solutions = 37)							
Nodefile size = 75864.31 MB (66187.42 MB after compression)							
1380852	844714	-104.8889	54	-51.0000	-363.2846	78805091	612.32%
1382951	849567	-266.2673	184	-51.0000	-363.2846	78916286	612.32%
1385337	849918	-354.9558	288	-51.0000	-363.2591	78921259	612.27%
1387121	850980	-220.9833	127	-51.0000	-363.2554	78943781	612.27%
1388896	853784	-311.5685	191	-51.0000	-363.2506	79021815	612.26%
1390673	854058	-319.6543	213	-51.0000	-363.2506	79027093	612.26%
1392561	856415	-215.9617	135	-51.0000	-363.2506	79109073	612.26%
1394362	856773	-336.7539	231	-51.0000	-363.2487	79114447	612.25%
1396269	858330	-314.7448	196	-51.0000	-363.2487	79170234	612.25%
1398329	859496	-278.4522	165	-51.0000	-363.2457	79188574	612.25%
<sup>2</sup> Elapsed time = 2939.17 sec. (1811109.90 ticks, tree = 80161.14 MB, solutions = 37)							
Nodefile size = 77996.90 MB (68060.51 MB after compression)							
1400362	861629	-94.8928	60	-51.0000	-363.2457	79278236	612.25%
1402182	863414	-210.8249	123	-51.0000	-363.2457	79322997	612.25%
1403647	864988	-356.3679	277	-51.0000	-363.2134	79365317	612.18%
1405435	865338	-146.7865	78	-51.0000	-363.2088	79370410	612.17%
1406589	867010	-359.7785	358	-51.0000	-363.2088	79449597	612.17%
1407357	867801	-175.8509	103	-51.0000	-363.2088	79473735	612.17%
1408480	869141	-357.7632	286	-51.0000	-363.2060	79559155	612.17%
1409072	869005	-292.4575	185	-51.0000	-363.2030	79576725	612.16%
1409931	870613	-317.9388	207	-51.0000	-363.2030	79678668	612.16%
1410846	871221	-300.5855	191	-51.0000	-363.2030	79725732	612.16%
<sup>11</sup> Elapsed time = 3001.29 sec. (1849268.80 ticks, tree = 81426.69 MB, solutions = 37)							
Nodefile size = 79340.13 MB (69235.09 MB after compression)							
1412565	871839	-198.5468	146	-51.0000	-363.1993	79794879	612.16%
1414222	872610	-355.1605	245	-51.0000	-363.1976	79824561	612.15%
1416451	873746	-136.8493	75	-51.0000	-363.1940	79887929	612.15%
1418802	875876	-262.7594	150	-51.0000	-363.1940	79985747	612.15%
1420667	877986	-120.8353	67	-51.0000	-363.1940	80044684	612.15%
1422897	879153	-68.0000	29	-51.0000	-363.1912	80105755	612.14%
1424675	880527	-102.5792	49	-51.0000	-363.1912	80124655	612.14%
1426442	881127	-214.1609	129	-51.0000	-363.1912	80157146	612.14%
1428467	883401	-182.3962	109	-51.0000	-363.1707	80225126	612.10%
1430584	885240	-157.4481	95	-51.0000	-363.1701	80286129	612.10%

```

5 Elapsed time = 3060.58 sec. (1887439.56 ticks, tree = 82485.78 MB, solutions = 37)
Nodefile size = 80396.88 MB (70146.52 MB after compression)
1431870 886774 -284.1700 176 -51.0000 -363.1701 80338190 612.10%
1433655 887329 -192.0080 106 -51.0000 -363.1701 80363893 612.10%
1435683 887996 -221.9601 130 -51.0000 -363.1701 80378007 612.10%
1437806 890614 -173.4306 90 -51.0000 -363.1701 80521614 612.10%
1439772 890705 -346.6358 222 -51.0000 -363.1634 80541956 612.09%
1441413 894088 -326.9882 225 -51.0000 -363.1634 80639579 612.09%
1443300 893400 -70.0000 28 -51.0000 -363.1542 80610357 612.07%
1445035 896243 -208.7591 119 -51.0000 -363.1453 80712144 612.05%
1446281 897127 -197.6167 112 -51.0000 -363.1419 80754887 612.04%
1447762 898657 -91.8217 40 -51.0000 -363.1419 80807489 612.04%
Elapsed time = 3123.21 sec. (1925598.32 ticks, tree = 83544.11 MB, solutions = 37)
Nodefile size = 81452.99 MB (71050.24 MB after compression)
1449076 899736 -322.1691 203 -51.0000 -363.1419 80869707 612.04%
1450689 899823 -232.5075 136 -51.0000 -363.1318 80862276 612.02%
1452809 901413 -225.7858 139 -51.0000 -363.1314 80941867 612.02%
1454893 903274 -358.8973 388 -51.0000 -363.1282 81042552 612.02%
1457193 905392 -173.3702 95 -51.0000 -363.1282 81100657 612.02%
1459630 905749 -248.7621 160 -51.0000 -363.1229 81106133 612.01%
1462412 908405 -327.4000 317 -51.0000 -363.1193 81191230 612.00%
1465284 910018 -269.0734 163 -51.0000 -363.1193 81234773 612.00%
1467995 911192 -127.3125 68 -51.0000 -363.1193 81272725 612.00%
1470171 915051 -214.2308 131 -51.0000 -363.1193 81338792 612.00%
22 Elapsed time = 3185.87 sec. (1963768.00 ticks, tree = 85097.25 MB, solutions = 37)
Nodefile size = 82996.73 MB (72399.07 MB after compression)
1472123 915840 -61.2873 25 -51.0000 -363.0963 81359705 611.95%
1474944 917352 -150.6935 103 -51.0000 -363.0963 81406102 611.95%
1477413 918699 -206.5598 113 -51.0000 -363.0963 81437361 611.95%
1480258 921424 -164.2992 111 -51.0000 -363.0819 81482776 611.93%
1482580 921768 -268.5418 165 -51.0000 -363.0819 81488923 611.93%
1485060 924969 -143.3574 86 -51.0000 -363.0736 81569087 611.91%
1487196 925334 -228.5638 136 -51.0000 -363.0736 81574482 611.91%
1488705 927554 -163.6258 104 -51.0000 -363.0736 81634624 611.91%
1490312 928638 -309.5214 190 -51.0000 -363.0642 81673852 611.89%
1491785 929380 -358.3981 270 -51.0000 -363.0642 81684293 611.89%
Elapsed time = 3251.39 sec. (2001939.32 ticks, tree = 87079.65 MB, solutions = 37)
Nodefile size = 84914.94 MB (74090.46 MB after compression)
1493123 932100 -361.1607 431 -51.0000 -363.0642 81782395 611.89%

```

1494409	933384	-226.9344	133	-51.0000	-363.0459	81815947	611.85%
1495695	934332	-340.4590	462	-51.0000	-363.0412	81876672	611.85%
1496875	935790	-83.4127	43	-51.0000	-363.0360	81930955	611.84%
1498611	936080	-340.2493	219	-51.0000	-363.0359	81938184	611.84%
1500352	938166	-344.8650	243	-51.0000	-363.0359	82058846	611.84%
1501886	939423	-214.2697	147	-51.0000	-363.0359	82133186	611.84%
1504021	940301	-358.9608	298	-51.0000	-363.0299	82162519	611.82%
1505915	940547	-111.5071	60	-51.0000	-363.0219	82169070	611.81%
1508308	942596	-290.0645	164	-51.0000	-363.0181	82259386	611.80%
2							
Elapsed time = 3310.11 sec. (2040140.88 ticks, tree = 87780.04 MB, solutions = 37)							
Nodefile size = 85628.88 MB (74705.56 MB after compression)							
1509877	943462	-362.1250	345	-51.0000	-363.0181	82279281	611.80%
1511487	944392	-250.2819	153	-51.0000	-363.0181	82311234	611.80%
1513253	946218	-108.1399	52	-51.0000	-363.0181	82347204	611.80%
1515387	948834	-189.7285	105	-51.0000	-363.0181	82452582	611.80%
1517182	949556	-75.4540	32	-51.0000	-363.0181	82477198	611.80%
1519399	949444	infeasible		-51.0000	-363.0181	82514269	611.80%
1521136	952636	-323.2530	196	-51.0000	-363.0181	82576083	611.80%
1522540	953923	-233.5832	139	-51.0000	-363.0181	82642685	611.80%
1524673	955141	-324.2844	195	-51.0000	-363.0181	82669446	611.80%
1527134	957400	-270.0783	153	-51.0000	-363.0181	82761101	611.80%
2							
Elapsed time = 3375.30 sec. (2078300.10 ticks, tree = 89832.75 MB, solutions = 37)							
Nodefile size = 87735.09 MB (76556.10 MB after compression)							
1529246	958614	-201.0558	130	-51.0000	-362.9817	82793638	611.73%
1531688	958996	-161.7118	88	-51.0000	-362.9817	82798680	611.73%
1533866	961145	-311.7875	206	-51.0000	-362.9680	82872188	611.70%
1536179	963907	-186.8495	106	-51.0000	-362.9665	82919347	611.70%
1538696	963676	-352.0906	262	-51.0000	-362.9639	82919358	611.69%
1541291	967962	-352.4511	278	-51.0000	-362.9596	83060386	611.69%
1543733	968242	-357.3868	235	-51.0000	-362.9596	83066483	611.69%
1546056	969753	-131.0000	70	-51.0000	-362.9596	83094379	611.69%
1548313	973663	-358.5955	292	-51.0000	-362.9596	83188282	611.69%
1550146	974076	-337.6329	235	-51.0000	-362.9596	83193612	611.69%
2							
Elapsed time = 3438.78 sec. (2116458.32 ticks, tree = 91621.92 MB, solutions = 37)							
Nodefile size = 89472.03 MB (78071.33 MB after compression)							
1552066	975198	-257.4841	153	-51.0000	-362.9596	83217109	611.69%
1554054	978192	-362.7689	413	-51.0000	-362.9596	83329259	611.69%
1555755	978851	-143.0000	75	-51.0000	-362.9596	83355737	611.69%
1557601	980081	-111.0000	62	-51.0000	-362.9596	83402580	611.69%

```

1559461 980883   -65.5000    31    -51.0000   -362.9596 83416493 611.69%
1561060 981959   -95.2712    54    -51.0000   -362.9596 83457941 611.69%
1563252 984242   -362.0169   413    -51.0000   -362.9596 83525920 611.69%
1565359 985051   -357.4587   294    -51.0000   -362.9233 83550747 611.61%
1567576 986032   -149.0000   85     -51.0000   -362.9233 83574660 611.61%
1569513 987717   -279.5274   163    -51.0000   -362.9233 83634697 611.61%
Elapsed time = 3504.02 sec. (2154615.60 ticks, tree = 93479.99 MB, solutions = 37)
Nodefile size = 91371.26 MB (79754.57 MB after compression)

1571974 990722   -362.4365   380    -51.0000   -362.9233 83694670 611.61%
1573897 992646   -68.4032    28    -51.0000   -362.9114 83746398 611.59%
1575392 992729   -330.2044   206    -51.0000   -362.9114 83779146 611.59%
1577047 993978   -358.7650   359    -51.0000   -362.9057 83809952 611.58%
1578890 995730   -127.0000   61     -51.0000   -362.8989 83877449 611.57%
1580686 998467   -287.4760   169    -51.0000   -362.8989 83985755 611.57%
1582486 998774   -184.8990   96     -51.0000   -362.8989 83990762 611.57%
1584991 998842   -356.8110   390    -51.0000   -362.8859 84005528 611.54%
1587493 999579   -77.0000    35    -51.0000   -362.8859 84044828 611.54%
1589567 1002790  -131.3414   85     -51.0000   -362.8732 84134590 611.52%
Elapsed time = 3565.26 sec. (2192780.39 ticks, tree = 94791.64 MB, solutions = 37)
Nodefile size = 92672.34 MB (80888.26 MB after compression)

1592670 1004787  -297.9113   190    -51.0000   -362.8725 84180248 611.51%
1595731 1005466  -95.7042    50    -51.0000   -362.8672 84210720 611.50%
1599386 1006137  -255.3546   166    -51.0000   -362.8664 84220217 611.50%
1602374 1011809  -258.4069   167    -51.0000   -362.8652 84331862 611.50%
1604997 1010524  -360.4317   388    -51.0000   -362.8581 84307783 611.49%
1607859 1015041  -290.6650   167    -51.0000   -362.8530 84391761 611.48%
1610787 1017262  -348.8495   243    -51.0000   -362.8508 84436563 611.47%
1613632 1021191  -135.1203   72     -51.0000   -362.8508 84518537 611.47%
1615516 1020433  -216.2144   140    -51.0000   -362.8410 84504224 611.45%
1617251 1022386  -270.4581   162    -51.0000   -362.8333 84547261 611.44%
Elapsed time = 3635.70 sec. (2230941.04 ticks, tree = 97508.37 MB, solutions = 37)
Nodefile size = 95355.95 MB (83241.89 MB after compression)

1619480 1026326  -106.0000   53    -51.0000   -362.8282 84646400 611.43%
1621653 1026348  -355.3272   241    -51.0000   -362.8246 84638448 611.42%
1624106 1028420  -165.5907   118    -51.0000   -362.8246 84737509 611.42%
1626046 1031119  -197.2253   111    -51.0000   -362.8246 84803674 611.42%
1628354 1031483  -272.8441   187    -51.0000   -362.8182 84808486 611.41%
1630900 1033785  -136.0000   74     -51.0000   -362.8149 84879529 611.40%
1633280 1035225  -178.0256   106    -51.0000   -362.8095 84897759 611.39%

```

```

1635519 1036730      -352.3538   246      -51.0000    -362.8073 84951001  611.39%
1637650 1037407      -127.6583    75       -51.0000    -362.8062 84968280  611.38%
1640581 1037971      -353.0674   237      -51.0000    -362.8062 84995175  611.38%
9 Elapsed time = 3699.91 sec. (2269105.18 ticks, tree = 99299.35 MB, solutions = 37)
Nodefile size = 97165.67 MB (84826.35 MB after compression)
1643113 1042917      -123.0000   65       -51.0000    -362.7964 85104583  611.37%
1645682 1045072      -98.0000    43       -51.0000    -362.7915 85155504  611.36%
1647968 1044321      -247.7274   144      -51.0000    -362.7915 85146785  611.36%
1649894 1048126      -262.8989   152      -51.0000    -362.7845 85227817  611.34%
1651814 1049151      -186.8173   101      -51.0000    -362.7845 85253195  611.34%
1653327 1049473      -356.1169   318      -51.0000    -362.7795 85258164  611.33%
1655002 1053056      -355.6073   278      -51.0000    -362.7795 85359222  611.33%
1656520 1053373      -135.0000   67       -51.0000    -362.7795 85407938  611.33%
1658361 1054656      -101.0000   57       -51.0000    -362.7795 85449771  611.33%
1659888 1055695      -256.1699   146      -51.0000    -362.7795 85516761  611.33%
Elapsed time = 3765.79 sec. (2307266.26 ticks, tree = 101441.55 MB, solutions = 37)
Nodefile size = 99318.60 MB (86720.36 MB after compression)
1661149 1056024      -127.0000   72       -51.0000    -362.7795 85521668  611.33%
1662587 1057258      -353.0349   265      -51.0000    -362.7795 85568921  611.33%
1663677 1059201      -312.0521   192      -51.0000    -362.7795 85649252  611.33%
1665018 1060718      -346.8945   253      -51.0000    -362.7795 85699888  611.33%
1667093 1061145      -233.1731   124      -51.0000    -362.7795 85762078  611.33%
1668662 1063518      -185.8541   99       -51.0000    -362.7540 85814491  611.28%
1670566 1063921      -292.5807   179      -51.0000    -362.7471 85869834  611.27%
1673003 1064269      -93.0000   51       -51.0000    -362.7471 85876458  611.27%
1674618 1066561      -318.0390   230      -51.0000    -362.7460 85962658  611.27%
1676422 1066460      -355.5526   277      -51.0000    -362.7419 85956170  611.26%
5 Elapsed time = 3822.33 sec. (2345444.75 ticks, tree = 102413.17 MB, solutions = 37)
Nodefile size = 100313.89 MB (87590.71 MB after compression)
1678428 1069357      -120.0000   61       -51.0000    -362.7356 86082885  611.25%
1680900 1070444      -127.0000   79       -51.0000    -362.7356 86127269  611.25%
1684018 1072004      -195.2310   115      -51.0000    -362.7356 86162816  611.25%
1686950 1074672      -198.9341   121      -51.0000    -362.7213 86217540  611.22%
1688817 1075569      -344.0144   261      -51.0000    -362.7205 86234976  611.22%
1690232 1077618      -349.8671   358      -51.0000    -362.7205 86267376  611.22%
1692562 1078890      -230.6096   136      -51.0000    -362.7201 86305304  611.22%
1694242 1081904      -93.0000   43       -51.0000    -362.7066 86455402  611.19%
1695461 1080671      -211.5977   136      -51.0000    -362.7044 86405574  611.19%
1697499 1082638      -347.2280   227      -51.0000    -362.7018 86477065  611.18%

```

```

5 Elapsed time = 3887.72 sec. (2383611.26 ticks, tree = 103831.56 MB, solutions = 37)
Nodefile size = 101675.30 MB (88760.66 MB after compression)
1699409 1083919 -347.0445 252 -51.0000 -362.7018 86523820 611.18%
1701903 1087178 -164.0000 86 -51.0000 -362.6903 86637076 611.16%
1705244 1087473 -111.0000 54 -51.0000 -362.6903 86641463 611.16%
1708528 1091154 -351.8627 327 -51.0000 -362.6816 86710675 611.14%
1711345 1091455 -305.5254 226 -51.0000 -362.6810 86716115 611.14%
1714058 1093531 -125.0000 68 -51.0000 -362.6810 86742733 611.14%
1716044 1093882 -270.4370 177 -51.0000 -362.6810 86747997 611.14%
1717546 1096977 -165.0000 85 -51.0000 -362.6732 86820470 611.12%
1718830 1098665 -355.7772 430 -51.0000 -362.6672 86862102 611.11%
1720069 1100901 -135.0000 80 -51.0000 -362.6656 86925829 611.11%
2 Elapsed time = 3953.78 sec. (2421784.63 ticks, tree = 106417.14 MB, solutions = 37)
Nodefile size = 104319.82 MB (91096.33 MB after compression)
1721339 1101680 -117.0000 56 -51.0000 -362.6656 86974958 611.11%
1722319 1102272 -218.3016 136 -51.0000 -362.6596 87030638 611.10%
1723245 1103269 -275.9999 162 -51.0000 -362.6596 87056591 611.10%
1724223 1103312 -96.0000 46 -51.0000 -362.6596 87073826 611.10%
1725584 1104731 -177.3169 117 -51.0000 -362.6596 87136461 611.10%
1726911 1106217 -188.3971 143 -51.0000 -362.6574 87241554 611.09%
1728561 1106444 -176.0748 89 -51.0000 -362.6574 87287791 611.09%
1730521 1108181 -327.5582 201 -51.0000 -362.6574 87316342 611.09%
1732599 1108551 -74.0000 35 -51.0000 -362.6574 87322004 611.09%
1734632 1110364 -337.1043 250 -51.0000 -362.6574 87399542 611.09%
2 Elapsed time = 4014.37 sec. (2459957.65 ticks, tree = 107224.35 MB, solutions = 37)
Nodefile size = 105067.96 MB (91749.43 MB after compression)
1737166 1112205 -193.2310 114 -51.0000 -362.6459 87446556 611.07%
1739419 1112996 -173.7686 92 -51.0000 -362.6459 87486378 611.07%
1741249 1114769 -347.1913 214 -51.0000 -362.6401 87522106 611.06%
1743358 1115064 -192.2962 107 -51.0000 -362.6384 87515063 611.06%
1744968 1118074 -328.4236 210 -51.0000 -362.6359 87592968 611.05%
1746865 1119076 -191.1902 112 -51.0000 -362.6287 87643898 611.04%
1748365 1121241 -81.0000 37 -51.0000 -362.6225 87699408 611.02%
1750085 1121481 -324.0813 201 -51.0000 -362.6225 87705667 611.02%
1752508 1124145 -60.0000 19 -51.0000 -362.6205 87805130 611.02%
1755390 1123880 infeasible -51.0000 -362.6205 87785448 611.02%
Elapsed time = 4081.48 sec. (2498117.32 ticks, tree = 109186.03 MB, solutions = 37)
Nodefile size = 107010.45 MB (93469.83 MB after compression)
1757833 1127056 -215.2144 120 -51.0000 -362.6205 87862964 611.02%

```

1759906	1130330	-126.6583	64	-51.0000	-362.6205	87942162	611.02%
1761605	1131195	-158.9016	98	-51.0000	-362.6205	87952404	611.02%
1763935	1132655	-353.8302	251	-51.0000	-362.6059	88000738	610.99%
1766383	1135120	-358.4267	298	-51.0000	-362.5995	88069117	610.98%
1769340	1134674	-351.0958	290	-51.0000	-362.5959	88065237	610.97%
1770949	1137435	-354.5922	298	-51.0000	-362.5959	88133999	610.97%
1772901	1138195	-317.6154	230	-51.0000	-362.5891	88152987	610.96%
1774852	1138989	-319.6824	186	-51.0000	-362.5858	88197180	610.95%
1777181	1141667	-228.0794	142	-51.0000	-362.5778	88238065	610.94%
2							
Elapsed time = 4149.17 sec. (2536284.58 ticks, tree = 111606.07 MB, solutions = 37)							
<b>Nodefile size</b> = 109464.13 MB (95628.95 MB after compression)							
1779471	1142822	-356.9082	300	-51.0000	-362.5778	88301076	610.94%
1781560	1145486	-345.4786	300	-51.0000	-362.5709	88354961	610.92%
1783964	1146383	-142.0000	75	-51.0000	-362.5683	88384760	610.92%
1786599	1149409	-156.9016	93	-51.0000	-362.5632	88449409	610.91%
1788528	1150674	-286.3848	175	-51.0000	-362.5575	88476984	610.90%
1790262	1152003	-152.8889	82	-51.0000	-362.5554	88530369	610.89%
1792157	1154316	-312.5151	205	-51.0000	-362.5519	88608998	610.89%
1794239	1155329	-81.4111	38	-51.0000	-362.5519	88632851	610.89%
1796795	1155687	-226.8191	121	-51.0000	-362.5490	88638195	610.88%
1798889	1157971	-242.5105	141	-51.0000	-362.5490	88695455	610.88%
2							
Elapsed time = 4216.83 sec. (2574439.80 ticks, tree = 113971.04 MB, solutions = 37)							
<b>Nodefile size</b> = 111820.30 MB (97713.78 MB after compression)							
1801257	1160786	-326.2609	217	-51.0000	-362.5476	88785387	610.88%
1803904	1160584	-197.5598	116	-51.0000	-362.5476	88778037	610.88%
1806916	1163684	-112.0000	59	-51.0000	-362.5476	88855097	610.88%
1809860	1164061	-164.0000	89	-51.0000	-362.5359	88860117	610.85%
1812427	1167790	-353.8110	266	-51.0000	-362.5338	88946081	610.85%
1813938	1169137	-355.4961	313	-51.0000	-362.5313	88984565	610.85%
1815156	1169515	-95.0000	50	-51.0000	-362.5280	88989276	610.84%
1816884	1172293	-109.0000	56	-51.0000	-362.5280	89054712	610.84%
1819029	1172222	-359.4854	274	-51.0000	-362.5165	89088292	610.82%
1820702	1175341	-101.0000	59	-51.0000	-362.5139	89172352	610.81%
Elapsed time = 4283.62 sec. (2612607.16 ticks, tree = 116452.58 MB, solutions = 37)							
<b>Nodefile size</b> = 114352.58 MB (99959.10 MB after compression)							
1821717	1175520	-316.6016	211	-51.0000	-362.5105	89178976	610.80%
1822802	1175743	-356.9446	302	-51.0000	-362.5105	89208707	610.80%
1825186	1177728	-359.8573	307	-51.0000	-362.5019	89292196	610.79%
1828466	1178524	-311.3564	177	-51.0000	-362.4955	89352642	610.78%

1831697	1179704	-254.7012	147	-51.0000	-362.4947	89383091	610.77%
1833684	1185363	-346.5593	242	-51.0000	-362.4913	89494458	610.77%
1835958	1185747	-65.0000	35	-51.0000	-362.4905	89499237	610.77%
1838222	1187800	-349.6080	333	-51.0000	-362.4905	89556219	610.77%
1840349	1189274	-190.9810	106	-51.0000	-362.4891	89593726	610.76%
1842574	1190077	-131.0000	66	-51.0000	-362.4891	89607149	610.76%
2							
Elapsed time = 4348.73 sec. (2650771.96 ticks, tree = 118254.77 MB, solutions = 37)							
Nodefile size = 116123.16 MB (101513.80 MB after compression)							
1844137	1190950	-337.9764	239	-51.0000	-362.4773	89621043	610.74%
1845868	1194067	-163.0000	91	-51.0000	-362.4773	89702644	610.74%
1847428	1194442	infeasible		-51.0000	-362.4773	89707519	610.74%
1848545	1195399	-338.9939	269	-51.0000	-362.4715	89749797	610.73%
1849976	1197189	-312.5297	186	-51.0000	-362.4715	89842164	610.73%
1852539	1197765	-172.7495	102	-51.0000	-362.4715	89864964	610.73%
1855071	1199117	-174.5109	95	-51.0000	-362.4673	89907349	610.72%
1857581	1199427	-79.0000	33	-51.0000	-362.4673	89912585	610.72%
1860128	1204628	-139.0000	78	-51.0000	-362.4673	90040175	610.72%
1862424	1204806	-92.0000	38	-51.0000	-362.4673	90046923	610.72%
2							
Elapsed time = 4412.31 sec. (2688942.58 ticks, tree = 119835.92 MB, solutions = 37)							
Nodefile size = 117703.76 MB (102891.72 MB after compression)							
1864012	1205110	-334.7566	231	-51.0000	-362.4673	90052032	610.72%
1865715	1206430	-248.0777	143	-51.0000	-362.4673	90089209	610.72%
1867880	1208849	-360.7170	315	-51.0000	-362.4673	90124930	610.72%
1869710	1210002	-253.9861	148	-51.0000	-362.4461	90184073	610.68%
1871605	1212587	-271.6025	172	-51.0000	-362.4461	90320048	610.68%
1873471	1213584	-156.0000	98	-51.0000	-362.4461	90347220	610.68%
1875249	1215234	-346.3866	246	-51.0000	-362.4461	90387853	610.68%
1876789	1216880	-136.0000	70	-51.0000	-362.4317	90467261	610.65%
1878428	1216583	-360.9537	396	-51.0000	-362.4300	90462464	610.65%
1879496	1218118	-271.7228	172	-51.0000	-362.4300	90528095	610.65%
2							
Elapsed time = 4475.52 sec. (2727125.87 ticks, tree = 121765.60 MB, solutions = 37)							
Nodefile size = 119662.56 MB (104632.68 MB after compression)							
1879927	1219133	-331.2837	228	-51.0000	-362.4208	90557727	610.63%
1881200	1219700	-354.6783	283	-51.0000	-362.4206	90586562	610.63%
1882723	1221442	-339.9416	253	-51.0000	-362.4201	90642101	610.63%
1883876	1222681	-353.1613	241	-51.0000	-362.4167	90733610	610.62%
1884976	1222419	-356.8062	237	-51.0000	-362.4167	90727814	610.62%
1885808	1224246	-174.6478	96	-51.0000	-362.4148	90820647	610.62%
1887127	1224675	-96.0000	47	-51.0000	-362.4143	90824870	610.62%

```

1888119 1226301 -354.7976 297 -51.0000 -362.4143 90942207 610.62%
1889542 1227449 -292.9870 200 -51.0000 -362.4143 90980258 610.62%
1891491 1227878 -201.0640 120 -51.0000 -362.4065 90984614 610.60%
Elapsed time = 4533.80 sec. (2765317.2 ticks, tree = 122538.28 MB, solutions = 37)
Nodefile size = 120337.04 MB (105215.91 MB after compression)
1893792 1227996 -162.0000 91 -51.0000 -362.4065 91035314 610.60%
1896328 1230354 -246.3380 142 -51.0000 -362.4053 91099099 610.60%
1898667 1232386 -348.0567 224 -51.0000 -362.4034 91151758 610.59%
1900424 1234216 -202.3876 116 -51.0000 -362.3982 91202203 610.58%
1902409 1235516 -146.0000 82 -51.0000 -362.3963 91228751 610.58%
1904297 1236559 -294.4467 221 -51.0000 -362.3939 91256879 610.58%
1905946 1237273 -169.0000 91 -51.0000 -362.3926 91297562 610.57%
1908247 1238212 -359.1546 327 -51.0000 -362.3923 91327857 610.57%
1910238 1241889 -93.0000 43 -51.0000 -362.3840 91454153 610.56%
1912123 1242108 -253.7352 161 -51.0000 -362.3840 91443338 610.56%
Elapsed time = 4597.07 sec. (2803482.88 ticks, tree = 124122.99 MB, solutions = 37)
Nodefile size = 121915.48 MB (106601.21 MB after compression)
1913823 1244810 -293.5904 165 -51.0000 -362.3840 91560056 610.56%
1915261 1242831 -348.9132 224 -51.0000 -362.3840 91487721 610.56%
1917087 1245691 -357.7825 398 -51.0000 -362.3736 91596278 610.54%
1919377 1247859 -350.8520 301 -51.0000 -362.3727 91640207 610.53%
1920957 1249365 -349.1644 264 -51.0000 -362.3727 91704716 610.53%
1922448 1251919 -241.0255 135 -51.0000 -362.3727 91787046 610.53%
1924299 1251385 -139.0000 89 -51.0000 -362.3727 91745691 610.53%
1925928 1254633 -335.5796 212 -51.0000 -362.3727 91864879 610.53%
1927733 1253942 -248.7582 148 -51.0000 -362.3727 91863422 610.53%
1929800 1254954 -161.5000 98 -51.0000 -362.3727 91914276 610.53%
Elapsed time = 4665.96 sec. (2841657.11 ticks, tree = 125876.231 MB, solutions = 37)
Nodefile size = 123736.62 MB (108198.02 MB after compression)
1932915 1257567 -356.6930 308 -51.0000 -362.3727 91971230 610.53%
1935557 1257895 -235.1592 138 -51.0000 -362.3485 91975728 610.49%
1937930 1259507 -133.0000 76 -51.0000 -362.3470 92043433 610.48%
1939112 1262952 -268.7837 146 -51.0000 -362.3423 92119640 610.48%
1941120 1263559 -336.0770 228 -51.0000 -362.3380 92141033 610.47%
1943317 1266134 -78.0000 38 -51.0000 -362.3380 92201328 610.47%
1945343 1266470 -81.0000 35 -51.0000 -362.3380 92230682 610.47%
1947101 1268368 -140.3414 74 -51.0000 -362.3309 92291980 610.45%
1948917 1269242 -223.0782 125 -51.0000 -362.3309 92327936 610.45%
1950788 1269706 -57.0000 25 -51.0000 -362.3309 92331814 610.45%

```

```

5 Elapsed time = 4731.66 sec. (2879825.80 ticks, tree = 127608.51 MB, solutions = 37)
Nodefile size = 125386.48 MB (109656.60 MB after compression)
1952593 1272828 -163.0000 86 -51.0000 -362.3309 92422770 610.45%
1955188 1273992 -348.8436 266 -51.0000 -362.3309 92476904 610.45%
1957494 1273935 -179.5526 97 -51.0000 -362.3309 92458164 610.45%
1958998 1275371 -357.5784 362 -51.0000 -362.3309 92499131 610.45%
1960528 1278994 -183.2555 100 -51.0000 -362.3309 92595513 610.45%
1962501 1279390 -143.0000 79 -51.0000 -362.3309 92614185 610.45%
1963753 1279515 -181.5109 103 -51.0000 -362.3309 92622257 610.45%
1965266 1282516 -101.0000 45 -51.0000 -362.3309 92718093 610.45%
1966607 1283982 -337.5188 281 -51.0000 -362.3309 92799904 610.45%
1968190 1282938 -315.7303 204 -51.0000 -362.3309 92761351 610.45%
Elapsed time = 4795.38 sec. (2917991.21 ticks, tree = 129154.59 MB, solutions = 37)
Nodefile size = 127050.39 MB (111116.43 MB after compression)
1970548 1286382 -334.5310 206 -51.0000 -362.3309 92905255 610.45%
1972793 1287538 -249.0323 140 -51.0000 -362.3309 92945474 610.45%
1974081 1286958 -223.8645 140 -51.0000 -362.3309 92914229 610.45%
1975090 1289465 -301.1046 172 -51.0000 -362.3309 93018059 610.45%
1976045 1288874 -355.0767 231 -51.0000 -362.3309 92974520 610.45%
1977011 1292121 -361.9902 290 -51.0000 -362.3309 93088426 610.45%
1978501 1293014 -358.8972 302 -51.0000 -362.3309 93119372 610.45%
1980427 1292664 -196.8761 136 -51.0000 -362.3074 93113119 610.41%
1981659 1294107 -96.5679 44 -51.0000 -362.3074 93290304 610.41%
1982761 1295504 -257.0260 157 -51.0000 -362.3074 93318116 610.41%
48 Elapsed time = 4857.33 sec. (2956165.23 ticks, tree = 130261.01 MB, solutions = 37)
Nodefile size = 128107.74 MB (112032.73 MB after compression)
1984197 1296305 -228.6609 123 -51.0000 -362.3074 93336345 610.41%
1985492 1296197 -177.2575 101 -51.0000 -362.3074 93393577 610.41%
1986946 1298745 -119.0000 59 -51.0000 -362.3074 93460887 610.41%
1988715 1298777 -360.0183 343 -51.0000 -362.3074 93496963 610.41%
1990344 1301907 -355.9441 253 -51.0000 -362.3074 93607408 610.41%
1992706 1302258 -120.0000 62 -51.0000 -362.2874 93612558 610.37%
1995018 1304182 -225.4859 128 -51.0000 -362.2874 93683921 610.37%
1997601 1303431 -155.8836 85 -51.0000 -362.2874 93659824 610.37%
1999960 1306782 -179.7059 100 -51.0000 -362.2874 93741768 610.37%
2001806 1307133 -277.2162 157 -51.0000 -362.2534 93746417 610.30%
Elapsed time = 4924.31 sec. (2994343.65 ticks, tree = 131623.21 MB, solutions = 37)
Nodefile size = 129402.80 MB (113165.07 MB after compression)
2003608 1310011 cutoff -51.0000 -362.2505 93852745 610.30%

```

2005876	1311929	-360.7152	340	-51.0000	-362.2420	93872511	610.28%
2007520	1314349	-361.2690	324	-51.0000	-362.2401	93949400	610.27%
2010050	1315474	-358.1109	347	-51.0000	-362.2348	93980261	610.26%
2012141	1314837	-121.0000	78	-51.0000	-362.2319	93967126	610.26%
2014117	1316900	-210.4484	137	-51.0000	-362.2319	94047490	610.26%
2016539	1320203	-301.7363	185	-51.0000	-362.2225	94177706	610.24%
2018363	1319559	-90.0000	35	-51.0000	-362.2210	94148369	610.24%
2019749	1322440	-109.2500	66	-51.0000	-362.2210	94261607	610.24%
2021774	1322860	-353.5627	239	-51.0000	-362.2210	94250994	610.24%
2							
Elapsed time = 4990.11 sec. (3032511.21 ticks, tree = 133163.44 MB, solutions = 37)							
Nodefile size = 130977.97 MB (114541.34 MB after compression)							
2023532	1324766	-201.9114	114	-51.0000	-362.2210	94318165	610.24%
2025242	1327799	-353.9849	299	-51.0000	-362.2100	94439879	610.22%
2026170	1326401	-158.0000	94	-51.0000	-362.2098	94361700	610.22%
2026901	1329537	-287.7297	180	-51.0000	-362.2078	94472233	610.21%
2028133	1330094	-58.4032	26	-51.0000	-362.2078	94513762	610.21%
2029923	1331143	-65.4032	29	-51.0000	-362.2065	94618610	610.21%
2031440	1331107	-318.8100	196	-51.0000	-362.2065	94607266	610.21%
2032934	1332754	-265.4758	167	-51.0000	-362.2058	94669472	610.21%
2034589	1334098	-153.0000	81	-51.0000	-362.2021	94746572	610.20%
2036138	1334328	-243.3282	168	-51.0000	-362.2021	94751540	610.20%
2							
Elapsed time = 5053.58 sec. (3070737.59 ticks, tree = 134474.79 MB, solutions = 37)							
Nodefile size = 132323.41 MB (115713.57 MB after compression)							
2038712	1333925	-78.5139	50	-51.0000	-362.2021	94744505	610.20%
2040376	1337795	infeasible		-51.0000	-362.1926	94873080	610.18%
2042249	1338711	-95.0000	53	-51.0000	-362.1918	94889167	610.18%
2043289	1339688	-196.9467	171	-51.0000	-362.1918	94930297	610.18%
2044354	1340831	-339.2202	210	-51.0000	-362.1918	94959160	610.18%
2045538	1341759	-316.6392	222	-51.0000	-362.1891	94978591	610.17%
2047212	1344458	-298.5127	183	-51.0000	-362.1891	95116161	610.17%
2048192	1343500	-315.8810	205	-51.0000	-362.1891	95075051	610.17%
2050162	1346617	-258.7810	146	-51.0000	-362.1891	95248518	610.17%
2052107	1347065	-209.5024	121	-51.0000	-362.1834	95285696	610.16%
Elapsed time = 5113.04 sec. (3108900.99 ticks, tree = 135743.20 MB, solutions = 37)							
Nodefile size = 133587.80 MB (116827.78 MB after compression)							
2054327	1347767	-179.1118	105	-51.0000	-362.1834	95328232	610.16%
2056734	1350306	-355.7437	324	-51.0000	-362.1701	95403631	610.14%
2057895	1349123	-285.9940	159	-51.0000	-362.1701	95387785	610.14%
2059298	1353824	-177.2253	104	-51.0000	-362.1701	95512857	610.14%

2061571	1354213	-235.3818	137	-51.0000	-362.1701	95517218	610.14%
2062721	1354490	-178.5830	101	-51.0000	-362.1701	95521973	610.14%
2063887	1354683	-359.1123	335	-51.0000	-362.1619	95552808	610.12%
2066171	1357304	-216.6867	128	-51.0000	-362.1588	95666338	610.12%
2068842	1358733	-338.9059	219	-51.0000	-362.1540	95690539	610.11%
2071197	1359079	-151.0000	86	-51.0000	-362.1505	95694410	610.10%
<b>Elapsed time = 5183.43 sec. (3147063.12 ticks, tree = 137247.59 MB, solutions = 37)</b>							
<b>Nodefile size = 135065.62 MB (118120.50 MB after compression)</b>							
2073960	1362024	infeasible		-51.0000	-362.1492	95770534	610.10%
2076419	1362562	-356.2101	269	-51.0000	-362.1458	95796757	610.09%
2078532	1365651	-229.5769	161	-51.0000	-362.1441	95842208	610.09%
2080519	1367251	-81.0000	42	-51.0000	-362.1406	95880610	610.08%
2082831	1367594	-215.7704	129	-51.0000	-362.1361	95886294	610.07%
2085431	1371304	-165.5000	93	-51.0000	-362.1349	95986118	610.07%
2087706	1371516	-311.5010	186	-51.0000	-362.1292	95993806	610.06%
2090838	1372474	-196.4747	136	-51.0000	-362.1266	96028276	610.05%
2093888	1376175	-268.9368	163	-51.0000	-362.1222	96150851	610.04%
2097037	1376513	-93.0000	48	-51.0000	-362.1195	96156174	610.04%
<b>2</b>							
<b>Elapsed time = 5252.06 sec. (3185223.84 ticks, tree = 139227.82 MB, solutions = 37)</b>							
<b>Nodefile size = 137044.02 MB (119868.56 MB after compression)</b>							
2099977	1377822	-309.5230	191	-51.0000	-362.1194	96195538	610.04%
2102737	1383997	-216.9528	122	-51.0000	-362.1141	96313606	610.03%
2105386	1382784	-357.4801	259	-51.0000	-362.1109	96296349	610.02%
2107072	1384958	-243.3201	190	-51.0000	-362.1080	96353624	610.02%
2109715	1389908	-91.0000	41	-51.0000	-362.1018	96431278	610.00%
2112892	1389386	-237.2620	142	-51.0000	-362.1014	96428949	610.00%
2116344	1392877	-76.0000	37	-51.0000	-362.0952	96518047	609.99%
2119601	1396055	-239.8675	163	-51.0000	-362.0902	96571138	609.98%
2122701	1397588	-162.0000	92	-51.0000	-362.0878	96597500	609.98%
2125585	1399419	-107.0000	56	-51.0000	-362.0837	96623631	609.97%
<b>Elapsed time = 5323.57 sec. (3223386.22 ticks, tree = 142291.72 MB, solutions = 37)</b>							
<b>Nodefile size = 140136.28 MB (122587.56 MB after compression)</b>							
2127637	1401788	-98.9772	55	-51.0000	-362.0837	96673819	609.97%
2129462	1403019	-101.0000	53	-51.0000	-362.0777	96689106	609.96%
2130967	1403384	-180.0312	103	-51.0000	-362.0736	96694336	609.95%
2132398	1407650	-249.8456	150	-51.0000	-362.0716	96832474	609.94%
2134190	1407911	-259.4266	153	-51.0000	-362.0716	96840144	609.94%
2136287	1409592	-347.6216	223	-51.0000	-362.0716	96926465	609.94%
2138800	1410407	-107.4540	54	-51.0000	-362.0673	96963154	609.94%

```

2140533 1410269 -356.8189 314 -51.0000 -362.0623 96948737 609.93%
2141817 1413348 -314.1180 205 -51.0000 -362.0608 97027902 609.92%
2143712 1415198 -361.9409 378 -51.0000 -362.0608 97076664 609.92%
Elapsed time = 5387.73 sec. (3261572.73 ticks, tree = 144059.10 MB, solutions = 37)
Nodefile size = 141929.99 MB (124151.38 MB after compression)

2145303 1415470 -243.6396 140 -51.0000 -362.0548 97110721 609.91%
2147224 1415864 -346.9044 241 -51.0000 -362.0548 97087785 609.91%
2149106 1420398 -353.5467 272 -51.0000 -362.0502 97254799 609.90%
2151211 1420743 -195.9210 100 -51.0000 -362.0502 97260086 609.90%
2153737 1421083 -290.3449 215 -51.0000 -362.0502 97264392 609.90%
2155994 1424276 -173.5964 95 -51.0000 -362.0502 97359502 609.90%
2157424 1423832 -188.4168 116 -51.0000 -362.0502 97352625 609.90%
2158038 1425742 -231.6470 143 -51.0000 -362.0502 97404097 609.90%
2159500 1428123 -166.8025 112 -51.0000 -362.0502 97507292 609.90%
2161270 1427691 -233.3973 129 -51.0000 -362.0502 97484141 609.90%
Elapsed time = 5455.78 sec. (3299734.67 ticks, tree = 145843.98 MB, solutions = 37)
Nodefile size = 143666.89 MB (125689.91 MB after compression)

2163098 1428744 -310.5486 196 -51.0000 -362.0502 97518331 609.90%
2164625 1429691 -72.0000 29 -51.0000 -362.0502 97530450 609.90%
2166592 1430389 -262.9791 183 -51.0000 -362.0502 97612273 609.90%
2168915 1431725 -356.9467 343 -51.0000 -362.0502 97621871 609.90%
2170713 1434358 -258.5424 166 -51.0000 -362.0502 97704062 609.90%
2172463 1434714 -357.2590 274 -51.0000 -362.0502 97708705 609.90%
2174588 1437891 -344.3184 227 -51.0000 -362.0284 97794992 609.86%
2176317 1438251 -145.9176 80 -51.0000 -362.0284 97800479 609.86%
2177202 1438198 -333.6357 210 -51.0000 -362.0284 97815908 609.86%
2179165 1439916 -353.4805 424 -51.0000 -362.0284 97872104 609.86%
Elapsed time = 5521.06 sec. (3337907.15 ticks, tree = 147605.70 MB, solutions = 37)
Nodefile size = 145495.21 MB (127311.62 MB after compression)

2181324 1440866 -283.2540 176 -51.0000 -362.0284 97891679 609.86%
2182556 1442766 -158.4380 82 -51.0000 -362.0284 97941562 609.86%
2184500 1444493 -314.4764 222 -51.0000 -362.0284 97994623 609.86%
2186406 1444801 -224.1898 124 -51.0000 -362.0284 98013376 609.86%
2188871 1447973 -339.4077 214 -51.0000 -362.0284 98109830 609.86%
2190940 1449999 -290.2922 199 -51.0000 -361.9977 98233021 609.80%
2193520 1449073 -361.5637 435 -51.0000 -361.9977 98128061 609.80%
2196434 1451931 -314.6463 224 -51.0000 -361.9971 98276855 609.80%
2199381 1453652 -185.5070 97 -51.0000 -361.9971 98315726 609.80%
2201426 1454807 -117.0000 60 -51.0000 -361.9971 98362893 609.80%

```

```

5 Elapsed time = 5587.16 sec. (3376070.73 ticks, tree = 149537.40 MB, solutions = 37)
Nodefile size = 147385.66 MB (128968.65 MB after compression)
2204276 1456451 -225.5052 131 -51.0000 -361.9971 98391992 609.80%
2206451 1460380 -271.7723 166 -51.0000 -361.9904 98473773 609.79%
2209077 1462514 -361.1800 374 -51.0000 -361.9904 98527678 609.79%
2212458 1462879 -197.8400 113 -51.0000 -361.9809 98522461 609.77%
2215420 1467461 -259.2272 145 -51.0000 -361.9735 98624285 609.75%
2218387 1468647 -123.6583 67 -51.0000 -361.9723 98654373 609.75%
2221372 1471853 -350.9130 263 -51.0000 -361.9667 98702789 609.74%
2225070 1470218 -121.0000 64 -51.0000 -361.9636 98673690 609.73%
2228119 1471931 -201.6745 126 -51.0000 -361.9572 98699736 609.72%
2230869 1478734 -305.8009 190
Elapsed time = 5661.26 sec. (3414225.98 ticks, tree = 153064.91 MB, solutions = 37)
2 Nodefile size = 150931.10 MB (132094.45 MB after compression)
2232763 1478343 -189.2024 111 -51.0000 -361.9492 98802610 609.70%
2234988 1480112 -312.4234 187 -51.0000 -361.9440 98828947 609.69%
2237925 1484751 -313.7701 180 -51.0000 -361.9388 98937741 609.68%
2240558 1486010 -87.0000 43 -51.0000 -361.9364 98964759 609.68%
2242539 1487781 -275.2400 187 -51.0000 -361.9309 99031246 609.67%
2245035 1487728 -219.6291 122 -51.0000 -361.9281 99003844 609.66%
2246529 1491934 -179.1228 94 -51.0000 -361.9255 99095848 609.66%
2247954 1491580 -351.5553 243 -51.0000 -361.9245 99089066 609.66%
2249384 1491991 -291.4054 198 -51.0000 -361.9245 99093972 609.66%
2250277 1494816 -344.8796 224 -51.0000 -361.9245 99189716 609.66%
2 Elapsed time = 5727.78 sec. (3452393.37 ticks, tree = 155438.60 MB, solutions = 37)
2 Nodefile size = 153292.60 MB (134181.29 MB after compression)
2251810 1495637 -112.0000 58 -51.0000 -361.9219 99235307 609.65%
2252985 1496849 -242.5733 165 -51.0000 -361.9219 99290827 609.65%
2253778 1497620 -345.1575 417 -51.0000 -361.9219 99333352 609.65%
2254166 1498135 -355.5885 305 -51.0000 -361.9157 99318850 609.64%
2254590 1497715 -156.6532 90 -51.0000 -361.9157 99344381 609.64%
2255374 1499614 -341.7492 301 -51.0000 -361.9143 99483056 609.64%
2256612 1499695 -256.9245 148 -51.0000 -361.9143 99461630 609.64%
2258131 1500600 -112.0000 59 -51.0000 -361.9143 99521815 609.64%
2259968 1502063 -74.0000 31 -51.0000 -361.9143 99596909 609.64%
2261589 1501021 -217.7357 145 -51.0000 -361.9143 99544139 609.64%
Elapsed time = 5789.89 sec. (3490642.38 ticks, tree = 156097.56 MB, solutions = 37)
Nodefile size = 153881.77 MB (134701.90 MB after compression)
2263540 1503689 -351.0484 271 -51.0000 -361.9143 99662117 609.64%

```

2265593	1505294	-257.5113	150	-51.0000	-361.9143	99690177	609.64%
2267732	1505621	-77.0000	31	-51.0000	-361.9143	99694602	609.64%
2269137	1508711	-65.5679	35	-51.0000	-361.9071	99827984	609.62%
2270876	1509033	-240.1320	134	-51.0000	-361.9071	99832992	609.62%
2272906	1509090	-314.8264	233	-51.0000	-361.9071	99822254	609.62%
2274629	1511601	-189.8173	101	-51.0000	-361.9002	99916173	609.61%
2275232	1511926	-147.0000	73	-51.0000	-361.9002	99933267	609.61%
2276649	1513432	infeasible		-51.0000	-361.9002	99961904	609.61%
2284484	1518423	-347.9256	237	-51.0000	-361.8881	1.00e+08	609.58%
Elapsed time = 5869.03 sec. (3540255.65 ticks, tree = 158053.08 MB, solutions = 37)							
<b>Nodefile size = 155868.06 MB (136448.34 MB after compression)</b>							
2293888	1523878	-359.4920	234	-51.0000	-361.8779	1.00e+08	609.56%
2300244	1531155	-143.7059	77	-51.0000	-361.8641	1.01e+08	609.54%
2305495	1533878	-312.1851	184	-51.0000	-361.8641	1.01e+08	609.54%
2310737	1538466	-359.9087	375	-51.0000	-361.8504	1.01e+08	609.51%
2319427	1544696	-187.5489	104	-51.0000	-361.8504	1.01e+08	609.51%
2329798	1548090	-351.7499	300	-51.0000	-361.8348	1.01e+08	609.48%
2340901	1560129	-303.0342	183	-51.0000	-361.8223	1.01e+08	609.46%
2352039	1567246	-183.5988	116	-51.0000	-361.8057	1.02e+08	609.42%
2362020	1573455	infeasible		-51.0000	-361.7982	1.02e+08	609.41%
2374073	1581038	-228.1897	133	-51.0000	-361.7858	1.02e+08	609.38%
Elapsed time = 6146.10 sec. (3692873.43 ticks, tree = 166163.23 MB, solutions = 37)							
<b>Nodefile size = 163955.13 MB (143560.66 MB after compression)</b>							
2383552	1588797	-311.2394	181	-51.0000	-361.7788	1.02e+08	609.37%
2391426	1596592	-100.0000	67	-51.0000	-361.7660	1.02e+08	609.35%
2399501	1604465	-353.4838	253	-51.0000	-361.7523	1.03e+08	609.32%
2406212	1609092	-187.2150	110	-51.0000	-361.7359	1.03e+08	609.29%
2414023	1613458	-99.6122	48	-51.0000	-361.7213	1.03e+08	609.26%
2423894	1621187	-346.7928	202	-51.0000	-361.7141	1.03e+08	609.24%
2432402	1623753	-181.7823	93	-51.0000	-361.7031	1.03e+08	609.22%
2441756	1636254	-339.1537	432	-51.0000	-361.6890	1.03e+08	609.19%
2448558	1638942	-357.1295	284	-51.0000	-361.6797	1.03e+08	609.18%
2454329	1646493	-207.1387	147	-51.0000	-361.6752	1.04e+08	609.17%
Elapsed time = 6408.01 sec. (3845475.54 ticks, tree = 173640.02 MB, solutions = 37)							
<b>Nodefile size = 171517.61 MB (150199.52 MB after compression)</b>							
2458581	1647298	-162.0000	89	-51.0000	-361.6752	1.04e+08	609.17%
2466444	1654276	-315.4581	198	-51.0000	-361.6752	1.04e+08	609.17%
2470355	1658826	-353.0127	356	-51.0000	-361.6752	1.04e+08	609.17%
2473616	1660657	-169.0000	93	-51.0000	-361.6752	1.04e+08	609.17%

2477627	1664097	-293.9190	163	-51.0000	-361.6752	1.05e+08	609.17%
2482952	1664957	-317.8915	228	-51.0000	-361.6626	1.05e+08	609.14%
2490159	1670626	-299.0124	185	-51.0000	-361.6626	1.05e+08	609.14%
2496441	1674807	-179.6537	100	-51.0000	-361.6489	1.05e+08	609.12%
2499857	1680158	-360.0926	333	-51.0000	-361.6489	1.05e+08	609.12%
2503644	1682909	-223.7228	137	-51.0000	-361.6489	1.05e+08	609.12%
2							
<b>Elapsed time = 6660.25 sec.</b> (3998105.33 ticks, tree = 177713.50 MB, solutions = 37)							
<b>Nodefile size = 175582.00 MB</b> (153769.34 MB after compression)							
2508133	1685701	-351.1965	242	-51.0000	-361.6489	1.05e+08	609.12%
2513566	1689957	-315.2063	204	-51.0000	-361.6489	1.06e+08	609.12%
2522621	1692554	-159.2441	88	-51.0000	-361.6054	1.06e+08	609.03%
2531222	1701571	-351.4425	327	-51.0000	-361.6054	1.06e+08	609.03%
2537166	1707313	-344.7554	276	-51.0000	-361.6054	1.06e+08	609.03%
2543854	1710306	-288.1213	179	-51.0000	-361.6054	1.06e+08	609.03%
2548956	1715402	-352.9752	266	-51.0000	-361.6054	1.06e+08	609.03%
2556366	1719215	-90.8929	53	-51.0000	-361.6054	1.07e+08	609.03%
2563936	1724929	-348.9798	269	-51.0000	-361.5820	1.07e+08	608.98%
2572853	1730095	-143.0000	96	-51.0000	-361.5413	1.07e+08	608.90%
2							
<b>Elapsed time = 6920.25 sec.</b> (4150726.32 ticks, tree = 184835.85 MB, solutions = 37)							
<b>Nodefile size = 182651.48 MB</b> (160032.23 MB after compression)							
2580724	1735982	-348.7664	273	-51.0000	-361.5161	1.07e+08	608.86%
2585129	1742238	-340.2640	247	-51.0000	-361.5073	1.07e+08	608.84%
2592516	1746730	-357.0770	344	-51.0000	-361.4975	1.07e+08	608.82%
2598719	1750962	-323.6565	219	-51.0000	-361.4916	1.08e+08	608.81%
2606882	1756673	-120.0000	64	-51.0000	-361.4748	1.08e+08	608.77%
2611677	1761982	-164.3744	85	-51.0000	-361.4690	1.08e+08	608.76%
2619177	1766883	-178.8411	97	-51.0000	-361.4666	1.08e+08	608.76%
2627954	1770167	-107.0000	47	-51.0000	-361.4526	1.08e+08	608.73%
2635043	1780029	-123.1203	62	-51.0000	-361.4435	1.09e+08	608.71%
2639585	1781709	-314.0933	199	-51.0000	-361.4365	1.09e+08	608.70%
2							
<b>Elapsed time = 7185.81 sec.</b> (4303333.35 ticks, tree = 191557.34 MB, solutions = 37)							
<b>Nodefile size = 189428.39 MB</b> (166019.78 MB after compression)							
2647726	1786498	-104.0000	54	-51.0000	-361.4335	1.09e+08	608.69%
2653388	1791883	-89.0000	45	-51.0000	-361.4254	1.09e+08	608.68%
2659559	1796095	-248.7363	154	-51.0000	-361.4195	1.09e+08	608.67%
2664920	1800003	-208.3245	115	-51.0000	-361.4124	1.09e+08	608.65%
2671339	1803572	-242.4922	143	-51.0000	-361.4098	1.09e+08	608.65%
2679485	1809454	-163.4830	93	-51.0000	-361.4098	1.10e+08	608.65%
2687816	1818604	-161.0000	82	-51.0000	-361.4098	1.10e+08	608.65%

```

2692818 1820449      -106.8889   48      -51.0000      -361.3861 1.10e+08 608.60%
2698954 1825943      -120.0000   69      -51.0000      -361.3847 1.10e+08 608.60%
2705641 1829933      -340.4938  220      -51.0000      -361.3663 1.10e+08 608.56%
2 Elapsed time = 7443.22 sec. (4455943.64 ticks, tree = 197301.95 MB, solutions = 37)
Nodefile size = 195152.26 MB (171064.80 MB after compression)
2716311 1836247      -164.0000   97      -51.0000      -361.3485 1.11e+08 608.53%
2724612 1841495      -209.1877  122      -51.0000      -361.3366 1.11e+08 608.50%
2736277 1851272      -354.5079  276      -51.0000      -361.3239 1.11e+08 608.48%
2746256 1859680      -304.4639  194      -51.0000      -361.3177 1.11e+08 608.47%
2752715 1865169      -314.2210  188      -51.0000      -361.3065 1.11e+08 608.44%
2760747 1868729      -334.1027  236      -51.0000      -361.2981 1.11e+08 608.43%
2767824 1874686      -358.6653  314      -51.0000      -361.2860 1.12e+08 608.40%
2776708 1879875      -108.5139   58      -51.0000      -361.2798 1.12e+08 608.39%
2780036 1883524      -346.3044  728      -51.0000      -361.2798 1.12e+08 608.39%

GUB cover cuts applied: 2067
3 Clique cuts applied: 60
Cover cuts applied: 5679
Implied bound cuts applied: 140
Flow cuts applied: 220
Mixed integer rounding cuts applied: 7001
Zero-half cuts applied: 147
Lift and project cuts applied: 28
Gomory fractional cuts applied: 187

Root node processing (before b&c):
Real time      = 0.01 sec. (4.06 ticks)
Parallel b&c, 8 threads:
Real time      = 7674.31 sec. (4597796.80 ticks)
Sync time (average) = 2890.35 sec.
Wait time (average) = 0.00 sec.

-----
Total (root+branch&cut) = 7674.31 sec. (4597800.86 ticks)

-----
Iteration 15
Bounds on # of cuts = 8 with [3 3 2]
Error = 49 (out of 100 instances)
Accuracy = 51

```

```
Solving time = 127.905276652 min (minutes)
Accumulated time = 209.928617383 min (minutes)

Solution status code = 111
LB on error = -261.279772855
Relative objective gap = 6.083917115

Selected variables:
A_AGE (Continuous)
PEMLR (Categorical)

Number of selected variables = 2 (1 continuous + 1 categorical)
-----
main returns 0

<<< main

<<< done
```

## Biography

Songkomkrit Chaiyakan was born in Hatyai, Thailand, on August 12, 1991. He had been studying Mathematics and Applied Mathematics-Economics at Brown University, United States of America, from 2011 to 2013. In 2014, he transferred to a university in Thailand and received the Bachelor of Science (B.Sc.) degree in Mathematics from Prince of Songkla University, Thailand, in 2017. The Master of Science (M.Sc.) degree in Applied Mathematics and Computational Science was conferred by Chulalongkorn University, Thailand, in 2020. Currently, he is pursuing the Doctor of Philosophy (Ph.D.) program in Business Analytics and Data Science at National Institute of Development Administration (NIDA), Thailand.

Regarding work experience, he served as a homework grader for two undergraduate-level courses in calculus and microeconomics at Brown University from September 2012 to May 2013. He also worked as an academic officer at Learn Corporation from June 2019 to November 2019. At Chulalongkorn University, he served as a teaching assistant for two graduate-level courses in mathematical programming and real analysis in addition to three undergraduate-level courses in calculus and stochastic processes from January 2018 to April 2020. At National Institute of Development Administration, he assisted professors with their graduate classes in basic programming and database management, applied machine learning, and data streaming and real-time analytics from August 2022 to May 2024.

His research interest is to develop quantitative tools and achieve a breakthrough in finance, optimization, statistics and artificial intelligence (AI). In his spare time, he enjoys tackling unsolvable problems and also proving or providing interesting insights into commonly used, yet partially theoretically substantiated, statements.

# PhD Dissertation Draft

## ORIGINALITY REPORT

<b>13%</b>	<b>12%</b>	<b>4%</b>	<b>9%</b>
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

## PRIMARY SOURCES

1	cps.ipums.org Internet Source	4%
2	Submitted to Maastricht University Student Paper	2%
3	Submitted to Indian School of Business Student Paper	1 %
4	ceprdata.org Internet Source	1 %
5	blog.adamfurmanek.pl Internet Source	1 %
6	corpora.tika.apache.org Internet Source	<1 %
7	mail.python.org Internet Source	<1 %
8	Submitted to Chapman University Student Paper	<1 %
9	repositorio.ungs.edu.ar:8080 Internet Source	<1 %
10	assets.researchsquare.com Internet Source	<1 %
11	people.sc.fsu.edu Internet Source	<1 %
12	wonder.cdc.gov Internet Source	<1 %

13	dlr-ve.gitlab.io Internet Source	<1 %
14	github.com Internet Source	<1 %
15	www.census.gov Internet Source	<1 %
16	users.nber.org Internet Source	<1 %
17	Submitted to St. Petersburg College Student Paper	<1 %
18	www.sipp.census.gov Internet Source	<1 %
19	www.pop.psu.edu Internet Source	<1 %
20	Submitted to Northcentral Student Paper	<1 %
21	gitter.im Internet Source	<1 %
22	discourse.julialang.org Internet Source	<1 %
23	ipfs.io Internet Source	<1 %
24	www.ibm.com Internet Source	<1 %
25	Submitted to Ho Chi Minh University of Technology and Education Student Paper	<1 %
26	pandas.pydata.org Internet Source	<1 %

27	Submitted to Eastern University Student Paper	<1 %
28	cuir.car.chula.ac.th Internet Source	<1 %
29	Submitted to Baskent University Student Paper	<1 %
30	Submitted to University of St Andrews Student Paper	<1 %
31	www.coursehero.com Internet Source	<1 %
32	Submitted to University of Warwick Student Paper	<1 %
33	Hwang, Soo-yeon. "Measuring information appetite: The desire to spend time with information, engaging in consumption, dissemination, and creation of information for personal reasons.", Rutgers The State University of New Jersey - New Brunswick, 2016 Publication	<1 %
34	Submitted to University of Southern California Student Paper	<1 %
35	www.columbia.edu Internet Source	<1 %
36	Submitted to Universidad Anahuac México Sur Student Paper	<1 %
37	Submitted to University of Nottingham Student Paper	<1 %
38	www.scrapingbee.com Internet Source	<1 %

39	ouci.dntb.gov.ua Internet Source	<1 %
40	readthedocs.org Internet Source	<1 %
41	tests.reproducible-builds.org Internet Source	<1 %
42	Yinzi Jin, Zhiyuan Hou, Donglan Zhang. "Determinants of Health Insurance Coverage among People Aged 45 and over in China: Who Buys Public, Private and Multiple Insurance", PLOS ONE, 2016 Publication	<1 %
43	www.slideshare.net Internet Source	<1 %
44	Amparo Urbano, Jose E. Vila. "Computational Complexity and Communication: Coordination in Two-Player Games", Econometrica, 2002 Publication	<1 %
45	Hanoi National University of Education Publication	<1 %
46	mlflow.org Internet Source	<1 %
47	Submitted to National Institute of Development Administration Student Paper	<1 %
48	hdl.handle.net Internet Source	<1 %
49	Anuj Kumar Singh, Sachin Kumar. "Security, Privacy, and Trust in WBANs and E- Healthcare", CRC Press, 2024	<1 %

- 50 Submitted to Lynn University <1 %  
Student Paper
- 
- 51 maremival.sociales.unam.mx <1 %  
Internet Source
- 
- 52 www.oas.samhsa.gov <1 %  
Internet Source
- 
- 53 doczz.net <1 %  
Internet Source
- 
- 54 repositorio.ufsm.br <1 %  
Internet Source
- 
- 55 Michael S Penuliar, Candice Clark, Debra Curti, Miguel Carrasco, Catherine Hudson, Billy Philips. "Covid-19 Per Capita Fatality Rate: A Path Analysis Model", Cold Spring Harbor Laboratory, 2021 <1 %  
Publication
- 
- 56 Thomas M. Cover, Joy A. Thomas. "Elements of Information Theory", Wiley, 2005 <1 %  
Publication
- 
- 57 deepnote.com <1 %  
Internet Source
- 
- 58 Banire, Bilikis Oluwatoyin. "Attentional Model for Detecting Attention in Children with Autism Spectrum Disorder", Hamad Bin Khalifa University (Qatar), 2022 <1 %  
Publication
- 
- 59 Submitted to Laureate Higher Education Group <1 %  
Student Paper
-

- 60 Promise N. Starris-Onyema, Ezebunwa E. Nwokocha. "Navigating Wellness: Influence of Health Insurance Adoption on Health-Seeking Behaviour of Employees in Private Organizations in Enugu State, Nigeria", IBADAN JOURNAL OF THE SOCIAL SCIENCES, 2024  
Publication <1 %
- 61 Submitted to Chulalongkorn University <1 %  
Student Paper
- 62 Ederson Schmeing, André Luiz Brun, Ronan Assumpção Silva. "Dynamic selection of classifiers based on complexity measures", 2022 IEEE 34th International Conference on Tools with Artificial Intelligence (ICTAI), 2022  
Publication <1 %
- 63 Submitted to Intercollege <1 %  
Student Paper
- 64 Syed Mansoor Sarwar, Robert M. Koretsky. "UNIX - The Textbook, Third Edition", Chapman and Hall/CRC, 2019  
Publication <1 %
- 65 Michał Tomasz Jakóbczyk. "Practical Oracle Cloud Infrastructure", Springer Science and Business Media LLC, 2020  
Publication <1 %
- 66 blog.aweimeow.tw <1 %  
Internet Source
- 67 Submitted to QA Learning <1 %  
Student Paper
- 68 Stefan Nickel, Claudius Steinhardt, Hans Schlenker, Wolfgang Burkart. "Decision <1 %

Optimization with IBM ILOG CPLEX  
Optimization Studio", Springer Science and  
Business Media LLC, 2022

Publication

- 
- 69 [www.velosecure.com](http://www.velosecure.com) <1 %  
Internet Source
- 70 Bryan J. Lynch, Lorcan A. O'Tuama, S. Ted Treves, Mohamad Mikati, Gregory L. Holmes. "Correlation of 99mTc-HMPAO SPECT with EEG monitoring: prognostic value for outcome of epilepsy surgery in children", Brain and Development, 1995 <1 %  
Publication
- 71 Daoce Wang, Jesus Pulido, Pascal Grosset, Jiannan Tian et al. "AMRIC: A Novel In Situ Lossy Compression Framework for Efficient I/O in Adaptive Mesh Refinement Applications", Proceedings of the International Conference for High Performance Computing, Networking, Storage and Analysis, 2023 <1 %  
Publication
- 72 Submitted to The University of Memphis <1 %  
Student Paper
- 73 [digital.library.txstate.edu](http://digital.library.txstate.edu) <1 %  
Internet Source
- 74 [docs.oracle.com](http://docs.oracle.com) <1 %  
Internet Source
- 75 S. Sumathi, Suresh V. Rajappa, L. Ashok Kumar, Surekha Panneerselvam. "Machine Learning for Decision Sciences with Case Studies in Python", CRC Press, 2022 <1 %  
Publication

76	Submitted to University College London Student Paper	<1 %
77	Submitted to University of Birmingham Student Paper	<1 %
78	www.bls.gov Internet Source	<1 %
79	www.gams.com Internet Source	<1 %
80	Durden, Tracie Elizabeth. "The incorporation of Hispanics into the United States health system considering the roles of nativity, duration, and citizenship: A case of acculturation?", Proquest, 20111109 Publication	<1 %
81	Submitted to University of Glasgow Student Paper	<1 %
82	earthquake.tmd.go.th Internet Source	<1 %
83	robocup.ethz.ch Internet Source	<1 %
84	stats.stackexchange.com Internet Source	<1 %
85	www.typeerror.org Internet Source	<1 %
86	(11-6-03) <a href="http://207.113.108.248/data/progs/cps/cpsmar99.sas">http://207.113.108.248/data/progs/cps/cpsmar99.sas</a> Internet Source	<1 %
87	Leite, Joana Catarina Santos. "A Machine Learning Approach to Determine Stellar	<1 %

Atmospheric Parameters Using Spectral  
Data", Universidade do Porto (Portugal), 2024

Publication

- 
- 88 Nusrat Zahan, Shohanuzzaman Shohan, Dan Harris, Laurie Williams. "Do Software Security Practices Yield Fewer Vulnerabilities?", 2023 IEEE/ACM 45th International Conference on Software Engineering: Software Engineering in Practice (ICSE-SEIP), 2023 <1 %
- Publication
- 
- 89 Submitted to University of Portsmouth <1 %
- Student Paper
- 
- 90 upcommons.upc.edu <1 %
- Internet Source
- 
- 91 www.ishow.me <1 %
- Internet Source
- 
- 92 Lecture Notes in Computer Science, 2015. <1 %
- Publication
- 
- 93 alibabatech.medium.com <1 %
- Internet Source
- 
- 94 linuxize.com <1 %
- Internet Source
- 
- 95 Alexander Yu. Ol'shanskii, Mark V. Sapir. "Non-amenable finitely presented torsion-by-cyclic groups", Publications mathématiques de l'IHÉS, 2003 <1 %
- Publication
- 
- 96 Burleigh, Lauryn Michelle. "Beyond Machine Learning: An fMRI Domain Adaptation Model for Multi-Study Integration", Louisiana State University and Agricultural & Mechanical College, 2023 <1 %

97	git.wrl.unsw.edu.au Internet Source	<1 %
98	microsoft.github.io Internet Source	<1 %
99	pypi.org Internet Source	<1 %
100	www.ddialliance.org Internet Source	<1 %
101	www.tutorialspoint.com Internet Source	<1 %
102	123dok.net Internet Source	<1 %
103	Clogg, Clifford C., Scott R. Eliason, and Robert J. Wahl. "Labor-Market Experiences and Labor-Force Outcomes", American Journal of Sociology, 1990. Publication	<1 %
104	Futao Yang, Lixue Gao, Shouyuan Wu. "Frequency Stability Constrained Unit Commitment Considering Control Mode Transition of Renewable Generations", Symmetry, 2025 Publication	<1 %
105	Submitted to Georgia Institute of Technology Main Campus Student Paper	<1 %
106	S.K. Mitra. "Design of optimal orthogonal tree-structured filter banks", 42nd Midwest Symposium on Circuits and Systems (Cat No 99CH36356) MWSCAS-99, 2000 Publication	<1 %

- 
- 107 [businessanalyticsnida.wordpress.com](http://businessanalyticsnida.wordpress.com) <1 %  
Internet Source
- 
- 108 [orca.cardiff.ac.uk](http://orca.cardiff.ac.uk) <1 %  
Internet Source
- 
- 109 [proposalspace.com](http://proposalspace.com) <1 %  
Internet Source
- 
- 110 [www.nber.org](http://www.nber.org) <1 %  
Internet Source
- 
- 111 [youapply.com](http://youapply.com) <1 %  
Internet Source
- 
- 112 Bai, Jing, Zhi-Rong Li, Jian-Jun Wang, and Xue Huang. "Single machine common flow allowance scheduling with deteriorating jobs and a rate-modifying activity", *Applied Mathematical Modelling*, 2014.  
<1 %  
Publication
- 
- 113 Chun-Ping Zou, Duan-Shi Chen, Hong-Xing Hua. "Torsional Vibration Analysis of Complicated Multi-Branched Shafting Systems by Modal Synthesis Method", *Journal of Vibration and Acoustics*, 2003.  
<1 %  
Publication
- 
- 114 Dirk P. Kroese, Zdravko I. Botev, Thomas Taimre, Radislav Vaisman. "Data Science and Machine Learning - Mathematical and Statistical Methods", CRC Press, 2019  
<1 %  
Publication
- 
- 115 Zakarya Oubrahim, Vincent Choqueuse, Yassine Amirat, Mohamed El Hachemi Benbouzid. "Disturbances Classification Based on a Model Order Selection Method for  
<1 %

## Power Quality Monitoring", IEEE Transactions on Industrial Electronics, 2017

Publication

116	heagit.cosmos.ru Internet Source	<1 %
117	newton.cheme.cmu.edu Internet Source	<1 %
118	pastel.archives-ouvertes.fr Internet Source	<1 %
119	stackoverflow.com Internet Source	<1 %
120	texdoc.org Internet Source	<1 %
121	uknowledge.uky.edu Internet Source	<1 %
122	www.greaterdandenong.vic.gov.au Internet Source	<1 %
123	www.kansascityfed.org Internet Source	<1 %
124	xtreemos.eu Internet Source	<1 %
125	Barber, Dennis, III. "The economics of entrepreneurship: Subsidies, risk and tax evasion.", Proquest, 2013. Publication	<1 %
126	Daniel James Szelogowski. "Deep Learning for Musical Form: Recognition and Analysis", Thesis Commons, 2022 Publication	<1 %

- 127 Eva Kočar, Sonja Katz, Žiga Pušnik, Cene Skubic et al. "Integrative protocol for quantifying cholesterol-related sterols in human serum samples and building decision support systems", STAR Protocols, 2024  
Publication <1 %
- 128 Hoff, Randy . "Clustering-based optimal consultant routing and assignment", Proquest, 2012.  
Publication <1 %
- 129 Nord, Mark, and Kathleen Romig. "Hunger in the Summer : Seasonal food insecurity and the National School Lunch and Summer Food Service programs", Journal of Children and Poverty, 2006.  
Publication <1 %
- 130 Omobayo Esan, Isaac Olusegun Osunmakinde, Bester Chimbo. "Crime Link Prediction Across Geographical Location Through Multifaceted Analysis: A Classifier Chain Temporal Feature-Data Frame Joins", The Indonesian Journal of Computer Science, 2025  
Publication <1 %
- 131 Tongqi Zhang. "Construction of Biorthogonal Compactly Supported Vector-Valued Wavelets", 2008 Fourth International Conference on Natural Computation, 10/2008  
Publication <1 %
- 132 Xia Cui, Wolfgang Karl Härdle, Lixing Zhu. "The EFM approach for single-index models", The Annals of Statistics, 2011  
Publication <1 %

133	core.ac.uk Internet Source	<1 %
134	download.bibis.ir Internet Source	<1 %
135	dspace.lib.cranfield.ac.uk Internet Source	<1 %
136	irclogs.ubuntu.com Internet Source	<1 %
137	journals.lww.com Internet Source	<1 %
138	nova.newcastle.edu.au Internet Source	<1 %
139	oj.vnoi.info Internet Source	<1 %
140	repositorio.ufes.br Internet Source	<1 %
141	repository.essex.ac.uk Internet Source	<1 %
142	ucf.digital.flvc.org Internet Source	<1 %
143	univendspace.univen.ac.za Internet Source	<1 %
144	vdocuments.mx Internet Source	<1 %
145	ww.nber.org Internet Source	<1 %
146	www.fast-trackcities.org Internet Source	<1 %
	www.marines.mil	

- 147 Internet Source <1 %
- 148 [www.prhs.sau48.org](http://www.prhs.sau48.org) Internet Source <1 %
- 149 Charu C. Aggarwal. "Data Classification - Algorithms and Applications", Chapman and Hall/CRC, 2019 <1 %  
Publication
- 150 I. P. Irodova. "Piecewise Polynomial Approximation Methods in the Theory of Nikol'Skiĭ-Besov Spaces", Journal of Mathematical Sciences, 2015 <1 %  
Publication
- 151 M. Ahsanullah, Mohamed Habibullah. "Test of independence of a class of bivariate distributions based on mutual information", Communications in Statistics - Theory and Methods, 1997 <1 %  
Publication
- 152 [www.math.harvard.edu](http://www.math.harvard.edu) Internet Source <1 %
- 153 "Machine Learning and Knowledge Extraction", Springer Science and Business Media LLC, 2020 <1 %  
Publication
- 154 Niu, Xiao. "Essays in applied microeconomics", Proquest, 2014. <1 %  
Publication
- 155 Palmeiro, João Maria Mateus. "Meval: A Visual Machine Learning Model Evaluation Tool for Financial Crime Detection", Universidade NOVA de Lisboa (Portugal), 2024 <1 %  
Publication

---

156 doi.org  
Internet Source

<1 %

---

157 theses.gla.ac.uk  
Internet Source

<1 %

---

Exclude quotes Off  
Exclude bibliography Off

Exclude matches Off