

1. An em wave is propagating in a medium with a velocity $= V$. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along

- (1) z direction
- (2) +z direction
- (3) y direction
- (4) x direction

2. The refractive index of the material of a prism is 30, and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is

- (1) 60°
- (2) 45°
- (3) 30°
- (4) 0°

3. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance

- (1) 0.38 H
- (2) 138 H
- (3) 1.38 H
- (4) 13.8 H

4. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be

- (1) 30 cm away from the mirror
- (2) 36 cm away from the mirror
- (3) 30 cm towards the mirror
- (4) 36 cm towards the mirror

1. An em wave is propagating in a medium with a velocity $= V$. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along

- (1) z direction
- (2) +z direction
- (3) y direction
- (4) x direction

2. The refractive index of the material of a prism is 30, and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is

- (1) 60°
- (2) 45°
- (3) 30°
- (4) zero

3. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance

- (1) 0.38 H
- (2) 138 H
- (3) 1.38 H
- (4) 13.8 H

4. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be

- (1) 30 cm away from the mirror
- (2) 36 cm away from the mirror
- (3) 30 cm towards the mirror
- (4) 36 cm towards the mirror

5. In the combination of the following gates the output Y can be written in terms of inputs A and B as

- (1)
- (2) $A + B$
- (3) $A \cdot B$
- (4)

6. In the circuit shown in the figure, the input voltage V_i is 20 V, $V_{BE} = 0$ and $V_{CE} = 0$. The values of I_B , I_C and V are given by

- (1) $I_B = 40 \text{ aA}$, $I_C = 10 \text{ mA}$, $V = 250$
- (2) $I_B = 25 \text{ aA}$, $I_C = 5 \text{ mA}$, $V = 200$
- (3) $I_B = 20 \text{ aA}$, $I_C = 5 \text{ mA}$, $V = 250$
- (4) $I_B = 40 \text{ aA}$, $I_C = 5 \text{ mA}$, $V = 125$

7. In a p-n junction diode, change in temperature affects

- (1) only reverse resistance
- (2) only forward resistance
- (3) does not affect resistance of p-n junction
- (4) affects the overall $V-I$ characteristics of p-n junction

In the combination of the following gates the output Y can be written in terms of inputs A and B as

- (1)
- (2) $A + B$
- (3) $A \cdot B$
- (4)

In the circuit shown in the figure, the input voltage V_i is 20 V, $V_{BE} = 0$ and $V_{CE} = 0$. The values of I_B , I_C and V are given by

- (1) $I_B = 40 \text{ aA}$, $I_C = 10 \text{ mA}$, $V = 250$
- (2) $I_B = 25 \text{ aA}$, $I_C = 5 \text{ mA}$, $V = 200$
- (3) $I_B = 20 \text{ aA}$, $I_C = 5 \text{ mA}$, $V = 250$
- (4) $I_B = 40 \text{ aA}$, $I_C = 5 \text{ mA}$, $V = 125$

7. In a p-n junction diode, change in temperature affects

- (1) affects only reverse resistance
- (2) affects only forward resistance
- (3) does not affect resistance of p-n junction
- (4) affects the overall $V-I$ characteristics of p-n junction

8. A sphere of radius r moves with velocity v through a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to
- r^3
 - r^2
 - r^5
 - r^4
9. A sample of $0.123 \times 10^5 \text{ Nm}^2$ requires 54 cal of heat energy to convert to steam at 100°C . If the volume of the steam produced is 167 cc , the change in internal energy of the sample, is
- 104 J
 - 208 J
 - 42 J
 - 84 J
10. Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area $3A$. If the length of the first wire is increased by 8% on applying a force F , how much force is needed to stretch the second wire by the same amount?
- $9F$
 - $6F$
 - $4F$
 - F
11. The power radiated by a black body is P and it radiates maximum energy at wavelength, λ_0 . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength λ_0 , the power radiated by it becomes nP . The value of n is
- -
 -
 -

12. a ~gdEŠ' ūlūā"ā<"ā [Sk T* c[SpūĀTe'" <"ā ūlūā
E ~ hi½ I ūrHi½ {d.d.m.~b (emf), E Ami½ Ami½ [aH\$
i½ VamY, E ~ H\$ {H\$gr ~i½ Dar go gi½ mOV hi½ & ~i½ Dar go br JB
Ymam i hi½ & A~ BZ ~i½ VamY H\$ H\$mmi½ di½ HiBā~ ~i½ Dar
go gi½ mOV {H\$ m OmV m hV m ~i½ Dar go JB iYmam 10 i hmo
OmVr hi½ ka H\$ mZ hi½

- (1) 10
- (2) 11
- (3) 20
- (4) 9

13. H\$Bi½ ~i½ Dar Ami½ [aH\$ e½ OmV I ūrHi½ _ _ gi½ mOV,
gd i½ g_ gloŋ (gi½ hV hVadVu hi½) go ~Zr hi½ & ~i½ Dar H\$
O_ i½ Zbŋ H\$ m bKnWZ H\$aH\$ Ymam _mnr JB iYmam {X`m J`m
H\$mi½ Zm JiYmam Ami½ H\$ ~rM ghr gi½ ~i½ Y H\$ mWemhi½

14. (47 ...47) k K i½ VamY H\$ {H\$gr H\$mi½ ZV VamY H\$ na,nhMmZ
H\$ {bE, {d{ i½ dUŋ H\$ db` A i½ H\$V {H\$E OmZo hi½ & dU i½ H\$ m>
H\$ m Hi½ _ hmoJm

- (1) ~i½ Zrnrbm Zmai½ JrMmX½ i½ H\$ m
- (2) nrbm ~i½ ZrZmai½ JrMmX½ i½ H\$ m
- (3) nrbm ham ~i½ ZrgZham
- (4) ham Zmai½ Jr ~i½ ZrgZham

12. 4 ~fXg`bY a ~XdhT`_eXfVg` defZ`bY i T_hX` E ~XTV[Z`TeX`
VbaaXVgXW`a`fXeXf`g`T`UTggXel`bY X` Y`8`TaW
VgXeaT`_eXfVgTaVX` E !`G[X`VheeXag`WeTj a`V`d`
A bj Zg[X`a`eXfistors are connected in parallel to
the same battery. Then the current drawn from
UTggXel`UXVb` Xf`\$#`d`G[X`i T_hX`bY a`V`

- (1) 10
- (2) 11
- (3) 20
- (4) 9

13. 4`UTggXel`VbafVg`bY T`i TeTU_X`ah`UXe`a`bY
VXagVT`_VX`f`f[Ti`aZ`_agXeaT`_eXfVgTaVX`e`
each) which are connected in series. The
terminals of the battery are short-circuited and
the current I is measured. Which of the graphs
shows the correct relationship between I and n?

14. A carbon resistor of (47 ...47) k K is to be marked
with rings of different colours for its
identification. The colour code sequence will be

- (1) Violet Yellow Orange Silver
- (2) Yellow Violet Orange Silver
- (3) Yellow Green Violet Gold
- (4) Green Orange Violet Gold

19. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
- 330 m/s
 - 339 m/s
 - 350 m/s
 - 300 m/s
20. An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E . The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h . The time of fall of the electron, in comparison to the time of fall of the proton is
- smaller
 - 5 times greater
 - 10 times greater
 - equal
21. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s^2 at a distance of 5 m from the mean position. The time period of oscillation is
- 2d s
 - d s
 - 2 s
 - 1 s
22. The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A , is
- independent of the distance between the plates.
 - linearly proportional to the distance between the plates.
 - proportional to the square root of the distance between the plates.
 - inversely proportional to the distance between the plates.

23. An electron of mass m with an initial velocity $= V_0$ ($V_0 > 0$) enters an electric field $= E_0$ ($E_0 = \text{constant} > 0$) at $t = 0$. If λ_0 is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is

(1)

(2) λ_0

(3) $\lambda_0 t$

(4) λ_0

24. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is

(1) 20

(2) 10

(3) 30

(4) 15

25. When the light of frequency $2\nu_0$ (where ν_0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v_1 . When the frequency of the incident radiation is increased to $5\nu_0$, the maximum velocity of electrons emitted from the same plate is v_2 . The ratio of v_1 to v_2 is

(1) 1 : 2

(2) 1 : 4

(3) 4 : 1

(4) 2 : 1

26. The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is

(1) 1 : 1

(2) 1 : 1

(3) 2 : 1

(4) 1 : 2

23. An electron of mass m with an initial velocity $= V_0$ ($V_0 > 0$) enters an electric field $= E_0$ ($E_0 = \text{constant} > 0$) at $t = 0$. If λ_0 is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is

(1)

(2) λ_0

(3) $\lambda_0 t$

(4) λ_0

24. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is

(1) 20

(2) 10

(3) 30

(4) 15

25. When the light of frequency $2\nu_0$ (where ν_0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v_1 . When the frequency of the incident radiation is increased to $5\nu_0$, the maximum velocity of electrons emitted from the same plate is v_2 . The ratio of v_1 to v_2 is

(1) 1 : 2

(2) 1 : 4

(3) 4 : 1

(4) 2 : 1

26. The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is

(1) 1 : 1

(2) 1 : 1

(3) 2 : 1

(4) 1 : 2

27. A force $\vec{F} = 4\hat{i} + 5\hat{j} + 6\hat{k}$ acts at the point $(2, 2, 2)$. The moment of the force about the point $(2, 2, 2)$ is given by
- (1) $8\hat{i} + 4\hat{j} + 7\hat{k}$
 (2) $4\hat{i} + 8\hat{j} + 7\hat{k}$
 (3) $7\hat{i} + 8\hat{j} + 4\hat{k}$
 (4) $7\hat{i} + 4\hat{j} + 8\hat{k}$
28. A block of mass m is placed on a smooth inclined plane of inclination θ as shown in the figure. The relation between a and θ for the block to remain stationary on the wedge is
- (1) $a = g \cos \theta$
 (2) $a = g \sin \theta$
 (3) $a = g \cos \theta$
 (4) $a = g \tan \theta$

29. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field E . Due to the force qE , its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
- (1) 2 m/s, 4 m/s
 (2) 1 m/s, 3 m/s
 (3) 1 m/s, $3\sqrt{2}$ m/s
 (4) $1\sqrt{2}$ m/s, 3 m/s
30. A student measured the diameter of a small steel ball using a screw gauge of least count 0.01 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of -0.04 cm, the correct diameter of the ball is
- (1) 0.51 cm
 (2) 0.55 cm
 (3) 0.53 cm
 (4) 0.59 cm

27. The moment of the force, $\vec{F} = 4\hat{i} + 5\hat{j} + 6\hat{k}$ at $(2, 0, 3)$, about the point $(2, 2, 2)$, is given by
- (1) $8\hat{i} + 4\hat{j} + 7\hat{k}$
 (2) $4\hat{i} + 8\hat{j} + 7\hat{k}$
 (3) $7\hat{i} + 8\hat{j} + 4\hat{k}$
 (4) $7\hat{i} + 4\hat{j} + 8\hat{k}$
28. A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The relation between a and θ for the block to remain stationary on the wedge is
- (1) $a =$
 (2) $a =$
 (3) $a = g \cos \theta$
 (4) $a = g \tan \theta$
29. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field E . Due to the force qE , its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
- (1) 2 m/s, 4 m/s
 (2) 1 m/s, 3 m/s
 (3) 1 m/s, $3\sqrt{2}$ m/s
 (4) $1\sqrt{2}$ m/s, 3 m/s
30. A student measured the diameter of a small steel ball using a screw gauge of least count 0.01 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of -0.04 cm, the correct diameter of the ball is
- (1) 0.51 cm
 (2) 0.55 cm
 (3) 0.53 cm
 (4) 0.59 cm

31. And \vec{E} and \vec{B} of an unpolarised light is incident from air on a plane surface. The reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation?
- \vec{E} of reflected light is parallel to the plane of incidence
 - \vec{E} of reflected light is perpendicular to the plane of incidence
 - $i = \sin^{-1}$
 - $i = \tan^{-1}$
32. A double slit interference experiment is set up. The distance D between the slits is 2 mm, the wavelength λ of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0.2°. To increase the fringe angular width to 0.21°, (with same λ and D) the separation between the slits needs to be changed to
- 1.8 mm
 - 1.9 mm
 - 2.0 mm
 - 1.7 mm
33. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
- small focal length and large diameter
 - large focal length and small diameter
 - large focal length and large diameter
 - small focal length and small diameter

34. (H\$gr EH\$na_mUH\$ JiZ'g H\$ Am`VZ) _ Vm (T) H\$ gm/V {dMaU JiYmiz'XemiZ'E AZigma hmv/m hiZ' & AdA'Wm AdiZ'WB VHS OmZoH\$ iZ'HiZ' m _ JiZ'g iZ'ham (H\$EiZ'E Amiz' BgH\$ iZ'ham AdemfVDS'iZ' m H\$m AZnmV hiZ'

34. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is

(1)

(1)

(2)

(2)

(3)

(3)

(4)

(4)

35. (H\$gr I bo Amiz'JiZ' nmBn H\$ _b Andiz'JiZ' (H\$gr nmBn H\$ ViZ'W' JUndiz'JiZ' (giZ'ZmD) H\$ VAH\$ g_mZ `X ~iZ'X Amiz'JiZ' nmBn H\$ biZ' mBiZ' hmlr

35. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is

(1) 13~~2~~cm

(1) 13~~2~~cm

(2) 8 cm

(2) 8 cm

(3) 12~~5~~cm

(3) 12~~5~~cm

(4) 16 cm

(4) 16 cm

36. CV' <C>VNa" 5aJ}XKNq" <CrfA' <aEJ' a[f 5aYE D\$iz' m BiZ'WZ H\$ Xj Vm hmv/r hiZ'

36. The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is

(1) 26~~8~~%

(1) 26~~8~~%

(2) 20%

(2) 20%

(3) 6~~2~~5%

(3) 6~~2~~5%

(4) 12~~5~~%

(4) 12~~5~~%

37. a[" J'a bu 5a[fCN 5I Eap<g X>ESaT' Sm' (rms) Mmb niZ'JiZ' H\$rdm` iZ'Wbgo nbm` Z H\$a ghZ'o H\$ {bE _miZ' n`miZ'JiZ' W hmOEJr (X`m J`m hiZ' :

37. At what temperature will the rms speed of oxygen molecules become just sufficient for XfVTc'aZ'Yeb' `g[X'8Teg[f'Tg' bfc[XeX'2

5a[fCN <C5I k<aEaESa(m) = 2~~7~~6 ^ 10 ^ 26 kg

(Given :

~m' 10~~1~~02 piZ'WamiZ' H\$ = 1~~8~~8 ^ 10 ^ 23 J K ^ 1)

Mass of oxygen molecule (m) = 2~~7~~6 ^ 10 ^ 26 kg

5b_gm Taa f`VbafgTag^_B = 1~~8~~8 ^ 10 ^ 23 J K ^ 1)

(1) 2~~5~~08 ^ 10^4 K

(1) 2~~5~~08 ^ 10^4 K

(2) 8~~3~~60 ^ 10^4 K

(2) 8~~3~~60 ^ 10^4 K

(3) 5~~0~~16 ^ 10^4 K

(3) 5~~0~~16 ^ 10^4 K

(4) 1~~2~~54 ^ 10^4 K

(4) 1~~2~~54 ^ 10^4 K

38. 0.5 kg m^{-1} का एक धातु की छड़ एक चिकनी तल पर 30° के कोण पर झुकी हुई है। छड़ में एक धारा I बह रही है। एक चुंबकीय क्षेत्र $B = 0.25 \text{ T}$ का प्रयोग किया जाता है जो छड़ के लंबवत है। छड़ को स्थिर रखने के लिए आवश्यक धारा I का मान ज्ञात करें।

- (1) 7.4 A
- (2) 5.8 A
- (3) 14.6 A
- (4) 11.2 A

39. 20 mH का इंडक्टर, 100 aF का कैपेसिटर और 50 K का प्रतिरोधक एक $V = 10 \sin 314 t$ के एम.एफ. के स्रोत से जोड़े गए हैं। इस परिपथ में शक्ति हानि का मान ज्ञात करें।

- (1) 0.79 W
- (2) 0.83 W
- (3) 2.74 W
- (4) 1.83 W

40. एक धातु की छड़ एक चुंबकीय क्षेत्र B में रखी जाती है। छड़ में एक धारा I बह रही है। छड़ को स्थिर रखने के लिए आवश्यक धारा I का मान ज्ञात करें।

- (1) $\{d\}$
- (2) M
- (3) $B < b L K E < g C a / < [\mu A n a$
- (4) I

41. 20 div/V की संवेदनशीलता और 5 div/mA की वोल्टेज संवेदनशीलता (कोणीय विक्षेप प्रति इकाई वोल्ट) वाले एक चलती हुई कुंडली गैल्वनोमीटर का प्रतिरोध ज्ञात करें।

- (1) 40 K
- (2) 25 K
- (3) 250 K
- (4) 500 K

A metallic rod of mass per unit length 0.5 kg m^{-1} is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is

- (1) 7.4 A
- (2) 5.8 A
- (3) 14.6 A
- (4) 11.2 A

39. An inductor 20 mH , a capacitor 100 aF and a resistor 50 K are connected in series across a source of emf, $V = 10 \sin 314 t$. The power loss in the circuit is

- (1) 0.79 W
- (2) 0.83 W
- (3) 2.74 W
- (4) 1.83 W

40. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from

- (1) the current source
- (2) the magnetic field
- (3) the lattice structure of the material of the rod
- (4) the induced electric field due to the changing magnetic field

41. Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V . The resistance of the galvanometer is

- (1) 40 K
- (2) 25 K
- (3) 250 K
- (4) 500 K

42. $\{X \text{ g}i \text{ i} \text{ z} \text{ h} \text{ s} \text{ m} \text{ i} \text{ z} \text{ h} \text{ z} \text{ m} \text{ z} \text{ J} \text{ z} \text{ m} \text{ h} \text{ m} \text{ V} \text{ m} \text{ g} \text{ m} \text{ d} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ J} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ f}$
 $\text{p} \text{ i} \text{ z} \text{ h} \text{ V} \text{ a} \text{ m} \text{ i} \text{ z} \text{ h} \text{ s} \text{ n} \text{ [a} \text{ m} \text{ d} \text{ o} \text{]} \text{ J} \text{ z} \text{ m} \text{ h} \text{ m} \text{ V} \text{ m} \text{ [Z} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ V} \text{]} \text{ g} \text{ o} \text{ H} \text{ s} \text{ m} \text{ i} \text{ z} \text{ h} \text{ z} \text{ m}$
 $\text{g} \text{ h} \text{ r} \text{ Z} \text{ h} \text{ t} \text{ h} \text{ i} \text{ z} \text{ h} \text{ z}$
 (1) $\text{d} \text{ f} \text{ m} \text{ i} \text{ z} \text{ h} \text{ s} \text{ s} \text{ } \sim \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ Y} \text{ a} \text{ V} \text{ r} \text{ n} \text{ a} \text{ A} \text{ [Y} \text{ H} \text{ s} \text{ V} \text{ o} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ g} \text{ o} \text{ [J} \text{ a} \text{ l} \text{ r} \text{]} \text{ \&}$
 (2) $\text{Y} \text{ a} \text{ V} \text{ r} \text{ n} \text{ a} \text{ M} \text{ b} \text{ z} \text{ m} \text{ A} \text{ [Y} \text{ H} \text{ s} \text{ H} \text{ s} \text{ R} \text{ z} \text{ h} \text{ m} \text{ O} \text{ m} \text{ E} \text{ J} \text{ m} \text{ \&}$
 (3) $\text{n} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ r} \text{ n} \text{ a} \text{ g} \text{ a} \text{ b} \text{ b} \text{ m} \text{ o} \text{ H} \text{ s} \text{ H} \text{ s} \text{ m} \text{ A} \text{ n} \text{ d} \text{ V} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ m} \text{ b} \text{ H} \text{ s} \text{ } \text{h} \text{ m} \text{ O} \text{ m} \text{ E} \text{ J} \text{ m} \text{ \&}$
 (4) $\text{n} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ r} \text{ n} \text{ a} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ m} \text{ z} \text{]} \text{ n} \text{ [a} \text{ d} \text{ V} \text{ i} \text{ z} \text{ h} \text{ z} \text{ h} \text{ s} \text{ Z} \text{ h} \text{ t} \text{ h} \text{ m} \text{ m} \text{ \&}$

43. EHS Rng Jndm bndZ J{V _ hi $\frac{1}{2}$ & bndZ J{V _ di $\frac{1}{2}$ Hs
i $\frac{1}{2}$ WmZm $\frac{1}{2}$ War` J{VO D\$Om $\frac{1}{2}$ H gmW-gmW K $\frac{1}{2}$ u J{VO D\$Om $\frac{1}{2}$
(K $_r$) ^r hm/r hi $\frac{1}{2}$ & Jndm {bE K $_t$: (K $_t$ + K $_r$) Hsm AZnm/
hmdm
- (1) 7 : 10
(2) 5 : 7
(3) 10 : 7
(4) 2 : 5

44. gŷ i' i' k Hō Mmāŋ Amā XrKi' i' i' k i' i' k m' Hōj m' | J{V_mZW{V} i' i' k
A, B Ami' i' i' k na J{VO D\$Omī i' i' k i' i' k A, K_B Ami' i' i' k C hi' i' k &
AC XrKi' i' k Aj hi' i' k Wm gŷ i' i' k Hōj m' i' i' k i' i' k {Mi' i' k i' i' k m' XrKi' i' k
Aj AC na bi' i' k- hi' i' k & V-

- (1) $K_A < K_B < K_C$
- (2) $K_A > K_B > K_C$
- (3) $K_B < K_A < K_C$
- (4) $K_B > K_A > K_C$

45. ~~"aFāc"~~ > a' aSku' AmH\$ne | AnZr g_ {V Aj Hō n[av:
Sku' āb' [c? mē <"U Ua \ \$ q' : > a' c' <a Eā Sa n [Sa n
al Vo hi' i/ E BgH\$ {i' i/ i' i/ m | di' i/ i' i/ H\$ OmVr hi' i/ &
{Zi' i/ {b(l V | goH\$ i' i/ Z' mi' i/ V H\$ am'e pi' i/ Wa a' b' l' r
(1) H\$ m' l' r' d' l'
(2) CēX' 5 a' m' E
(3) KJ u J { VO D\$ Om i' i/ &
(4) H\$ m' l' r' q i' i/ d' l'

42. If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is *not* correct?

- (1) Raindrops will fall faster.
- (2) Walking on the ground would become more difficult.
- (3) Time period of a simple pendulum on the Earth would decrease.
- (4) Ẓba ġg[X'8Teg[ĵ _abgV[TaZX!

43. A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy (K_t) as well as rotational kinetic energy (K_r) simultaneously. The ratio $K_t : (K_t + K_r)$ for the sphere is

- (1) 7 : 10
- (2) 5 : 7
- (3) 10 : 7
- (4) 2 : 5

44. The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are K_A , K_B and K_C , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then

- (1) $K_A < K_B < K_C$
- (2) $K_A > K_B > K_C$
- (3) $K_B < K_A < K_C$
- (4) $K_B > K_A > K_C$

45. A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere?

- (1) Angular velocity
- (2) Moment of inertia
- (3) Rotational kinetic energy
- (4) Angular momentum

46. $2\text{H}_2\text{SO}_4 \rightarrow 2\text{H}_2\text{O} + 2\text{SO}_2 + \text{O}_2$
- (1) 1
(2) 3
(3) 2
(4) 4

47. E[ZbrZ Hsm ZrB0i:~H\$ i:~b Ai:~br` _mi:~ _ _] H\$Z04Pa
m-ZrB0i:~E[ZbrZ Rfr nNal\` }Tæ`
(1) i:~Vi:~WmH\$ H\$ Cnpi:~W[V H\$ ~mdOX ZrB0i:~ g_h h_
Hdb m-pi:~W[V na hr OmVm hi:~ &
(2) A[ZbrZ f Ubekan 5ReTa Sp SNa [Sm
m-{ZX}H\$mar hi:~ &
(3) i:~Vi:~WmH\$ H\$ AZn[V:~W] ZrB0i:~ g_h h_em
m-pi:~W[V na OmVm hi:~ &
(4) Ai:~br` (i:~b) _mi:~ _ _] E[ZbrZ E[Zbr{Z` _ Am Z
H\$ i:~n _] hmvr hi:~ &

- | | | |
|-----|---|-----|
| 48. | <p> $\{Zij\} \{b[i] V _ go H\$mgp/Z5d [aG2<"g [Xa;j/YH\$ Ai;j}br$
 $i;j/Hi;j/V hi;j$ </p> <p> (1) MgO
 (2) BeO
 (3) BaO
 (4) CaO </p> | 49. |
|-----|---|-----|

49. 90SV d' 9Xj 90SV d' Eł Spł { ^ i j W m h i j k
 (1) 90SV d' Eł Spł , 4 U ~ i j W m 1 , 6 U ~ i j W Z
 h i j k
 (2) Eł b m g _ 1 , 4 U ~ i j W m 1 , 6 V ~ i j W Z i j k
 (3) 90SV d' Eł Spł , 4 U ~ i j W m 1 , 6 V ~ i j W Z i j k
 (4) 90SV d' V m d' 9Xj > V j Eł [ō N a \

- | | | |
|-----|--|-----|
| 50. | {V' i: H\$ ~i:k Awdm Omhi: Hm- Hi go: X^ i: k} Zi: Z b{ i V
go H\$mi: gH H\$WZ Agi: zhi: z | 50. |
| (1) | BZ_ {d^ i: k ad r` ~hi: voh\$ i: zhi: z z bmAm H\$
ghgi: z mOH\$ Am-i: zY hmbvohi: z & | |
| (2) | `o {i: zHi: z` mi: z_H\$ Edi: z {i: zHi: z` mi: z_H\$ g_hmj H\$ I
~ZVohi: z & | |
| (3) | ~i: zHbmBO>Edi: z_i: z_vom_rZ BgH\$ CXmhaU hi: z & | |
| (4) | BZH\$ ~hi: z_voh\$ i: zhi: z z bmAm_ i: z-b ghgi: z mO
hmbvohi: z & | |

46. A mixture of 20 g formic acid and 40 g oxalic acid is treated with conc. H_2SO_4 . The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
- (1) 10
(2) 30
(3) 20
(4) 40

- Q4. Nitration of aniline in strong acidic medium also gives m-nitroaniline because
- (1) In spite of substituents nitro group always goes to only m-position.
 - (2) In electrophilic substitution reactions amino group is meta directive.
 - (3) In absence of substituents nitro group always goes to m-position.
 - (4) In acidic (strong) medium aniline is present as anilinium ion.

48. Which of the following oxides is most acidic in nature?
- (1) MgO
(2) BeO
(3) BaO
(4) CaO

49. The difference between amylose and amylopectin is
- (1) Amylopectin have 1, 4 U-linkage and 1, 6 U-linkage
 - (2) Amylose have 1, 4 U-linkage and 1, 6 V-linkage
 - (3) Amylopectin have 1, 4 U-linkage and 1, 6 V-linkage
 - (4) Amylose is made up of glucose and galactose

50. Regarding cross-linked or network polymers, which of the following statements is *incorrect*?
- They contain covalent bonds between various linear polymer chains.
 - They are formed from bi- and tri-functional monomers.
 - Examples are bakelite and melamine.
 - They contain strong covalent bonds in their polymer chains.

51. $\text{Bg A}(\text{H})_3\text{m}$

Sp[dSV J' d/ cE dNf \

(1) $\text{GaV}(\text{H})_3\text{m}(\text{N})$ ()

(2) $\text{V}(\text{H})_3\text{m}(\text{N})$ ()

(3) $\text{S}(\text{H})_3\text{m}(\text{N})$ ()

(4) $\text{GaV}(\text{H})_3\text{m}(\text{N})$ ()

52. $\text{C}_6\text{H}_5\text{COOH}$ ()

(1) $\text{C}_6\text{H}_5\text{COOH}$ ()

(2) $\text{C}_6\text{H}_5\text{COOH}$ ()

(3) $\text{C}_6\text{H}_5\text{COOH}$ ()

(4) $\text{C}_6\text{H}_5\text{COOH}$ ()

53. $\text{C}_8\text{H}_{10}\text{O}$ ()

51. In the reaction

the electrophile involved is

(1) dichloromethyl cation ()

(2) formyl cation ()

(3) dichloromethyl anion ()

(4) dichlorocarbene ($:\text{CCl}_2$)

52. Carboxylic acids have higher boiling points than aldehydes, ketones and even alcohols of comparable molecular mass. It is due to their

(1) formation of intramolecular H-bonding

(2) formation of carboxylate ion

(3) more extensive association of carboxylic acid via van der Waals force of attraction

(4) formation of intermolecular H-bonding

53. Compound A, $\text{C}_8\text{H}_{10}\text{O}$, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

54. The correct difference between first- and second-order reactions is that
- (1) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
 - (2) the half-life of a first-order reaction does not depend on $[A]_0$; the half-life of a second-order reaction does depend on $[A]_0$
 - (3) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
 - (4) the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
55. Among CaH_2 , BeH_2 , BaH_2 , the order of ionic character is
- (1) $\text{BeH}_2 < \text{CaH}_2 < \text{BaH}_2$
 - (2) $\text{CaH}_2 < \text{BeH}_2 < \text{BaH}_2$
 - (3) $\text{BeH}_2 < \text{BaH}_2 < \text{CaH}_2$
 - (4) $\text{BaH}_2 < \text{BeH}_2 < \text{CaH}_2$
56. Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below :
- Then the species undergoing disproportionation is
- (1) Br
 - (2) Br
 - (3) Br_2
 - (4) HBrO
57. In which case is the number of molecules of water maximum ?
- (1) 18 mL of water
 - (2) 0.18 g of water
 - (3) 0.0224 L of water vapours at 1 atm and 273 K
 - (4) 10^{-3} mol of water

58. $\text{Zr} (e^-)_{\text{EH}} \text{V} \text{go A} \{ \text{H} \} \text{H} \text{EH} \text{Am} \{ \text{Z} \} \text{H} \text{mi} \text{JH} \text{ZmVm} \text{hi} \& \text{X} \text{H} \{ \text{Z} \} \text{ZV} \text{Adi} \text{Vm} \text{V} \text{EH} \text{X} \text{Ta} \text{1s}^2 \text{2s}^2 \text{2p}^3 \text{hi} \text{Bg} \text{mi} \text{JH} \text{H} \text{gm} \text{mi} \text{gi} \text{hi}$

- (1) Mg_2X_3
- (2) MgX_2
- (3) Mg_2X
- (4) Mg_3X_2

59. $\text{Am} \text{aZ} \text{H} \text{H} \text{ao} \text{H} \text{Vm} \text{na bcc} \text{gi} \text{aM} \text{Zm} \text{hm} \text{r} \text{hi} \text{900}^\circ\text{C} \text{H} \text{D} \text{na} \text{h} \text{fcc} \text{gi} \text{aM} \text{Zm} \text{J} \text{n} \text{ad} \text{Vm} \text{hm} \text{Om} \text{Vr} \text{hi} \& \text{Am} \text{aZ} \text{H} \text{H} \text{Vm} \text{na} \text{KZ} \text{900}^\circ\text{C} \text{Vm} \text{na} \text{KZ} \text{go} \text{AZ} \text{nm} \text{hm} \text{m} \text{mZ} \text{br} \{ \text{OE} \text{Am} \text{aZ} \text{H} \text{m} \text{ba} \text{i} \text{mZ} \text{Edi} \text{na} \text{mU} \text{m} \text{H} \text{gm} \text{pi} \}$

- (1)
- (2)
- (3)
- (4)

60. $\{ \text{Z} \} \text{Z} \{ \text{b} \} \text{V} \text{go} \text{H} \text{m} \text{Z} \text{H} \text{WZ} \text{Ag} \text{hi}$
 (1) $f^- <^+ <^+ \text{Sp} \text{EH} <^+ \text{a} \text{V}^- <^+ <^+ \text{a} \text{ff} \text{X} \text{e} \text{ej} \text{H} \text{am} \text{a} \text{hi}$
 (2) $9^- <^+ <^+ \text{JfN} \} \text{X} \text{ES} \text{[} \mu \text{T} \text{a} \text{p} \text{c} \{ \text{Z} \{ \text{Xi} \} \text{hi} \} \text{O} \text{H} \text{9}^- \text{b} \text{Sa} \text{kSp} \text{EH} \text{Ad} \} \text{X} \text{ES} \text{[} \mu \text{T} \text{a} \text{p} \text{c} \{ \text{Z} \{ \text{Xi} \} \text{hi} \}$
 (3) $\text{N} \text{na} \text{mU} <^+ \text{EH} \text{X} \text{Ta}$

- (4) $\text{H} \{ \text{bE} \text{m} \text{H} \text{m} \text{mZ} \text{ej} \text{hi} \}$

61. $\{ \text{Z} \} \text{Z} \{ \text{b} \} \text{V} \text{i} \text{hrer} \text{na} \{ \text{dM} \text{ma} \text{H} \{ \text{OE} \text{CN}^+, \text{CN}, \text{NO} \text{Vm} \text{CN} \text{NSp} \text{a} \text{[} <^+ \text{g} \text{v} \text{JS} \text{5a} \text{M} <^+ \text{a} \text{Z} \}$

- (1) NO
- (2) CN
- (3) CN^+
- (4) CN

58. Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is $1s^2 2s^2 2p^3$, the simplest formula for this compound is

- (1) Mg_2X_3
- (2) MgX_2
- (3) Mg_2X
- (4) Mg_3X_2

59. Iron exhibits bcc structure at room temperature. Above 900°C , it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is

- (1)
- (2)
- (3)
- (4)

60. Which one is a *wrong* statement ?

- (1) Total orbital angular momentum of electron $\text{a}^- \text{f} \text{beUgT} \text{V} \text{XdhT} \text{gm} \text{Xeb}$
- (2) An orbital is designated by three quantum numbers while an electron in an atom is designated by four quantum numbers.
- (3) The electronic configuration of N atom is
- (4) The value of m for is zero.

61. Consider the following species :

$\text{CN}^+, \text{CN}, \text{NO}$ and CN

Which one of these will have the highest bond order ?

- (1) NO
- (2) CN
- (3) CN^+
- (4) CN

62. Which of the following statements is *not* true for halogens ?
- All form monobasic oxyacids.
 - All are oxidizing agents.
 - All but fluorine show positive oxidation states.
 - Chlorine has the highest electron-gain enthalpy.
63. Which one of the following elements is unable to form π ion ?
- Ga
 - Al
 - B
 - In
64. In the structure of ClF_3 , the number of lone pairs
- one
 - two
 - four
 - three
65. Considering Ellingham diagram, which of the following metals can be used to reduce alumina ?
- Fe
 - Zn
 - Mg
 - Cu
66. The correct order of atomic radii in group 13 elements is
- $\text{B} < \text{Al} < \text{In} < \text{Ga} < \text{Tl}$
 - $\text{B} < \text{Al} < \text{Ga} < \text{In} < \text{Tl}$
 - $\text{B} < \text{Ga} < \text{Al} < \text{Tl} < \text{In}$
 - $\text{B} < \text{Ga} < \text{Al} < \text{In} < \text{Tl}$
67. The correct order of N-compounds in its decreasing order of oxidation states is
- $\text{HNO}_3, \text{NO}, \text{N}_2, \text{NH}_4\text{Cl}$
 - $\text{HNO}_3, \text{NO}, \text{NH}_4\text{Cl}, \text{N}_2$
 - $\text{HNO}_3, \text{NH}_4\text{Cl}, \text{NO}, \text{N}_2$
 - $\text{NH}_4\text{Cl}, \text{N}_2, \text{NO}, \text{HNO}_3$

62. Which of the following statements is *not* true for halogens ?
- All form monobasic oxyacids.
 - All are oxidizing agents.
 - All but fluorine show positive oxidation states.
 - Chlorine has the highest electron-gain enthalpy.
63. Which one of the following elements is unable to form π ion ?
- Ga
 - Al
 - B
 - In
64. In the structure of ClF_3 , the number of lone pairs
- one
 - two
 - four
 - three
65. Considering Ellingham diagram, which of the following metals can be used to reduce alumina ?
- Fe
 - Zn
 - Mg
 - Cu
66. The correct order of atomic radii in group 13 elements is
- $\text{B} < \text{Al} < \text{In} < \text{Ga} < \text{Tl}$
 - $\text{B} < \text{Al} < \text{Ga} < \text{In} < \text{Tl}$
 - $\text{B} < \text{Ga} < \text{Al} < \text{Tl} < \text{In}$
 - $\text{B} < \text{Ga} < \text{Al} < \text{In} < \text{Tl}$
67. The correct order of N-compounds in its decreasing order of oxidation states is
- $\text{HNO}_3, \text{NO}, \text{N}_2, \text{NH}_4\text{Cl}$
 - $\text{HNO}_3, \text{NO}, \text{NH}_4\text{Cl}, \text{N}_2$
 - $\text{HNO}_3, \text{NH}_4\text{Cl}, \text{NO}, \text{N}_2$
 - $\text{NH}_4\text{Cl}, \text{N}_2, \text{NO}, \text{HNO}_3$

72. $\text{C}_2\text{H}_5\text{OH} \xrightarrow{\text{Na}} \text{C}_2\text{H}_5\text{ONa} \xrightarrow{\text{PCl}_5} \text{C}_2\text{H}_5\text{Cl}$
 $\text{C}_2\text{H}_5\text{OH} \xrightarrow{\text{PCl}_5} \text{C}_2\text{H}_5\text{Cl}$
 $\text{C}_2\text{H}_5\text{OH} \xrightarrow{\text{PCl}_5} \text{C}_2\text{H}_5\text{Cl}$

- (1) $\text{C}_2\text{H}_5\text{OH}, \text{C}_2\text{H}_6, \text{C}_2\text{H}_5\text{Cl}$
- (2) $\text{C}_2\text{H}_5\text{OH}, \text{C}_2\text{H}_5\text{Cl}, \text{C}_2\text{H}_5\text{ONa}$
- (3) $\text{C}_2\text{H}_5\text{Cl}, \text{C}_2\text{H}_6, \text{C}_2\text{H}_5\text{OH}$
- (4) $\text{C}_2\text{H}_5\text{OH}, \text{C}_2\text{H}_5\text{ONa}, \text{C}_2\text{H}_5\text{Cl}$

73. $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3 \xrightarrow{\text{Br}_2} \text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Br}$
 $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3 \xrightarrow{\text{Br}_2} \text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Br}$
 $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3 \xrightarrow{\text{Br}_2} \text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Br}$

- (1) $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$
- (2) $\text{CH}_2=\text{CH}_2$
- (3) $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$
- (4) CH_4

74. $\text{C}_7\text{H}_8 \xrightarrow{\text{Br}_2} \text{C}_7\text{H}_7\text{Br}$
 $\text{C}_7\text{H}_8 \xrightarrow{\text{Br}_2} \text{C}_7\text{H}_7\text{Br}$
 $\text{C}_7\text{H}_8 \xrightarrow{\text{Br}_2} \text{C}_7\text{H}_7\text{Br}$

C_7H_8

- (1) $m\text{-bromotoluene}$
- (2) $o\text{-bromotoluene}$
- (3) $3\text{-bromo-2,4,6-trichlorotoluene}$
- (4) $p\text{-bromotoluene}$

75. $\text{N}_2\text{O}_5 \xrightarrow{\text{H}_2\text{O}} \text{HNO}_3$
 $\text{N}_2\text{O}_5 \xrightarrow{\text{H}_2\text{O}} \text{HNO}_3$
 $\text{N}_2\text{O}_5 \xrightarrow{\text{H}_2\text{O}} \text{HNO}_3$

- (1) N_2O_5
- (2) NO_2
- (3) N_2O
- (4) NO

The compound A on treatment with Na gives B, and with PCl_5 gives C. B and C react together to give diethyl ether. A, B and C are in the order

- (1) $\text{C}_2\text{H}_5\text{OH}, \text{C}_2\text{H}_6, \text{C}_2\text{H}_5\text{Cl}$
- (2) $\text{C}_2\text{H}_5\text{OH}, \text{C}_2\text{H}_5\text{Cl}, \text{C}_2\text{H}_5\text{ONa}$
- (3) $\text{C}_2\text{H}_5\text{Cl}, \text{C}_2\text{H}_6, \text{C}_2\text{H}_5\text{OH}$
- (4) $\text{C}_2\text{H}_5\text{OH}, \text{C}_2\text{H}_5\text{ONa}, \text{C}_2\text{H}_5\text{Cl}$

73. Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is

- (1) CH_3CH_3
- (2) $\text{CH}_2=\text{CH}_2$
- (3) $\text{CH}_3\text{CH}_2\text{CH}_3$
- (4) CH_4

74. The compound C_7H_8 undergoes the following reactions :

$\text{C}_7\text{H}_8 \xrightarrow{\text{Br}_2} \text{C}_7\text{H}_7\text{Br}$

- (1) $m\text{-bromotoluene}$
- (2) $o\text{-bromotoluene}$
- (3) $3\text{-bromo-2,4,6-trichlorotoluene}$
- (4) $p\text{-bromotoluene}$

75. Which oxide of nitrogen is *not* a common pollutant introduced into the atmosphere both due to natural and human activity ?

- (1) N_2O_5
- (2) NO_2
- (3) N_2O
- (4) NO

76. $\text{Mn} + \text{C}_2 + \text{H}^+ \rightarrow \text{Mn}^{2+} + \text{CO}_2 + \text{H}_2\text{O}$



the correct coefficients of the reactants for the balanced equation are

	Mn		H ⁺
(1)	16	5	2
(2)	2	5	16
(3)	2	16	5
(4)	5	16	2

77. $\text{A}_2(\text{g}) + \text{B}_2(\text{g}) \rightleftharpoons \text{X}_2(\text{g}) + 8\text{H} = \text{X kJ}$



- (1) Low temperature and high pressure
- (2) Low temperature and low pressure
- (3) High temperature and high pressure
- (4) High temperature and low pressure

78. The core volume of the gas molecules corresponds to

- (1) density of the gas molecules
- (2) volume of the gas molecules
- (3) electric field present between the gas molecules
- (4) forces of attraction between the gas molecules


79. When initial concentration of the reactant is doubled, the half-life period of a zero order reaction

- (1) is halved
- (2) is doubled
- (3) is tripled
- (4) remains unchanged

80. The bond dissociation energies of X_2 , Y_2 and XY are in the ratio of 1 : 0.5 : 1. The bond dissociation energy of X_2 will be

- (1) 200 kJ mol⁻¹
- (2) 100 kJ mol⁻¹
- (3) 800 kJ mol⁻¹
- (4) 400 kJ mol⁻¹


76. For the redox reaction



the correct coefficients of the reactants for the balanced equation are

	Mn		H ⁺
(1)	16	5	2
(2)	2	5	16
(3)	2	16	5
(4)	5	16	2

77. Which one of the following conditions will favour maximum formation of the product in the reaction,



- (1) Low temperature and high pressure
- (2) Low temperature and low pressure
- (3) High temperature and high pressure
- (4) High temperature and low pressure

78. The core volume of the gas molecules corresponds to

- (1) density of the gas molecules
- (2) volume of the gas molecules
- (3) electric field present between the gas molecules
- (4) forces of attraction between the gas molecules

79. When initial concentration of the reactant is doubled, the half-life period of a zero order reaction

- (1) is halved
- (2) is doubled
- (3) is tripled
- (4) remains unchanged

80. The bond dissociation energies of X_2 , Y_2 and XY are in the ratio of 1 : 0.5 : 1. The bond dissociation energy of X_2 will be

- (1) 200 kJ mol⁻¹
- (2) 100 kJ mol⁻¹
- (3) 800 kJ mol⁻¹
- (4) 400 kJ mol⁻¹

81. {Zi}Z{b{I V A{^ {Hi}Z{^ {m}B{m}Z{^ {i}Z{^ {C{i}Z{m}X, Q Am{i}Z{^ {H\$no nhMm(ZE :

81. Identify the major products P, Q and R in the following sequence of reactions :

82. {Zi}Z{b{I V _| go H\$mgmZ mi{Z{JH\$ pi{Z{i}Z{dOaAm`Z ~Zm gH\$Vm
hi{Z{^

82. Which of the following compounds can form a zwitterion ?

- (1) E{ZbrZ
- (2) EgrO{x{i}ZbmBS>
- (3) ~i{Z{i}Z{OmBH\$ Ai{Z{^o
- (4) i{Z{^omBgrZ

- (1) Aniline
- (2) Acetanilide
- (3) Benzoic acid
- (4) Glycine

83. $[\text{CoCl}_2(\text{en})_2]$ में दिखाए गए Co^{+2} आयन द्वारा दर्शाया गया है।
 (1) Co^{+2} आयन द्वारा दर्शाया गया है
 (2) Co^{+2} आयन द्वारा दर्शाया गया है
 (3) Co^{+2} आयन द्वारा दर्शाया गया है
 (4) Co^{+2} आयन द्वारा दर्शाया गया है

84. $[\text{Zn}(\text{bipy})\text{Cl}_2]$ में दिखाए गए Zn^{+2} आयन द्वारा दर्शाया गया है।
 (1) Zn^{+2} आयन द्वारा दर्शाया गया है
 (2) Zn^{+2} आयन द्वारा दर्शाया गया है
 (3) Zn^{+2} आयन द्वारा दर्शाया गया है
 (4) Zn^{+2} आयन द्वारा दर्शाया गया है

85. $[\text{Ni}(\text{CO})_4]$ में दिखाए गए Ni^{+2} आयन द्वारा दर्शाया गया है।
 (1) Ni^{+2} आयन द्वारा दर्शाया गया है
 (2) Ni^{+2} आयन द्वारा दर्शाया गया है
 (3) Ni^{+2} आयन द्वारा दर्शाया गया है
 (4) Ni^{+2} आयन द्वारा दर्शाया गया है

86. $\text{Fe}(\text{CO})_5$ में दिखाए गए Fe^{+2} आयन द्वारा दर्शाया गया है।
 (1) Fe^{+2} आयन द्वारा दर्शाया गया है
 (2) Fe^{+2} आयन द्वारा दर्शाया गया है
 (3) Fe^{+2} आयन द्वारा दर्शाया गया है
 (4) Fe^{+2} आयन द्वारा दर्शाया गया है

87. $[\text{Co}(\text{NH}_3)_6]^{3+}$ में दिखाए गए Co^{+2} आयन द्वारा दर्शाया गया है।
 (1) Co^{+2} आयन द्वारा दर्शाया गया है
 (2) Co^{+2} आयन द्वारा दर्शाया गया है
 (3) Co^{+2} आयन द्वारा दर्शाया गया है
 (4) Co^{+2} आयन द्वारा दर्शाया गया है

Column I	Column II
a. Co^{3+}	i. B.M.
b. Cr^{3+}	ii. B.M.
c. Fe^{3+}	iii. B.M.
d. Ni^{2+}	iv. B.M.
	v. B.M.

a	b	c	d
(1) iv	v	ii	i
(2) i	ii	iii	iv
(3) iv	i	ii	iii
(4) iii	v	i	ii

The type of isomerism shown by the complex $[\text{CoCl}_2(\text{en})_2]$ is

- (1) Geometrical isomerism
 (2) Coordination isomerism
 (3) Ionization isomerism
 (4) Linkage isomerism

84. Which one of the following ions exhibits d-d transition and paramagnetism as well ?

- (1)
 (2)
 (3)
 (4)

85. The geometry and magnetic behaviour of the complex $[\text{Ni}(\text{CO})_4]$ are

- (1) square planar geometry and diamagnetic
 (2) tetrahedral geometry and diamagnetic
 (3) square planar geometry and paramagnetic
 (4) tetrahedral geometry and paramagnetic

86. Iron carbonyl, $\text{Fe}(\text{CO})_5$ is

- (1) tetranuclear
 (2) mononuclear
 (3) trinuclear
 (4) dinuclear

87. Match the metal ions given in Column I with the spin magnetic moments of the ions given in Column II and assign the correct code :

Column I	Column II
a. Co^{3+}	i. B.M.
b. Cr^{3+}	ii. B.M.
c. Fe^{3+}	iii. B.M.
d. Ni^{2+}	iv. B.M.
	v. B.M.

a	b	c	d
(1) iv	v	ii	i
(2) i	ii	iii	iv
(3) iv	i	ii	iii
(4) iii	v	i	ii

88. Which of the following is correct with respect to I effect of the substituents ? (R = alkyl)
- (1) $\text{NH}_2 < \text{OR} < \text{F}$
 - (2) $\text{NR}_2 < \text{OR} < \text{F}$
 - (3) $\text{NH}_2 > \text{OR} > \text{F}$
 - (4) $\text{NR}_2 > \text{OR} > \text{F}$
89. Which of the following carbocations is expected to be most stable ?
90. Which of the following molecules represents the order of hybridisation sp^2 , sp^2 , sp , sp from left to right atoms ?
- (1) $\text{HC} \equiv \text{C} - \text{C} \equiv \text{CH}$
 - (2) $\text{CH}_2 = \text{CH} - \text{C} \equiv \text{CH}$
 - (3) $\text{CH}_2 = \text{CH} - \text{CH} = \text{CH}_2$
 - (4) $\text{CH}_3 - \text{CH} = \text{CH} - \text{CH}_3$

91. The experimental proof for semiconservative replication of DNA was first shown in a
- (1) Fungus
 - (2) Bacterium
 - (3) Plant
 - (4) Virus
92. Select the *correct* statement :
- (1) Franklin SgT [_Vb^aXWg[X`gXe` ^_a^TZX !
 - (2) Punnett square was developed by a British scientist.
 - (3) Spliceosomes take part in translation.
 - (4) Transduction was discovered by S. Altman.
93. Offsets are produced by
- (1) Meiotic divisions
 - (2) Mitotic divisions
 - (3) Parthenocarpy
 - (4) Parthenogenesis
94. Which of the following pairs is *wrongly* matched ?
- (1) Starch synthesis in pea : Multiple alleles
 - (2) ABO blood grouping : Co-dominance
 - (3) XO type sex : Grasshopper determination
 - (4) T.H. Morgan : Linkage
95. Which of the following flowers only once in its life-time ?
- (1) Bamboo species
 - (2) Jackfruit
 - (3) Mango
 - (4) Papaya
96. Select the *correct* match :
- (1) Alec Jeffreys *Streptococcus pneumoniae*
 - (2) Alfred Hershey and Martha Chase TMV
 - (3) Matthew Meselson and F. Stahl *Pisum sativum*
 - (4) Francois Jacob and Jacques Monod *Lac operon*
97. Which of the following has proved helpful in preserving pollen as fossils ?
- (1) Pollenkitt
 - (2) Cellulosic intine
 - (3) Oil content
 - (4) Sporopollenin

- Hindi/English

118. {i:}h-rOni:VZo {i:}W'r H'i:BD_ Ami:VdME {H\$ggO Ci:}h hmv/ohi:}h (1) erf{i:}h {d^i:}h m (2) gi:}hZ EYm (3) H\$uJOZ (4) H\$}r {d^i:}h m	118. Secondary xylem and phloem in dicot stem are produced by (1) Apical meristems (2) Vascular cambium (3) Phellogen (4) Axillary meristems
119. i:}dgZ_b {H\$g hmv/r hi:}h (1) bdU_i:}hXmX (2) i:}dVdV {d^h\$ ObmX{i:}h^Xi:}h (3) _mi:}hmar nmXn (4) Ob_i:}hZ ObmX{i:}h^Xi:}h	119. Pneumatophores occur in (1) Halophytes (2) Free-floating hydrophytes (3) Carnivorous plants (4) Submerged hydrophytes
120. eH\$Hi:}hX {H\$gH\$m i:}hnm i:}hZaU hi:}h (1) VZm (2) Ani:}hVnZH\$ _b (3) _gbm _b (4) i:}hHi:}hX	120. Sweet potato is a modified (1) Stem (2) Adventitious root (3) Tap root (4) Rhizome
121. {Zi:}Z{b{I V goH\$gmZ\$WZ ghr hi:}h (1) AZndi:}h~r{O~ ~rOm{i:}h>Ai:}hSe` {^i:}h i:}hZa~ Zht hmv/o & (2) {gb/OZbm EH\$ {df~rOmUw dmbm hi:}h O~H\$ gi:}hZ' mEH\$ g~rOmUw dmbm hi:}h & (3) hmi:}hgi:}hZ' AZm Or hi:}h & (4) gmBH\$g Ami:}hSi:}hZn gmYmaUV` m VZo Aem{I V hmv/ohi:}h &	121. Which of the following statements is <i>correct</i> ? (1) Ovules are not enclosed by ovary wall in gymnosperms. (2) <i>Selaginella</i> is heterosporous, while <i>Salvinia</i> is homosporous. (3) Horsetails are gymnosperms. (4) Stems are usually unbranched in both <i>Cycas</i> and <i>Cedrus</i> .
122. i:}hV H\$WZ H\$mo MZE : (1) H\$dH\$mi Ami:}h nmXn OJV H\$ gXi:}h H\$meH\$m { Cnpi:}hV hmv/r hi:}h & (2) N{i:}hH\$mi H\$m gi:}h~i:}hY ~i:}hG(S> m nB(gO{i:}hO go hi:}h & (3) i:}hnmemo {OmAZmXm^ MbZo Ami:}h I mi:}h Ji:}hU H\$Zo H\$ gi:}hMZmEi:}h hi:}h & (4) Sada <a B&U [Rf CfXC>Jap <g <aY <a Sp [<do <aQ>YqJ>de\`\$	122. Select the <i>wrong</i> statement : (1) Cell wall is present in members of Fungi and Plantae. (2) Mushrooms belong to Basidiomycetes. (3) Pseudopodia are locomotory and feeding structures in Sporozoans. (4) Mitochondria are the powerhouse of the cell in all kingdoms except Monera.
123. Hi:}hZi:}hmar n{i:}h> mi:}h H\$hm i:}h hmv/r hi:}h (1) ~mi:}hZdMm (2) n{aa i:}h^ (3) di:}hH\$O> (4) Ai:}hV i:}hZdMm	123. Casparian strips occur in (1) Epidermis (2) Pericycle (3) Cortex (4) Endodermis
124. dh nmXn H\$mi:}h hi:}hSooJfT<` Xde KaE2Ta o a <W`Nh hmv/r ? (1) Kmg (2) nUi:}hnm/r Amdi:}h~rOr (3) ei:}hH\$Ymar (4) gmBH\$Si:}hZg	124. Plants having little or no secondary growth are (1) Grasses (2) Deciduous angiosperms (3) Conifers (4) Cycads

125. {Zi}Z{b{I V } go H\$g{Z}Z{b{V i}Zn } gw {bV hi}Z
 (1) EH\$H\$em(^H\$ ~i}Z_H\$ nmi}Z{b{g{Z}m
 (2) {i}Z_H\$em(^H\$ Mb~rOmUw ^po ei}Z{b{b
 (3) Oo_m YmZr _mH{e`m
 (4) EH\$H\$em(^H\$ Ord }Vat'a

126. i}Z{W i}Z{^ } Xr JB i}Z{^ Xr H\$m i}Z{W i}Z{H\$ Xr go { _bmZ H\$s{OE
 Ami}Z{ZrMo {XE JE {dH\$ i}Z{hmi} go ghr {dH\$ i}Z{h H\$m M`Z
 H\$s{OE :

- | | | | |
|----|---|------|--|
| | i}Z{W i}Z{^ | | i}Z{W i}Z{^ |
| a. | nmXnmb` | i. | n[aa{ } V nmXnm Ami}Z{O i}Z{W i}Z{Am H\$
gi}Z{b{ i}Z{h H\$m EH\$ i}Z{W i}Z{ & |
| b. | Hir}Z{Or | ii. | EH\$ j i}Z{^ } niBjBi}Z{r Om{V`m
H\$m {d{Yndi}Z{H\$ JUZ H\$aVo hi}Z{E Ami}Z{
CZH\$ nhMmZ H\$s gw _Vm H\$ {bE
gi}Z{b{ i}Z{W dUi}Z{Z H\$aVo hi}Z{E EH\$ gMr & |
| c. | gi}Z{b{ i}Z{hmb iii. | iii. | Egm i}Z{W i}Z{Z Omip{Xn Z _Zr H\$m
gw mH\$a Ami}Z{X ~mH\$a ni}Z{na
Amam{V H\$a al m OmVm hi}Z{ & |
| d. | Ji}Z{Z i}Z{W gMr iv.
(Hi}Z{Z{Om i}Z{b{) | iv. | EH\$ npi}Z{W i}Z{H\$m {Og _ } bj Um H\$gMr
Ami}Z{X CZH\$ {dH\$ i}Z{h hmb o hi}Z{ Om
{d{^ i}Z{ dJi}Z{H\$ H\$s nhMmZ _
ghm H\$ hmb o hi}Z{ & |

- | | | | | |
|-----|-----|----|-----|----|
| | a | b | c | d |
| (1) | i | iv | iii | ii |
| (2) | iii | ii | i | iv |
| (3) | ii | iv | iii | i |
| (4) | iii | iv | i | ii |

127. gnj namJH\$U {H\$g _ hmb o hi}Z{
 (1) gagm
 (2) gmBH\$g
 (3) Am_
 (4) nmBZg

128. {Zi}Z{b{I V } go {H\$g _ H\$ i}Z{Z H\$gi}Z{b`Z VWm AYi}Z{b{d^mOZ
 H\$ ni}Z{Mm i}Z{~rOmUw ~{hOm i}Z{W i}Z{hmb o hi}Z{
 (1) i}Z{Z{Om i}Z{hmb
 (2) Ami}Z{Z{Za`m
 (3) Eol i}Z{ZaH\$g
 (4) gi}Z{b{ i}Z{hmb o hi}Z{

125. Which one is *wrongly* matched ?

- | | | |
|-----|------------------------|---------------------|
| (1) | Uniflagellate gametes | <i>Polysiphonia</i> |
| (2) | Biflagellate zoospores | Brown algae |
| (3) | Gemma cups | <i>Marchantia</i> |
| (4) | Unicellular organism | <i>Chlorella</i> |

126. Match the items given in Column I with those in Column II and select the *correct* option given below :

- | | Column I | | Column II |
|----|-----------|------|---|
| a. | Herbarium | i. | It is a place having a collection of preserved plants and animals. |
| b. | Key | ii. | A list that enumerates methodically all the species found in an area with brief description aiding identification. |
| c. | Museum | iii. | Is a place where dried and pressed plant specimens mounted on sheets are kept. |
| d. | Catalogue | iv. | A booklet containing a list of characters and their alternates which are helpful in identification of various taxa. |

- | | | | | |
|-----|-----|----|-----|----|
| | a | b | c | d |
| (1) | i | iv | iii | ii |
| (2) | iii | ii | i | iv |
| (3) | ii | iv | iii | i |
| (4) | iii | iv | i | ii |

127. Winged pollen grains are present in

- | | |
|-----|--------------|
| (1) | Mustard |
| (2) | <i>Cycas</i> |
| (3) | Mango |
| (4) | <i>Pinus</i> |

128. After karyogamy followed by meiosis, spores are produced exogenously in

- | | |
|-----|----------------------|
| (1) | <i>Neurospora</i> |
| (2) | <i>Alternaria</i> |
| (3) | <i>Agaricus</i> |
| (4) | <i>Saccharomyces</i> |

136. gJ^iZ/Wm H\$m ~ZnE al Zo H\$ {bE Anam H\$gZ iZ/dV H\$Vr hiZ&

- (1) hCG, hPL, iZ/dV H\$gZ, Ua g EX
- (2) hCG, hPL, 9EEN* O/d [N* 5a] [Ea] N
- (3) hCG, hPL, iZ/dV H\$gZ, EiZ/dV H\$gZ
- (4) hCG, iZ/dV H\$gZ, EiZ/dV H\$gZ, iZ/dV H\$gZ

137. J^iZ/ZamYH\$hr

- (1) J^miZ` _| EiZ/dV H\$gZ JiZ/hr H\$m AdizZ H\$Vr H\$ amU H\$m amH\$Vr hiZ&
- (2) SaEa p Sp 9EEN <g [fJa <a rHf \iZ EdizH\$ AiZ/dV H\$gZ JiZ/hr H\$m amH\$Vr hiZ&
- (3) EH\$ IUD hiZ&
- (4) EH\$ niZ/MiZ/MZ J^iZ/ZamYH\$ hiZ&

138. YkY KNN 9YiYkY KN&ebSYN`Sp`Ta5xUN`?

- (1) eHiZ/MUZZ _| eHiZ/MUjZgy ~ZVo hiZ& O~{H\$ eHiZ/MUj Z _| eHiZ/MU ~ZVo hiZ&
- (2) eHiZ/MUZZ _| eHiZ/MU hZ& O~{H\$ eHiZ/MUj Z _| eHiZ/MUjZgy ~ZVo hiZ&
- (3) eHiZ/MUZZ _| eHiZ/MUAnj H\$m gOjor H\$m eH\$Anj go eHiZ/OZH\$ Z{bH\$Anj H\$ J{hH\$m _| _mMZ hmb/m hiZ& O~{H\$ eHiZ/MUj Z _| eHiZ/MU ~ZVo hiZ&
- (4) eHiZ/MUZZ _| eHiZ/MU ~ZVo hiZ& O~{H\$ eHiZ/MUj Z (4) eHiZ/MUAnj H\$m gOjor H\$m eH\$Anj go eHiZ/OZH\$ Z{bH\$Anj H\$ J{hH\$m _| _mMZ hmb/m hiZ&

139. eJNbfRm <gRm a`Dwf 7ar`a`[go ~ZVr hiZ&

- (1) ~miZ/dV Mm EdizH\$ _iZ& OZiZ/a
- (2) AiZ/dV Mm EdizH\$ _iZ& OZiZ/a
- (3) _iZ& OZiZ/a EdizH\$ nmfH\$maH\$
- (4) ~miZ/dV Mm EdizH\$ AiZ/dV Mm

136. Hormones secreted by the placenta to maintain pregnancy are

- (1) hCG, hPL, progestogens, prolactin
- (2) hCG, hPL, estrogens, relaxin, oxytocin
- (3) hCG, hPL, progestogens, estrogens
- (4) hCG, progestogens, estrogens, glucocorticoids

137. G[X`VbgeTVXcgN`X`F4; 8? <

- (1) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
- (2) increases the concentration of estrogen and prevents ovulation in females.
- (3) is an IUD.
- (4) is a post-coital contraceptive.

138. The difference between spermiogenesis and spermiation is

- (1) In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
- (2) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.
- (3) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
- (4) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.

139. The amnion of mammalian embryo is derived from

- (1) ectoderm and mesoderm
- (2) endoderm and mesoderm
- (3) mesoderm and trophoblast
- (4) ectoderm and endoderm

140. 9<"Lc<"grH2fVdCN[μTaSp

- (1) OZZndiɛ́ɛ́ iɛ́ɛ́ piɛ́ɛ́ OZZj _ iɛ́ɛ́ piɛ́ɛ́ > ɲ go A{&S hmb/ohiɛ́ɛ́
(2) OZZj _ iɛ́ɛ́ piɛ́ɛ́ > OZZmɪɪa iɛ́ɛ́ piɛ́ɛ́ > ɲ go H\$ hmb/ohiɛ́ɛ́ &
(3) OZZj _ Ediɛ́ɛ́ OZZndiɛ́ɛ́ iɛ́ɛ́ piɛ́ɛ́ giɛ́ɛ́ m _ ~am-
hiɛ́ɛ́ &
(4) OZZndiɛ́ɛ́ iɛ́ɛ́ piɛ́ɛ́ OZZj _ iɛ́ɛ́ piɛ́ɛ́ > ɲ go H\$ hmb/ohiɛ́ɛ́ &

141. $\{Z_i\} \in \{b \mid V \perp g_0 H \text{ sigm} Z \sim m_i \} \wedge \wedge m Z_0 g_i \} \wedge \wedge \wedge t \wedge m V m ?$

- (1) $\text{di} \setminus \text{Ord} \setminus \text{g} \setminus \text{mar} \setminus \text{nm} \setminus \text{Hi} \setminus \text{H}$
- (2) $\text{n} \{ \text{di} \setminus \text{Cnd} \setminus \text{Z}$
- (3) $\text{dm} \setminus \text{Zi} \setminus \text{m} \{ \text{VH} \setminus \text{Ci} \setminus \text{m} \setminus \text{Z}$
- (4) $\sim \text{rO} \sim \text{i} \setminus \text{H} \setminus \text{H}$

142. $i_1 \bar{z}_1 i_2 \bar{z}_2 H_S Si z_1 n m i_1 / m n m i_1 / Y O H_S \{H_S g^{\wedge} m J g o i_1 / m i_1 z_1 h m / r h i_1 \bar{z}_1$

- (1) $\backslash \text{bm} \mid \text{go}$
- (2) $\text{VE} \left[\begin{array}{c} \cdot \\ \cdot \end{array} \right] \dot{\text{c}}$
- (3) $\text{CG} \left[\begin{array}{c} \cdot \\ \cdot \end{array} \right] \dot{\text{c}}$
- (4) $\text{n} \{ \dot{\text{c}} \mid \text{m} \mid \text{go} \}$

143. $\text{Ti}(\text{W})_2\text{Hf}(\text{Xr})\text{Bi}(\text{Zr})\text{Xm}(\text{Hf})\text{W}(\text{Zr})\text{Hf}(\text{Xm})\text{go}\{\text{bmZ}\}\text{Hf}\{\text{OE}\}$
 $\text{Am}(\text{Zr})\text{ZrMo}\{\text{XE}\}\text{J}(\text{EdHf})\text{Zr}(\text{Xm})\text{go}\text{ghr}\{\text{dHf}(\text{Zr})\text{HfM}\text{M}\text{Z}\}$
 $\text{Hf}\{\text{OE}\} :$

i; N i; V

i;N;V

- a. gimfU i. $\text{uv-B} \{d\text{H}\text{aU}$
 b. $\text{gi} \{ \text{H}\text{Z}\text{Oar} \text{b}\text{W}\text{S} \}$ ii. $\text{dZm} \{ \text{h} \text{pZ}$
 c. $\{ \text{h_mi} \} \text{V} \{ \text{ir} \} \text{Zm} \{ \text{omBr} \} \text{S}\text{Zg} \}$. $\text{nmfH} \text{g_i} \{ \text{H} \text{h}$
 d. $\text{Py} \text{I} \text{W}$ iv. $\text{An} \{ \text{ei} \} \text{N} \{ \text{Zn} \} \text{Z}$

a b c d

- | | | | | |
|-----|-----|-----|-----|-----|
| (1) | ii | i | iii | iv |
| (2) | i | iii | iv | ii |
| (3) | iii | iv | i | ii |
| (4) | i | ii | iv | iii |

144. {Zi}Z{b{I V _| go{M{H{Zi}gm {dkmZ _| i}iVOi}i}dH\$ H\$ Ci}i}nXZ H\$
 {bE g_p{i}i}D\$ H\$ H\$ig{Znmai}i}n{aH\$ {H}i}i}m ~hi}i}Ym i}i}i}m H\$
 OmVr hi}i}i} 144. v

- (1) $gh^m(OV_m)$
- (2) $gh^m(H^n[aV_m])$
- (3) $naOr\{dV_m\}$
- (4) $E_{-i} \wedge q(bi) \wedge i \wedge i_{-}$

140. In a growing population of a country,

- (1) pre-reproductive individuals are more than the reproductive individuals.
- (2) reproductive individuals are less than the post-reproductive individuals.
- (3) reproductive and pre-reproductive individuals are equal in number.
- (4) pre-reproductive individuals are less than the reproductive individuals.

141. 4__ bY g[X~ Yb_bj \aZ~ TeX~ \aV_hVWV \a~ 8k-situ
VbafXeI Tg\ba ~except

- (1) Wildlife safari parks
- (2) Sacred groves
- (3) Botanical gardens
- (4) Seed banks

142. Which part of poppy plant is used to obtain the

- (1) Flowers
- (2) Latex
- (3) Roots
- (4) Leaves

143. Match the items given in Column I with those in Column II and select the *correct* option given below :

Column 1

Column 11

- a. Eutrophication
- b. Sanitary landfill
- c. Snow blindness
- d. Jhum cultivation
- i. UV-B radiation
- ii. Deforestation
- iii. Nutrient enrichment
- iv. Waste disposal

a b c d

- | | | | | |
|-----|-----|-----|-----|-----|
| (1) | ii | i | iii | iv |
| (2) | i | iii | iv | ii |
| (3) | iii | iv | i | ii |
| (4) | i | ii | iv | iii |

144. Which one of the following population interactions is widely used in medical science for the production of antibiotics ?

- (1) Commensalism
- (2) Mutualism
- (3) Parasitism
- (4) Amensalism

145. Which of the following events does *not* occur in rough endoplasmic reticulum ?
- (1) Protein folding
 - (2) Protein glycosylation
 - (3) Cleavage of signal peptide
 - (4) Phospholipid synthesis
146. Which of these statements is *incorrect* ?
- (1) Enzymes of TCA cycle are present in mitochondrial matrix.
 - (2) Glycolysis occurs in cytosol.
 - (3) Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.
 - (4) Oxidative phosphorylation takes place in outer mitochondrial membrane.
147. Many ribosomes may associate with a single mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as
- (1) Polysome
 - (2) Polyhedral bodies
 - (3) Plastidome
 - (4) Nucleosome
148. Select the *incorrect* match :
- | | |
|--------------------------------|-----------------------|
| (1) Lampbrush chromosomes | Diplotene bivalents |
| (2) Allosomes | Sex chromosomes |
| (3) Submetacentric chromosomes | L-shaped chromosomes |
| (4) Polytene chromosomes | Oocytes of amphibians |
149. Nissl bodies are mainly composed of
- (1) Proteins and lipids
 - (2) DNA and RNA
 - (3) Nucleic acids and SER
 - (4) Free ribosomes and RER
150. Which of the following terms describe human dentition ?
- (1) Thecodont, Diphyodont, Homodont
 - (2) Thecodont, Diphyodont, Heterodont
 - (3) Pleurodont, Monophyodont, Homodont
 - (4) Pleurodont, Diphyodont, Heterodont

151. $i\bar{i}Wiz\bar{W} _ Xr \ JBi\bar{i}z\bar{X}m \ Hs\bar{W}i\bar{i}z\bar{W} \ Hs\bar{X}m \ go\{ _bmZ \ Hs\{OE \mid$
 $Ami\bar{i}z\bar{A} \ ZrMo \ \{XE \ JEdH\$i\bar{i}zm\} \ go \ ghr \ \{dH\$i\bar{i}z\bar{H} \ Hsm \ M \ Z$
 $Hs\{OE :$

	<i>i</i> ɛ̃ ʷ i ɛ̃ ʷ		<i>i</i> ɛ̃ ʷ i ɛ̃ ʷ
a.	i ɛ̃ ʷ ɒ m B H ɪ ɲ ɔ ʃ a ʃ m	i.	Ca ɛ̃ ʷ S p t ɒ ʃ A i ɛ̃ ʷ ɒ H ɪ ɲ m g i ɛ̃ ʷ i ɛ̃ ʷ i ɲ h m ɪ ɲ m
b.	J m C ɔ >	ii.	X ɛ̃ ʷ e ʷ S p ɛ̃ ʷ e ʷ J ʷ V X i a ɛ̃ ʷ ɒ { n i ɛ̃ ʷ ɪ S >
c.	d ɪ ɛ̃ ʷ n W a r (a r Z ɒ < ʷ a ʃ T m ɔ ɛ̃ ʷ	iii.	J i r ɪ ɲ ɔ ʃ i ɛ̃ ʷ X m H ɪ ɲ m
d.	J i r ɪ ɲ X ɛ̃ ʷ e ʷ e ʷ m ɪ ɲ	iv.	i ɛ̃ ʷ ɪ ɲ i ɲ ɔ ʃ H ɪ ɲ m h m ɪ ɲ m

	a	b	c	d
(1)	iii	ii	iv	i
(2)	i	ii	iii	iv
(3)	ii	iii	i	iv
(4)	iv	i	ii	iii

152. $\text{[i]} \text{[j]} \text{[A]} \text{[i]} \text{[j]} \text{[X]} \text{[r]} \text{[B]} \text{[i]} \text{[j]} \text{[X]} \text{[n]} \text{[H]} \text{[j]} \text{[A]} \text{[i]} \text{[j]} \text{[X]} \text{[H]} \text{[s]} \text{[X]} \text{[n]} \text{[g]} \text{[O]} \text{[b]} \text{[n]} \text{[Z]} \text{[H]} \text{[s]} \text{[O]} \text{[E]} \text{[A]} \text{[m]} \text{[i]} \text{[j]} \text{[A]} \text{[Zr]} \text{[M]} \text{[o]} \text{[X]} \text{[E]} \text{[J]} \text{[E]} \text{[d]} \text{[H]} \text{[s]} \text{[i]} \text{[j]} \text{[n]} \text{[m]} \text{[g]} \text{[g]} \text{[h]} \text{[r]} \text{[d]} \text{[H]} \text{[s]} \text{[i]} \text{[j]} \text{[n]} \text{[H]} \text{[s]} \text{[M]} \text{[M]} \text{[Z]} \text{[H]} \text{[s]} \text{[O]} \text{[E]} :$

	$i \wedge j \wedge i \wedge j \wedge$ (H\$M^{\wedge}) \wedge j \wedge	$i \wedge j \wedge i \wedge j \wedge$ (C <i>i</i> \wedge gO <i>i</i> \wedge Z \wedge V <i>i</i> \wedge j \wedge j \wedge H\$M^{\wedge} j
a.	A{Vg <i>i</i> \wedge j \wedge {Z <i>i</i> \wedge j \wedge i \wedge j \wedge Z hZb on me	
b.	\wedge j \wedge H\$M^{\wedge} gmi \wedge j \wedge j \wedge j \wedge ii. \wedge j \wedge dm(hZr	
c.	\wedge j \wedge H\$M^{\wedge} A{^J_Z iii. \wedge j \wedge me`	
d.	\wedge j \wedge H\$M^{\wedge} gi \wedge j \wedge i \wedge j \wedge hlv. \wedge i \wedge j onrHb{UH\$M^{\wedge}	
	v.	$g_m i \wedge j \wedge V \wedge g i \wedge j \wedge d \{ b v \wedge Z \{ b H $ M^{\wedge}$

	a	b	c	d
(1)	iv	v	ii	iii
(2)	iv	i	ii	iii
(3)	v	iv	i	ii
(4)	v	iv	i	iii

151. Match the items given in Column I with those in Column II and select the *correct* option given below :

Column I Column II

a.	Glycosuria	i.	Accumulation of uric acid in joints
b.	Gout	ii.	Mass of crystallised salts within the kidney
c.	Renal calculi	iii.	Inflammation in glomeruli
d.	Glomerular nephritis	iv.	Presence of glucose in urine

	a	b	c	d
(1)	iii	ii	iv	i
(2)	i	ii	iii	iv
(3)	ii	iii	i	iv
(4)	iv	i	ii	iii

152. Match the items given in Column I with those in Column II and select the *correct* option given below :

Column I (Function)	Column II (Part of Excretory System)
(A) Filtration	(i) Proximal Convoluted Tubule
(B) Reabsorption	(ii) Distal Convoluted Tubule
(C) Secretion	(iii) Loop of Henle
(D) Osmotic Water Movement	(iv) Collecting Duct

a.	Ultrafiltration	i.	; Xa_Xf~_bbc
b.	Concentration of urine	ii.	Ureter
c.	Transport of urine	iii.	Urinary bladder
d.	Storage of urine	iv.	Malpighian corpuscle
		v.	Proximal convoluted tubule

	a	b	c	d
(1)	iv	v	ii	iii
(2)	iv	i	ii	iii
(3)	v	iv	i	ii
(4)	v	iv	i	iii

153. The similarity of bone structure in the forelimbs of many vertebrates is an example of
- Homology
 - Analogy
 - Convergent evolution
 - Adaptive radiation
154. Which of the following is *not* an autoimmune disease ?
- Psoriasis
 - Rheumatoid arthritis
 - 4th Xth Xth XTfX
 - Vitiligo
155. Among the following sets of examples for divergent evolution, select the *incorrect* option :
- Forelimbs of man, bat and cheetah
 - Heart of bat, man and cheetah
 - Brain of bat, man and cheetah
 - Eye of octopus, bat and man
156. Which of the following characteristics represent
- a [Xe gTa Vx`bYU`bbWZebhcf `a`[h` Taf`Z`
- Dominance
 - Co-dominance
 - Multiple allele
 - Incomplete dominance
 - Polygenic inheritance
- b, c and e
 - a, b and c
 - b, d and e
 - a, c and e
157. In which disease does mosquito transmitted pathogen cause chronic inflammation of lymphatic vessels ?
- Elephantiasis
 - Ascariasis
 - Ringworm disease
 - Amoebiasis
158. Conversion of milk to curd improves its nutritional value by increasing the amount of
- Vitamin D
 - Vitamin A
 - Vitamin B₁₂
 - Vitamin E

159. Which of the following is an amino acid derived hormone ?
- (1) Epinephrine
 - (2) Ecdysone
 - (3) Estradiol
 - (4) Estriol
160. Which of the following structures or regions is *incorrectly* paired with its function ?
- (1) Medulla oblongata : controls respiration and cardiovascular reflexes.
 - (2) Limbic system : consists of fibre tracts that interconnect different regions of brain; controls movement.
 - (3) Hypothalamus : production of releasing hormones and regulation of temperature, hunger and thirst.
 - (4) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.
161. Which of the following hormones can play a significant role in osteoporosis ?
- (1) Aldosterone and Prolactin
 - (2) Progesterone and Aldosterone
 - (3) Estrogen and Parathyroid hormone
 - (4) Parathyroid hormone and Prolactin
162. The transparent lens in the human eye is held in its place by
- (1) ligaments attached to the ciliary body
 - (2) ligaments attached to the iris
 - (3) smooth muscles attached to the iris
 - (4) smooth muscles attached to the ciliary body

163. Which of the following animals does *not* undergo metamorphosis ?
- Earthworm
 - Tunicate
 - Moth
 - Starfish
164. Identify the vertebrate group of animals characterized by crop and gizzard in its digestive system.
- Amphibia
 - Reptilia
 - Aves
 - Osteichthyes
165. Which of the following organisms are known as chief producers in the oceans ?
- Dinoflagellates
 - Diatoms
 - Cyanobacteria
 - Euglenoids
166. Which one of these animals is *not* a homeotherm ?
- Macropus*
 - Chelone*
 - Camelus*
 - Psittacula*
167. Ciliates differ from all other protozoans in
- using flagella for locomotion
 - having a contractile vacuole for removing excess water
 - using pseudopodia for capturing prey
 - having two types of nuclei
168. Which of the following features is used to identify a male cockroach from a female cockroach ?
- Presence of a boat shaped sternum on the 9th abdominal segment
 - Presence of caudal styles
 - Forewings with darker tegmina
 - Presence of anal cerci

169. {Zi}Z{b{I V } go H\$mgZ dH\$ i j h i j e: X_m Ami j a V m i j
 j V "Gp" gLYa <"a7aJ äb [dLYa fa`?

- (1) i j dg{ZH\$ m } emV i j dgZr gVh } H\$_r
- (2) i j dg{ZH\$ m H\$_\$ gi j j i j m } A{YH\$V m i j dgZr gVh } A{YH\$V m
- (3) i j dgZr gVh } A{YH\$V m i j dg{ZH\$ m } emV
- (4) i j dgZr gVh } H\$_ i j dg{ZH\$ m } emV

170. i j W i j k` } Xr JB i j k` } X m H\$ m i j W i j k` } X m go { _bmZ H\$_\$ {OE
 Ami j a ZrMo {XE JEdH\$ i j h m } go ghr {dH\$ i j h H\$ m M` Z
 H\$_\$ {OE :

- | | | | |
|----|-------------------------------------|-----|--|
| | <i>i j W i j k` }</i> | | <i>i j W i j k` }</i> |
| a. | {i j }dbZr H\$ m O> | i. | ~mEi j k` AqbX Edi j k` ~mEi j k` {Zb`
H\$_ ~rM |
| b. | {i j }dbZr H\$ m O> | ii. | Xm(hZo {Zb` Edi j k` W i j k`
Y_Zr H\$_ ~rM |
| c. | AY i j W i j k` } j j H\$ m O H\$ m | | Xm(hZo AqbX Edi j k` Xm(hZo
{Zb` H\$_ ~rM |
- | | | | |
|-----|-----|-----|-----|
| | a | b | c |
| (1) | iii | i | ii |
| (2) | i | iii | ii |
| (3) | i | ii | iii |
| (4) | ii | i | iii |

171. i j W i j k` } Xr JB i j k` } X m H\$ m i j W i j k` } X m go { _bmZ H\$_\$ {OE
 Ami j a ZrMo {XE JEdH\$ i j h m } go ghr {dH\$ i j h H\$ m M` Z
 H\$_\$ {OE :

- | | | | |
|----|---|------|-----------------------|
| | <i>i j W i j k` }</i> | | <i>i j W i j k` }</i> |
| a. | i j V mar` Am` VZ | i. | 2500 3000 {_.br. |
| b. | AI i j W i j k` } dgZ g m j V
Am` VZ | ii. | 1100 1200 {_.br. |
| c. | {Z i j dgZ g m j V
Am` VZ | iii. | 500 550 {_.br. |
| d. | Ad{ei j k` }>Am` VZ | iv. | 1000 1100 {_.br. |
- | | | | | |
|-----|-----|-----|----|-----|
| | a | b | c | d |
| (1) | iii | ii | i | iv |
| (2) | iii | i | iv | ii |
| (3) | i | iv | ii | iii |
| (4) | iv | iii | ii | i |

169. Which of the following options correctly represents the lung conditions in asthma and emphysema, respectively ?

- (1) Inflammation of bronchioles; Decreased respiratory surface
- (2) Increased number of bronchioles; Increased respiratory surface
- (3) Increased respiratory surface; Inflammation of bronchioles
- (4) Decreased respiratory surface; Inflammation of bronchioles

170. Match the items given in Column I with those in Column II and select the *correct* option given below :

- | Column I | Column II |
|--------------------|--|
| a. Tricuspid valve | i. Between left atrium and left ventricle |
| b. Bicuspid valve | ii. Between right ventricle and pulmonary artery |
| c. Semilunar valve | iii. Between right atrium and right ventricle |
- | | | | |
|-----|-----|-----|-----|
| | a | b | c |
| (1) | iii | i | ii |
| (2) | i | iii | ii |
| (3) | i | ii | iii |
| (4) | ii | i | iii |

171. Match the items given in Column I with those in Column II and select the *correct* option given below :

- | Column I | Column II |
|-------------------------------|------------------|
| a. Tidal volume | i. 2500 3000 mL |
| b. Inspiratory Reserve volume | ii. 1100 1200 mL |
| c. Expiratory Reserve volume | iii. 500 550 mL |
| d. Residual volume | iv. 1000 1100 mL |
- | | | | | |
|-----|-----|-----|----|-----|
| | a | b | c | d |
| (1) | iii | ii | i | iv |
| (2) | iii | i | iv | ii |
| (3) | i | iv | ii | iii |
| (4) | iv | iii | ii | i |

172. EHS OrZ Hb HsmSj aiZjOw Hsm HiZ AGGTATCGCAT hiZj & BgHb iZjham AZbOl VmRNA Hsm giZj-iZjSV Ta\ad?
- (1) AGGUAUCGCAU
 - (2) UGGTUTCGCAT
 - (3) ACCUAUGCGAU
 - (4) UCCAUAGCGUA

173. iZjmo Ss diZjiZjO Hb AZjma {dHsmgHiHs} md{Y {Hsg iZjHsm} hmvR hiZjZ
- (1) ~hiZjMaU CiZjn[adViZjZ
 - (2) gmiZjDeZ
 - (3) biZjJHS iZjZjZ iZjZjZ n[adViZjZ (bj UiZjZjZnr {d{^iZjWm}
 - (4) bKwCiZjn[adViZjZ

174. iZjWriZjZ^ Xr JBriZjZ_Xm HsmWriZjZ^ Hs_Xm go{bmZ Hs{OE AmiZjZa ZrMo {XE JEdHsiZjZjnm} go ghr {dHsiZjZj Hsm M^Z Hs{OE :

- | | | |
|----|---|--|
| | <i>iZjWriZjZ^</i> | <i>iZjWriZjZ^</i> |
| a. | <i>iZjWmamiZjZ^dZ iZjZjdiZjWm^miZjZ^` AiZjW:iZjZa Hsm {dKQZ</i> | |
| b. | <i>iZjZjdr iZjZjdiZjWm</i> | ii. <i>nQHS` iZjZjdiZjWm</i> |
| c. | <i>GSVriZjZjnd</i> | iii. <i>nrV{niZjZjS>iZjZjdiZjWm</i> |
- | | | |
|---------|-----|----|
| a | b | c |
| (1) iii | ii | i |
| (2) i | iii | ii |
| (3) ii | iii | i |
| (4) iii | i | ii |

175. EHS iZjZjZj Hb EHS JugiZjZj k-giZjZj bAZjWm hiZjZj & `h yuZj {Hsz} diZjZjEmJV hmcZm
- (1) Hb db nfiZjZjZj q _
 - (2) Hb db nriZjZjZj _
 - (3) Hb db nmV/m-nmV` n/ZmVr-ZmVZm q _
 - (4) nriZjZjZj EdiZjZjZj nfiZjZjZj q XmZm q _

176. BZ _ go HsmiZjZjZj AmmamiZjZj Hsm ^mZht hiZjZj
- (1) iZjWmbHs
 - (2) giZjZjMZmiZjZjZj_Hs OrZ
 - (3) EiZjZjZjmiZjZjZjga
 - (4) CiZjZjZj Hs

172. AGGTATCGCAT is a sequence from the coding strand of a gene. What will be the corresponding sequence of the transcribed mRNA ?

- (1) AGGUAUCGCAU
- (2) UGGTUTCGCAT
- (3) ACCUAUGCGAU
- (4) UCCAUAGCGUA

173. According to Hugo de Vries, the mechanism of evolution is

- (1) Multiple step mutations
- (2) Saltation
- (3) Phenotypic variations
- (4) Minor mutations

174. Match the items given in Column I with those in Column II and select the *correct* option given below :

- | <i>Column I</i> | <i>Column II</i> |
|------------------------|------------------------------------|
| a. Proliferative Phase | i. Breakdown of endometrial lining |
| b. Secretory Phase | ii. Follicular Phase |
| c. Menstruation | iii. Luteal Phase |
- | | | |
|---------|-----|----|
| a | b | c |
| (1) iii | ii | i |
| (2) i | iii | ii |
| (3) ii | iii | i |
| (4) iii | i | ii |

175. A woman has an X-linked condition on one of her X chromosomes. This chromosome can be inherited by

- (1) Only daughters
- (2) Only sons
- (3) Only grandchildren
- (4) Both sons and daughters

176. All of the following are part of an operon *except*

- (1) an operator
- (2) structural genes
- (3) an enhancer
- (4) a promoter

177. {ZiZ{b{I V _| go H\$igizZORa H\$meH\$EiZk AijZkZn go UJa KCiZk{izZk _XX H\$Vp hiZk
- (1) _iZk H\$meH\$EiZk
- (2) iZkbiZk_m H\$meH\$EiZk
- (3) H\$be (Jmibb) H\$meH\$EiZk
- (4) {^iZk H\$meH\$EiZk

178. iZkWiZk _|Xr JBizk_Xm H\$m iZkWiZk\$ _Xm go {_bmZ H\$(OE Amizk ZrMo {XE JEdH\$izkZk go ghr {dH\$izk H\$m M`Z H\$(OE :

iZkWiZk^	iZkWiZk^	
a. \NB{~iZkZmOZ	i. nangalUr giZkMbZ	
b. iZkZbm-ibZ	ii. UJ`K}<a	
c. EiZk_Z	iii. iZkVaj m {HiZk`m{d{Y	
a	b	c
(1) iii	ii	i
(2) i	ii	iii
(3) i	iii	ii
(4) ii	iii	i

179. <"aV bcf [kANSp<aYTS'SExbmE`}Tap`T\`
- (1) OiZkZm [crK`U qdEi <[aV` aKV` <5aXU` H\$mhOx XVm hiZk_m mgZ H\$ {bE &
- (2) _m mgZ EOsnrEiYO go ~iZkYH\$a Cgo {HiZk` merb H\$aVm hiZk &
- (3) qdEiJjk[cSaTq NYfZE<"a5V> <"ULda\`\$
- (4) SaTq N <" [dk5aU qdEi Jjk<SÖ` 5aM {Z_miZk H\$mo amH\$Vm hiZk &

180. dNB/e`J`Sp[caT[X aT<" cX[N O<"aU <"a 7LaU` }Ta hiZk
- (1) EiZkWiZkZkgg
- (2) {g{bH\$m _Vm
- (3) ~miZk{biZkZk
- (4) dmViZkV

177. Which of the following gastric cells indirectly help in erythropoiesis ?
- (1) Chief cells
- (2) Mucous cells
- (3) Goblet cells
- (4) Parietal cells

178. Match the items given in Column I with those in Column II and select the *correct* option given below :

Column I	Column II	
a. Fibrinogen	i. Osmotic balance	
b. Globulin	ii. Blood clotting	
c. Albumin	iii. Defence mechanism	
a	b	c
(1) iii	ii	i
(2) i	ii	iii
(3) i	iii	ii
(4) ii	iii	i

179. Calcium is important in skeletal muscle contraction because it
- (1) binds to troponin to remove the masking of active sites on actin for myosin.
- (2) activates the myosin ATPase by binding to it.
- (3) detaches the myosin head from the actin filament.
- (4) prevents the formation of bonds between the myosin cross bridges and the actin filament.

180. Which of the following is an occupational respiratory disorder ?
- (1) Anthracis
- (2) Silicosis
- (3) Botulism
- (4) Emphysema

U: " < " à ò c d / 9 ' å K a N
SPACE FOR ROUGH WORK

U: " <" à ò c d / 9 ' à K a N
SPACE FOR ROUGH WORK

$\mathcal{N}(\mathcal{N}) \neq \mathcal{J}(\mathcal{N})$ $\mathcal{O}(\mathcal{N}) \neq \mathcal{H}(\mathcal{N})$

1. nNa OmZo na i:~i:~ H\$ narj mWu, {Zarj H\$ H\$m AnZm i:~i:~ Xi mEi:~i:~ &
2. AYrj H\$ `m {Zarj H\$ H\$s {derf AZw~V H\$ {-Zm <"abuf^ki'5bnäeKaNNBap\$
3. H\$m i:~i:~V {Zarj H\$ H\$m AnZm Ci:~i:~ma ni:~i:~ {XE {-Zm E Cnpi:~i:~W{vi:~i:~ na Xi:~i:~mni:~i:~Wmj a {H\$E {-Zm H\$mBi:~i:~i:~ buf^ki' buf^a \v' Nn Bap\$ \$`{X {H\$gr narj mWu Zo Xi:~i:~ar ~ma Cnpi:~i:~W{vi:~i:~ na hi:~i:~aj a Zht {H\$E Vm`h _mZm OmEJm {H\$ CgZo Ci:~i:~ni:~i:~Zht bmi:~i:~g`m hi:~i:~Ami:~i:~h AZw~V gmYZ H\$m _m _bm _mZm OmEJm &
4. O{EEN"hi:~i:~Wm(bV n[aH\$bH\$ H\$m Cn`m d{O{E hi:~i:~ &
5. narj m-hmi:~i:~b | AmMaU H\$ {bE narj mWnarj m H\$ {Z`_m Edii:~i:~ {d{Z`_m i:~i:~am {Z`_V hi:~i:~ & AZw gmYZ H\$ g^r _m_bm H\$m Vi:~i:~gBg narj m H\$ {Z`_m Edii:~i:~ {d{Z`_m H\$ AZwma hbm &
6. {H\$gr ^r hmbV | narj m npi:~i:~W/H\$m Ami:~i:~Ci:~i:~ma H\$m H\$mBi:~i:~^mJ AbJ Z H\$aJ &
7. narj m npi:~i:~W/H\$Ci:~i:~ma ni:~i:~ | {XE JE narj m npi:~i:~W/H\$gi:~i:~H\$V H\$m narj mWu ghr VarH\$ Cnpi:~i:~W{vi:~i:~ | {b| | &

Read carefully the following instructions :

1. Each candidate must show on demand his/her Admit Card to the Invigilator.
2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
4. Use of Electronic/Manual Calculator is prohibited.
5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.