

Multivariable Calculus

Day 13

Optimization

Spring 2023

Motivations

'Nothing takes place in the world whose meaning is not that of some maximum or minimum.'

Leonhard Euler

Motivations

- Economics
- Data analysis
- Machine learning
- Physics
- Even the stuff that seems the most random like flipping a coin (and Brownian motion) comes from an optimization problem!

Some toy problems: Economics

A store tries to optimize its sale of Apple Macbook Air and Lenovo Thinkpad. A Macbook Air has the retail price \$1000 and a Thinkpad \$700. The importation costs for the two laptops would be \$900 for the Macbook Air and \$500 for the Thinkpad. The initial capital of the store is \$100,000.

How many Macbook Airs and Thinkpads should the store import if it wants to optimize its profit?

Some toy problems: Data analysis

Suppose a scientist has a collection of paired data $\{(x_i, y_i)\}_{i=1}^N$. What is the formula for line that “best fits” with the data?

Some toy problems: Machine learning

What is the best label for the following?



Some toy problems: Machine learning

What is the best label for the following?



(Cat)

Some toy problems: physics

Fermat's principle: light takes path that minimizes the time it travels.

What is the path?

Some toy problems: information theory

A long string of characters is picked from the 26 alphabets.

How should we distribute the alphabets so that the string looks as chaotic as possible?

Some toy problems: information theory

A long string of characters is picked from the 26 alphabets.

How should we distribute the alphabets so that the string looks as chaotic as possible?

Claude Shannon's proposal: use the entropy function

$$-\sum_{i=1}^{26} p(x_i) \log(p(x_i)),$$

where x_i is the i th alphabet and $p(x_i)$ is the probability that x_i will appear at random.
This measures how chaotic a certain probabilistic behavior could be.

<https://people.math.harvard.edu/~ctm/home/text/others/shannon/entropy/entropy.pdf>

<https://www.youtube.com/watch?v=v68zYyaEmEA>

Caution

The field of optimization as a whole is a very old field. However, regardless of its long history (over 200 years now, since Newton), there's not much one could do when it comes to real life.

There are a lot of questions still remained open in this field.

The “most approachable” kind of optimization is called *convex optimization*.

Caution

The field of optimization as a whole is a very old field. However, regardless of its long history (over 200 years now, since Newton), there's not much one could do when it comes to real life.

There are a lot of questions still remained open in this field.

The “most approachable” kind of optimization is called *convex optimization*.

People manage to study this without differentiability conditions.

Caution

The field of optimization as a whole is a very old field. However, regardless of its long history (over 200 years now, since Newton), there's not much one could do when it comes to real life.

There are a lot of questions still remained open in this field.

The “most approachable” kind of optimization is called *convex optimization*.

People manage to study this without differentiability conditions.

People also use techniques in convex optimization to study non-convex optimization, which is still an untamed beast.

Let's start with the basics, when everything is nice...

Question: what way do you go when you climb a mountain?



Definition

A function $f : D \rightarrow \mathbb{R}$ has a **local maximum** at x_0 if $f(x_0) \geq f(x)$ for $x \in B_\delta(x_0)$ for small enough δ . f has a **global maximum** at x_0 if $f(x_0) \geq f(x)$ for $x \in D$. f has a **local (global) minimum** at x_0 if $-f$ has a local (global) maximum at x_0

A necessary condition

Theorem (First derivative test)

Let $f : D \rightarrow \mathbb{R}$ be a function. If \mathbf{x}_0 is a local minimum and f has partial derivatives at \mathbf{x}_0 . Then

$$\partial_{x_i} f(\mathbf{x}_0) = 0.$$