

## MATH 104: MULTIVARIABLE CALCULUS

### MIDTERM

NAME: \_\_\_\_\_

There are five questions. Make sure you justify all your work for complete credit.

### Rules

- You have 80 minutes to complete your work..
- Closed books.
- No use of internet, textbooks, computer algebra systems, calculators.
- No collaboration.
- 1 person per bathroom break. When you go to the bathroom, turn in your cellphone and exam until return.

Scores:

(1) \_\_\_\_\_

(2) \_\_\_\_\_

(3) \_\_\_\_\_

(4) \_\_\_\_\_

(5) \_\_\_\_\_

Total : \_\_\_\_\_

---

*Date:* March 11, 2024.

**Questions**

*Problem 1* (20 points, 5 points each). (1) Where does the line

$$x(t) = 2t - 1; y(t) = 3t + 2; z(t) = 4t$$

intersect the plane given by  $4x + 3y - z = 3$ ?

- (2) What is the surface that the following function a parametrization of? Give a reason.

$$G(\varphi, \theta) = \begin{bmatrix} R \cos \theta \sin \varphi \\ R \sin \theta \sin \varphi \\ R \cos \varphi \end{bmatrix}$$

(3) In  $\mathbb{R}^4$ , what is the intersection of the  $(x_1, x_2)$  and  $(x_3, x_4)$  plane?

(4) What is the value of  $c$  so that the planes  $2cx - y + c^2z = 15$  and  $x + 5cy - 3z = 4$  are orthogonal?

*Problem 2* (20 points, 5 points each). Consider the following functions

$$f(u, v, w) = \begin{pmatrix} u^2 v^{-3} w \\ 2u - 5w \\ uv - vw \end{pmatrix},$$

and

$$g(a, b, c) = \begin{pmatrix} \ln(ab) \\ abc \\ b^2 + 5c \end{pmatrix},$$

- (1) Compute the derivative of  $f$  at the point  $(1, -1, 2)$ .
- (2) What is the most sensitive output of  $f$  at the point  $(1, -1, 2)$ ?
- (3) Compute  $[Dg]_{(a,b,c)}$ .
- (4) Compute the derivative of  $g \circ f$  at the point  $(1, -1, 2)$ .

*Problem 3* (20 points). (1) Find an equation of the tangent plane to the surface  $z = x \sin(x + y)$  at the point  $(-1, 1, 0)$ .

(2) Find the linear approximation at  $(0, 0)$  of  $e^x \cos(xy)$ .

*Problem 4* (20 points). Given the curve  $\gamma(t) = (\sin t, \cos 3t, t^2)$ .

- (1) Compute the velocity, acceleration of  $\gamma$  at time  $t = 1$ .
- (2) What is the arclength of  $\gamma$  from  $t = 1$  to  $t = 2$ ?

*Problem 5* (20 points). A manufacturer has modeled its yearly production function  $P$  (the value of its entire production, in millions of dollars) as a Cobb-Douglas function

$$P(L, K) = 1.47L^{0.65}K^{0.35}$$

where  $L$  is the number of labor hours (in thousands) and  $K$  is the invested capital (in millions of dollars). Suppose that when  $L = 30$  and  $K = 8$ , the labor force is decreasing at a rate of 2000 labor hours per year and capital is increasing at a rate of \$500,000 per year. Find the rate of change of production.