

Lerntraining Software

Python

Sophie Aerdker

Ruhr-Universität Bochum

Mai 2018

Table of Contents

Overview

Setup

First Steps

Hello World!

Simple Calculations

Variable Types

Numbers

Operators

Decision Making

Overview

Python is ...

- ▶ interpreted
- ▶ interactive
- ▶ object-oriented
- ▶ a beginners language!

For you at home, here python is already installed!

- ▶ Check if Python is already installed: open a terminal and type "python"
- ▶ Linux:
- ▶ Windows:

Using *Anaconda*:


- ▶ Linux:
- ▶ Windows:

Or use an IDE like *eclipse* or *Visual Studio*

Hello World!

Hello World!

- ▶ open an editor
- ▶ type: `print "Hello World!"`
- ▶ save it as "HelloWorld.py" under ...
- ▶ open a terminal and go to your directory with `cd ...`
- ▶ type: `python HelloWorld.py`



```
HelloWorld.py x
1
2 print "Hello World!"
3
```

Simple Calculations

- ▶ now type e.g. `x = 5` and `y = 10` under your print statement
- ▶ type `print` and a calculation using `+`, `-`, `*`, `/`
- ▶ save the file, go to your terminal and type `python HelloWorld.py` or press
↑
- ▶ What is the result of `x/y`?

```
4  x = 5
5  y = 10
6  print x+y
7  print x*y
8  print x/y
9
```

Variable Types

Python has five basic data types:

- ▶ Numbers, like 5 and 10
- ▶ Strings, like "Hello World!"
- ▶ Lists
- ▶ Dictionary
- ▶ Tuple

Data types can be stored in variables:

- ▶ `x = 10`
- ▶ `gravConstant = 9.81`
- ▶ `s = "Hello World!"`
- ▶ `name = "Sophie"`

Basic numerical types with some examples

Type	Examples	Comment
int	3, -42	signed integer $\leq 2,147,483,647$
long	51924361L	signed integer $> 2,147,483,647$
float	3.14, 3.0+e10, 0.	floating point real values
complex	42.0j, 2.+0.3j	complex numbers, imaginary unit j

Integer Division

The statement `5/10` is interpreted as an integer! Thus, its integer division is 0. Instead type `5./10.` to obtain a float-type value.

Boolean

The result of a comparison which is `True` or `False` is called Boolean. `True` and `False` are special versions of 1 (or any non-zero/null value) and 0, respectively. You can use them in arithmetic contexts.

Arithmetic and Comparison Operators

Operator	Examples
+ Addition	$5+10 = 15$
- Subtraction	$10-5 = 5$
* Multiplication	$10*5 = 50$
/ Division	$10/5 = 2, 5/10 = 0, 5./10. = 0.5$
** Power	$10**5 = 10,000$
% Modulus	$10\%5 = 0, 5\%10 = 5$
// Floor Division	$9./2. = 4.0$
== equal	$5==10$ is False, $5==5$ is True
!= not equal	$5!=10$ is True, $5!=5$ is False
> greater than	$10 > 5$ is True
< less than	$10 < 5$ is False
<= or >=	$10 >= 5$ is True, $5 <= 5$ is True

Assignment Operators

Operator	Description	Example
=	Assigns values from the right side to the left side	<code>x = 5+10</code>
+=	Adds right operand to the left one AND assigns the result to the left operand	<code>x += 1</code> is equivalent to <code>x = x + 1</code>
-=	<code>x -= 1</code> is equivalent to <code>x = x-1</code>	
*=	<code>x *= 2</code> is equivalent to <code>x = x*2</code>	
/=	<code>x /= 2</code> is equivalent to <code>x = x/2</code>	
=	<code>x **= 2</code> is equivalent to <code>x = x2</code>	
%=	<code>x %= 2</code> is equivalent to <code>x = x%2</code>	
//=	<code>x //= 2</code> is equivalent to <code>x = x//2</code>	

Other Operators

Bitwise operators

which perform bit by bit operations like binary AND, binary OR or shifting

Logical operators

`not` , `or` , `and`

Membership operators

`in` and `not in`


test the membership in a *sequence* such as lists or strings

Identity operators

`is` and `is not`

compare the memory locations of two objects, you can often use them like `==` and `!=` for example in *if-statements*

If-statements



use if and else conditions to execute a specific code if a condition is TRUE or to jump to the next (or another conditional) code otherwise

Example

Some if, elif, else statements to compare the values x and y:

```
print "x = %f and y = %f" %(x,y)
if (x > y):
    print "x is greater than y!"
elif(x < y): print "x is smaller than y!"
else:
    print "x is equal y!"
    if x and y >= 5.0:
        print "x and y are greater than 5!"

print "Finish..."
```

Output for different values of x and y:

```
sophie@sophie-pc:~/Documents/Un
x = 2.000000 and y = 3.000000
x is smaller than y!
Finish...
sophie@sophie-pc:~/Documents/Un
x = 6.000000 and y = 6.000000
x is equal y!
x and y are greater than 5!
Finish...
```

Syntax

The conditional code has to be intended or stands in a line (only possible for one statement) with the condition. IDEs and many editors do this automatically.

Exercises

- ▶ Write the program `EvenOdd.py` which returns whether a variable is even or odd!
Use operators and condition statements and print the value as well as the result!
- ▶ Write the program `CharInString.py` which returns whether the string "Hello World!" contains a specific letter (a so called char)!
Use membership operators and the program should be case sensitive to keep it simple.