# Diagrams

# Component Diagram




Figure 1: Component diagram

Class Diagram

Activity Diagram

**UI** Mockups

**Rest Specification** 

Description of the notation

We specify the Endpoints as follows:

# Endpoint /endpoints

#### Model:

Modelname

- $\bullet \ \, {\rm PropType1} \ {\rm propName1} \\$
- $\bullet$  PropType2 propName2

Method	Description	
POST	Post Request to /endpoints	
GET	Get Request to /endpoints (GET collection)	
GET /{id}	Get Request to /endpoints/{id} (GET item)	
PATCH /{id}	PATCH Request to /endpoints/{id}	
DELETE /{id}	DELETE Request to /endpoints/{id}	

We don't use the PUT Request, because all functionality we need of a PUT Request can be done with a PATCH request, and the PATCH request is easier.

All Endpoints support at least:

- Accept: application/hal+json
- Content-Type: application/hal+json (POST, PATCH)

The Parameter Types are as follows:

- {id}: Patch Parameter
- Model: Body Parameter (as application/hal+json)
- ?sort= and ?propName1= filters : Query Parameter

#### **Endpoints**

Endpoint /players

### Model:

Player

- int id
- String sessionId
- String name

Method	Response Codes	Description
POST	201 400 422 (Player for this session already exists)	Creates a Session and a Player for this Session
GET	200	
GET /{id}	200 403 (Not Allowed to see player) 404	
PATCH /{id}	200 400 404 422 403 (Not Allowed to patch other player)	Set Player name

Side effect: creates a session that we can identify which player performs the request.

# Endpoint /games

# Model:

### Game

- $\bullet$  int id
- String name
- $\bullet$  Enum state
- Collection players (embedded)
- Collection matches (embedded)

Method	Response Codes	Description
POST	201 400 422 (Cannot create a room when already in a room)	Creates a new game room
GET	200	

Method	Response Codes	Description
GET /{id}	200 404 403 (Not Allowed to see room)	
PATCH /{id}	200 400 404 422 403 (Not Allowed to patch game you are not in)	Update game name
DELETE /{id}	204 403 (Not Allowed to delete game you are not in) 404 422 (not allowed to delete game with players)	Delete the game

Side Effects: If state is patched to playing, then a new Match is created and a hand for each player is created.

# ${\bf Endpoint\ / participations}$

### $\mathbf{Model:}$

Participation

- int id
- boolean active
- $\bullet \ \ {\rm int\ playerOrder}$
- Player player (embedded)
- Game game (embedded)

Method	Response Codes	Description
POST	201 400 404 Game not Found 422 (Game closed)	Enter Game as Player
PATCH /{id}	200 400 403 (Not Allowed to patch the participation of another player) 404 422 (update only allowed to inactive)	Mark as inactive

# Endpoint /matches

#### Model:

#### Match

- int id
- int matchNumber
- int numberOfPlayedCards (calculated property)
- Collection scoreAnnouncements (embedded)
- Collection rounds (embedded)
- Collection hands (embedded)

#### Hand

- Participation participation
- Collection card (embedded)

#### Card

- int id
- Suit? suit (may be null if the card is hidden)
- Rank? rank (may be null if the card is hidden)

Method	Response Codes
GET /{id}	200 403 (Not Allowed to see match) 404 (Match with id not found)

### Endpoint /scoreAnnouncements

#### Model:

#### ScoreAnnouncement

- int id
- $\bullet$  int announced Score
- Participation participation
- Match match

Method	Response Codes	Description
POST	200 403 (Not your turn, player not in match) 422 (invalid score)	Announce Score for Match

Side Effects: if all ScoreAnnouncement are made, a new Round is created.

# Endpoint /rounds

### Model:

#### Round

- int id
- int roundNumber
- Player winner
- Collection turns

Method	Response Codes
GET	200 403
GET /{id}	200 403 (Not Allowed to see round) 404 (Round with id not found)

# Endpoint /turns

#### Model:

#### Turn

- int id
- Round round
- Card card

Method	Response Codes	Description
POST	200 403 (Not your turn, player not in match) 404 422 (invalid card)	Announce Score for Match

If the last turn of a round is made, then the round is ended. If it was the last round of the last match, the game is finished.

The Endpoints to create a User, to log in and log out are left out. We don't know yet if we will implement them.