

A family of accessibility measures derived from spatial interaction principles

Introduction

Historically, the focus of transportation planning has been to prioritize mobility while treating access to destinations as a by-product of movement. This has had problematic consequences: with the car seen as the ultimate mobility tool, this approach has led to the emergence and continued dominance of an automobility mono-culture (H. J. Miller 2011; Lavery, Páez, and Kanaroglou 2013). Decades of mobility-based planning (often characterized by road and highway expansion) have been marked by increased travel cost and environmental burdens, but often have had limited impact on the ease with which people can reach destinations (Steven Farber and Páez 2011; S. Handy 2002; Páez et al. 2010). In response to this situation, transportation researchers have increasingly advocated for the adoption of accessibility as a planning criterion (Silva et al. 2017; Paez et al. 2013; S. Handy 2020) using both positive and normative approaches (Paez, Scott, and Morency 2012; Levine 2020). Accessibility, a central concept in transport geography, planning, and engineering, is conceptually related to human mobility and the opportunity landscape. In simple terms, it is defined as the “potential of opportunities for interaction” (Hansen 1959). Compared to other measures of performance used in transportation that benchmark movement (e.g., VKT, PKT, etc.), accessibility brings a more holistic understanding of transportation and land use systems combined (S. L. Handy and Niemeier 1997).

As a result, scholarly research on accessibility has experienced a remarkable boom, and has grown to include employment (e.g., Karst and Van Eck 2003; Grengs 2010; Páez et al. 2013; Merlin and Hu 2017; Tao et al. 2020), health care (e.g., Luo and Wang 2003; Páez et al. 2010; Wan, Zou, and Sternberg 2012; Delamater 2013; Boisjoly, Moreno-Monroy, and El-Geneidy 2017; Pereira et al. 2021), green spaces (Reyes, Paez, and Morency 2014; Rojas et al. 2016; Liang, Yan, and Yan 2024), schools (e.g., Williams and Wang 2014; Romanillos and Garcia-Palomares 2018; Marques, Wolf, and Feitosa 2021), social contacts (e.g., Neutens et al. 2007; S. Farber, Páez, and Morency 2012; S. Farber et al. 2013), and regional economic analysis (e.g., Vickerman, Spiekermann, and Wegener 1999; Lopez, Gutierrez, and Gomez 2008; Ribeiro, Antunes, and Páez 2010; Gutierrez et al. 2011) among many other domains of

application. In other words, accessibility analysis is used today to understand the potential to reach opportunities that are important to people (Ferreira and Papa 2020). However, despite its growth in popularity in scholarly works, challenges remain to more widespread adoption of accessibility in planning practice. Several barriers to bridging the scholarly-practice accessibility gap have been identified. For example, the diversity of accessibility definitions has been flagged by van Wee (2016), S. Handy (2020), and Kapatsila et al. (2023). Further, difficulties in the interpretability and communicability of outputs has also been noticed by Geurs and van Wee (2004), van Wee (2016), and Ferreira and Papa (2020).

Adoption of accessibility in planning practice is not necessarily made easier when potential adopters have to contend with a plethora of definitions, each seemingly more sophisticated but less intuitive than the last (Kapatsila et al. 2023). The menu of accessibility measures has grown to include gravity-based accessibility (e.g., Hansen 1959; Pirie 1979), cumulative opportunities (e.g., Wachs and Kumagai 1973; Pirie 1979; Ye et al. 2018), modified gravity (e.g., Schuurman, Berube, and Crooks 2010), 2-Step Floating Catchment Areas (e.g., Luo and Wang 2003), Enhanced 2-Step Floating Catchment Areas (e.g., Luo and Qi 2009), 3-Stage Floating Catchment Areas (e.g., Wan, Zou, and Sternberg 2012), Modified 2-Step Floating Catchment Areas (e.g., Delamater 2013), inverse 2-Step Floating Catchment Areas (e.g., F. Wang 2021), and n-steps Floating Catchment Areas (Liang, Yan, and Yan 2024). How is a practitioner to choose among this myriad options? What differences in accessibility scores should matter, and how should they be communicated? [see van Wee (2016); p. 14].

In this respect, we welcome Wu and Levinson (2020)’s contribution for the way it provides a unifying framework to think about accessibility measures. By considering the key features of accessibility, namely travel-cost and the distribution of opportunities, these authors demonstrate that a majority of the concepts found scattered throughout the accessibility literature can be seen as particular cases of a general accessibility formula. One needs only to judiciously change the way travel-cost and opportunities are formulated, to derive almost any known accessibility measure.

With their research, Wu and Levinson (2020) have taken a considerable step towards clarifying the differences between various accessibility indicators. Still, we feel that there is room to further clarify another relevant aspect. Wu and Levinson (2020)’s treatment of competition deserves further scrutiny, since the unifying framework does not appear to accommodate many (or any) of the hugely popular floating catchment area methods. In recent research, however, Soukhov et al. (2023) demonstrate that the introduction of a single constraint is sufficient to turn an accessibility measure of the following type (the most general in Wu and Levinson’s framework) into a competitive measure of accessibility *à la* 2-Step Floating Catchment Area approach:

$$S_i \propto \sum_j g(O_j) f(c_{ij})$$

In this paper we contend that accessibility research needs to reconnect with its roots in spatial interaction modelling. It is by looking to the past that we believe accessibility analysis can take a new step to the future. In particular, we argue that an important aspect of spatial interaction modelling, namely constraining the results to match empirical observations, was never properly reincorporated into accessibility analysis after these two streams of research began to diverge after the work of Hansen (1959) and Wilson (1971). As Wilson demonstrated, applying empirical constraints led to various spatial interaction models, and in this work we aim to show that the same can be done for accessibility measures. On the contrary, the lack of constraints in accessibility analysis seems to have contributed to some of the interpretability issues that plague it, particularly the fuzziness of insights beyond making statements of proportion such as higher-than/lower-than.

With this background in mind, the focus of the present paper is on the empirical constraints and the attendant proportionality constant missing from accessibility measures. We propose to map accessibility onto Wilson’s family of spatial interactions models. To achieve this, we begin by tracing the development of accessibility from its origins in spatial interaction, beginning with Ravenstein (1889) to the accessibility research of Hansen (1959). We also provide evidence of a marked divergence of accessibility and spatial interaction modelling research after the work of Wilson (1971). After this, we hark back to Wilson’s spatial interaction model, and use it to derive a family of accessibility measures based on different types of constraints. We illustrate various members of this family with a simple numerical example and a real world data set. We then conclude by discussing the uses of these measure and their interpretation.

Newtonian’s roots of human spatial interaction research

The patterns of people’s movement in space have been a subject of scientific inquiry for almost a century and a half. From as far back as Henry C. Carey’s *Principles of Social Science* (Carey 1858) a concern can be observed with the scientific study of human spatial interaction. It was in this work where Carey stated that “man [is] the molecule of society [and their interaction is subject to] the direct ratio of the mass and the inverse one of distance” (McKean 1883, 37–38). This statement shows how investigations into human spatial interaction have often been explicitly coloured by the features of Newton’s Law of Universal Gravitation, first posited in 1687’s *Principia Mathematica* and expressed as in Equation 1.

$$F_{ij} \propto \frac{M_i M_j}{D_{ij}^2} \quad (1)$$

To be certain, the expression above, a proportionality, is one of the most famous in all of science. In brief, it states that the force of attraction F between a pair of bodies i and j is directly *proportional* to the product of their masses M_i and M_j , and inversely *proportional* to the square of the distance between them D_{ij} . Direct proportionality means that as the product

of the masses increases, so does the force. Likewise, inverse proportionality means that as the distance increases, the force decreases. Equation 1, however, does not quantify the magnitude of the force, for to do so an empirical constant is required to convert the proportionality into an equality, thus ensuring that values of the force F in Equation 1 match the observed force of attraction between masses. In other words, Equation 1 needs to be *constrained* using empirical data. Ultimately, the equation for the force is as seen in Equation 2, where G is an empirically calibrated proportionality constant:

$$F_{ij} = G \frac{M_i M_j}{D_{ij}^2} \quad (2)$$

Newton’s initial estimate of G was based on a speculation that the mean density of earth was between five or six times that of water, an assumption that received support after Hutton’s experiments of 1778 (Hutton 1778, 783). Still, it took over a century from the publication of *Principia* to refine the estimate of the proportionality constant to within 1% accuracy, with Cavendish’s 1798 experiment (Cavendish 1798).

Early research on human spatial interaction: from Ravenstein (1889) to Stewart (1948)

Following Carey’s *Principles* of 1858, research into human spatial interaction continued in different contexts. In the late 1880s Ravenstein proposed some “Laws of Migration” based on his empirical analysis of migration flows in various countries (Ravenstein 1885, 1889). In these works, Ravenstein posited 1) a directly proportional relationship between migration flows and the size of destinations (i.e., centres of commerce and industry), and 2) an inversely proportional relationship between the size of flows and the separation between origins and destinations. As with Carey, these propositions are similar to Newton’s gravitational laws. Over time, other researchers discovered similar relationships. For example, Reilly et al. (1929) formulated a law of retail gravitation, expressed in terms of equal attraction to competing retail destinations. Later, Zipf proposed a $\frac{P_1 P_2}{D}$ hypothesis for the case of goods movement by railways (Zipf 1946c), intercity personal movement (Zipf 1946b), and information (Zipf 1946a). The $\frac{P_1 P_2}{D}$ hypothesis stated that the magnitude of flows was proportional to the product of the populations of settlements, and inversely proportional to the distance between them.

A common feature of these early investigations of human spatial interaction is that a proportionality constant similar to G in Equation 2 was never considered. Of the researchers cited above, only Reilly and Zipf expressed their hypotheses in mathematical terms. Reilly’s hypothesis was presented in the following form:

$$B_a = \frac{(P_a \cdot P_T)^N}{D_{aT}^n} \quad (3)$$

where B_a is the amount of business drawn to a from T , P_a and P_T are the populations of the two settlements, and D_{aT} is the distance between them. Quantity N was chosen by Reilly in a somewhat *ad hoc* fashion as 1, and he used empirical observations of shoppers to choose a value of $n = 2$.

Zipf, on the other hand, wrote his hypothesis in mathematical form as:

$$C^2 = \frac{P_1 \cdot P_2}{D_{12}} \quad (4)$$

where C is the volume of goods exchanged between 1 and 2, P_1 and P_2 are the populations of the two settlements, and D_{12} is the distance between them.

After Carey, it is in Stewart's work on the principles of demographic gravitation that we find the strongest connection yet to Newton's law (Stewart 1948). We suspect that this relates to academic backgrounds; where Ravenstein, Reilly, and Zipf were social scientists, Stewart was a physicist. Besides awareness of preceding research (Stewart cites both Reilly and Zipf as predecessors in the analysis of human spatial interaction), Stewart appears to have been the first author to express his theorized relationships for human spatial interaction with a proportionality constant G , as follows:

$$F = G \frac{(\mu_1 N_1)(\mu_2 N_2)}{d_{12}^2} = G \frac{M_1 \cdot M_2}{d_{12}^2} \quad (5)$$

where:

- F is the *demographic force*
- N_1 and N_2 are the numbers of people of in groups 1 and 2
- μ_1 and μ_2 are so-called *molecular weights*
- $M_1 = \mu_1 N_1$ and $M_2 = \mu_2 N_2$ are the demographic masses at 1 and 2
- d_{12}^2 is the distance between 1 and 2
- And finally G , a constant that Stewart "left for future determination" (1948, 34)

In addition to demographic force, Stewart defined a measure of the "population potential" of 2 with respect to 1 as follows:

$$V_1 = G \frac{M_2}{d_{12}} \quad (6)$$

For a system with more than two population bodies, Stewart formulated the population potential at i as follows (after arbitrarily assuming that $G = 1$):

$$V_i = \int \frac{D}{r} ds \quad (7)$$

where D is the population density over an infinitesimal area ds and r is the distance to i . In Equation 7, $D \cdot ds$ gives an infinitesimal count of the population, say dm , and so, after discretizing space, Equation 7 can be rewritten as:

$$V_i = \sum_j \frac{M_j}{d_{ij}} \quad (8)$$

Alerted readers will notice that Equation 8 is formally equivalent to our modern definition of accessibility.

Stewart’s formulation of demographic force, developed in the context of what he called “social physics” (Stewart 1947), was problematic. It had issues with inconsistent mathematical notation. More seriously, though, Stewart’s work was permeated by a view of humans as particles following physical laws, but tinted by unscientific ideas that were unadulterated racism. For instance, he assumed that the molecular weight μ of the average American was one, but “presumably...much less than one....for an Australian aborigine” [p. 35]. Stewart’s ideas about “social physics” soon fell out of favour among social scientists, but not before influencing the nascent field of accessibility research, as detailed next.

Hansen’s gravity-based accessibility to today

From Stewart (1948), we arrive to 1959 and Walter G. Hansen, whose work proved to be exceptionally influential in the accessibility literature (Hansen 1959). In his seminal paper, Hansen defined accessibility as “the potential of opportunities for interaction... a generalization of the population-over-distance relationship or *population potential* concept developed by Stewart (1948)” (p. 73). As well as being a student of city and regional planning at Massachusetts Institute of Technology, Hansen was also an engineer with the Bureau of Roads, and preoccupied with the power of transportation to shape land uses in a very practical sense. Hansen (1959) focused on Stewart (1948)’s *population potential* (expressed in Equation 8), leaving Stewart’s other formulaic contributions and objectionable aspects of “social physics” behind. Hansen (1959) recast Equation 8 to reflect accessibility, a model of human behaviour useful to capture regularities in mobility patterns. In this equation, Hansen (1959) replaced M_j with *opportunities* to derive an *opportunity potential*, or more accurately, a *potential of opportunities for interaction* as follows:

$$S_i = \sum_j \frac{O_j}{d_{ij}^\beta} \quad (9)$$

A modern re-writing of the above accounts for a variety of impedance functions beyond the inverse power $d^{-\beta}$:

$$S_i = \sum_j O_j \cdot f(d_{ij}) \quad (10)$$

S_i in Equation 9 is a measure of the accessibility of site i . This is a function of O_j (the mass of opportunities at j), d_{ij} (the cost, e.g., distance or travel time, incurred to reach j from i), and β (a parameter that modulates the friction of cost). Today, Hansen is frequently cited as the father of modern accessibility analysis (e.g., Reggiani and Martín 2011), and Hansen-type accessibility is commonly referred to as the gravity-based accessibility measure.

Of note, however is that between Stewart (1948) and Hansen (1959) the proportionality constant G in Equation 6 vanished. There is some evidence that Hansen (1959) was aware of the importance of this constant as he wrote about *directly* and *inversely proportional* relationships between opportunities in one area, opportunities at another, and their separation distance. At any rate, those reading Hansen (1959) must recall that Stewart (1948) set the proportionality constant G to 1, with a note that “ G [was] left for future determination: a suitable choice of other units can reduce it to unity”.

After Hansen (1959), accessibility analysis has been widely used in numerous disciplines but, to our knowledge, the proportionality constant has remained forgotten, with no notable developments to explicitly determine it. In this way, G continues to be implicitly set to 1, even when the fundamental relationship in accessibility is proportionality (e.g., $S_i \propto \sum_j g(O_j) f(d_{ij})$) and not equality (for instance, see the formula for accessibility at the top of Figure 1 in Wu and Levinson 2020). Alas, without a proportionality constant, the units of S_i remain unclear: the unit of “potential of opportunity for interaction” is left free to change as β is calibrated. Hansen-style accessibility, therefore, is technically an ordinal measure of potential that can only be interpreted in terms of higher and lower accessibility (E. J. Miller 2018).

Wilson’s family of spatial interaction models

In his groundbreaking work, Wilson (1971) defined a general spatial interaction model as follows:

$$T_{ij} = kW_i^{(1)}W_j^{(2)}f(c_{ij}) \quad (11)$$

The model in Equation 11 posits a quantity T_{ij} that represents a value in a matrix of flows of size $n \times m$, that is, between $i = 1, \dots, n$ origins and $j = 1, \dots, m$ destinations. The quantities $W_i^{(1)}$ and $W_j^{(2)}$ are proxies for the masses at $i = 1, \dots, n$ origins and $j = 1, \dots, m$ destinations. Finally, $f(c_{ij})$ is the $i - j$ element of an $n \times m$ matrix representing some function of travel cost c_{ij} which reflects travel impedance. In this way, T_{ij} explicitly measures *interaction* in the unit of trips, and the role of the single proportionality constant k is to ensure the total sum of T_{ij}

represents the total flows in the data. In other words, k is a scale parameter that makes the overall amount of flows identical to the magnitude of the phenomenon being modeled.

Traditionally, development of the spatial interaction model put an emphasis on the interpretability of the results (Kirby 1970; Wilson 1967, 1971). But instead of relying on the heuristic of Newtonian gravity (e.g., some interaction between a mass at i and a mass at j separated by some distance), Wilson’s approach was to maximise the entropy of the system. Entropy maximisation in this cases achieves stable results as a statistical average that represents the population. The approach works by assuming undifferentiated individual interactions, and assessing their probabilities of making a particular journey. The result of Equation 11 then is a statistical average (Wilson 1971; Senior 1979).

To ensure that T_{ij} in Equation 11 is in the unit of trips, additional knowledge about the system is required. At the very least, this framework assumes that the total number of trips in the system T is known, and therefore:

$$\sum_i \sum_j T_{ij} = T \quad (12)$$

Additional information can be introduced. For example, when information is available about the total number of trips produced by each origin (O_i), the following constraint can be used:

$$\sum_j T_{ij} = O_i \quad (13)$$

Alternatively, if there is information available about the total number of trips attracted by each destination (D_j), the following constraint can be used:

$$\sum_i T_{ij} = D_j \quad (14)$$

It is also possible to have information about both O_i and D_j , in which case both constraints could be imposed on the model.

Parting from this, it is possible to derive a family of spatial interaction models. In Wilson’s terms, there is the “unconstrained” (but actually total flow constrained) model in equation Equation 11. The proportionality constant k in this case is (see Cliff, Martin, and Ord 1974; Fotheringham 1984):

$$k = \frac{T}{\sum_i \sum_j T_{ij}} \quad (15)$$

When only one of Equation 13 or Equation 14 holds, the resulting models are, in Wilson's terms, singly-constrained. Entropy maximisation leads to the following production-constrained model:

$$T_{ij} = A_i O_i W_j^{(2)} f(c_{ij}) \quad (16)$$

Notice how, in this model, the proxy for the mass at the origin $W_i^{(1)}$ is replaced by the actual mass, as measured by the trips produced. Also, there is no longer a single system-wide proportionality constant, but rather a balancing factor specific to each origin, namely A_i , which Wilson found to be as follows:

$$A_i = \frac{1}{\sum_j W_j^{(2)} f(c_{ij})} \quad (17)$$

The attraction-constrained model, in turn, takes the following form:

$$T_{ij} = B_j D_j W_i^{(1)} f(c_{ij}) \quad (18)$$

Notice how now the proxy for the mass at the destination $W_j^{(2)}$ is replaced by the actual mass, as measured by the trips attracted. As before, destination-specific balancing factors B_j were derived by Wilson as:

$$B_j = \frac{1}{\sum_i W_i^{(1)} f(c_{ij})} \quad (19)$$

When both Equation 13 and Equation 14 hold, the resulting model is, in Wilson's terms, doubly-constrained, and takes the following form:

$$T_{ij} = A_i B_j O_i D_j f(c_{ij}) \quad (20)$$

In this model both proxies for the masses are replaced with the known masses, that is, the trips produced by origin and the trips attracted by destination. And, now the balancing factors are:

$$\begin{aligned} A_i &= \frac{1}{\sum_j B_j D_j f(c_{ij})} \\ B_j &= \frac{1}{\sum_i A_i O_i f(c_{ij})} \end{aligned} \quad (21)$$

Derivation of these models is demonstrated in detail elsewhere (e.g., Ortúzar and Willumsen 2011; Wilson 1967). It is worth noting, however, that although Wilson's approach is built

on a different conceptual foundation than the old reference to Newtonian gravity, the work succeeded at identifying the steps from proportionality to equality to yield variations of proportionality constants, including the one that eluded Stewart (1948) and has been ignored in almost all subsequent accessibility research. Why could this be? In the next section we aim to address this question.

Accessibility and spatial interaction modelling: two divergent research streams

The work of Hansen (1959) and Wilson (1971) responded to important developments in the Anglo-American world at the time, in particular a need “to meet the dictates and needs of public policy for strategic land use and transportation planning” (Batty 1994). Said dictates and needs were far from trivial. In the US alone, the Federal-Aid Highway Act of 1956 authorized the creation of the US Interstate Highway System, with a budget of more than one hundred billion dollars (Weiner 2016; MDOT 2007). Spatial interaction modelling, with its ability to quantify trips, was incorporated into institutional modelling practices meant to “predict and provide”, i.e., predict travel demand and supply transportation infrastructure (Kovatch, Zames, et al. 1971; Weiner 2016). Accessibility at the time did not quite have that power: it did not quantify trips, but rather something fuzzier: the less tangible “potential for interaction”. In this way, where spatial interaction modelling became a key element of transportation planning practice, accessibility remained a somewhat more academic pursuit, and the two streams of literature only rarely connected.




Figure 1: Historical pattern of publication: documents per year.

To illustrate this point, we conducted a bibliographic analysis of the literature that cites

Hansen (1959) and/or Wilson (1971). We retrieved all relevant documents using the Web of Science “Cited References” functionality, and the digital object identifiers of Hansen (1959) and Wilson (1971). As a result of this search we identified 1,788 documents that cite Hansen (1959), 258 documents that cite Wilson (1971), and 76 that cite both. The earliest document in this corpus dates to 1976 and the most recent is from 2025. The number of documents per year appears in Figure 1, where we see the frequency of documents over a span of almost fifty years. In particular, we notice the remarkable growth in the number of papers that cite Hansen (1959) compared to those that cite Wilson (1971) or both.

After compiling this corpus of documents, we used the `{bibliometrix}` package (Aria and Cuccurullo 2017) to create a bibliographical coupling matrix. In this matrix two documents are coupled if they share at least one common reference, and the strength of the coupling increases with the number of references that the documents have in common. Figure 2 presents the results. In this figure each symbol represents a document, and their distance on the plot represents the strength of bibliographical coupling: more strongly coupled documents, meaning those that share more items in their lists of references, are plotted closer to each other.




Figure 2: Bibliometric coupling of papers that cite Hansen (1959) and/or Wilson (1971).

Further examination of the bibliographical coupling matrix allows us to check the coupling strength within and between subgroups of documents (i.e., those that cite only Hansen, only Wilson, or both papers). First, we note that when we look at the three subgroups of documents pooled together, the average number of references shared by a pair of documents is 1.18. Table 1 presents the average number of items cited in common within each subgroup, as well as between subgroups. As seen in the table, the coupling within subgroup tends to be higher than when we consider the full corpus with all three groups together. The tightest coupling is seen for the group of documents that cite both Hansen and Wilson, with an average number of references in common of 3.36. The weakest coupling is between the Hansen and Wilson

Table 1: Average coupling strength within and between groups of documents. The average coupling strength is the number of references shared on average by a pair of documents.

corpus	Hansen	Wilson	Both
Hansen (n = 1788)	1.45	-	-
Wilson (n = 258)	0.09	1.31	-
Both (n = 76)	1.65	1.23	3.36
Average coupling for the pooled set of documents (n = 2122) is 1.18			

subgroups, with only 0.09 references in common on average, which indicates a large degree of decoupling (independence) between these bodies of work.

A family of accessibility measures

As we argued above, the accessibility and spatial interaction modelling literature streams tended to evolve with relatively little contact over the years. This may explain the failure of the constraints/proportionality constant(s) of spatial interaction models to cross over to accessibility analysis. This is intriguing, considering that Wilson himself made an effort to connect his developments in spatial interaction modelling to accessibility, noting the similarity between the denominator in Equation 17 and Hansen’s accessibility indicator. In fact, Wilson noted that Hansen’s accessibility was the inverse of A_i , which offered a potential interpretation for the balancing factor (p. 10):

$$S_i = \frac{1}{A_i} = \sum_j W_j^{(2)} f(c_{ij}) \quad (22)$$

This, however, only helps to illustrate the ease with which confusion may arise in this context. The relationship in Equation 22 appears to be misguided when we note that Hansen, and Stewart before him, defined accessibility as a partial sum of the demographic force F , essentially going from the demographic force:

$$F = G \frac{M_1 \cdot M_2}{d_{12}^2}$$

to the pairwise population potential:

$$V_1 = G \frac{M_2}{d_{12}}$$

and from there to the system-wide population potential:

$$V_i = \sum_j \frac{M_j}{d_{ij}}$$

It is useful to think of the accessibility as a partial sum of the spatial interaction, before we return to Wilson's general model:

$$T_{ij} = kW_i^{(1)}W_j^{(2)}f(c_{ij})$$

Then, we define the *potential for interaction* (i.e., accessibility) as follows:

$$V_{ij} = kW_j^{(2)}f(c_{ij}) \quad (23)$$

where V_{ij} is the potential for interaction. Similar to Equation 11, $W_j^{(2)}$ is the mass at the destination, and the sub-indices are for $i = 1, \dots, n$ origins and $j = 1, \dots, m$ destinations.

From here, we can define various accessibility measures depending on how we choose to constrain them.

Unconstrained accessibility

Unconstrained accessibility results when we set the proportionality constant/balancing factor to one in Equation 23:

$$V_{ij}^0 = W_j^{(2)}f(c_{ij}) \quad (24)$$

Then, the partial sum becomes:

$$V_i^0 = \sum_j V_{ij}^0 = \sum_j W_j^{(2)}f(c_{ij}) = S_i \quad (25)$$

We can see that in this case we simply have Hansen's accessibility. In general, the following does not hold true:

$$\sum_i V_i^0 = O \quad (26)$$

where O is the total number of opportunities in the system. In other words, the sum of all accessibility scores will generally be different from the total of the opportunities available in

the region. To complicate matters, the difference will depend on the choice of impedance function $f(c_{ij})$ and any associated parameters, as well as the number of locations n for which an accessibility score is calculated. For this reason, unconstrained accessibility can only be appropriately used as an ordinal variable to make comparisons of size (greater than, less than, equal to), but not to calculate intervals (the magnitude of differences) or ratios.

Total opportunity constrained accessibility

We can choose to retain the proportionality constant in Equation 23 to obtain the following:

$$V_{ij}^T = kW_j^{(2)} f(c_{ij}) \quad (27)$$

Our accessibility measure now becomes:

$$V_i^T = \sum_j V_{ij}^T = k \sum_j W_j^{(2)} f(c_{ij}) = kV_i^0 \quad (28)$$

The constraint that we impose in this case is the total number of opportunities in the region O (compare to Equation 12):

$$\sum_i \sum_j V_{ij}^T = O \quad (29)$$

Substituting Equation 28 in Equation 29, and solving for k , we have that (compare to the constant in the total flow spatial interaction model, Equation 2.11 in Cliff, Martin, and Ord (1974)):

$$k = \frac{O}{\sum_i \sum_j V_{ij}^0} \quad (30)$$

Let us write our total opportunity constrained accessibility as follows:

$$V_i^T = k \sum_j W_j^{(2)} f(c_{ij}) = \sum_j W_j^{(2)} \frac{Of(c_{ij})}{\sum_i \sum_j V_{ij}^0} = \sum_j W_j^{(2)} \frac{Of(c_{ij})}{\sum_i \sum_j W_j^{(2)} f(c_{ij})}$$

Further, we can see that, since O and $W_j^{(2)}$ are opportunities, the following term is dimensionless:

$$\kappa = \frac{Of(c_{ij})}{\sum_i \sum_j W_j^{(2)} f(c_{ij})}$$

and therefore V_i^T is now in the units of $W_j^{(2)}$, that is, the mass at the destination:

$$V_i^T = \kappa \sum_j W_j^{(2)}$$

Notice that the role of κ in this reformulation of accessibility is to adjust the number of opportunities accessible from i so that they represent a proportion of the total number of opportunities in the region. Constant κ then assigns opportunities in proportion to the impedance between i and j . For this reason we call it a proportional allocation factor.

Singly-constrained accessibility: attraction-constrained

If we decide to introduce additional information into our analysis, say, the number of opportunities *by destination* (i.e., O_j), we can impose the following constraint (compare to Equation 14):

$$\sum_i V_{ij}^D = D_j \quad (31)$$

The underlying spatial interaction model is now the attraction-constrained model in Equation 18, and our accessibility measure becomes:

$$V_i^D = \sum_j B_j D_j W_i^{(1)} f(c_{ij}) \quad (32)$$

where $W_i^{(1)}$ is a measure of the mass at origin i (i.e., the opportunity-seeking population). The corresponding balancing factor, as per Wilson, is:

$$B_j = \frac{1}{\sum_i W_i^{(1)} f(c_{ij})}$$

If we introduce this balancing factor in Equation 36 we obtain:

$$V_i^D = \sum_j D_j \frac{W_i^{(1)} f(c_{ij})}{\sum_i W_i^{(1)} f(c_{ij})} \quad (33)$$

Further, we define the following proportional allocation factor:

$$\kappa_{ij}^D = \frac{W_i^{(1)} f(c_{ij})}{\sum_i W_i^{(1)} f(c_{ij})} \quad (34)$$

After this, it is possible to rewrite Equation 33 as:

$$V_i^D = \sum_j \kappa_{ij}^D D_j \quad (35)$$

Soukhov et al. (2023) have shown that the role of κ_{ij}^D is to allocate opportunities D_j proportionally to the mass at each origin i and the impedance between i and j . As before, κ_{ij}^D is dimensionless and V_i^D is in the units of opportunities D_j . The singly-constrained accessibility measure in Equation 35 is called spatial availability by Soukhov et al. (2023), because it represents the number of opportunities that can be reached *and* are available, in the sense that there is no competition for them. These authors also show that the following expression (accessibility per capita) is a constrained version of the popular two-stage floating catchment area measure of Shen (1998) and Luo and Wang (2003):

$$v_i^D = \frac{V_i^D}{W_i^{(1)}}$$

As an additional point, the constraint in Equation 37 ensures that the following also holds:

$$\sum_i V_i^D = O$$

For this reason, $\frac{V_i^D}{O}$ can be interpreted as the proportion of opportunities accessible *and* available to location i out of the total number of opportunities in the system

Singly-constrained accessibility: production-constrained

Not the most common application of accessibility analysis, but if the origins and destinations are transposed, we can define a measure of market potential that preserves the population. The underlying spatial interaction model is now the production-constrained model in Equation 16, and our market potential measure V_i^P becomes:

$$V_j^P = \sum_i A_i O_i W_j^{(2)} f(c_{ij}) \quad (36)$$

In this case the measure is constrained by the population *by origin* (i.e., P_i). Compare to Equation 14:

$$\sum_j V_{ij}^P = P_i \quad (37)$$

The corresponding balancing factor, as per Wilson, is:

$$A_i = \frac{1}{\sum_j W_j^{(2)} f(c_{ij})}$$

Following the same logic as in the preceding section, one arrives at the following expression:

$$V_j^P = \sum_i \kappa_{ij}^P P_i \quad (38)$$

with:

$$\kappa_{ij}^P = \frac{W_j^{(2)} f(c_{ij})}{\sum_i W_j^{(2)} f(c_{ij})} \quad (39)$$

In addition to market potential, V_j^P can be interpreted as a constrained measure of “facility crowdedness” as in F. H. Wang (2018). This “crowdedness” now satisfies, in addition to Equation 37, the following:

$$\sum_j V_j^P = P$$

where P is the total population of the region. In this way, $\frac{V_j^P}{P}$ can be interpreted as the proportion of the total population serviced by location j .

Doubly-constrained

In the case of SIM calibrated for accessibility, the doubly-constrained case has more limited applications than the singly-constrained case because the double constraints (both marginals) are so specific. In this case, the units of the population and opportunities must be able to be understood as the same. E.g., the number of population at i that seek opportunities at each j and the number of opportunities at j that are sought by population at each i must both be known to match.

In our examples of children and schools, and urgent care clinics and all people, they could be solved as doubly-constrained if additional information was known. In the case of urgent care children and schools, if the number of children at i that visit specific schools j was additionally known: then the doubly-constrained V_{ij} could be interpreted as “the number of school-seats accessible from j by the students at i ” OR “the number of students accessible from i by the school-seats at j ” - they would be equivalent statements. If you sub in ‘urgent-care-seats’ for

‘school-seats’ and ‘population’ for ‘students’, you’d have the analogous interpretation for the doubly-constrained case for urgent care clinics described.

Literature has explored ‘doubly-constrained’ but – not the same: , etc. Ex. Horner (2004) and Allen and Farber (2020).

Simple numerical example

The following is the known accessibility matrix. The V_{ij} , the number of jobs spatially accessible at i from destination j . The TOTALs are the V_i and V_j , the total number of jobs spatially available at i and the number of jobs spatially available from j .

	1	2	3	TOTAL
1	95	23	42	160
2	27	378	45	450
3	38	36	106	180
TOTAL	160	437	193	1

And the matrix of cost of travel from i (rows) to j (columns) is as follows:

	1	2	3
1	2	15	5
2	15	2	10
3	5	10	2

Unconstrained accessibility

The following case is standard practice, the HAM. It is expressed as a value of the origin, a summary of the destination weight multiplied by the travel impedance. There is no explicit consideration of a proportionality constant (k), we can presume it is still set to 1 as in Stewart (1947). Neither are there origin weights $W_i^{(1)}$, we assume is also wrapped up in this proportionality and implicitly set to 1. Working backward from this expression and assumptions, S_{ij} can be expressed more generally as well.

S_i reflects the magnitude of opportunity accessibility but it is not scaled to equal the number opportunities O_j and/or population P_i (only in some case when k and $W_i^{(1)}$ equal 1).

In solving the example, each origin (row) all the opportunities at each destination are available. Likewise, each destination (column) offers all opportunities to each origin:

	1	2	3
1	160	437	193
2	160	437	193
3	160	437	193

The resulting matrix of S_{ij} along with the S_i and S_j totals for this example:

	1	2	3	TOTAL
1	80.00	29.13	38.6	147.73
2	10.67	218.50	19.3	248.47
3	32.00	43.70	96.5	172.20
TOTAL	122.67	291.33	154.4	568.40

We'd report origin 1 as having 148 accessibility (i.e., $S_{i=1} = 148$), origin 2 as 248 accessibility, and origin 3 as 172 accessibility. The total accessibility in the region is 568 ($\sum_i S_i = 568$), not equal to any meaningful value. This value is not often reported in the accessibility literature for this reason. One could also report the accessibility values that destinations offers (S_j), namely destination 1 offers 123, destination 2 offer 291, and destination 3 offers 154. However, these values are also not reported in the literature currently... as they aren't constrained to match up to anything known, including the number of opportunities at each j (i.e., 160, 437 and 193). Assuming $k = 1$, S_i and S_j represent magnitudes of accessibility concepts, but in an unconstrained way. The population matrix is not incorporated in the S_{ij} calculation, so S_i cannot be directly compared to population. From a different perspective, S_j values also cannot be compared to known O_j values as the equation unconstrained.

OF NOTE: in the context of spatial interaction modelling, this unconstrained version of model is seldom useful. While the resulting T_{ij} values are technically units of 'trips' - there are no constraints, so the assumption of k and $W_i^{(1)}$ equaling 1 is practically meaningless.

Accessibility, or the *potential* for interaction is different than interaction (V_{ij} vs. T_{ij}), namely since the number of opportunities that are accessible at an origin from a destination cannot be known in the same way as a trip from an origin to a destination. However, we would argue that getting closer to knowing this number and planning for it - is what accessibility research should strive to capture. An origin-destination based accessibility value V_{ij} . We demonstrate the following three cases sub-sequently.

Total constrained accessibility

Solved for our example, K is equal to the total accessibility V , the only thing we know: either all the opportunities O or all the population P , divided by remaining part of the equation.

In the following, we assume our spatial weights matrix only reflects $W_j^{(2)}$ as O_j and $W_i^{(1)}$ is uniform (1):

$$k = \frac{V}{\sum_i \sum_j O_j f(c_{ij})}$$

$$k = \frac{V}{\frac{O_1}{c_{11}} + \frac{O_1}{c_{21}} + \frac{O_1}{c_{31}} + \frac{O_2}{c_{12}} + \dots + \frac{O_3}{c_{33}}}$$

$$k = \frac{790}{568.4}$$

$$k = 1.389866$$

	1	2	3	TOTAL
1	111	40	54	205
2	15	304	27	345
3	44	61	134	239
TOTAL	170	405	215	790

While we can see that the ‘number of potentially reachable opportunities’ 790 results, the total access at a each i or j is not equal to the known known total access ends (because these constraints are not specified and thus not satisfied by the model). This approach is not yet seen in accessibility literature, but could be an intelligible way to compare accessibility values (V_i or V_j) without considering the population matrix.

This case can be reformulated if the spatial weights matrix reflects only weights at the origin $W_i^{(1)}$ such as population P_i and $W_j^{(2)}$ is unknown/irrelevant.

Singly-constrained accessibility: attraction-constrained

Returning to our simple example, the opportunity-constrained singly-constrained case would yield the following B_j values assuming A_i is 1:

$$B_j = \frac{1}{\sum_i P_i f(c_{ij})}$$

$$B_1 = \frac{1}{160/2+450/15+180/5} = 0.006849315$$

$$B_2 = \frac{1}{160/15+450/2+180/10} = 0.003942181$$

$$B_3 = \frac{1}{160/5+450/10+180/2} = 0.005988024$$

	1	2	3
i..	0.006849315	0.003942181	0.005988024

(NOTE: notably, when B_j is multiplied by $P_i * f(c_{ij})$, it is a proportion (like spatial availability's total population & travel-cost balancing factor) representing how much of O_j is allocated to each i)

$V_{ij}^{(2)}$ values:

	1	2	3	TOTAL
1	88	18	37	143
2	33	388	52	472
3	39	31	104	174
TOTAL	160	437	193	790

The O_j values (bottom row) are equal to the known opportunities at each j , whereas the P_i values (right-most column) are not. The total accessibility in the region is maintained at 790. Each V_{ij} can be interpreted as O_j weighted by the proportional balancing factor e.g., “the number of opportunities accessible from j by the population at i ” all weighted by travel cost, of course. Use this formulation of the singly-constrained case when the number of opportunities, at each j , that are being competed for by the population is known but the precise number of population that is competing for opportunities is not. For example, public schools as a destination in a region where all children attend them. All school-seats at j are open to all children at all is . However, not all population i are equally interested in school-seats at all js (e.g., some prefer special programs, teachers, etc.); and we do not know this precise population i to j number. Hence, an opportunity-constrained version of the singly-constrained case is appropriate.

However, the population-constrained version of the singly-constrained case can be appropriate in the converse situation. Consider the case of public urgent care clinics in a region where all people use them equally. Unlike schools, all population at i are equally interested in urgent-care-seats at all clinics j . If there's an emergency, or not, they will visit. However, from an operational perspective all clinics at j are *not* interested in serving all people (e.g., they'd rather serve people who have access to primary care medicine as they are more likely to seek urgent care in actual medical emergencies). From this perspective, using a *population-constrained* version of the singly-constrained case $V_i^{(1)}$, is appropriate. Each V_{ij} can be interpreted as P_i weighted by the proportional balancing factor e.g., “the number of population accessible from i by the opportunities at j ” all weighted by travel cost, of course.

In $V_i^{(1)}$, the following is A_i assuming B_j is 1:

$$A_i = \frac{1}{\sum_j O_j f(c_{ij})}$$

$$A_1 = \frac{1}{160/2+437/15+193/5} = 0.006768953$$

$$A_2 = \frac{1}{160/15+437/2+193/10} = 0.004024685$$

$$A_3 = \frac{1}{160/5+437/10+193/2} = 0.005807201$$

j...

1	0.006768953
2	0.004024685
3	0.005807201

(AGAIN NOTE: when A_i is multiplied by $O_j * f(c_{ij})$, it is a proportion (like spatial availability's total balancing factor) representing how much of P_i is allocated from each i , I think. e.g. each V_{ij} is the proportional opportunity&travel-cost balancing factor of $A_i W_j^{(2)} f(c_{ij})$ multiplied by P_i)

The resulting $V_{ij}^{(1)}$ values:

	1	2	3	TOTAL
1	87	32	42	160
2	19	396	35	450
3	33	46	101	180
TOTAL	139	473	178	790

In this version of the singly-constrained case, the population is constrained so the P_i values (right-most column) are equal to the known population, whereas the O_j values (bottom row) is not. The total accessibility in the region is maintained at 790. To reiterate, each V_{ij} can be interpreted as “the number of population accessible from i by the opportunities at j ” all weighted by travel cost, of course.

Doubly-constrained case (population-opportunity constrained)

In this case, V_{ij} would be:

Checking production, attraction balancing:

Production: 790

Attraction: 790

Production, attraction balancing OK.

Iteration: 1

Ai: 0.007 0.004 0.006

Bj: 1.148 0.924 1.087

Iteration: 2
Ai: 0.006 0.004 0.005
Bj: 1.215 0.891 1.13

Iteration: 3
Ai: 0.006 0.004 0.005
Bj: 1.245 0.876 1.15

Iteration: 4
Ai: 0.006 0.004 0.005
Bj: 1.259 0.87 1.159

Iteration: 5
Ai: 0.006 0.004 0.005
Bj: 1.265 0.867 1.163

Iteration: 6
Ai: 0.006 0.004 0.005
Bj: 1.267 0.866 1.165

Iteration: 7
Ai: 0.006 0.004 0.005
Bj: 1.269 0.865 1.165

Stopping Condition: Error threshold met
Final Error: 0.049%

	[,1]	[,2]	[,3]
[1,]	94.64986	23.50725	41.94804
[2,]	27.04435	377.81662	44.94688
[3,]	38.30579	35.67612	106.10508

The A_i and B_j matrices:

	[,1]
[1,]	0.005828420
[2,]	0.004440953
[3,]	0.005241828

	[,1]	[,2]	[,3]
[1,]	1.267472	0.8658199	1.164536

The trip matrix (notice, all summed up opportunities and populations are equivalent to our knowns)

	1	2	3	TOTAL
1	95	24	42	160
2	27	378	45	450
3	38	36	106	180
TOTAL	160	437	193	790

Nice.

Empirical examples

Use the TTS2016R package to illustrate every measure.

A note on interpretation and possible applications

When to use each of these measures?

Conclusions

Accessibility development has a rich history. There have been developments in the cases/breath of travel impedance functions, competition considerations, and in incorporating individual choice as part of activity-based accessibility. However, no work yet has examined accessibilities explicit connecting to SIM. We examine this connection, and provide a origin-destination (i to j) formulation of accessibility as part of the SIM framework. Novel stuff.

References

- Allen, Jeff, and Steven Farber. 2020. "A Measure of Competitive Access to Destinations for Comparing Across Multiple Study Regions." *Geographical Analysis* 52 (1): 69–86. <https://doi.org/10.1111/gean.12188>.
- Aria, Massimo, and Corrado Cuccurullo. 2017. "Bibliometrix: An r-Tool for Comprehensive Science Mapping Analysis." *Journal of Informetrics*. <https://doi.org/10.1016/j.joi.2017.08.007>.

- Batty, Michael. 1994. "A Chronicle of Scientific Planning: The Anglo-American Modeling Experience." *Journal of the American Planning Association* 60 (1): 7–16. <https://doi.org/10.1080/01944369408975546>.
- Boisjoly, Geneviève, Ana Isabel Moreno-Monroy, and Ahmed El-Geneidy. 2017. "Informality and Accessibility to Health by Public Transit: Evidence from the São Paulo Metropolitan Region." Journal Article. *Journal of Transport Geography* 64: 89–96. <https://doi.org/10.1016/j.jtrangeo.2017.08.005>.
- Carey, Henry Charles. 1858. *Principles of Social Science*. University of Michigan Library Digital Collections: In the digital collection Making of America Books. <https://name.umd.umich.edu/AFR1829.0001.001>.
- Cavendish, Henry. 1798. "XXI. Experiments to Determine the Density of the Earth." *Philosophical Transactions of the Royal Society* 88: 469–526. <https://doi.org/10.1098/rstl.1798.0022>.
- Cliff, A. D., R. L. Martin, and J. K. Ord. 1974. "Evaluating the Friction of Distance Parameter in Gravity Models." *Regional Studies* 8 (3-4): 281–86. <https://doi.org/10.1080/09595237400185281>.
- Delamater, P. L. 2013. "Spatial Accessibility in Suboptimally Configured Health Care Systems: A Modified Two-Step Floating Catchment Area (M2SFCA) Metric." Journal Article. *Health & Place* 24: 30–43. <https://doi.org/10.1016/j.healthplace.2013.07.012>.
- Farber, S., T. Neutens, H. J. Miller, and X. Li. 2013. "The Social Interaction Potential of Metropolitan Regions: A Time-Geographic Measurement Approach Using Joint Accessibility." Journal Article. *Annals of the Association of American Geographers* 103 (3): 483–504. <https://doi.org/10.1080/00045608.2012.689238>.
- Farber, S., A. Páez, and C. Morency. 2012. "Activity Spaces and the Measurement of Clustering and Exposure: A Case Study of Linguistic Groups in Montreal." *Environment and Planning A* 44 (2): 315–32.
- Farber, Steven, and Antonio Páez. 2011. "Running to Stay in Place: The Time-Use Implications of Automobile Oriented Land-Use and Travel." *Journal of Transport Geography* 19 (4): 782–93. <https://doi.org/10.1016/j.jtrangeo.2010.09.008>.
- Ferreira, António, and Enrica Papa. 2020. "Re-Enacting the Mobility Versus Accessibility Debate: Moving Towards Collaborative Synergies Among Experts." *Case Studies on Transport Policy* 8 (3): 1002–9. <https://doi.org/10.1016/j.cstp.2020.04.006>.
- Fotheringham, A S. 1984. "Spatial Flows and Spatial Patterns." *Environment and Planning A: Economy and Space* 16 (4): 529–43. <https://doi.org/10.1068/a160529>.
- Geurs, Karst T., and Bert van Wee. 2004. "Accessibility Evaluation of Land-Use and Transport Strategies: Review and Research Directions." *Journal of Transport Geography* 12 (2): 127–40. <https://doi.org/10.1016/j.jtrangeo.2003.10.005>.
- Grengs, Joe. 2010. "Job Accessibility and the Modal Mismatch in Detroit." *Journal of Transport Geography* 18 (1): 42–54.
- Gutierrez, J., A. Condeco-Melhorado, E. Lopez, and A. Monzon. 2011. "Evaluating the European Added Value of TEN-T Projects: A Methodological Proposal Based on Spatial Spillovers, Accessibility and GIS." *Journal of Transport Geography* 19 (4): 840–50. <https://doi.org/10.1016/j.jtrangeo.2010.10.011>.

- Handy, Sandy L., and Debbie A. Niemeier. 1997. "Measuring Accessibility: An Exploration of Issues and Alternatives." *Environment and Planning A: Economy and Space* 29 (7): 1175–94. <https://doi.org/10.1068/a291175>.
- Handy, Susan. 2002. "ACCESSIBILITY- VS. MOBILITY-ENHANCING STRATEGIES FOR ADDRESSING AUTOMOBILE DEPENDENCE IN THE U.S." https://escholarship.org/content/qt5kn4s4pb/qt5kn4s4pb_noSplash_18f73162ff86f04dcb255331d63eeba8.pdf.
- . 2020. "Is Accessibility an Idea Whose Time Has Finally Come?" *Transportation Research Part D: Transport and Environment* 83 (June): 102319. <https://doi.org/10.1016/j.trd.2020.102319>.
- Hansen, Walter G. 1959. "How Accessibility Shapes Land Use." *Journal of the American Institute of Planners* 25 (2): 73–76. <https://doi.org/10.1080/01944365908978307>.
- Horner, Mark W. 2004. "Exploring Metropolitan Accessibility and Urban Structure." *Urban Geography* 25 (3): 264–84. <https://doi.org/10.2747/0272-3638.25.3.264>.
- Hutton, Charles. 1778. "XXXIII. An Account of the Calculations Made from the Survey and Measures Taken at Schehallien, in Order to Ascertain the Mean Density of the Earth." *Philosophical Transactions of the Royal Society* 68: 689–788. <https://doi.org/10.1098/rstl.1778.0034>.
- Kapatsila, Bogdan, Manuel Santana Palacios, Emily Grisé, and Ahmed El-Geneidy. 2023. "Resolving the Accessibility Dilemma: Comparing Cumulative and Gravity-Based Measures of Accessibility in Eight Canadian Cities." *Journal of Transport Geography* 107 (February): 103530. <https://doi.org/10.1016/j.jtrangeo.2023.103530>.
- Karst, T., and Jan R. Ritsema Van Eck. 2003. "Evaluation of Accessibility Impacts of Land-Use Scenarios: The Implications of Job Competition, Land-Use, and Infrastructure Developments for the Netherlands." *Environment and Planning B: Planning and Design* 30 (1): 69–87. <https://doi.org/10.1068/b12940>.
- Kirby, Howard R. 1970. "Normalizing Factors of the Gravity Model—an Interpretation." *Transportation Research* 4 (1): 37–50. [https://doi.org/10.1016/0041-1647\(70\)90073-0](https://doi.org/10.1016/0041-1647(70)90073-0).
- Kovatch, George, George Zames, et al. 1971. "Modeling Transportation Systems: An Overview." <https://rosap.ntl.bts.gov/view/dot/11813>.
- Lavery, T. A., A. Páez, and P. S. Kanaroglou. 2013. "Driving Out of Choices: An Investigation of Transport Modality in a University Sample." *Transportation Research Part A: Policy and Practice* 57 (November): 37–46. <https://doi.org/10.1016/j.tra.2013.09.010>.
- Levine, Jonathan. 2020. "A Century of Evolution of the Accessibility Concept." *Transportation Research Part D: Transport and Environment* 83 (June): 102309. <https://doi.org/10.1016/j.trd.2020.102309>.
- Liang, Huilin, Qi Yan, and Yujia Yan. 2024. "A Novel Spatiotemporal Framework for Accessing Green Space Accessibility Change in Adequacy and Equity: Evidence from a Rapidly Urbanizing Chinese City in 2012–2021." *Cities* 151 (August): 105112. <https://doi.org/10.1016/j.cities.2024.105112>.
- Lopez, E., J. Gutierrez, and G. Gomez. 2008. "Measuring Regional Cohesion Effects of Large-Scale Transport Infrastructure Investments: An Accessibility Approach." *European Planning Studies* 16 (2): 277–301.
- Luo, Wei, and Y. Qi. 2009. "An Enhanced Two-Step Floating Catchment Area (E2SFCA)

- Method for Measuring Spatial Accessibility to Primary Care Physicians.” *Health & Place* 15 (4): 1100–1107.
- Luo, Wei, and Fahui Wang. 2003. “Measures of Spatial Accessibility to Health Care in a GIS Environment: Synthesis and a Case Study in the Chicago Region.” *Environment and Planning B: Planning and Design* 30 (6): 865–84. <https://doi.org/10.1068/b29120>.
- Marques, João Lourenço, Jan Wolf, and Fillipe Feitosa. 2021. “Accessibility to Primary Schools in Portugal: A Case of Spatial Inequity?” *Regional Science Policy & Practice* 13 (3): 693–708. <https://doi.org/10.1111/rsp3.12303>.
- McKean, Kate. 1883. *Manual of Social Science Being a Condensation of the Principles of Social Science of H.C. Carey*. Philadelphia: Henry Carey Baird; Co. Industrial Publishers.
- MDOT. 2007. “Mn/DOT Joins Interstate Highway System’s 50th Anniversary Celebration.” December 4, 2007. <https://web.archive.org/web/20071204072603/http://www.dot.state.mn.us/interstate50/50facts.html>.
- Merlin, Louis A., and Lingqian Hu. 2017. “Does Competition Matter in Measures of Job Accessibility? Explaining Employment in Los Angeles.” Journal Article. *Journal of Transport Geography* 64: 77–88. <https://doi.org/10.1016/j.jtrangeo.2017.08.009>.
- Miller, Eric J. 2018. “Accessibility: Measurement and Application in Transportation Planning.” *Transport Reviews* 38 (5): 551–55. <https://doi.org/10.1080/01441647.2018.1492778>.
- Miller, Harvey J. 2011. “Collaborative Mobility: Using Geographic Information Science to Cultivate Cooperative Transportation Systems.” *Procedia - Social and Behavioral Sciences* 21 (0): 24–28. <https://doi.org/http://dx.doi.org/10.1016/j.sbspro.2011.07.005>.
- Neutens, Tijs, Frank Witlox, Nico Van de Weghe, and Philippe De Maeyer. 2007. “Human Interaction Spaces Under Uncertainty.” *Transportation Research Record* 2021 (1): 28–35.
- Ortúzar, J. D., and L. G. Willumsen. 2011. *Modelling Transport*. Book. Vol. Fourth Edition. New York: Wiley.
- Paez, A., M. Moniruzzaman, P. L. Bourbonnais, and C. Morency. 2013. “Developing a Web-Based Accessibility Calculator Prototype for the Greater Montreal Area.” *Transportation Research Part A-Policy and Practice* 58 (December): 103–15. <https://doi.org/10.1016/j.tra.2013.10.020>.
- Paez, A., D. M. Scott, and C. Morency. 2012. “Measuring Accessibility: Positive and Normative Implementations of Various Accessibility Indicators.” Journal Article. *Journal of Transport Geography* 25: 141–53. <https://doi.org/10.1016/j.jtrangeo.2012.03.016>.
- Páez, Antonio, Steven Farber, Ruben Mercado, Matthew Roorda, and Catherine Morency. 2013. “Jobs and the Single Parent: An Analysis of Accessibility to Employment in Toronto.” *Urban Geography* 34 (6): 815–42. <https://doi.org/10.1080/02723638.2013.778600>.
- Páez, Antonio, Ruben Mercado, Steven Farber, Catherine Morency, and Matthew Roorda. 2010. “Accessibility to Health Care Facilities in Montreal Island: An Application of Relative Accessibility Indicators from the Perspective of Senior and Non-Senior Residents.” Journal Article. *International Journal of Health Geographics* 9 (52): 1–9. <http://www.ij-healthgeographics.com/content/9/1/52>.
- Pereira, Rafael H. M., Carlos Kauê Vieira Braga, Luciana Mendes Servo, Bernardo Serra, Pedro Amaral, Nelson Gouveia, and Antonio Paez. 2021. “Geographic Access to COVID-19 Healthcare in Brazil Using a Balanced Float Catchment Area Approach.” Journal Article.

- Social Science & Medicine* 273: 113773. <https://doi.org/https://doi.org/10.1016/j.socsci.med.2021.113773>.
- Pirie, G. H. 1979. "Measuring Accessibility: A Review and Proposal." *Environment and Planning A: Economy and Space* 11 (3): 299–312. <https://doi.org/10.1068/a110299>.
- Ravenstein, E. G. 1885. "The Laws of Migration Paper 1." *Journal of the Royal Statistical Society* 48 (2): 167–227.
- . 1889. "The Laws of Migration Paper 2." *Journal of the Royal Statistical Society* 52 (2): 241–305. <https://doi.org/10.2307/2979333>.
- Reggiani, Aura, and Juan Carlos Martín. 2011. "Guest Editorial: New Frontiers in Accessibility Modelling: An Introduction." *Networks and Spatial Economics* 11 (4): 577–80. <https://doi.org/10.1007/s11067-011-9155-x>.
- Reilly, William John et al. 1929. *Methods for the Study of Retail Relationships*. Vol. 44. University of Texas, Bureau of Business Research Austin.
- Reyes, M., A. Paez, and C. Morency. 2014. "Walking Accessibility to Urban Parks by Children: A Case Study of Montreal." *Landscape and Urban Planning* 125 (May): 38–47. <https://doi.org/10.1016/j.landurbplan.2014.02.002>.
- Ribeiro, A., A. P. Antunes, and A. Páez. 2010. "Road Accessibility and Cohesion in Lagging Regions: Empirical Evidence from Portugal Based on Spatial Econometric Models." *Journal of Transport Geography* 18 (1): 125–32.
- Rojas, C., A. Paez, O. Barbosa, and J. Carrasco. 2016. "Accessibility to Urban Green Spaces in Chilean Cities Using Adaptive Thresholds." *Journal of Transport Geography* 57 (December): 227–40. <https://doi.org/10.1016/j.jtrangeo.2016.10.012>.
- Romanillos, G., and J. C. Garcia-Palomares. 2018. "Accessibility to Schools: Spatial and Social Imbalances and the Impact of Population Density in Four European Cities." *Journal of Urban Planning and Development* 144 (4). [https://doi.org/10.1061/\(asce\)up.1943-5444.0000491](https://doi.org/10.1061/(asce)up.1943-5444.0000491).
- Schuurman, N., M. Berube, and V. A. Crooks. 2010. "Measuring Potential Spatial Access to Primary Health Care Physicians Using a Modified Gravity Model." *Canadian Geographer-Geographe Canadien* 54 (1): 29–45.
- Senior, Martyn L. 1979. "From Gravity Modelling to Entropy Maximizing: A Pedagogic Guide." *Progress in Human Geography* 3 (2): 175–210. <https://doi.org/10.1177/030913257900300218>.
- Shen, Q. 1998. "Location Characteristics of Inner-City Neighborhoods and Employment Accessibility of Low-Wage Workers." *Environment and Planning B: Planning and Design* 25 (3): 345–65. <https://doi.org/10.1068/b250345>.
- Silva, Cecília, Luca Bertolini, Marco Te Brömmelstroet, Dimitris Milakis, and Enrica Papa. 2017. "Accessibility Instruments in Planning Practice: Bridging the Implementation Gap." *Transport Policy* 53 (January): 135–45. <https://doi.org/10.1016/j.tranpol.2016.09.006>.
- Soukhov, Anastasia, Antonio Paez, Christopher D. Higgins, and Moataz Mohamed. 2023. "Introducing Spatial Availability, a Singly-Constrained Measure of Competitive Accessibility | PLOS ONE." *PLOS ONE*, 1–30. <https://doi.org/https://doi.org/10.1371/journal.pone.0278468>.
- Stewart, John Q. 1947. "Suggested Principles of "Social Physics"." *Science* 106 (2748): 179–80.

- . 1948. “Demographic Gravitation: Evidence and Applications.” *Sociometry* 11 (1): 31–58. <https://doi.org/10.2307/2785468>.
- Tao, ZL, JP Zhou, XB Lin, H Chao, and GC Li. 2020. “Investigating the Impacts of Public Transport on Job Accessibility in Shenzhen, China: A Multi-Modal Approach.” *LAND USE POLICY* 99 (December). <https://doi.org/10.1016/j.landusepol.2020.105025>.
- van Wee, Bert. 2016. “Accessible Accessibility Research Challenges.” *Journal of Transport Geography* 51 (February): 9–16. <https://doi.org/10.1016/j.jtrangeo.2015.10.018>.
- Vickerman, R., K. Spiekermann, and M. Wegener. 1999. “Accessibility and Economic Development in Europe.” *Regional Studies* 33 (1): 1–15.
- Wachs, Martin, and T. Gordon Kumagai. 1973. “Physical Accessibility as a Social Indicator.” *Socio-Economic Planning Sciences* 7 (5): 437–56. [https://doi.org/10.1016/0038-0121\(73\)90041-4](https://doi.org/10.1016/0038-0121(73)90041-4).
- Wan, N., B. Zou, and T. Sternberg. 2012. “A Three-Step Floating Catchment Area Method for Analyzing Spatial Access to Health Services.” *Journal Article. International Journal of Geographical Information Science* 26 (6): 1073–89. <https://doi.org/10.1080/13658816.2011.624987>.
- Wang, F. H. 2018. “Inverted Two-Step Floating Catchment Area Method for Measuring Facility Crowdedness.” *Professional Geographer* 70 (2): 251–60. <https://doi.org/10.1080/00330124.2017.1365308>.
- Wang, Fahui. 2021. “From 2SFCA to i2SFCA: Integration, Derivation and Validation.” *International Journal of Geographical Information Science* 35 (3): 628–38. <https://doi.org/10.1080/13658816.2020.1811868>.
- Weiner, Edward. 2016. *Urban Transportation Planning in the United States*. Springer Cham: Springer International Publishing. <https://doi.org/10.1007/978-3-319-39975-1>.
- Williams, S., and F. H. Wang. 2014. “Disparities in Accessibility of Public High Schools, in Metropolitan Baton Rouge, Louisiana 1990–2010.” *Urban Geography* 35 (7): 1066–83. <https://doi.org/10.1080/02723638.2014.936668>.
- Wilson, A. G. 1967. “A STATISTICAL THEORY OF SPATIAL DISTRIBUTION MODELS.” *Transportation Research* 1: 253–69. https://journals-scholarsportal-info.libaccess.lib.mcmaster.ca/pdf/00411647/v01i0003/253_astosdm.xml_en.
- . 1971. “A Family of Spatial Interaction Models, and Associated Developments.” *Environment and Planning A: Economy and Space* 3 (1): 1–32. <https://doi.org/10.1068/a030001>.
- Wu, Hao, and David Levinson. 2020. “Unifying Access.” *Transportation Research Part D: Transport and Environment* 83 (June): 102355. <https://doi.org/10.1016/j.trd.2020.102355>.
- Ye, Changdong, Yushu Zhu, Jiangxue Yang, and Qiang Fu. 2018. “Spatial Equity in Accessing Secondary Education: Evidence from a Gravity-Based Model: Spatial Equity in Accessing Secondary Education.” *The Canadian Geographer / Le Géographe Canadien* 62 (4): 452–69. <https://doi.org/10.1111/cag.12482>.
- Zipf, George Kingsley. 1946a. “Some Determinants of the Circulation of Information.” *The American Journal of Psychology* 59 (3): 401–21. <https://doi.org/10.2307/1417611>.
- . 1946b. “The $p_1 p_2 / d$ Hypothesis: On the Intercity Movement of Persons” 11 (6):

677–86.

———. 1946c. “The $p_1 p_2 / d$ Hypothesis: The Case of Railway Express.” *The Journal of Psychology* 22 (1): 3–8. <https://doi.org/10.1080/00223980.1946.9917292>.