

# Rajalakshmi Engineering College

Name: sowmya A  
Email: 240701523@rajalakshmi.edu.in  
Roll no: 240701523  
Phone: 9841749965  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 7.5

#### **Section 1 : Coding**

##### **1. Problem Statement**

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a ". " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

#### ***Input Format***

The first line of input contains the email to be validated.

#### ***Output Format***

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

### **Sample Test Case**

Input: sample@gmail.com

Output: Valid email address

### **Answer**

```
// You are using Java
import java.util.Scanner;
class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}

class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}

class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}

public class Main {

    public static void validateEmail(String email) throws DotException,
AtTheRateException, DomainException {
        if (!email.contains("@") || email.indexOf('@') == 0 || email.indexOf('@') ==
email.length() - 1) {
            throw new AtTheRateException("Invalid @ usage");
        }
        if (!email.contains(".")) || email.startsWith(".") || email.endsWith(".")) {
            throw new DotException("Invalid Dot usage");
        }
        String[] validDomains = {"com", "in", "net", "biz"};
```

```
boolean validDomain = false;

for (String domain : validDomains) {
    if (email.endsWith("." + domain)) {
        validDomain = true;
        break;
    }
}

if (!validDomain) {
    throw new DomainException("Invalid Domain");
}

System.out.println("Valid email address");

}

public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
    String email = sc.nextLine();

    try {
        validateEmail(email);
    } catch (DotException e) {
        System.out.println("DotException: " + e.getMessage());
        System.out.println("Invalid email address");
    } catch (AtTheRateException e) {
        System.out.println("AtTheRateException: " + e.getMessage());
        System.out.println("Invalid email address");
    } catch (DomainException e) {
        System.out.println("DomainException: " + e.getMessage());
        System.out.println("Invalid email address");
    } finally {
        sc.close();
    }
}
}
```

**Status :** Partially correct

**Marks :** 7.5/10