IT4490 – ITSS SOFTWARE DEVELOPMENT

3. ARCHITECTURAL DESIGN



Some slides extracted from IBM coursewares

1

3

Review: Software Architectural Design process

- Purpose: "to provide a design for the software that implements and can be verified against the requirements"
- Software architecture is designed from the software requirements
- Main items
- a top-level structure of the software and the software components which constructs the software
- a top-level design for the interfaces external to the software and between the software components
- a top-level design for the database

Content

- Overview
- 2. Analysis classes
- Distribute Use-Case Behavior to Classes
- 4. Analysis class diagram

2

Architectural Design Overview


Project Specific Software Architecture Document

Supplementary Specifications

Use-Case Model

Analysis Model

Analysis Classes




Review: Class · An abstraction · Describes a group of objects with common: Properties (attributes) Behavior (operations) Relationships Class Name Professor Semantics name Attributes ProfessorId : UniqueId create() Operations save() delete() change()


Content

1. Overview

2. Analysis classes
3. Distribute Use-Case Behavior to Classes
4. Analysis class diagram

õ





2.1. Boundary Classes

Intermediate between the interface and something outside the system

Several Types

User interface classes


System interface classes


Device interface classes


One boundary class per actor/use-case pair

Analysis class stereotype


Environment dependent.







13




Guidelines: Boundary Classes

- User Interface Classes
- Concentrate on what information is presented to the user
- Do NOT concentrate on the UI details
- System and Device Interface Classes
- · Concentrate on what protocols must be defined
- Do NOT concentrate on how the protocols will be implemented

Concentrate on the responsibilities, not the details!

14



15

Guidelines: Entity Classes

- · Use use-case flow of events as input
- · Key abstractions of the use case
- Traditional, filtering nouns approach
 - Underline noun clauses in the use-case flow of events
 - Remove redundant candidates
 - · Remove vague candidates
 - Remove actors (out of scope)
 - · Remove implementation constructs
 - · Remove attributes (save for later)
 - · Remove operations


17

19

3.3. Control Classes Provide coordinating behavior in the system model control behavior specific to one or more use cases Use Case Use-case dependent. Environment independent.

Example in Course Registration CS: Finding Entity Classes

 For "Register For Course" use case, there are some candidate entity classes:



Guidelines: Control Classes

- ♦In general, identify one control class per use case.
- ◆The system can perform some use cases without control classes by using just entity and boundary classes.
- This is particularly true for use cases that involve only the simple manipulation of stored information.
- ◆ More complex use cases generally require one or more control classes to coordinate the behavior of other objects in the system.
- Examples of control classes include transaction managers, resource coordinators, and error handlers.

21

Course Registration CS Summary:
Analysis Classes

Student Register for Courses
Use-Case Model

Analysis Model

Example in Course Registration CS: Finding Control Classes

• For "Register for Course" use case:

Register for Course

Register for Course

22

Content

- 1. Overview
- 2. Analysis classes
- 3. Distribute Use-Case Behavior to Classes
- 4. Analysis class diagram

3. Distribute Use-Case Behavior to Classes

• For each use-case flow of events:

• Identify analysis classes

• Allocate use-case responsibilities to analysis classes

• Model analysis class interactions in Interaction diagrams

Use-Case Realization

Diagrams

Use-Case Realization

Communication

Diagrams

25

3.1. Allocating Responsibilities to Classes (2)

- Who has the data needed to perform the responsibility?
 - If one class has the data, put the responsibility with the data
 - If multiple classes have the data:
 - Put the responsibility with one class and add a relationship to the other
 - Create a new class, put the responsibility in the new class, and add relationships to classes needed to perform the responsibility
 - Put the responsibility in the control class, and add relationships to classes needed to perform the responsibility

3.1. Allocating Responsibilities to Classes


- · Use analysis class stereotypes as a guide
- Boundary Classes
 - · Behavior that involves communication with an actor
- Entity Classes
 - Behavior that involves the data encapsulated within the abstraction
- Control Classes
- Behavior specific to a use case or part of a very important flow of events

26

3.2. Interaction Diagrams

- Generic term that applies to several diagrams that emphasize object interactions
- Sequence Diagram
- Communication Diagram
- Specialized Variants
- Timing Diagram
- Interaction Overview Diagram

27




29

31

3.2.1. Sequence DiagramA sequence diagram is an interaction diagram that

- emphasizes the time ordering of messages.

 The diagram shows:
 - The objects participating in the interaction.
- · The sequence of messages exchanged.



3.2. Interaction Diagrams (3)

Timing Diagram

 Time constraint view of messages involved in an interaction

Interaction Overview Diagram


 High level view of interaction sets combined into logic sequence

Timing Diagrams



Interaction Overview Diagrams

30




-8

Exercise: Course Registration CS


• Draw a sequence diagram for "Register for course" use case

33



3.2.2. Communication Diagram

- · A communication diagram emphasizes the organization of the objects that participate in an interaction.
- The communication diagram shows:
- The objects participating in the interaction.
- · Links between the objects.
- · Messages passed between the objects.




Communication Diagrams

34

36

Exercise: Course Registration CS

• Draw a communication diagram for "Register for course" use case



3.2.3. Sequence and Communication Diagram

Sequence diagrams	Communication diagrams
Show the explicit sequence of messages	 Show relationships in addition to interactions
 Show execution occurrence 	 Better for visualizing patterns of communication
 Better for visualizing overall flow 	Better for visualizing all of the effects on a given object
 Better for real-time specifications and for complex scenarios 	Easier to use for brainstorming sessions

3.2.3. Sequence and Communication Diagram Comparison

- Similarities
- Semantically equivalent
 - · Can convert one diagram to the other without losing any
- · Model the dynamic aspects of a system
- · Model a use-case scenario


38

Content


- Overview
- Analysis classes
- Distribute Use-Case Behavior to Classes

Analysis class diagram

39 40



41



Finding Relationships

Communication Diagram

PerformResponsibility

Supplier

Client

Client

Client

O..*

Supplier

PerformResponsibility()

Association

Relationship for every link!

42

Reviewpoints: Analysis Classes

- Are the classes reasonable?
- Does the name of each class clearly reflect the role it plays?
- Does the class represent a single welldefined abstraction?
- · Are all responsibilities functionally coupled?
- · Does the class offer the required behavior?
- Are all specific requirements on the class addressed?

43

Review points: Message Design

- Have all the main and/or sub-flows been handled, including exceptional cases?
- · Have all the required objects been found?
- Have all behaviors been unambiguously distributed to the participating objects?
- Have behaviors been distributed to the right objects?
- Where there are several Interaction diagrams, are their relationships clear and consistent?

